

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		
A00.0	-	-	-	A06.0	-	-	-	A18.2	-	1	1	1	
A00.1	-	-	-	A06.1	-	-	-	A18.3	5	10	5	11	
A00.9	-	-	-	A06.2	-	-	-	A18.4	-	-	-	-	
A01.0	-	-	-	A06.3	-	-	-	A18.5	-	-	-	-	
A01.1	-	-	-	A06.4	-	-	-	A18.6	-	-	-	-	
A01.2	-	-	-	A06.5	-	-	-	A18.7	2	1	-	1	
A01.3	-	-	-	A06.6	-	-	-	A18.8	7	4	1	2	
A01.4	-	-	-	A06.7	-	-	-	A19.0	-	-	-	-	
A02.0	10	14	5	13	A06.8	2	2	-	2	A19.1	-	-	-
A02.1	16	22	10	23	A06.9	1	2	1	2	A19.2	-	-	-
A02.2	1	-	-	-	A07.0	-	-	-	-	A19.8	-	1	1
A02.8	-	-	-	-	A07.1	1	2	1	2	A19.9	51	72	21
A02.9	3	12	9	13	A07.2	1	12	11	27	A20.0	-	-	-
A03.0	-	-	-	-	A07.3	1	2	1	4	A20.1	-	-	-
A03.1	-	-	-	-	A07.8	-	-	-	-	A20.2	-	-	-
A03.2	-	-	-	-	A07.9	-	-	-	-	A20.3	-	-	-
A03.3	-	-	-	-	A08.0	2	3	1	3	A20.7	-	-	-
A03.8	-	-	-	-	A08.1	-	-	-	-	A20.8	-	-	-
A03.9	-	2	2	2	A08.2	-	2	2	2	A20.9	1	2	1
A04.0	-	-	-	-	A08.3	2	2	-	3	A21.0	-	-	-
A04.1	1	1	-	1	A08.4	97	126	29	126	A21.1	-	-	-
A04.2	1	1	-	1	A08.5	1	2	1	2	A21.2	1	1	-
A04.3	-	-	-	-	A09	111	155	44	156	A21.3	-	-	-
A04.4	2	4	2	5	A16.2	276	399	179	437	A21.7	-	-	-
A04.5	1	1	-	1	A16.3	1	2	1	2	A21.8	-	-	-
A04.6	-	-	-	-	A16.4	2	1	-	-	A21.9	-	-	-
A04.7	4,062	6,565	2,503	6,577	A16.5	5	9	5	9	A22.0	-	-	-
A04.8	61	106	45	108	A16.7	1	2	1	2	A22.1	-	-	-
A04.9	13	23	10	24	A16.8	-	-	-	-	A22.2	-	-	-
A05.0	-	-	-	-	A16.9	219	596	377	677	A22.7	-	-	-
A05.1	-	1	1	1	A17.0	12	24	13	28	A22.8	-	-	-
A05.2	-	1	1	1	A17.1	-	-	-	-	A22.9	-	-	-
A05.3	-	-	-	-	A17.8	5	7	2	8	A23.0	-	-	-
A05.4	-	-	-	-	A17.9	-	1	1	2	A23.1	-	-	-
A05.8	-	-	-	-	A18.0	70	115	45	113	A23.2	-	-	-
A05.9	1	1	-	1	A18.1	1	4	4	4	A23.3	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
A23.8	-	-	-	A32.7	9	12	5	A41.5	714	3,157	2,444	3,232
A23.9	-	-	-	A32.8	2	2	-	A41.8	89	367	278	377
A24.0	-	1	1	A32.9	8	13	5	A41.9	30,588	136,075	105,494	138,406
A24.1	-	-	-	A33	-	-	-	A42.0	3	7	4	5
A24.2	-	-	-	A34	-	-	-	A42.1	-	1	1	1
A24.3	-	-	-	A35	4	5	1	A42.2	-	-	-	-
A24.4	-	-	-	A36.0	-	-	-	A42.7	1	2	1	2
A25.0	-	-	-	A36.1	-	-	-	A42.8	-	2	2	2
A25.1	-	-	-	A36.2	-	-	-	A42.9	1	4	3	6
A25.9	-	-	-	A36.3	-	-	-	A43.0	32	51	20	49
A26.0	-	-	-	A36.8	-	-	-	A43.1	-	-	-	-
A26.7	-	-	-	A36.9	-	1	1	A43.8	5	7	2	7
A26.8	-	-	-	A37.0	2	2	-	A43.9	18	39	21	48
A26.9	-	-	-	A37.1	-	-	-	A44.0	-	-	-	-
A27.0	-	-	-	A37.8	-	-	-	A44.1	-	-	-	-
A27.8	-	-	-	A37.9	14	17	3	A44.8	-	-	-	-
A27.9	-	-	-	A38	-	-	-	A44.9	-	-	-	-
A28.0	9	11	2	A39.0	38	42	7	A46	3	5	2	5
A28.1	1	3	2	A39.1	21	25	4	A48.0	17	67	50	67
A28.2	1	1	-	A39.2	3	2	1	A48.1	72	93	21	93
A28.8	5	6	1	A39.3	-	-	-	A48.2	-	-	-	-
A28.9	-	-	-	A39.4	70	82	12	A48.3	71	80	9	80
A30.0	1	1	-	A39.5	-	-	-	A48.4	-	1	1	1
A30.1	-	-	-	A39.8	1	1	-	A48.8	5	9	4	9
A30.2	-	-	-	A39.9	5	12	7	A49.0	408	2,706	2,298	2,746
A30.3	-	-	-	A40.0	22	41	19	A49.1	99	685	586	698
A30.4	-	-	-	A40.1	20	52	32	A49.2	11	29	18	29
A30.5	-	-	-	A40.2	136	551	415	A49.3	2	5	3	5
A30.8	-	-	-	A40.3	144	437	293	A49.8	94	959	865	974
A30.9	4	8	4	A40.8	17	43	26	A49.9	457	3,299	2,843	3,401
A31.0	220	456	237	A40.9	154	404	250	A50.0	-	-	-	-
A31.1	-	1	1	A41.0	633	2,321	1,689	A50.1	-	-	-	-
A31.8	4	10	6	A41.1	18	58	40	A50.2	-	-	-	-
A31.9	38	101	63	A41.2	717	2,080	1,364	A50.3	-	-	-	-
A32.0	-	-	-	A41.3	5	23	18	A50.4	-	-	-	-
A32.1	18	27	10	A41.4	116	269	162	A50.5	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
A50.6	-	-	-	A58	-	-	-	A71.1	-	-	-	-
A50.7	-	-	-	A59.0	-	-	-	A71.9	-	-	-	-
A50.9	-	1	1	A59.8	-	-	-	A74.0	-	-	-	-
A51.0	-	1	1	A59.9	-	-	-	A74.8	-	-	-	-
A51.1	-	-	-	A60.0	-	3	3	A74.9	1	2	1	2
A51.2	-	-	-	A60.1	-	-	-	A75.0	-	-	-	-
A51.3	-	2	2	A60.9	-	-	-	A75.1	-	-	-	-
A51.4	-	-	-	A63.0	2	3	1	A75.2	1	1	-	1
A51.5	-	-	-	A63.8	-	-	-	A75.3	-	-	-	-
A51.9	-	-	-	A64	5	9	4	A75.9	-	-	-	-
A52.0	4	7	3	A65	-	-	-	A77.0	5	5	-	5
A52.1	8	15	8	A66.0	-	-	-	A77.1	-	-	-	-
A52.2	-	-	-	A66.1	-	-	-	A77.2	-	-	-	-
A52.3	22	38	16	A66.2	-	-	-	A77.3	-	-	-	-
A52.7	1	1	-	A66.3	-	-	-	A77.8	1	1	-	1
A52.8	-	-	-	A66.4	-	-	-	A77.9	-	-	-	-
A52.9	6	10	4	A66.5	-	-	-	A78	1	3	2	3
A53.0	1	7	6	A66.6	-	-	-	A79.0	-	-	-	-
A53.9	1	19	18	A66.7	-	-	-	A79.1	-	-	-	-
A54.0	-	-	-	A66.8	-	-	-	A79.8	-	-	-	-
A54.1	-	-	-	A66.9	-	-	-	A79.9	2	3	1	3
A54.2	-	-	-	A67.0	-	-	-	A80.0	-	-	-	-
A54.3	-	-	-	A67.1	-	-	-	A80.1	-	-	-	-
A54.4	-	-	-	A67.2	-	-	-	A80.2	-	-	-	-
A54.5	-	-	-	A67.3	-	-	-	A80.3	-	-	-	-
A54.6	-	-	-	A67.9	-	-	-	A80.4	-	-	-	-
A54.8	2	3	1	A68.0	-	-	-	A80.9	-	-	-	-
A54.9	-	-	-	A68.1	-	-	-	A81.0	231	239	8	239
A55	-	-	-	A68.9	-	-	-	A81.1	1	1	-	1
A56.0	-	-	-	A69.0	-	1	1	A81.2	30	58	29	186
A56.1	-	-	-	A69.1	-	1	1	A81.8	-	-	-	-
A56.2	-	-	-	A69.2	6	32	26	A81.9	1	1	-	1
A56.3	-	-	-	A69.8	-	-	-	A82.0	-	-	-	-
A56.4	-	-	-	A69.9	-	-	-	A82.1	-	-	-	-
A56.8	-	-	-	A70	-	-	-	A82.9	3	3	-	3
A57	-	-	-	A71.0	-	-	-	A83.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
A83.1	-	-	-	A93.1	-	-	-	B02.2	19	114	96	114	
A83.2	2	2	-	2	A93.2	-	-	B02.3	1	7	6	7	
A83.3	2	2	-	2	A93.8	1	1	-	B02.7	19	51	32	52
A83.4	-	-	-	-	A94	-	-	B02.8	-	2	2	2	
A83.5	-	-	-	-	A95.0	-	-	B02.9	96	417	321	439	
A83.6	-	-	-	-	A95.1	-	-	B03	-	-	-	-	
A83.8	1	1	-	1	A95.9	-	-	B04	-	-	-	-	
A83.9	-	-	-	-	A96.0	-	-	B05.0	-	-	-	-	
A84.0	-	-	-	-	A96.1	-	-	B05.1	-	-	-	-	
A84.1	-	-	-	-	A96.2	1	1	-	B05.2	-	-	-	-
A84.8	-	-	-	-	A96.8	-	-	B05.3	-	-	-	-	
A84.9	-	-	-	-	A96.9	-	-	B05.4	-	-	-	-	
A85.0	-	-	-	-	A98.0	-	-	B05.8	-	-	-	-	
A85.1	-	-	-	-	A98.1	-	-	B05.9	-	-	-	-	
A85.2	-	-	-	-	A98.2	-	-	B06.0	-	-	-	-	
A85.8	3	4	1	5	A98.3	-	-	B06.8	-	-	-	-	
A86	138	169	31	172	A98.4	-	-	B06.9	1	1	-	1	
A87.0	-	-	-	-	A98.5	-	-	B07	-	-	-	-	
A87.1	-	-	-	-	A98.8	-	-	B08.0	-	-	-	-	
A87.2	7	10	3	11	A99	-	-	B08.1	-	-	-	-	
A87.8	1	1	-	1	B00.0	-	-	B08.2	-	-	-	-	
A87.9	28	39	11	43	B00.1	1	3	2	B08.3	-	3	3	3
A88.0	-	-	-	-	B00.2	-	4	4	B08.4	-	-	-	-
A88.1	-	-	-	-	B00.3	4	5	1	B08.5	-	-	-	-
A88.8	-	-	-	-	B00.4	116	147	31	B08.8	-	1	1	1
A89	7	8	1	9	B00.5	-	1	1	B09	-	2	2	2
A90	-	-	-	-	B00.7	14	26	15	B15.0	3	3	-	-
A91	-	-	-	-	B00.8	17	47	30	B15.9	55	126	71	136
A92.0	-	-	-	-	B00.9	42	111	69	B16.0	-	-	-	-
A92.1	-	-	-	-	B01.0	-	-	-	B16.1	-	-	-	1
A92.2	-	-	-	-	B01.1	3	4	1	B16.2	33	33	-	-
A92.3	79	120	41	123	B01.2	9	15	6	B16.9	523	1,436	913	1,647
A92.4	-	-	-	-	B01.8	1	1	-	B17.0	-	-	-	-
A92.8	-	-	-	-	B01.9	6	21	15	B17.1	4,099	10,155	6,059	10,901
A92.9	-	-	-	-	B02.0	15	26	11	B17.2	-	1	1	1
A93.0	-	-	-	-	B02.1	1	1	-	B17.8	1	4	3	5

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
B18.0	-	-	-	B25.8	21	64	43	112	B35.6	-	-	-
B18.1	87	223	136	B25.9	37	134	97	203	B35.8	-	1	1
B18.2	487	1,124	637	B26.0	-	-	-	-	B35.9	-	1	1
B18.8	1	3	2	B26.1	-	-	-	-	B36.0	1	1	-
B18.9	9	14	5	B26.2	-	-	-	-	B36.1	-	1	1
B19.0	3	3	-	B26.3	-	-	-	-	B36.2	-	1	1
B19.9	81	129	49	B26.8	-	-	-	-	B36.3	-	-	-
B20.0	132	133	7	B26.9	-	-	-	-	B36.8	-	-	-
B20.1	1,071	1,149	217	B27.0	17	39	22	39	B36.9	-	2	2
B20.2	39	34	2	B27.1	-	-	-	-	B37.0	4	32	28
B20.3	677	628	86	B27.8	-	-	-	-	B37.1	17	60	44
B20.4	18	20	6	B27.9	6	8	2	8	B37.2	-	1	1
B20.5	268	285	30	B30.0	-	-	-	-	B37.3	-	1	1
B20.6	457	405	8	B30.1	-	-	-	-	B37.4	9	48	39
B20.7	1,272	1,270	137	B30.2	-	1	1	1	B37.5	1	3	2
B20.8	1,168	1,193	136	B30.3	-	-	-	-	B37.6	8	22	14
B20.9	36	34	4	B30.8	-	1	1	1	B37.7	198	642	455
B21.0	94	89	2	B30.9	-	-	-	-	B37.8	27	150	124
B21.1	41	38	-	B33.0	-	-	-	-	B37.9	12	182	170
B21.2	423	388	12	B33.1	-	-	-	-	B38.0	2	15	13
B21.3	52	50	5	B33.2	51	63	12	65	B38.1	2	-	-
B21.7	29	36	8	B33.3	9	22	13	22	B38.2	30	44	15
B21.8	225	518	308	B33.8	8	11	3	11	B38.3	-	2	2
B21.9	52	55	9	B34.0	9	22	13	22	B38.4	13	17	4
B22.0	170	223	68	B34.1	6	11	5	11	B38.7	25	32	7
B22.1	-	-	-	B34.2	-	-	-	-	B38.8	1	3	2
B22.2	197	217	29	B34.3	2	8	6	9	B38.9	27	63	36
B22.7	932	1,095	233	B34.4	-	-	-	-	B39.0	1	1	-
B23.0	-	-	-	B34.8	40	76	36	78	B39.1	-	-	-
B23.1	-	1	1	B34.9	226	359	133	429	B39.2	7	24	17
B23.2	288	268	104	B35.0	2	2	-	2	B39.3	-	-	-
B23.8	1,881	2,726	1,157	B35.1	-	3	3	3	B39.4	1	1	-
B24	3,541	3,852	374	B35.2	-	-	-	-	B39.5	-	-	-
B25.0	43	94	56	B35.3	-	-	-	-	B39.9	36	92	57
B25.1	2	4	4	B35.4	-	-	-	-	B40.0	-	-	-
B25.2	-	-	-	B35.5	-	-	-	-	B40.1	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		
B40.2	8	12	4	B46.4	1	4	3	B57.1	-	-	-	-	
B40.3	-	-	-	B46.5	11	64	53	B57.2	2	2	-	3	
B40.7	4	7	3	B46.8	-	1	1	B57.3	-	-	-	-	
B40.8	-	-	-	B46.9	1	2	1	B57.4	-	-	-	-	
B40.9	13	23	10	B47.0	-	-	-	B57.5	-	-	-	-	
B41.0	-	-	-	B47.1	-	-	-	B58.0	-	-	-	-	
B41.7	-	-	-	B47.9	4	13	9	B58.1	-	-	-	-	
B41.8	-	-	-	B48.0	-	-	-	B58.2	4	18	14	135	
B41.9	-	-	-	B48.1	-	1	1	B58.3	-	1	1	1	
B42.0	1	1	-	B48.2	-	-	-	B58.8	2	4	3	16	
B42.1	-	-	-	B48.3	-	-	-	B58.9	7	27	20	80	
B42.7	-	-	-	B48.4	-	-	-	B59	158	394	237	1,025	
B42.8	-	-	-	B48.7	-	5	5	B60.0	4	5	1	5	
B42.9	1	1	-	B48.8	1	10	9	B60.1	-	-	-	-	
B43.0	-	-	-	B49	329	1,601	1,274	1,737	B60.2	-	-	-	-
B43.1	-	-	-	B50.0	-	-	-	B60.8	-	1	1	1	
B43.2	-	-	-	B50.8	-	-	-	B64	-	-	-	-	
B43.8	-	-	-	B50.9	3	3	-	B65.0	2	2	-	-	
B43.9	-	1	1	B51.0	-	-	-	B65.1	-	-	-	-	
B44.0	5	18	13	B51.8	-	-	-	B65.2	-	-	-	-	
B44.1	83	386	304	B51.9	-	-	-	B65.3	-	-	-	-	
B44.2	-	-	-	B52.0	-	-	-	B65.8	-	-	-	-	
B44.7	5	39	34	B52.8	-	-	-	B65.9	3	3	-	5	
B44.8	8	21	13	B52.9	-	-	-	B66.0	-	-	-	-	
B44.9	50	257	208	B53.0	-	-	-	B66.1	-	-	-	-	
B45.0	8	26	18	B53.1	-	-	-	B66.2	-	-	-	-	
B45.1	82	170	90	B53.8	-	-	-	B66.3	-	-	-	-	
B45.2	-	-	-	B54	5	6	1	B66.4	-	-	-	-	
B45.3	-	-	-	B55.0	-	-	-	B66.5	-	-	-	-	
B45.7	15	44	29	B55.1	-	-	-	B66.8	-	-	-	-	
B45.8	1	1	-	B55.2	-	-	-	B66.9	-	-	-	-	
B45.9	6	33	27	B55.9	-	-	-	B67.0	1	1	-	1	
B46.0	1	9	8	B56.0	-	-	-	B67.1	-	-	-	-	
B46.1	1	8	7	B56.1	-	-	-	B67.2	-	-	-	-	
B46.2	1	2	1	B56.9	-	-	-	B67.3	-	-	-	-	
B46.3	-	-	-	B57.0	-	-	-	B67.4	-	-	-	-	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
B67.5	-	-	-	B78.1	-	-	-	B88.3	-	-	-	-	
B67.6	-	-	-	B78.7	7	6	-	B88.8	-	3	3	3	
B67.7	-	-	-	B78.9	3	14	11	B88.9	-	-	-	-	
B67.8	-	-	-	B79	-	-	-	B89	-	3	3	3	
B67.9	-	-	-	B80	-	-	-	B90.0	-	1	1	1	
B68.0	-	-	-	B81.0	-	-	-	B90.1	1	1	-	1	
B68.1	-	-	-	B81.1	-	-	-	B90.2	-	2	2	2	
B68.9	-	-	-	B81.2	-	-	-	B90.8	-	-	-	-	
B69.0	13	18	5	20	B81.3	-	-	-	B90.9	81	221	140	221
B69.1	-	-	-	-	B81.4	3	3	-	B91	313	921	608	921
B69.8	-	-	-	-	B81.8	-	-	-	B92	-	-	-	-
B69.9	-	1	1	1	B82.0	1	1	-	B94.0	-	-	-	-
B70.0	-	-	-	-	B82.9	1	1	-	B94.1	6	12	6	12
B70.1	-	-	-	-	B83.0	-	-	-	B94.2	1,924	2,524	602	2,524
B71.0	-	-	-	-	B83.1	-	-	-	B94.8	608	1,230	622	1,230
B71.1	-	-	-	-	B83.2	-	-	-	B94.9	1	6	5	6
B71.8	-	-	-	-	B83.3	-	-	-	B99	305	1,236	933	1,852
B71.9	-	-	-	-	B83.4	-	-	-	C00.0	1	9	8	9
B72	-	-	-	-	B83.8	-	-	-	C00.1	9	12	3	12
B73	-	-	-	-	B83.9	1	2	1	C00.2	-	-	-	-
B74.0	-	-	-	-	B85.0	-	-	-	C00.3	-	-	-	-
B74.1	-	-	-	-	B85.1	1	1	-	C00.4	-	-	-	-
B74.2	-	-	-	-	B85.2	-	1	1	C00.5	-	-	-	-
B74.3	-	-	-	-	B85.3	-	-	-	C00.6	-	-	-	-
B74.4	-	-	-	-	B85.4	-	-	-	C00.8	-	-	-	-
B74.8	-	-	-	-	B86	1	5	4	C00.9	64	86	22	86
B74.9	-	1	1	1	B87.0	-	-	-	C01	153	181	29	182
B75	-	-	-	-	B87.1	-	-	-	C02.0	-	-	-	-
B76.0	-	-	-	-	B87.2	-	-	-	C02.1	-	-	-	-
B76.1	-	-	-	-	B87.3	-	-	-	C02.2	-	-	-	-
B76.8	-	-	-	-	B87.4	-	-	-	C02.3	-	-	-	-
B76.9	-	-	-	-	B87.8	-	1	1	C02.4	2	3	1	3
B77.0	-	-	-	-	B87.9	-	1	1	C02.8	-	-	-	-
B77.8	-	-	-	-	B88.0	-	-	-	C02.9	1,726	2,087	364	2,093
B77.9	-	1	1	1	B88.1	-	-	-	C03.0	22	24	2	24
B78.0	1	1	-	-	B88.2	-	-	-	C03.1	10	11	1	11

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis			
C03.9	52	70	18	70	C11.9	625	703	80	705	C18.3	12	13	1	13
C04.0	-	-	-	-	C12	127	150	23	150	C18.4	53	69	16	69
C04.1	-	-	-	-	C13.0	1	1	-	1	C18.5	5	6	1	6
C04.8	-	-	-	-	C13.1	-	-	-	-	C18.6	72	82	10	82
C04.9	122	152	30	152	C13.2	-	-	-	-	C18.7	379	466	87	478
C05.0	20	29	9	31	C13.8	-	-	-	-	C18.8	2	2	-	2
C05.1	58	78	20	79	C13.9	240	278	38	278	C18.9	43,101	51,349	8,259	51,653
C05.2	14	16	2	16	C14.0	1,629	2,199	576	2,236	C19	2,383	2,590	210	2,373
C05.8	-	-	-	-	C14.2	-	-	-	-	C20	6,209	7,139	953	7,408
C05.9	67	95	28	95	C14.8	-	-	-	-	C21.0	520	601	92	631
C06.0	34	37	3	37	C15.0	5	7	2	7	C21.1	33	40	7	42
C06.1	1	2	1	2	C15.1	2	2	-	2	C21.2	7	8	1	8
C06.2	23	24	1	24	C15.2	-	1	1	1	C21.8	29	32	6	36
C06.8	1	1	-	1	C15.3	3	5	2	5	C22.0	6,254	6,806	594	6,877
C06.9	866	1,065	200	1,109	C15.4	-	-	-	-	C22.1	3,490	3,672	183	3,673
C07	541	628	87	628	C15.5	74	80	6	85	C22.2	21	23	2	23
C08.0	27	37	10	37	C15.8	-	-	-	-	C22.3	22	22	-	22
C08.1	-	-	-	-	C15.9	12,939	14,101	1,175	14,239	C22.4	3	3	-	3
C08.8	-	-	-	-	C16.0	628	709	82	591	C22.7	1	1	-	1
C08.9	129	151	22	153	C16.1	-	-	-	-	C22.9	5,530	5,946	433	5,973
C09.0	9	11	2	11	C16.2	1	1	-	1	C23	1,936	2,069	133	2,069
C09.1	6	8	2	8	C16.3	8	10	2	10	C24.0	696	784	88	784
C09.8	-	-	-	-	C16.4	3	5	2	5	C24.1	192	217	25	217
C09.9	577	715	141	722	C16.5	1	2	1	2	C24.8	-	-	-	-
C10.0	3	4	1	4	C16.6	1	1	-	1	C24.9	573	665	92	698
C10.1	-	-	-	-	C16.8	1	-	-	-	C25.0	104	111	7	111
C10.2	-	-	-	-	C16.9	11,216	12,171	1,005	12,311	C25.1	6	8	2	8
C10.3	-	-	-	-	C17.0	545	620	75	620	C25.2	9	9	-	9
C10.4	1	1	-	1	C17.1	40	44	4	44	C25.3	24	26	2	26
C10.8	-	-	-	-	C17.2	43	46	3	46	C25.4	121	129	8	129
C10.9	654	775	121	776	C17.3	-	-	-	-	C25.7	1	1	-	1
C11.0	1	1	-	1	C17.8	-	-	-	-	C25.8	-	-	-	-
C11.1	11	15	4	15	C17.9	487	545	58	550	C25.9	31,507	32,764	1,272	32,790
C11.2	-	-	-	-	C18.0	337	425	88	425	C26.0	397	479	82	498
C11.3	-	-	-	-	C18.1	298	319	21	319	C26.1	20	38	18	38
C11.8	-	-	-	-	C18.2	332	405	73	405	C26.8	1	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
C26.9	654	625	65	650	C40.8	-	-	C46.2	-	-	-	-
C30.0	45	55	10	55	C40.9	1	2	C46.3	-	-	-	-
C30.1	6	8	2	8	C41.0	38	49	C46.7	4	8	4	33
C31.0	157	180	23	182	C41.1	132	165	C46.8	-	-	-	-
C31.1	24	28	4	28	C41.2	91	117	C46.9	43	95	53	250
C31.2	4	4	-	4	C41.3	12	16	C47.0	1	2	1	2
C31.3	6	8	2	8	C41.4	56	66	C47.1	1	3	2	3
C31.8	-	-	-	-	C41.8	-	-	C47.2	4	4	-	4
C31.9	216	256	41	256	C41.9	910	1,011	C47.3	2	2	-	2
C32.0	78	144	68	145	C43.0	3	3	C47.4	2	2	-	2
C32.1	166	218	52	219	C43.1	-	-	C47.5	2	3	1	3
C32.2	7	11	4	11	C43.2	23	27	C47.6	1	3	2	3
C32.3	3	4	1	4	C43.3	71	96	C47.8	-	-	-	-
C32.8	-	-	-	-	C43.4	94	112	C47.9	77	86	9	87
C32.9	3,414	4,566	1,157	4,590	C43.5	185	206	C48.0	219	250	31	250
C33	82	113	31	113	C43.6	115	141	C48.1	47	61	14	61
C34.0	27	31	4	31	C43.7	132	157	C48.2	639	676	37	676
C34.1	578	670	93	671	C43.8	-	-	C48.8	-	-	-	-
C34.2	35	46	11	46	C43.9	7,329	8,034	C49.0	107	131	24	131
C34.3	261	306	45	306	C44.0	2	5	C49.1	44	56	12	56
C34.8	5	5	-	5	C44.1	6	11	C49.2	196	243	47	243
C34.9	157,103	166,548	9,604	166,893	C44.2	85	142	C49.3	72	90	18	90
C37	186	216	30	216	C44.3	210	367	C49.4	191	210	19	210
C38.0	75	98	23	98	C44.4	1,011	1,277	C49.5	118	132	14	132
C38.1	2	2	-	2	C44.5	47	81	C49.6	9	11	2	11
C38.2	-	-	-	-	C44.6	28	49	C49.8	-	-	-	-
C38.3	95	123	28	123	C44.7	39	61	C49.9	2,820	3,159	342	3,235
C38.4	78	96	18	96	C44.8	-	-	C50.0	7	11	4	11
C38.8	-	-	-	-	C44.9	921	1,421	C50.1	-	-	-	-
C39.0	2	2	-	2	C45.0	176	196	C50.2	-	-	-	-
C39.8	-	-	-	-	C45.1	94	101	C50.3	-	-	-	-
C39.9	9	11	2	11	C45.2	5	8	C50.4	-	-	-	-
C40.0	11	16	5	16	C45.7	309	321	C50.5	-	-	-	-
C40.1	-	-	-	-	C45.9	1,920	2,056	C50.6	-	-	-	-
C40.2	48	56	8	56	C46.0	1	1	C50.8	-	-	-	-
C40.3	2	2	-	2	C46.1	-	-	C50.9	41,309	50,460	9,172	50,495

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
C51.0	11	11	-	C63.0	-	-	-	C71.1	80	84	4	85
C51.1	-	-	-	C63.1	3	4	1	C71.2	90	96	6	96
C51.2	-	-	-	C63.2	12	17	5	C71.3	54	60	6	60
C51.8	-	-	-	C63.7	-	-	-	C71.4	11	15	4	15
C51.9	795	944	151	C63.8	-	-	-	C71.5	14	15	1	15
C52	416	499	86	C63.9	22	27	5	C71.6	140	166	26	166
C53.0	31	33	2	C64	12,123	14,138	2,020	C71.7	285	297	12	297
C53.1	-	-	-	C65	190	201	11	C71.8	25	27	2	27
C53.8	-	-	-	C66	334	429	95	C71.9	11,717	12,192	479	12,224
C53.9	3,819	4,249	445	C67.0	1	2	1	C72.0	41	59	18	59
C54.0	2	2	-	C67.1	-	-	-	C72.1	-	-	-	-
C54.1	3,228	3,711	483	C67.2	-	-	-	C72.2	-	-	-	-
C54.2	1	1	-	C67.3	-	-	-	C72.3	6	6	-	7
C54.3	-	-	-	C67.4	-	-	-	C72.4	-	2	2	2
C54.8	-	-	-	C67.5	3	3	-	C72.5	4	6	2	6
C54.9	41	44	3	C67.6	1	1	-	C72.8	1	1	-	1
C55	3,718	4,470	753	C67.7	24	26	2	C72.9	56	70	14	73
C56	14,716	15,745	1,030	C67.8	1	1	-	C73	1,409	1,745	337	1,747
C57.0	180	195	15	C67.9	13,000	16,984	3,987	C74.0	65	68	3	68
C57.1	-	-	-	C68.0	168	214	47	C74.1	29	31	2	31
C57.2	-	-	-	C68.1	-	-	-	C74.9	467	522	56	523
C57.3	-	-	-	C68.8	-	-	-	C75.0	12	15	3	15
C57.4	2	3	1	C68.9	83	69	20	C75.1	26	40	14	40
C57.7	9	11	2	C69.0	1	1	-	C75.2	2	3	1	3
C57.8	3	3	-	C69.1	-	-	-	C75.3	21	21	-	21
C57.9	57	75	20	C69.2	16	29	13	C75.4	2	2	-	2
C58	20	22	2	C69.3	5	13	8	C75.5	19	20	1	20
C60.0	2	2	-	C69.4	1	2	1	C75.8	-	-	-	-
C60.1	1	1	-	C69.5	12	12	-	C75.9	34	41	7	41
C60.2	1	1	-	C69.6	40	61	21	C76.0	574	741	167	741
C60.8	-	-	-	C69.8	-	-	-	C76.1	113	153	41	154
C60.9	227	282	55	C69.9	133	206	73	C76.2	753	869	116	869
C61	29,004	41,562	12,571	C70.0	18	23	5	C76.3	242	285	43	285
C62.0	1	1	-	C70.1	-	-	-	C76.4	14	18	4	18
C62.1	-	-	-	C70.9	97	120	23	C76.5	36	41	5	42
C62.9	356	458	103	C71.0	190	210	20	C76.7	127	140	13	140

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
C76.8	2	2	-	C82.2	16	20	4	C91.4	96	160	64	160
C77.0	7	67	60	C82.7	2	3	1	C91.5	42	50	8	52
C77.1	2	78	76	C82.9	177	224	47	C91.7	-	-	-	-
C77.2	1	67	66	C83.0	224	311	87	C91.9	209	283	74	292
C77.3	1	13	12	C83.1	595	678	83	C92.0	7,821	8,349	528	8,421
C77.4	1	18	17	C83.2	20	25	5	C92.1	1,164	1,474	310	1,475
C77.5	-	6	6	C83.3	1,083	1,254	172	C92.2	1	1	-	1
C77.8	-	-	-	C83.4	8	15	7	C92.3	16	24	8	25
C77.9	20	836	816	C83.5	64	74	10	C92.4	125	135	10	135
C78.0	238	15,575	15,339	C83.6	9	10	1	C92.5	235	273	38	273
C78.1	13	302	289	C83.7	228	257	29	C92.7	364	431	67	431
C78.2	143	2,181	2,038	C83.8	56	72	16	C92.9	223	255	32	263
C78.3	4	165	161	C83.9	38	43	5	C93.0	99	109	10	109
C78.4	2	74	72	C84.0	90	138	48	C93.1	7	14	7	14
C78.5	13	1,238	1,225	C84.1	6	14	8	C93.2	-	-	-	-
C78.6	412	1,809	1,397	C84.2	-	-	-	C93.7	-	-	-	-
C78.7	2,199	19,424	17,229	C84.3	2	3	1	C93.9	15	20	5	20
C78.8	20	1,142	1,122	C84.4	69	76	7	C94.0	18	26	8	26
C79.0	5	450	445	C84.5	709	809	100	C94.1	3	3	-	3
C79.1	10	465	455	C85.0	36	47	11	C94.2	15	15	-	15
C79.2	78	592	514	C85.1	1,257	1,471	215	C94.3	-	-	-	-
C79.3	784	14,940	14,156	C85.7	4	6	2	C94.4	1	1	-	1
C79.4	10	685	675	C85.9	16,225	19,839	3,616	C94.5	13	15	2	15
C79.5	446	10,348	9,902	C88.0	305	486	181	C94.7	68	78	10	78
C79.6	3	250	247	C88.1	-	-	-	C95.0	2,237	2,411	176	2,528
C79.7	-	551	551	C88.2	-	-	-	C95.1	189	315	126	315
C79.8	3,053	9,123	6,075	C88.3	-	-	-	C95.2	-	-	-	-
C80	26,096	26,496	2,547	C88.7	-	-	-	C95.7	5	5	-	5
C81.0	-	1	1	C88.9	5	7	2	C95.9	2,645	3,381	737	3,559
C81.1	20	21	1	C90.0	10,505	12,382	1,880	C96.0	-	-	-	-
C81.2	3	3	-	C90.1	77	113	36	C96.1	9	10	1	10
C81.3	1	2	1	C90.2	73	132	59	C96.2	6	7	1	7
C81.7	2	3	1	C91.0	1,371	1,479	109	C96.3	-	-	-	-
C81.9	1,250	1,713	463	C91.1	4,342	6,494	2,152	C96.7	2	2	-	2
C82.0	10	13	3	C91.2	-	-	-	C96.9	54	78	24	90
C82.1	10	13	3	C91.3	71	96	25	C97	4,249	3	1	3

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
D00.0	1	2	1	D05.0	-	-	-	D12.3	-	-	-	-
D00.1	-	1	1	D05.1	-	3	3	D12.4	-	-	-	-
D00.2	1	3	2	D05.7	-	-	-	D12.5	-	-	-	-
D01.0	-	5	5	D05.9	-	6	6	D12.6	30	92	62	92
D01.1	-	-	-	D06.0	-	-	-	D12.7	-	-	-	-
D01.2	-	-	-	D06.1	-	-	-	D12.8	1	8	7	8
D01.3	-	-	-	D06.7	-	-	-	D12.9	1	1	-	1
D01.4	-	-	-	D06.9	-	-	-	D13.0	1	1	-	1
D01.5	2	3	1	D07.0	-	-	-	D13.1	7	14	7	14
D01.7	1	1	-	D07.1	-	2	2	D13.2	3	6	3	6
D01.9	-	-	-	D07.2	-	-	-	D13.3	-	1	1	1
D02.0	-	1	1	D07.3	-	-	-	D13.4	5	8	3	8
D02.1	-	-	-	D07.4	-	1	1	D13.5	3	6	3	6
D02.2	-	-	-	D07.5	-	1	1	D13.6	11	23	12	23
D02.3	-	-	-	D07.6	-	-	-	D13.7	25	42	17	42
D02.4	-	-	-	D09.0	-	2	2	D13.9	1	3	2	3
D03.0	-	-	-	D09.1	-	-	-	D14.0	2	2	-	2
D03.1	-	-	-	D09.2	-	-	-	D14.1	4	6	2	6
D03.2	-	-	-	D09.3	-	-	-	D14.2	1	3	2	3
D03.3	-	2	2	D09.7	-	1	1	D14.3	14	17	3	17
D03.4	-	-	-	D09.9	2	5	3	D14.4	-	-	-	-
D03.5	-	-	-	D10.0	-	-	-	D15.0	41	65	24	65
D03.6	-	-	-	D10.1	-	1	1	D15.1	55	98	43	98
D03.7	-	-	-	D10.2	-	-	-	D15.2	-	-	-	-
D03.8	-	1	1	D10.3	-	1	1	D15.7	-	-	-	-
D03.9	-	-	-	D10.4	-	-	-	D15.9	-	-	-	-
D04.0	-	-	-	D10.5	-	-	-	D16.0	-	-	-	-
D04.1	-	-	-	D10.6	-	-	-	D16.1	-	-	-	-
D04.2	-	-	-	D10.7	-	-	-	D16.2	1	1	-	1
D04.3	-	-	-	D10.9	-	-	-	D16.3	-	-	-	-
D04.4	-	-	-	D11.0	3	6	3	D16.4	4	6	2	6
D04.5	-	-	-	D11.7	-	-	-	D16.5	1	1	-	1
D04.6	-	-	-	D11.9	-	4	4	D16.6	2	7	5	7
D04.7	-	-	-	D12.0	2	8	6	D16.7	-	-	-	-
D04.8	-	-	-	D12.1	-	-	-	D16.8	-	1	1	1
D04.9	1	1	-	D12.2	-	1	1	D16.9	4	6	2	6

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
D17.0	-	1	1	D23.2	-	-	-	D31.0	-	-	-	-
D17.1	-	-	-	D23.3	-	-	-	D31.1	-	-	-	-
D17.2	-	-	-	D23.4	-	2	2	D31.2	-	-	-	-
D17.3	-	-	-	D23.5	1	1	-	D31.3	-	-	-	-
D17.4	1	2	1	D23.6	-	-	-	D31.4	-	1	1	1
D17.5	-	-	-	D23.7	1	3	2	D31.5	-	-	-	-
D17.6	-	-	-	D23.9	16	31	15	D31.6	-	-	-	-
D17.7	5	18	13	D24	1	3	2	D31.9	-	1	1	1
D17.9	6	10	4	D25.0	-	-	-	D32.0	244	338	94	338
D18.0	57	98	41	D25.1	1	1	-	D32.1	5	8	3	8
D18.1	41	83	42	D25.2	-	-	-	D32.9	585	1,095	510	1,104
D19.0	-	-	-	D25.9	21	77	56	D33.0	11	15	4	15
D19.1	-	1	1	D26.0	2	2	-	D33.1	2	6	4	6
D19.7	-	1	1	D26.1	-	-	-	D33.2	77	112	35	112
D19.9	-	-	-	D26.7	-	-	-	D33.3	40	70	30	70
D20.0	-	1	1	D26.9	2	3	1	D33.4	3	4	1	4
D20.1	1	1	-	D27	14	28	14	D33.7	-	-	-	-
D21.0	-	1	1	D28.0	-	-	-	D33.9	1	4	3	4
D21.1	-	-	-	D28.1	-	-	-	D34	1	11	10	11
D21.2	-	1	1	D28.2	-	-	-	D35.0	36	93	57	93
D21.3	-	-	-	D28.7	-	-	-	D35.1	5	28	23	28
D21.4	-	1	1	D28.9	-	-	-	D35.2	78	186	108	186
D21.5	-	1	1	D29.0	-	-	-	D35.3	1	1	-	1
D21.6	-	-	-	D29.1	-	2	2	D35.4	-	1	1	1
D21.9	22	50	28	D29.2	1	1	-	D35.5	-	-	-	-
D22.0	-	-	-	D29.3	-	-	-	D35.6	-	-	-	-
D22.1	1	1	-	D29.4	-	-	-	D35.7	-	-	-	-
D22.2	-	-	-	D29.7	-	-	-	D35.8	-	-	-	-
D22.3	-	-	-	D29.9	-	-	-	D35.9	-	-	-	-
D22.4	-	-	-	D30.0	4	9	5	D36.0	-	-	-	-
D22.5	-	1	1	D30.1	-	-	-	D36.1	19	44	25	44
D22.6	-	-	-	D30.2	-	1	1	D36.7	9	14	5	14
D22.7	-	-	-	D30.3	-	-	-	D36.9	16	54	38	57
D22.9	-	5	5	D30.4	-	-	-	D37.0	50	95	45	102
D23.0	-	-	-	D30.7	-	-	-	D37.1	71	105	34	106
D23.1	-	-	-	D30.9	-	-	-	D37.2	27	40	13	41

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		
D37.3	5	17	12	D43.4	32	55	23	D50.0	95	553	489	554	
D37.4	98	155	57	D43.7	-	-	-	D50.1	-	-	-	-	
D37.5	25	49	24	D43.9	25	32	7	D50.8	3	51	48	50	
D37.6	209	294	85	D44.0	7	22	15	D50.9	50	642	597	644	
D37.7	192	271	79	D44.1	10	31	21	D51.0	47	697	653	697	
D37.9	83	103	20	D44.2	3	6	3	D51.1	-	3	3	-	
D38.0	18	27	9	D44.3	90	182	92	D51.2	-	-	-	-	
D38.1	531	772	241	D44.4	45	67	22	D51.3	-	-	-	-	
D38.2	6	8	2	D44.5	12	21	9	D51.8	-	-	-	-	
D38.3	35	48	13	D44.6	2	8	6	D51.9	-	12	12	12	
D38.4	2	2	-	D44.7	8	11	3	D52.0	-	-	-	-	
D38.5	7	16	9	D44.8	1	2	1	D52.1	-	-	-	-	
D38.6	3	5	2	D44.9	12	23	11	D52.8	-	-	-	-	
D39.0	29	48	19	D45	304	1,022	718	1,022	D52.9	8	57	49	57
D39.1	44	87	43	D46.0	-	-	-	D53.0	14	1	1	1	
D39.2	3	4	1	D46.1	3	7	4	D53.1	1	19	18	19	
D39.7	7	11	4	D46.2	13	21	8	D53.2	-	-	-	-	
D39.9	2	4	2	D46.3	3	5	2	D53.8	-	1	1	-	
D40.0	15	25	10	D46.4	142	249	107	D53.9	21	25	23	26	
D40.1	3	5	2	D46.7	8	14	6	D55.0	-	1	1	1	
D40.7	-	3	3	D46.9	4,328	8,392	4,065	8,552	D55.1	-	-	-	-
D40.9	3	4	1	D47.0	2	3	1	D55.2	-	-	-	-	
D41.0	72	181	109	D47.1	1,370	2,353	983	2,353	D55.3	-	-	-	-
D41.1	2	3	1	D47.2	69	242	173	242	D55.8	-	-	-	-
D41.2	5	9	4	D47.3	17	56	39	D55.9	-	-	-	-	
D41.3	1	2	1	D47.7	16	25	9	D56.0	4	7	3	7	
D41.4	89	183	94	D47.9	113	187	74	D56.1	5	27	22	27	
D41.7	-	-	-	D48.0	44	93	49	D56.2	-	-	-	-	
D41.9	3	6	3	D48.1	137	182	45	D56.3	-	2	2	2	
D42.0	5	6	1	D48.2	11	13	2	D56.4	-	-	-	-	
D42.1	-	-	-	D48.3	12	23	11	D56.8	3	3	2	3	
D42.9	5	11	6	D48.4	6	9	3	D56.9	13	76	63	76	
D43.0	170	209	39	D48.5	6	13	7	D57.0	98	120	22	120	
D43.1	115	142	27	D48.6	21	45	25	D57.1	420	739	319	739	
D43.2	2,697	3,194	498	D48.7	275	453	178	D57.2	6	15	9	15	
D43.3	1	2	1	D48.9	239	359	120	D57.3	9	45	36	45	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		
D57.8	-	-	-	D68.0	8	47	39	47	D75.8	63	446	383	447
D58.0	5	16	11	D68.1	-	1	1	1	D75.9	58	243	185	314
D58.1	-	1	1	D68.2	60	157	97	157	D76.0	18	40	22	40
D58.2	3	18	15	D68.3	1	1	-	1	D76.1	31	37	6	37
D58.8	-	1	1	D68.4	10	41	31	42	D76.2	2	4	2	4
D58.9	132	430	298	D68.8	105	283	178	283	D76.3	25	43	18	43
D59.0	-	-	-	D68.9	952	5,279	4,328	5,409	D80.0	6	12	6	12
D59.1	105	299	194	D69.0	10	17	7	17	D80.1	13	75	62	75
D59.2	-	-	-	D69.1	1	6	5	6	D80.2	4	10	6	10
D59.3	27	68	41	D69.2	-	11	11	14	D80.3	5	11	6	11
D59.4	5	109	104	D69.3	289	762	473	762	D80.4	-	2	2	2
D59.5	4	10	6	D69.4	59	115	56	115	D80.5	-	-	-	-
D59.6	-	-	-	D69.5	24	220	196	221	D80.6	-	1	1	1
D59.8	-	-	-	D69.6	474	4,357	3,883	4,382	D80.7	-	-	-	-
D59.9	10	24	14	D69.8	-	2	2	2	D80.8	1	4	3	4
D60.0	-	-	-	D69.9	25	126	101	139	D80.9	5	10	5	10
D60.1	-	-	-	D70	306	2,533	2,227	2,539	D81.0	-	-	-	-
D60.8	-	1	1	D71	16	29	13	29	D81.1	-	-	-	-
D60.9	8	27	19	D72.0	-	2	2	2	D81.2	-	-	-	-
D61.0	19	29	10	D72.1	18	52	34	52	D81.3	-	-	-	-
D61.1	1	2	1	D72.8	71	432	361	434	D81.4	1	1	-	1
D61.2	-	3	3	D72.9	-	1	1	1	D81.5	-	1	1	1
D61.3	7	9	2	D73.0	-	2	2	2	D81.6	-	1	1	1
D61.8	-	-	-	D73.1	50	206	156	206	D81.7	-	-	-	-
D61.9	932	4,254	3,322	D73.2	3	23	20	23	D81.8	-	1	1	1
D62	16	146	130	D73.3	16	51	35	51	D81.9	14	22	8	22
D64.0	-	1	1	D73.4	-	1	1	1	D82.0	3	12	9	5
D64.1	1	3	2	D73.5	49	211	162	211	D82.1	10	36	26	36
D64.2	-	-	-	D73.8	10	40	30	40	D82.2	-	-	-	-
D64.3	37	86	49	D73.9	34	136	102	137	D82.3	3	6	3	6
D64.4	1	2	1	D74.0	-	-	-	-	D82.4	-	-	-	-
D64.8	44	99	58	D74.8	-	-	-	-	D82.8	-	-	-	-
D64.9	2,421	38,800	36,380	D74.9	3	5	2	5	D82.9	-	-	-	-
D65	538	3,283	2,745	D75.0	-	1	1	1	D83.0	-	-	-	-
D66	76	183	107	D75.1	4	67	63	67	D83.1	-	-	-	-
D67	7	17	10	D75.2	34	197	163	197	D83.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			Entity axis	Record axis			Entity axis	Record axis			Entity axis		
	Total	Second-	UC		Total	Second-	UC		Total	Second-	UC			
D83.8	-	-	-	-	E04.2	3	47	44	50	E11.4	113	282	170	3
D83.9	9	20	11	20	E04.8	-	1	1	1	E11.5	1,707	3,679	1,986	-
D84.0	-	-	-	-	E04.9	37	223	186	232	E11.6	56	161	105	2
D84.1	24	54	30	54	E05.0	41	177	136	172	E11.7	158	268	111	-
D84.8	5	11	6	11	E05.1	1	3	2	1	E11.8	5	9	4	6
D84.9	403	1,011	608	1,047	E05.2	5	22	17	19	E11.9	12,904	48,052	35,174	53,417
D86.0	120	170	51	173	E05.3	-	-	-	-	E12.0	-	-	-	-
D86.1	-	-	-	1	E05.4	-	-	-	-	E12.1	-	-	-	-
D86.2	-	-	-	-	E05.5	23	30	7	30	E12.2	-	1	1	-
D86.3	-	-	-	-	E05.8	-	-	-	-	E12.3	-	-	-	-
D86.8	78	96	19	65	E05.9	257	1,296	1,039	1,337	E12.4	-	-	-	-
D86.9	643	1,166	524	1,212	E06.0	-	-	-	-	E12.5	-	-	-	-
D89.0	7	22	15	22	E06.1	-	1	1	1	E12.6	-	-	-	-
D89.1	25	57	32	57	E06.2	-	-	-	-	E12.7	-	-	-	-
D89.2	7	33	26	33	E06.3	16	70	54	70	E12.8	-	-	-	-
D89.8	2	3	1	3	E06.4	-	-	-	-	E12.9	2	6	4	7
D89.9	11	22	11	23	E06.5	1	10	9	10	E13.0	-	-	-	-
E00.0	-	-	-	-	E06.9	4	33	29	33	E13.1	-	1	1	-
E00.1	-	-	-	-	E07.0	-	-	-	-	E13.2	-	1	1	1
E00.2	-	-	-	-	E07.1	-	-	-	-	E13.3	-	1	1	-
E00.9	1	5	4	5	E07.8	1	14	13	14	E13.4	-	-	-	-
E01.0	-	-	-	-	E07.9	39	240	201	269	E13.5	-	2	2	-
E01.1	-	-	-	-	E10.0	37	50	14	1	E13.6	-	3	3	2
E01.2	-	1	1	1	E10.1	168	207	40	1	E13.7	-	-	-	-
E01.8	-	-	-	-	E10.2	155	239	86	2	E13.8	-	8	8	8
E02	-	-	-	-	E10.3	10	17	7	-	E13.9	2	75	73	80
E03.0	-	-	-	-	E10.4	53	109	56	1	E14.0	361	566	205	383
E03.1	5	16	11	16	E10.5	623	1,164	548	1	E14.1	1,549	2,198	649	1,681
E03.2	-	1	1	1	E10.6	30	50	20	2	E14.2	1,201	1,981	783	1,525
E03.3	-	-	-	-	E10.7	108	167	60	-	E14.3	14	49	35	82
E03.4	-	44	44	44	E10.8	4	3	-	-	E14.4	228	555	327	356
E03.5	14	11	6	11	E10.9	4,596	11,777	7,196	13,777	E14.5	5,286	10,394	5,150	395
E03.8	1	3	2	3	E11.0	66	116	50	2	E14.6	168	423	258	84
E03.9	1,328	18,390	17,057	18,392	E11.1	93	230	137	1	E14.7	397	629	239	13
E04.0	-	-	-	-	E11.2	371	614	247	2	E14.8	46	60	15	73
E04.1	-	32	32	34	E11.3	7	21	14	-	E14.9	42,620	141,390	98,815	156,693

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			Entity axis	Record axis			Entity axis	Record axis			Entity axis		
	Total UC	Second- mention	Ary		Total UC	Second- mention	Ary		Total UC	Second- mention	Ary			
E15	15	24	13	68	E25.0	11	17	6	17	E32.9	-	-	1	
E16.0	7	19	12	19	E25.8	-	-	-	-	E34.0	58	101	43	101
E16.1	1	7	6	7	E25.9	-	-	-	-	E34.1	-	-	-	-
E16.2	223	1,460	1,237	1,466	E26.0	-	4	4	4	E34.2	-	1	1	1
E16.3	1	1	-	1	E26.1	1	2	1	2	E34.3	10	54	44	54
E16.4	10	38	28	38	E26.8	3	7	4	7	E34.4	-	-	-	-
E16.8	-	-	-	-	E26.9	3	13	10	13	E34.5	-	1	1	1
E16.9	-	1	1	1	E27.0	-	-	-	-	E34.8	6	11	5	11
E20.0	-	-	-	-	E27.1	94	349	255	349	E34.9	3	5	2	9
E20.1	1	2	1	2	E27.2	10	32	22	32	E40	3	12	9	12
E20.8	1	1	-	1	E27.3	1	2	1	2	E41	120	799	679	303
E20.9	13	100	87	100	E27.4	102	787	685	796	E42	-	2	2	2
E21.0	1	2	1	2	E27.5	1	2	1	2	E43	315	959	644	965
E21.1	-	4	4	4	E27.8	4	30	26	30	E44.0	1	8	7	8
E21.2	-	1	1	1	E27.9	22	114	92	127	E44.1	-	4	4	4
E21.3	95	449	354	449	E28.0	-	2	2	2	E45	141	141	-	-
E21.4	-	1	1	1	E28.1	-	-	-	-	E46	2,267	17,913	15,649	18,635
E21.5	7	17	10	19	E28.2	2	9	7	9	E50.0	-	-	-	-
E22.0	6	26	20	26	E28.3	-	1	1	1	E50.1	-	-	-	-
E22.1	-	3	3	3	E28.8	-	1	1	1	E50.2	-	-	-	-
E22.2	50	362	312	362	E28.9	-	-	-	-	E50.3	-	-	-	-
E22.8	-	-	-	-	E29.0	-	-	-	-	E50.4	-	-	-	-
E22.9	-	1	1	1	E29.1	3	23	20	23	E50.5	-	-	-	-
E23.0	90	428	338	428	E29.8	-	-	-	-	E50.6	-	-	-	-
E23.1	-	-	-	-	E29.9	-	-	-	-	E50.7	-	-	-	-
E23.2	64	265	201	265	E30.0	-	-	-	-	E50.8	-	-	-	-
E23.3	4	8	4	8	E30.1	-	-	-	-	E50.9	-	-	-	-
E23.6	7	15	8	15	E30.8	-	-	-	-	E51.1	-	6	6	6
E23.7	11	25	14	28	E30.9	-	-	-	-	E51.2	16	58	42	58
E24.0	1	1	-	1	E31.0	5	9	4	9	E51.8	-	-	-	-
E24.1	-	-	-	-	E31.1	-	-	-	-	E51.9	2	3	1	4
E24.2	1	14	13	14	E31.8	-	-	-	-	E52	-	-	-	-
E24.3	-	4	4	4	E31.9	1	1	-	1	E53.0	-	3	3	3
E24.4	-	-	-	-	E32.0	1	4	3	4	E53.1	-	-	-	-
E24.8	-	-	-	-	E32.1	-	-	-	-	E53.8	23	490	467	491
E24.9	19	102	83	104	E32.8	1	5	4	5	E53.9	2	7	5	7

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
E54	1	2	1	E67.0	-	-	-	E75.1	7	8	1	8
E55.0	-	10	10	E67.1	-	-	-	E75.2	100	129	29	129
E55.9	-	2	2	E67.2	-	-	-	E75.3	-	-	-	-
E56.0	-	-	-	E67.3	-	-	-	E75.4	39	45	6	45
E56.1	1	3	2	E67.8	-	-	-	E75.5	1	2	1	2
E56.8	-	-	-	E68	1	1	-	E75.6	10	23	13	23
E56.9	-	17	17	E70.0	-	-	-	E76.0	10	10	-	10
E58	1	4	3	E70.1	3	8	5	E76.1	11	15	4	15
E59	-	-	-	E70.2	4	6	2	E76.2	22	24	2	24
E60	-	1	1	E70.3	2	9	7	E76.3	7	11	4	11
E61.0	1	1	-	E70.8	-	-	-	E76.8	-	-	-	-
E61.1	3	149	146	E70.9	-	-	-	E76.9	-	-	-	-
E61.2	-	-	-	E71.0	2	4	2	E77.0	2	4	2	4
E61.3	-	-	-	E71.1	5	6	1	E77.1	4	5	1	5
E61.4	-	-	-	E71.2	-	-	-	E77.8	29	177	148	177
E61.5	-	-	-	E71.3	40	52	12	E77.9	-	1	1	1
E61.6	-	-	-	E72.0	11	17	6	E78.0	1,737	8,546	6,810	8,559
E61.7	-	-	-	E72.1	6	29	23	E78.1	34	153	119	166
E61.8	1	2	1	E72.2	37	75	38	E78.2	20	69	49	56
E61.9	-	-	-	E72.3	-	1	1	E78.3	-	1	1	1
E63.0	-	-	-	E72.4	5	11	6	E78.4	5	12	7	12
E63.1	-	-	-	E72.5	10	15	6	E78.5	4,312	22,698	18,386	22,698
E63.8	2	3	1	E72.8	3	3	-	E78.6	6	46	40	46
E63.9	113	791	678	E72.9	1	1	-	E78.8	1	4	3	4
E64.0	5	11	6	E73.0	1	5	4	E78.9	24	113	89	114
E64.1	-	-	-	E73.1	1	1	-	E79.0	5	52	47	52
E64.2	1	1	-	E73.8	-	1	1	E79.1	6	7	1	7
E64.3	-	-	-	E73.9	-	4	4	E79.8	1	1	-	1
E64.8	-	-	-	E74.0	22	38	16	E79.9	-	-	-	-
E64.9	-	-	-	E74.1	-	-	-	E80.0	-	1	1	1
E65	-	-	-	E74.2	1	2	1	E80.1	1	7	6	7
E66.0	39	284	245	E74.3	14	156	142	E80.2	8	36	28	36
E66.1	-	1	1	E74.4	9	10	1	E80.3	-	1	1	1
E66.2	96	207	111	E74.8	12	25	13	E80.4	-	2	2	2
E66.8	2,552	8,281	5,729	E74.9	1	1	-	E80.5	4	4	-	4
E66.9	1,516	10,688	9,172	E75.0	20	24	4	E80.6	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
E80.7	-	-	-	E89.1	...	1	1	F10.0	608	4,201	3,593	4,248
E83.0	30	50	20	E89.2	...	-	-	F10.1	1,809	7,200	5,391	9,449
E83.1	211	539	328	E89.3	...	2	2	F10.2	4,095	12,069	7,975	14,300
E83.2	-	1	1	E89.4	...	-	-	F10.3	79	240	161	272
E83.3	12	47	35	E89.5	...	-	-	F10.4	90	205	118	206
E83.4	9	71	62	E89.6	...	-	-	F10.5	-	2	2	2
E83.5	235	2,396	2,161	E89.8	...	76	76	F10.6	29	74	45	74
E83.8	-	-	-	E89.9	...	5	5	F10.7	165	354	209	131
E83.9	-	-	-	F01.0	-	-	-	F10.8	1	6	5	-
E84.0	269	315	46	F01.1	11	32	21	F10.9	366	3,756	3,390	5,427
E84.1	17	31	14	F01.2	-	-	-	F11.0	-	-	-	-
E84.8	38	1	1	F01.3	1	2	1	F11.1	145	492	347	492
E84.9	136	151	18	F01.8	-	1	1	F11.2	83	174	91	174
E85.0	1	1	-	F01.9	25	82	57	F11.3	-	4	4	4
E85.1	1	-	-	F03	46,625	147,987	101,369	F11.4	-	-	-	-
E85.2	4	6	2	F04	1	2	1	F11.5	-	1	1	1
E85.3	69	99	30	F05.0	-	-	-	F11.6	-	-	-	-
E85.4	458	427	98	F05.1	77	225	148	F11.7	-	-	-	-
E85.8	7	11	4	F05.8	-	-	-	F11.8	-	-	-	-
E85.9	420	838	418	F05.9	151	650	503	F11.9	63	614	551	643
E86	3,842	23,947	20,105	F06.0	-	1	1	F12.0	-	3	3	3
E87.0	512	2,077	1,566	F06.1	-	-	-	F12.1	-	25	25	25
E87.1	265	1,925	1,660	F06.2	-	2	2	F12.2	4	12	8	12
E87.2	929	6,336	5,411	F06.3	-	10	10	F12.3	-	-	-	-
E87.3	8	59	51	F06.4	-	1	1	F12.4	-	-	-	-
E87.4	1	6	5	F06.5	-	-	-	F12.5	-	-	-	-
E87.5	394	4,789	4,395	F06.6	-	-	-	F12.6	-	-	-	-
E87.6	124	881	757	F06.7	-	-	-	F12.7	-	-	-	-
E87.7	68	489	421	F06.8	1	3	2	F12.8	-	-	-	-
E87.8	407	3,204	2,798	F06.9	1,515	5,284	3,769	F12.9	2	57	55	57
E88.0	228	1,037	809	F07.0	3	17	14	F13.0	-	-	-	-
E88.1	2	6	4	F07.1	-	1	1	F13.1	-	44	44	44
E88.2	1	7	6	F07.2	7	16	9	F13.2	2	13	11	13
E88.8	21	231	210	F07.8	-	-	-	F13.3	-	-	-	-
E88.9	599	2,120	1,522	F07.9	1	7	6	F13.4	-	-	-	-
E89.0	...	3	3	F09	12	859	847	F13.5	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		
F13.6	-	-	-	F17.2	32	2,124	2,092	2,124	F20.9	292	2,738	2,446	2,745
F13.7	-	-	-	F17.3	-	-	-	-	F21	-	4	4	4
F13.8	-	-	-	F17.4	-	-	-	-	F22.0	15	185	170	185
F13.9	2	65	63	F17.5	-	-	-	-	F22.8	-	2	2	2
F14.0	15	32	17	F17.6	-	-	-	-	F22.9	-	-	-	-
F14.1	300	1,134	835	F17.7	4	8	7	-	F23.0	-	-	-	-
F14.2	82	173	91	F17.8	-	1	1	-	F23.1	-	-	-	-
F14.3	-	-	-	F17.9	828	114,816	113,991	117,385	F23.2	-	1	1	1
F14.4	-	-	-	F18.0	1	3	2	3	F23.3	-	-	-	-
F14.5	4	4	-	F18.1	1	4	3	4	F23.8	-	-	-	-
F14.6	-	-	-	F18.2	-	1	1	1	F23.9	6	28	22	28
F14.7	-	-	-	F18.3	-	-	-	-	F24	-	-	-	-
F14.8	-	-	-	F18.4	-	-	-	-	F25.0	-	1	1	1
F14.9	198	1,327	1,129	F18.5	-	-	-	-	F25.1	-	-	-	-
F15.0	2	4	2	F18.6	-	-	-	-	F25.2	-	10	10	10
F15.1	49	187	138	F18.7	-	-	-	-	F25.8	-	3	3	3
F15.2	23	63	40	F18.8	-	-	-	-	F25.9	36	298	262	298
F15.3	-	-	-	F18.9	1	1	-	1	F28	-	2	2	2
F15.4	-	-	-	F19.0	2	5	3	5	F29	58	529	471	529
F15.5	-	-	-	F19.1	1,025	6,180	5,155	6,180	F30.0	-	1	1	1
F15.6	-	-	-	F19.2	206	434	228	451	F30.1	1	1	-	1
F15.7	-	-	-	F19.3	7	20	13	21	F30.2	-	-	-	-
F15.8	-	-	-	F19.4	2	2	-	-	F30.8	1	4	3	4
F15.9	34	259	225	F19.5	-	5	5	5	F30.9	-	7	7	7
F16.0	-	1	1	F19.6	-	-	-	-	F31.0	-	-	-	-
F16.1	11	30	19	F19.7	-	-	-	-	F31.1	-	-	-	-
F16.2	-	-	-	F19.8	-	-	-	-	F31.2	-	-	-	-
F16.3	1	2	1	F19.9	165	2,233	2,068	2,442	F31.3	-	-	-	-
F16.4	-	-	-	F20.0	40	338	298	338	F31.4	-	-	-	-
F16.5	1	1	-	F20.1	-	-	-	-	F31.5	-	-	-	-
F16.6	-	-	-	F20.2	18	31	13	31	F31.6	-	-	-	-
F16.7	-	-	-	F20.3	1	7	6	7	F31.7	-	-	-	-
F16.8	-	-	-	F20.4	1	-	-	-	F31.8	5	60	55	60
F16.9	-	1	1	F20.5	46	299	253	299	F31.9	99	1,671	1,572	1,671
F17.0	1	12	12	F20.6	-	-	-	-	F32.0	-	6	6	6
F17.1	145	7,666	7,521	F20.8	-	4	4	4	F32.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis			Entity axis		Record axis			Entity axis		Record axis			Entity axis		
	Total UC	Second- mention ary	Entity axis			Total UC	Second- mention ary	Entity axis			Total UC	Second- mention ary	Entity axis			
F32.2	83	434	351	434	F43.1	13	276	263	276	F51.3	-	-	-	-		
F32.3	8	38	31	38	F43.2	5	50	45	50	F51.4	-	-	-	-		
F32.8	2	6	4	6	F43.8	-	-	-	-	F51.5	-	1	1	1		
F32.9	611	13,002	12,391	13,005	F43.9	42	230	188	231	F51.8	-	-	-	-		
F33.0	-	-	-	-	F44.0	-	-	-	-	F51.9	-	-	-	-		
F33.1	-	-	-	-	F44.1	-	-	-	-	F52.0	-	-	-	-		
F33.2	1	24	23	24	F44.2	-	2	2	2	F52.1	1	1	-	1		
F33.3	-	-	-	-	F44.3	-	-	-	-	F52.2	-	4	4	4		
F33.4	-	-	-	-	F44.4	-	1	1	1	F52.3	-	-	-	-		
F33.8	-	-	-	-	F44.5	1	2	1	2	F52.4	-	-	-	-		
F33.9	4	51	47	51	F44.6	-	-	-	-	F52.5	-	-	-	-		
F34.0	3	21	18	21	F44.7	-	-	-	-	F52.6	-	-	-	-		
F34.1	-	9	9	9	F44.8	1	6	5	6	F52.7	-	-	-	-		
F34.8	-	-	-	-	F44.9	1	5	4	5	F52.8	-	-	-	-		
F34.9	-	3	3	3	F45.0	-	-	-	-	F52.9	-	2	2	2		
F38.0	-	-	-	-	F45.1	-	-	-	-	F53.0	-	3	3	3		
F38.1	-	-	-	-	F45.2	-	1	1	1	F53.1	-	-	-	-		
F38.8	-	2	2	2	F45.3	7	56	49	56	F53.8	-	-	-	-		
F39	4	59	55	75	F45.4	-	1	1	1	F53.9	-	-	-	-		
F40.0	2	18	16	18	F45.8	1	4	3	4	F54	136	483	349	1		
F40.1	1	2	1	2	F45.9	1	2	1	2	F55	11	36	25	36		
F40.2	-	1	1	1	F48.0	2	6	4	6	F59	-	-	-	-		
F40.8	-	1	1	1	F48.1	-	-	-	-	F60.0	-	8	8	8		
F40.9	-	3	3	3	F48.8	1	2	1	2	F60.1	-	8	8	8		
F41.0	3	68	65	68	F48.9	2	30	28	34	F60.2	-	3	3	3		
F41.1	1	91	90	91	F50.0	66	99	33	99	F60.3	-	6	6	6		
F41.2	10	51	48	51	F50.1	-	-	-	-	F60.4	-	-	-	-		
F41.3	-	-	-	-	F50.2	11	37	26	37	F60.5	-	1	1	1		
F41.8	-	2	2	2	F50.3	-	-	-	-	F60.6	-	1	1	1		
F41.9	22	1,492	1,470	1,519	F50.4	-	-	-	-	F60.7	-	1	1	1		
F42.0	-	-	-	-	F50.5	-	-	-	-	F60.8	1	2	1	2		
F42.1	-	-	-	-	F50.8	160	525	365	525	F60.9	2	42	40	42		
F42.2	-	-	-	-	F50.9	10	28	18	28	F61	-	1	1	1		
F42.8	-	-	-	-	F51.0	-	-	-	-	F62.0	-	-	-	-		
F42.9	4	45	41	45	F51.1	-	-	-	-	F62.1	-	-	-	-		
F43.0	-	2	2	2	F51.2	-	-	-	-	F62.8	-	2	2	2		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
F62.9	-	3	3	F80.0	-	-	-	F92.9	-	-	-	-
F63.0	-	-	-	F80.1	-	1	1	F93.0	-	-	-	-
F63.1	1	1	-	F80.2	-	4	4	F93.1	-	-	-	-
F63.2	-	-	-	F80.3	-	-	-	F93.2	-	-	-	-
F63.3	-	1	1	F80.8	-	-	-	F93.3	-	-	-	-
F63.8	-	1	1	F80.9	-	1	1	F93.8	-	-	-	-
F63.9	-	6	6	F81.0	-	-	-	F93.9	-	-	-	-
F64.0	-	-	-	F81.1	-	-	-	F94.0	-	-	-	-
F64.1	-	-	-	F81.2	-	-	-	F94.1	-	-	-	-
F64.2	-	-	-	F81.3	-	-	-	F94.2	-	-	-	-
F64.8	-	-	-	F81.8	-	-	-	F94.8	-	-	-	-
F64.9	-	-	-	F81.9	1	16	15	F94.9	-	-	-	-
F65.0	-	-	-	F82	3	21	18	F95.0	-	-	-	-
F65.1	-	-	-	F83	-	-	-	F95.1	-	1	1	1
F65.2	-	-	-	F84.0	7	56	49	F95.2	1	10	9	10
F65.3	-	-	-	F84.1	-	-	-	F95.8	-	-	-	-
F65.4	-	-	-	F84.2	23	34	11	F95.9	1	3	2	3
F65.5	-	-	-	F84.3	-	-	-	F98.0	-	-	-	-
F65.6	-	-	-	F84.4	-	-	-	F98.1	-	-	-	-
F65.8	1	8	7	F84.5	-	2	2	F98.2	-	3	3	3
F65.9	-	-	-	F84.8	-	-	-	F98.3	-	-	-	-
F66.0	-	-	-	F84.9	-	-	-	F98.4	-	-	-	-
F66.1	-	-	-	F88	-	3	3	F98.5	-	-	-	-
F66.2	-	-	-	F89	8	23	15	F98.6	-	-	-	-
F66.8	-	-	-	F90.0	-	12	12	F98.8	-	3	3	3
F66.9	-	-	-	F90.1	-	-	-	F98.9	-	-	-	-
F68.0	-	-	-	F90.8	1	1	-	F99	17	45	31	551
F68.1	-	1	1	F90.9	-	7	7	G00.0	3	7	4	7
F68.8	-	-	-	F91.0	-	-	-	G00.1	68	123	55	132
F69	-	9	9	F91.1	-	3	3	G00.2	68	122	54	124
F70	2	35	33	F91.2	-	-	-	G00.3	15	39	24	41
F71	2	14	12	F91.3	-	-	-	G00.8	14	38	24	40
F72	63	240	177	F91.8	-	3	3	G00.9	174	263	89	274
F73	55	184	129	F91.9	2	42	40	G03.0	23	34	11	38
F78	-	2	2	F92.0	-	-	-	G03.1	8	17	9	19
F79	370	1,969	1,599	F92.8	-	-	-	G03.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
G03.8	-	1	1	G23.9	76	112	36	G37.4	-	1	1	G37.4
G03.9	301	956	655	G24.0	-	-	-	G37.5	-	-	-	G37.5
G04.0	15	19	4	G24.1	8	8	-	G37.8	13	22	9	G37.8
G04.1	-	-	-	G24.2	-	-	-	G37.9	49	86	37	G37.9
G04.2	7	15	8	G24.3	3	11	8	G40.0	-	-	-	G40.0
G04.8	12	31	19	G24.4	25	109	84	G40.1	-	2	2	G40.1
G04.9	263	639	376	G24.5	-	-	-	G40.2	4	9	5	G40.2
G06.0	116	282	166	G24.8	2	8	6	G40.3	35	73	38	G40.3
G06.1	41	80	39	G24.9	23	85	62	G40.4	15	23	8	G40.4
G06.2	95	208	113	G25.0	8	97	89	G40.5	6	6	1	G40.5
G08	28	66	38	G25.1	-	-	-	G40.6	155	322	167	G40.6
G09	78	132	54	G25.2	2	13	11	G40.7	3	8	5	G40.7
G10	763	937	174	G25.3	7	22	15	G40.8	2	2	-	G40.8
G11.0	1	1	-	G25.4	-	-	-	G40.9	627	1,210	583	G40.9
G11.1	91	114	23	G25.5	17	31	14	G41.0	-	1	1	G41.0
G11.2	1	1	-	G25.6	-	-	-	G41.1	-	-	-	G41.1
G11.3	9	11	2	G25.8	10	57	47	G41.2	-	-	-	G41.2
G11.4	7	11	4	G25.9	19	65	46	G41.8	1	5	4	G41.8
G11.8	1	1	-	G30.0	8	26	18	G41.9	499	986	487	G41.9
G11.9	43	106	63	G30.1	2,357	4,442	2,085	G43.0	-	-	-	G43.0
G12.0	24	27	3	G30.8	21	33	12	G43.1	-	1	1	G43.1
G12.1	5	5	-	G30.9	63,579	96,689	33,864	G43.2	-	-	-	G43.2
G12.2	5,663	6,302	636	G31.0	233	282	49	G43.3	-	-	-	G43.3
G12.8	-	-	-	G31.1	25	25	7	G43.8	-	2	2	G43.8
G12.9	117	128	11	G31.2	84	125	59	G43.9	4	142	138	G43.9
G20	17,898	33,803	15,879	G31.8	204	322	118	G44.0	-	5	5	G44.0
G21.0	14	20	6	G31.9	1,098	1,957	860	G44.1	-	1	1	G44.1
G21.1	3	5	2	G35	3,324	5,175	1,849	G44.2	-	3	3	G44.2
G21.2	-	-	-	G36.0	4	9	5	G44.3	-	-	-	G44.3
G21.3	-	-	-	G36.1	4	4	-	G44.4	-	-	-	G44.4
G21.8	33	31	8	G36.8	-	-	-	G44.8	-	-	-	G44.8
G21.9	41	183	142	G36.9	1	2	1	G45.0	7	46	39	G45.0
G23.0	11	12	1	G37.0	2	3	1	G45.1	-	10	10	G45.1
G23.1	3	3	-	G37.1	3	4	1	G45.2	-	-	-	G45.2
G23.2	13	18	5	G37.2	19	33	14	G45.3	-	2	2	G45.3
G23.8	83	106	23	G37.3	71	126	55	G45.4	-	-	-	G45.4

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
G45.8	-	13	13	G54.9	-	6	6	G64	-	-	-	-
G45.9	168	2,511	2,343	G56.0	-	17	17	G70.0	563	1,181	618	1,181
G47.0	1	72	71	G56.1	-	1	1	G70.1	-	-	-	-
G47.1	-	2	2	G56.2	-	-	-	G70.2	2	4	2	4
G47.2	-	2	2	G56.3	-	1	1	G70.8	8	11	3	11
G47.3	508	5,370	4,862	G56.4	1	2	1	G70.9	209	312	104	346
G47.4	9	56	47	G56.8	-	-	-	G71.0	692	998	306	998
G47.8	-	-	-	G56.9	-	1	1	G71.1	218	307	89	307
G47.9	1	25	24	G57.0	1	3	2	G71.2	78	95	17	95
G50.0	7	113	106	G57.1	-	-	-	G71.3	23	31	8	31
G50.1	-	-	-	G57.2	-	-	-	G71.8	26	33	7	34
G50.8	-	-	-	G57.3	-	-	-	G71.9	1	1	-	1
G50.9	-	1	1	G57.4	-	-	-	G72.0	5	42	37	42
G51.0	2	57	55	G57.5	-	1	1	G72.1	1	1	-	2
G51.1	-	-	-	G57.6	-	1	1	G72.2	-	2	2	2
G51.2	-	-	-	G57.8	-	-	-	G72.3	1	5	4	5
G51.3	-	1	1	G57.9	-	-	-	G72.4	4	12	8	12
G51.4	-	-	-	G58.0	-	1	1	G72.8	43	71	28	71
G51.8	-	2	2	G58.7	1	6	5	G72.9	69	195	126	201
G51.9	-	1	1	G58.8	4	12	8	G80.0	13	18	5	18
G52.0	-	-	-	G58.9	29	52	23	G80.1	2	1	1	1
G52.1	-	2	2	G60.0	29	113	84	G80.2	4	1	1	1
G52.2	1	2	1	G60.1	-	-	-	G80.3	-	1	1	1
G52.3	-	1	1	G60.2	-	2	2	G80.4	-	-	-	-
G52.7	1	2	1	G60.3	4	5	1	G80.8	42	31	16	31
G52.8	-	1	1	G60.8	7	15	8	G80.9	1,356	2,392	1,036	2,394
G52.9	3	9	6	G60.9	12	30	18	G81.0	-	3	3	3
G54.0	1	4	3	G61.0	247	469	222	G81.1	-	12	12	12
G54.1	-	-	-	G61.1	-	-	-	G81.9	118	3,538	3,421	3,538
G54.2	-	1	1	G61.8	-	1	1	G82.0	-	-	-	-
G54.3	-	-	-	G61.9	1	1	-	G82.1	15	47	32	47
G54.4	-	-	-	G62.0	-	1	1	G82.2	269	1,323	1,054	1,323
G54.5	-	-	-	G62.1	1	4	4	G82.3	-	2	2	2
G54.6	-	2	2	G62.2	-	1	1	G82.4	49	161	112	161
G54.7	-	-	-	G62.8	52	127	75	G82.5	426	1,400	974	1,401
G54.8	-	1	1	G62.9	228	1,295	1,069	G83.0	1	4	3	4

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			Entity axis	Record axis			Entity axis	Record axis			Entity axis		
	Total UC	Second- mention	Ary		Total UC	Second- mention	Ary		Total UC	Second- mention	Ary			
G83.1	5	40	35	40	G96.8	12	66	54	66	H05.3	-	1	1	1
G83.2	-	7	7	7	G96.9	25	74	49	96	H05.4	-	1	1	1
G83.3	-	7	7	7	G97.0	...	1	1	1	H05.5	-	-	-	-
G83.4	6	30	24	30	G97.1	...	-	-	-	H05.8	-	-	-	-
G83.8	166	308	142	308	G97.2	...	-	-	-	H05.9	-	5	5	5
G83.9	39	350	311	355	G97.8	...	132	132	132	H10.0	-	-	-	-
G90.0	-	5	5	5	G97.9	...	5	5	5	H10.1	-	-	-	-
G90.1	12	30	18	30	G98	87	160	74	229	H10.2	-	-	-	-
G90.2	-	3	3	3	H00.0	-	-	-	-	H10.3	-	-	-	-
G90.3	155	263	112	234	H00.1	-	-	-	-	H10.4	-	3	3	3
G90.8	42	117	75	117	H01.0	-	5	5	5	H10.5	-	1	1	1
G90.9	12	24	16	55	H01.1	-	1	1	1	H10.8	-	-	-	-
G91.0	8	21	13	22	H01.8	-	-	-	-	H10.9	-	11	11	11
G91.1	47	127	80	129	H01.9	-	1	1	1	H11.0	1	2	1	2
G91.2	259	690	431	690	H02.0	-	-	-	-	H11.1	-	-	-	-
G91.3	-	2	2	2	H02.1	-	2	2	2	H11.2	-	-	-	-
G91.8	12	37	25	37	H02.2	-	-	-	-	H11.3	-	1	1	1
G91.9	367	1,226	860	1,236	H02.3	-	-	-	-	H11.4	-	-	-	-
G92	61	111	50	111	H02.4	-	1	1	1	H11.8	-	-	-	-
G93.0	27	45	18	46	H02.5	-	-	-	-	H11.9	-	-	-	-
G93.1	4,100	19,719	15,645	19,811	H02.6	-	1	1	1	H15.0	-	1	1	1
G93.2	57	779	722	785	H02.7	-	-	-	-	H15.1	-	2	2	2
G93.3	2	11	9	11	H02.8	-	-	-	-	H15.8	-	1	1	1
G93.4	809	4,441	3,632	4,611	H02.9	-	-	-	-	H15.9	-	-	-	-
G93.5	169	3,352	3,183	3,401	H04.0	-	1	1	1	H16.0	-	8	8	8
G93.6	155	2,077	1,922	2,111	H04.1	-	-	-	-	H16.1	-	-	-	-
G93.7	1	3	2	3	H04.2	-	-	-	-	H16.2	-	-	-	-
G93.8	186	1,040	854	1,044	H04.3	-	-	-	-	H16.3	-	1	1	1
G93.9	291	798	508	1,259	H04.4	-	-	-	-	H16.4	-	1	1	1
G95.0	48	75	27	75	H04.5	-	-	-	-	H16.8	-	1	1	1
G95.1	37	117	80	119	H04.6	-	-	-	-	H16.9	1	2	1	2
G95.2	49	510	461	510	H04.8	-	-	-	-	H17.0	-	-	-	-
G95.8	14	43	29	43	H04.9	-	-	-	-	H17.1	-	-	-	-
G95.9	114	322	208	361	H05.0	5	16	11	16	H17.8	-	-	-	-
G96.0	5	17	12	17	H05.1	2	3	1	3	H17.9	-	3	3	3
G96.1	5	8	3	8	H05.2	1	4	3	4	H18.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis			
H18.1	-	-	-	H27.8	-	-	-	H40.1	-	9	9	9		
H18.2	-	-	-	H27.9	-	-	-	H40.2	-	1	1	1		
H18.3	-	-	-	H30.0	-	-	-	H40.3	-	-	-	-		
H18.4	-	-	-	H30.1	-	-	-	H40.4	-	-	-	-		
H18.5	-	1	1	H30.2	-	-	-	H40.5	-	-	-	-		
H18.6	-	-	-	H30.8	-	1	1	H40.6	-	-	-	-		
H18.7	-	-	-	H30.9	-	5	5	H40.8	-	1	1	1		
H18.8	-	-	-	H31.0	-	-	-	H40.9	6	939	933	939		
H18.9	1	4	3	H31.1	-	-	-	H43.0	-	-	-	-		
H20.0	-	-	-	H31.2	-	-	-	H43.1	-	-	-	-		
H20.1	-	-	-	H31.3	-	-	-	H43.2	-	-	-	-		
H20.2	-	-	-	H31.4	-	-	-	H43.3	-	-	-	-		
H20.8	-	-	1	H31.8	-	-	-	H43.8	-	1	1	1		
H20.9	-	1	1	H31.9	-	1	1	H43.9	-	-	-	-		
H21.0	-	-	-	H33.0	-	-	-	H44.0	4	12	8	12		
H21.1	-	1	1	H33.1	-	-	-	H44.1	-	-	-	-		
H21.2	-	-	-	H33.2	-	10	10	H44.2	-	-	-	-		
H21.3	-	-	-	H33.3	-	-	-	H44.3	-	-	-	-		
H21.4	-	-	-	H33.4	-	-	-	H44.4	-	-	-	-		
H21.5	-	1	1	H33.5	-	-	-	H44.5	-	1	1	1		
H21.8	-	1	1	H34.0	-	-	-	H44.6	-	-	-	-		
H21.9	-	-	-	H34.1	-	1	1	H44.7	-	-	-	-		
H25.0	-	-	-	H34.2	-	5	5	H44.8	-	1	1	1		
H25.1	-	-	-	H34.8	-	4	4	H44.9	-	1	1	1		
H25.2	-	-	-	H34.9	-	-	-	H46	1	6	5	6		
H25.8	-	-	-	H35.0	-	17	17	126	H47.0	-	1	1	1	
H25.9	-	-	-	H35.1	-	8	8	3	H47.1	1	2	1	2	
H26.0	-	-	-	H35.2	1	1	-	1	H47.2	-	2	2	2	
H26.1	-	-	-	H35.3	2	514	512	514	H47.3	-	-	-	-	
H26.2	-	-	-	H35.4	-	1	1	1	H47.4	-	-	-	-	
H26.3	-	-	-	H35.5	-	14	14	14	H47.5	-	-	-	-	
H26.4	-	-	-	H35.6	1	5	4	6	H47.6	-	-	-	-	
H26.8	-	-	-	H35.7	-	1	1	1	H47.7	-	-	-	-	
H26.9	2	91	89	108	H35.8	-	1	1	1	H49.0	-	1	1	1
H27.0	-	-	-	-	H35.9	-	5	5	5	H49.1	-	-	-	-
H27.1	-	-	-	-	H40.0	-	-	-	H49.2	-	1	1	1	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
H49.3	-	-	-	H54.1	-	-	-	H66.1	-	-	-	-
H49.4	-	1	1	H54.2	-	-	-	H66.2	-	-	-	-
H49.8	3	9	6	H54.3	-	-	-	H66.3	-	-	-	-
H49.9	-	3	3	H54.4	-	34	34	H66.4	-	-	-	-
H50.0	-	-	-	H54.5	-	-	-	H66.9	26	73	47	75
H50.1	-	-	-	H54.6	-	-	-	H68.0	-	-	-	-
H50.2	-	2	2	H54.7	-	25	25	H68.1	-	-	-	-
H50.3	-	-	-	H55	-	1	1	H69.0	-	-	-	-
H50.4	-	1	1	H57.0	1	1	-	H69.8	-	-	-	-
H50.5	-	-	-	H57.1	-	-	-	H69.9	-	-	-	-
H50.6	-	-	-	H57.8	-	2	2	H70.0	1	2	1	2
H50.8	-	-	-	H57.9	-	9	9	H70.1	3	5	2	5
H50.9	-	-	-	H59.0	...	-	-	H70.2	-	-	-	-
H51.0	-	-	-	H59.8	...	-	-	H70.8	2	2	-	2
H51.1	-	-	-	H59.9	...	-	-	H70.9	19	34	15	34
H51.2	-	1	1	H60.0	-	-	-	H71	1	2	1	2
H51.8	-	-	-	H60.1	-	1	1	H72.0	-	-	-	-
H51.9	-	-	-	H60.2	-	6	6	H72.1	-	-	-	-
H52.0	-	-	-	H60.3	-	-	-	H72.2	-	-	-	-
H52.1	1	2	1	H60.4	-	-	-	H72.8	-	-	-	-
H52.2	-	1	1	H60.5	-	-	-	H72.9	-	2	2	2
H52.3	-	-	-	H60.8	-	-	-	H73.0	-	-	-	-
H52.4	-	1	1	H60.9	4	9	5	H73.1	-	-	-	-
H52.5	-	-	-	H61.0	-	-	-	H73.8	-	-	-	-
H52.6	-	-	-	H61.1	-	-	-	H73.9	-	-	-	-
H52.7	-	-	-	H61.2	-	-	-	H74.0	-	1	1	1
H53.0	-	1	1	H61.3	-	-	-	H74.1	-	-	-	-
H53.1	-	11	11	H61.8	-	-	-	H74.2	-	-	-	-
H53.2	-	2	2	H61.9	-	-	-	H74.3	-	-	-	-
H53.3	-	-	-	H65.0	-	-	-	H74.4	-	-	-	-
H53.4	1	6	5	H65.1	-	-	-	H74.8	-	-	-	-
H53.5	-	-	-	H65.2	-	-	-	H74.9	-	-	-	-
H53.6	-	-	-	H65.3	-	-	-	H80.0	-	-	-	-
H53.8	-	-	-	H65.4	-	-	-	H80.1	-	-	-	-
H53.9	-	-	-	H65.9	1	1	-	H80.2	-	-	-	-
H54.0	8	761	753	761	H66.0	-	-	-	H80.8	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
H80.9	-	-	-	H93.8	-	-	-	I09.1	147	296	149	296
H81.0	2	27	25	H93.9	1	1	-	I09.2	-	-	-	2
H81.1	-	3	3	H95.0	...	-	-	I09.8	7	19	12	22
H81.2	-	-	-	H95.1	...	-	-	I09.9	376	915	539	977
H81.3	-	-	-	H95.8	...	-	-	I10	13,456	248,184	234,737	257,390
H81.4	-	1	1	H95.9	...	-	-	I11.0	9,655	4,439	1,600	73
H81.8	-	-	-	I00	8	53	45	I11.9	18,930	36,092	18,496	43,066
H81.9	-	1	1	I01.0	1	2	1	I12.0	9,347	10,203	6,666	42
H83.0	-	12	12	I01.1	11	17	6	I12.9	273	967	725	2,495
H83.1	-	-	-	I01.2	-	-	2	I13.0	51	38	17	-
H83.2	-	2	2	I01.8	11	11	-	I13.1	1,163	2,217	1,134	-
H83.3	-	-	-	I01.9	-	1	1	I13.2	1,770	788	315	2
H83.8	-	-	-	I02.0	-	-	-	I13.9	62	131	72	132
H83.9	-	-	-	I02.9	2	5	3	I20.0	40	299	259	299
H90.0	-	-	-	I05.0	427	739	312	I20.1	10	61	51	61
H90.1	-	-	-	I05.1	43	65	22	I20.8	1	2	1	2
H90.2	-	-	-	I05.2	13	17	4	I20.9	182	1,230	1,048	1,230
H90.3	-	-	-	I05.8	17	30	13	I21.0	19	29	10	29
H90.4	-	-	-	I05.9	975	2,105	1,131	I21.1	17	23	6	23
H90.5	-	17	17	I06.0	75	86	12	I21.2	5	11	6	11
H90.6	-	-	-	I06.1	4	8	4	I21.3	20	27	7	27
H90.7	-	-	-	I06.2	3	5	2	I21.4	238	476	238	477
H90.8	-	-	-	I06.8	-	-	1	I21.9	156,501	194,997	38,583	195,269
H91.0	-	-	-	I06.9	21	37	18	I22.0	-	-	-	-
H91.1	-	18	18	I07.0	1	1	-	I22.1	1	2	1	2
H91.2	-	-	-	I07.1	205	471	266	I22.8	-	-	-	-
H91.3	1	22	21	I07.2	-	-	-	I22.9	15	20	5	20
H91.8	-	-	-	I07.8	22	34	12	I24.1	2	6	4	6
H91.9	-	337	337	I07.9	14	39	25	I24.8	1,879	4,311	2,433	4,317
H92.0	-	2	2	I08.0	716	1,263	547	I24.9	581	1,668	1,087	1,672
H92.1	-	-	-	I08.1	74	152	78	I25.0	63,661	87,688	24,042	87,704
H92.2	-	-	-	I08.2	9	16	8	I25.1	201,100	363,581	162,766	363,611
H93.0	-	-	-	I08.3	38	62	24	I25.2	260	2,061	1,801	2,061
H93.1	-	8	8	I08.8	3	3	-	I25.3	80	291	211	292
H93.2	-	-	-	I08.9	2	7	5	I25.4	8	45	37	45
H93.3	-	-	-	I09.0	29	44	15	I25.5	12,383	27,097	14,717	27,109

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
I25.6	2	2	-	I36.0	-	-	-	I45.3	2	7	5	I7.0
I25.8	1,487	3,398	1,911	I36.1	6	67	61	I45.4	4	39	35	I39.0
I25.9	12,834	20,121	7,298	I36.2	-	-	-	I45.5	6	48	42	I48.0
I26.0	17	41	24	I36.8	3	10	7	I45.6	20	66	46	I66.0
I26.9	8,096	26,508	18,416	I36.9	1	12	11	I45.8	74	589	515	I592.0
I27.0	314	370	58	I37.0	2	6	4	I45.9	126	799	673	I827.0
I27.1	55	128	78	I37.1	3	11	8	I46.0	-	7	7	I7.0
I27.2	3,352	10,547	7,196	I37.2	-	-	-	I46.1	2,568	12,220	9,655	I12,250.0
I27.8	78	113	35	I37.8	2	8	6	I46.9	13,294	320,155	306,861	I320,443.0
I27.9	1,142	5,364	4,222	I37.9	6	17	11	I47.0	-	5	5	I5.0
I28.0	3	6	3	I38.0	5,018	10,333	5,323	I47.1	141	1,341	1,200	I1,342.0
I28.1	11	17	6	I40.0	147	242	96	I47.2	445	5,101	4,656	I5,110.0
I28.8	29	90	61	I40.1	11	12	1	I47.9	1	17	16	I17.0
I28.9	25	92	67	I40.8	1	4	3	I48.0	10,610	80,730	70,123	I80,745.0
I30.0	1	2	1	I40.9	73	100	27	I49.0	1,166	11,111	9,946	I11,133.0
I30.1	23	51	28	I42.0	5,820	10,274	4,463	I49.1	-	11	11	I11.0
I30.8	12	38	26	I42.1	191	324	131	I49.2	-	-	-	I-1.0
I30.9	18	86	68	I42.2	1,091	1,907	817	I49.3	9	113	104	I113.0
I31.0	5	25	20	I42.3	10	13	3	I49.4	-	4	4	I4.0
I31.1	51	139	88	I42.4	54	80	26	I49.5	391	2,798	2,407	I2,798.0
I31.2	31	746	715	I42.5	138	164	26	I49.8	105	940	836	I943.0
I31.3	191	1,151	960	I42.6	412	427	99	I49.9	8,271	52,747	44,480	I57,025.0
I31.8	1	5	4	I42.7	13	56	43	I50.0	53,191	262,680	209,495	I267,702.0
I31.9	214	1,889	1,675	I42.8	65	90	25	I50.1	131	564	525	I589.0
I33.0	1,145	2,434	1,293	I42.9	17,786	37,869	20,080	I50.9	3,798	21,189	17,398	I23,496.0
I33.9	51	94	44	I44.0	2	26	24	I51.0	15	205	190	I205.0
I34.0	2,074	5,069	2,996	I44.1	15	65	50	I51.1	11	25	14	I25.0
I34.1	272	604	332	I44.2	305	1,631	1,326	I51.2	9	71	62	I71.0
I34.2	17	79	62	I44.3	38	203	165	I51.3	2	6	4	I6.0
I34.8	91	250	160	I44.4	-	-	-	I51.4	501	1,087	612	I1,111.0
I34.9	100	291	191	I44.5	-	-	-	I51.5	152	473	321	I474.0
I35.0	10,476	21,016	10,544	I44.6	-	2	2	I51.6	4,258	8,950	4,693	I8,959.0
I35.1	500	1,317	817	I44.7	7	156	149	I51.7	1,498	7,513	6,060	I7,739.0
I35.2	78	159	81	I45.0	-	1	1	I51.8	755	4,097	3,342	I4,100.0
I35.8	189	362	173	I45.1	4	76	72	I51.9	3,411	8,365	4,976	I12,206.0
I35.9	1,422	3,894	2,473	I45.2	2	24	22	I60.0	94	99	7	I75.0

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
I60.1	2	2	-	I67.5	18	27	9	I74.0	52	113	61	I13
I60.2	-	-	-	I67.6	-	1	1	I74.1	170	402	232	I402
I60.3	-	-	-	I67.7	58	92	34	I74.2	11	57	46	I57
I60.4	1	6	5	I67.8	1,030	2,889	1,859	I74.3	132	426	294	I426
I60.5	-	-	-	I67.9	7,812	17,995	10,190	I74.4	23	116	93	I118
I60.6	51	7	-	I69.0	63	108	45	I74.5	26	94	68	I94
I60.7	523	545	26	I69.1	195	329	134	I74.8	25	132	107	I132
I60.8	29	34	4	I69.2	129	363	234	I74.9	290	1,335	1,046	I1,520
I60.9	5,388	7,375	1,303	I69.3	703	1,227	524	I77.0	26	113	87	I113
I61.0	210	283	73	I69.4	9,641	18,774	9,135	I77.1	122	310	188	I310
I61.1	160	240	80	I69.8	7,778	9,760	1,988	I77.2	153	356	203	I357
I61.2	33	46	13	I70.0	49	474	425	I77.3	9	15	6	I15
I61.3	707	989	282	I70.1	64	475	411	I77.4	-	1	1	I1
I61.4	590	821	232	I70.2	369	1,977	1,611	I77.5	-	2	2	I2
I61.5	736	1,192	458	I70.8	1	29	28	I77.6	397	1,067	670	I1,100
I61.6	1	1	-	I70.9	11,378	54,367	42,993	I77.8	30	68	38	I69
I61.8	66	134	68	I71.0	3,423	3,764	341	I77.9	263	500	241	I993
I61.9	16,215	22,185	5,982	I71.1	825	873	48	I78.0	30	75	45	I75
I62.0	1,839	3,492	1,653	I71.2	681	1,427	747	I78.1	3	28	25	I28
I62.1	17	49	32	I71.3	4,311	4,518	207	I78.8	10	17	7	I17
I62.9	6,981	9,429	2,456	I71.4	2,083	5,646	3,563	I78.9	1	1	-	I1
I63.0	142	195	53	I71.5	164	170	6	I80.0	-	-	-	-
I63.1	18	37	19	I71.6	177	265	88	I80.1	31	87	56	I88
I63.2	708	1,700	992	I71.8	1,342	1,418	80	I80.2	2,843	11,191	8,350	I11,228
I63.3	1,316	2,152	837	I71.9	747	2,023	1,277	I80.3	192	566	374	I609
I63.4	696	1,948	1,252	I72.0	20	41	21	I80.8	6	27	21	I27
I63.5	229	386	157	I72.1	1	3	2	I80.9	76	329	253	I341
I63.6	-	1	1	I72.2	37	60	23	I81	76	281	205	I282
I63.8	147	130	58	I72.3	128	221	93	I82.0	41	107	67	I109
I63.9	7,739	14,337	6,602	I72.4	59	114	55	I82.1	3	55	52	I55
I64	76,481	141,273	64,840	I72.8	111	147	36	I82.2	26	173	147	I173
I67.0	20	32	12	I72.9	355	547	192	I82.3	4	14	10	I14
I67.1	385	659	277	I73.0	14	132	118	I82.8	108	398	290	I399
I67.2	1,025	3,284	2,271	I73.1	14	36	22	I82.9	83	503	420	I631
I67.3	22	36	14	I73.8	26	65	39	I83.0	53	201	148	I204
I67.4	76	82	22	I73.9	7,402	26,449	19,128	I83.1	15	92	77	I86

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
I83.2	6	12	6	I95.8	7	59	52	J12.0	11	17	6	18
I83.9	152	397	245	I95.9	213	12,264	12,051	J12.1	21	39	18	41
I84.0	-	-	-	I97.0	...	13	13	J12.2	3	7	4	7
I84.1	2	3	1	I97.1	...	48	48	J12.8	1	3	2	3
I84.2	2	8	6	I97.2	...	1	1	J12.9	217	335	119	348
I84.3	-	-	-	I97.8	...	272	272	J13	390	621	232	641
I84.4	-	-	-	I97.9	...	11	11	J14	33	72	39	73
I84.5	-	-	-	I99	260	4,892	4,632	J15.0	128	332	204	342
I84.6	-	-	-	J00	1	11	10	J15.1	308	1,034	726	1,066
I84.7	-	-	-	J01.0	2	2	-	J15.2	1,163	2,810	1,651	2,863
I84.8	3	7	4	J01.1	-	-	-	J15.3	4	8	4	8
I84.9	7	39	32	J01.2	-	-	-	J15.4	293	535	243	547
I85.0	150	1,755	1,606	J01.3	-	-	-	J15.5	23	64	41	64
I85.9	39	864	826	J01.4	-	-	-	J15.6	24	77	53	79
I86.0	-	-	-	J01.8	-	-	-	J15.7	7	17	10	17
I86.1	-	-	-	J01.9	4	16	12	J15.8	26	74	48	76
I86.2	-	3	3	J02.0	7	8	1	J15.9	1,977	3,758	1,782	3,851
I86.3	-	-	-	J02.8	3	7	4	J16.0	2	6	4	6
I86.4	21	232	211	J02.9	9	29	20	J16.8	4	10	6	11
I86.8	3	20	17	J03.0	-	-	-	J18.0	1,350	5,834	4,485	5,949
I87.0	1	2	1	J03.8	-	1	1	J18.1	1,575	2,792	1,218	2,897
I87.1	38	494	456	J03.9	3	6	3	J18.2	41	504	463	506
I87.2	54	425	371	J04.0	4	13	9	J18.8	31	290	259	298
I87.8	42	288	246	J04.1	18	55	37	J18.9	50,932	183,571	132,668	186,197
I87.9	14	49	35	J04.2	3	11	8	J20.0	-	-	-	-
I88.0	3	5	2	J05.0	-	1	1	J20.1	-	-	-	2
I88.1	-	1	1	J05.1	19	30	11	J20.2	-	-	-	-
I88.8	-	-	-	J06.0	-	3	3	J20.3	-	-	-	-
I88.9	3	14	11	J06.8	-	-	-	J20.4	-	-	-	-
I89.0	49	330	281	J06.9	76	428	352	J20.5	1	1	-	1
I89.1	3	25	22	J10.0	126	135	12	J20.6	-	-	-	-
I89.8	21	74	53	J10.1	61	79	18	J20.7	-	-	-	-
I89.9	2	26	24	J10.8	6	5	-	J20.8	17	31	14	40
I95.0	-	2	2	J11.0	470	540	84	J20.9	149	503	355	759
I95.1	21	221	200	J11.1	425	659	236	J21.0	9	21	12	21
I95.2	-	-	-	J11.8	12	11	3	J21.8	4	8	4	8

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second- mention	Entity ary		Total UC	Second- mention	Entity ary		Total UC	Second- mention	Entity ary			
J21.9	46	103	57	115	J38.1	-	10	10	10	J62.8	76	162	86	163
J22	93	192	99	237	J38.2	-	-	-	-	J63.0	-	-	-	-
J30.0	-	1	1	1	J38.3	10	27	17	27	J63.1	-	-	-	-
J30.1	-	4	4	6	J38.4	10	54	44	54	J63.2	11	16	5	16
J30.2	-	-	-	-	J38.5	4	20	16	20	J63.3	-	-	-	-
J30.3	3	4	1	6	J38.6	20	58	38	58	J63.4	-	-	-	-
J30.4	5	54	49	61	J38.7	16	70	54	71	J63.5	-	-	-	-
J31.0	-	16	16	16	J39.0	12	19	7	19	J63.8	-	-	-	-
J31.1	-	-	-	-	J39.1	8	11	3	11	J64	87	185	98	196
J31.2	-	1	1	1	J39.2	62	189	127	189	J65	4	5	1	-
J32.0	2	8	6	9	J39.3	-	1	1	1	J66.0	1	7	6	7
J32.1	3	4	1	4	J39.8	130	491	361	491	J66.1	-	-	-	-
J32.2	1	2	1	2	J39.9	3	10	7	11	J66.2	-	-	-	-
J32.3	1	2	1	2	J40	411	1,173	809	1,783	J66.8	-	1	1	1
J32.4	3	10	7	11	J41.0	-	10	10	13	J67.0	14	20	6	20
J32.8	1	1	-	1	J41.1	6	26	20	36	J67.1	-	-	-	-
J32.9	67	243	176	247	J41.8	-	-	-	-	J67.2	3	3	-	3
J33.0	1	1	-	1	J42	356	1,074	721	1,744	J67.3	-	-	-	-
J33.1	-	-	-	-	J43.0	1	1	-	2	J67.4	-	-	-	-
J33.8	-	1	1	1	J43.1	9	18	11	20	J67.5	-	-	-	-
J33.9	1	5	4	5	J43.2	15	53	38	55	J67.6	-	-	-	-
J34.0	-	3	3	3	J43.8	1	4	3	5	J67.7	1	2	1	2
J34.1	-	-	-	-	J43.9	13,613	24,663	12,068	28,683	J67.8	1	1	-	1
J34.2	-	-	-	-	J44.0	226	315	90	-	J67.9	34	39	5	40
J34.3	-	-	-	-	J44.1	27	55	28	55	J68.0	16	26	10	26
J34.8	10	23	13	23	J44.8	3,374	7,854	4,502	691	J68.1	1	1	-	1
J35.0	-	3	3	3	J44.9	99,174	208,546	109,417	215,666	J68.2	-	-	-	-
J35.1	-	4	4	6	J45.0	165	222	59	214	J68.3	-	-	-	-
J35.2	-	-	-	2	J45.1	6	12	8	14	J68.4	3	3	-	3
J35.3	-	2	2	-	J45.8	-	-	-	-	J68.8	-	-	-	-
J35.8	-	3	3	3	J45.9	3,352	8,650	5,865	10,984	J68.9	-	-	-	-
J35.9	-	15	15	15	J46	293	339	50	361	J69.0	16,777	56,331	39,578	56,529
J36	6	9	3	9	J47	958	2,058	1,100	2,076	J69.1	3	10	7	10
J37.0	3	5	2	5	J60	292	703	411	703	J69.8	-	1	1	1
J37.1	-	1	1	1	J61	542	1,460	918	1,470	J70.0	33	297	264	297
J38.0	44	173	129	173	J62.0	-	3	3	3	J70.1	11	86	75	86

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
J70.2	-	-	-	J95.8	...	2,591	2,591	2,594	K03.3	-	-	-
J70.3	-	-	-	J95.9	...	17	17	17	K03.4	-	-	-
J70.4	1	1	-	J96.0	211	17,232	17,022	17,254	K03.5	-	-	-
J70.8	-	-	-	J96.1	379	3,664	3,285	3,671	K03.6	-	-	-
J70.9	2	5	3	J96.9	2,807	146,444	143,637	146,749	K03.7	-	-	-
J80	1,736	10,182	8,447	J98.0	84	494	410	515	K03.8	-	-	-
J81	594	10,917	10,323	J98.1	145	1,130	985	1,132	K03.9	-	-	-
J82	178	404	226	J98.2	20	59	41	62	K04.0	-	-	-
J84.0	164	224	62	J98.3	-	4	4	4	K04.1	-	-	-
J84.1	12,375	18,071	5,695	J98.4	2,729	8,784	6,070	11,513	K04.2	-	-	-
J84.8	39	48	11	J98.5	125	395	270	397	K04.3	-	-	-
J84.9	2,397	3,760	1,352	J98.6	34	111	77	111	K04.4	-	-	-
J85.0	101	244	143	J98.8	379	1,497	1,118	1,607	K04.5	-	-	-
J85.1	77	214	137	J98.9	189	645	458	1,009	K04.6	-	-	-
J85.2	120	442	325	K00.0	-	-	-	-	K04.7	21	59	38
J85.3	4	18	14	K00.1	-	-	-	-	K04.8	-	-	-
J86.0	68	462	394	K00.2	1	1	-	1	K04.9	-	-	-
J86.9	299	1,051	752	K00.3	-	-	-	-	K05.0	-	-	-
J90	962	8,708	7,746	K00.4	-	-	-	-	K05.1	1	11	10
J92.0	5	11	6	K00.5	-	1	1	1	K05.2	-	1	1
J92.9	2	18	16	K00.6	-	-	-	-	K05.3	-	8	8
J93.0	37	249	212	K00.7	-	6	6	6	K05.4	-	2	2
J93.1	27	237	210	K00.8	-	-	-	-	K05.5	-	1	1
J93.8	7	42	35	K00.9	-	-	-	-	K05.6	5	9	4
J93.9	226	1,839	1,613	K01.0	-	-	-	-	K06.0	-	-	-
J94.0	1	16	15	K01.1	-	2	2	2	K06.1	-	-	-
J94.1	15	46	31	K02.0	-	-	-	-	K06.2	-	-	-
J94.2	75	477	402	K02.1	-	1	1	1	K06.8	-	-	-
J94.8	16	163	147	K02.2	-	-	-	-	K06.9	-	-	-
J94.9	8	44	36	K02.3	-	-	-	-	K07.0	3	13	10
J95.0	...	54	54	K02.4	-	-	-	-	K07.1	1	1	1
J95.1	...	1	1	K02.8	-	-	-	-	K07.2	-	-	-
J95.2	...	4	4	K02.9	4	19	15	19	K07.3	-	-	-
J95.3	...	-	-	K03.0	-	-	-	-	K07.4	-	-	-
J95.4	...	2	2	K03.1	-	-	-	-	K07.5	-	1	1
J95.5	...	2	2	K03.2	-	-	-	-	K07.6	1	2	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
K07.8	-	1	1	K13.4	-	-	-	K26.2	-	-	-	-
K07.9	-	1	1	K13.5	-	-	-	K26.3	4	4	-	6
K08.0	-	-	-	K13.6	-	-	-	K26.4	526	843	317	249
K08.1	-	1	1	K13.7	7	25	18	K26.5	568	938	371	982
K08.2	-	-	-	K14.0	1	4	3	K26.6	41	60	20	1
K08.3	-	-	-	K14.1	-	-	-	K26.7	6	16	10	21
K08.8	56	171	115	K14.2	-	-	-	K26.9	114	437	325	1,089
K08.9	2	14	12	K14.3	-	-	-	K27.0	1	2	1	-
K09.0	-	-	-	K14.4	-	-	-	K27.1	2	2	-	2
K09.1	-	-	-	K14.5	-	-	-	K27.2	-	-	-	-
K09.2	-	-	-	K14.6	-	1	1	K27.3	3	3	-	5
K09.8	-	-	-	K14.8	2	19	17	K27.4	708	1,215	508	214
K09.9	-	-	-	K14.9	2	17	15	K27.5	290	458	169	496
K10.0	-	-	-	K20	181	832	653	K27.6	24	41	17	2
K10.1	-	-	-	K21.0	24	169	145	K27.7	3	67	64	86
K10.2	3	20	17	K21.9	581	5,811	5,230	K27.9	211	1,914	1,703	3,036
K10.3	-	-	-	K22.0	83	219	136	K28.0	-	-	-	-
K10.8	-	4	4	K22.1	110	487	377	K28.1	-	-	-	-
K10.9	-	6	6	K22.2	254	900	646	K28.2	-	-	-	-
K11.0	-	-	-	K22.3	183	342	159	K28.3	1	1	-	1
K11.1	-	-	-	K22.4	165	432	267	K28.4	32	58	26	8
K11.2	84	189	105	K22.5	81	137	56	K28.5	5	7	2	6
K11.3	5	18	13	K22.6	60	133	73	K28.6	1	2	1	-
K11.4	-	1	1	K22.8	127	644	517	K28.7	-	1	1	1
K11.5	-	1	1	K22.9	63	147	84	K28.9	8	27	19	81
K11.6	-	-	-	K25.0	16	27	11	K29.0	17	31	14	4
K11.7	2	9	7	K25.1	1	2	1	K29.1	9	32	23	59
K11.8	-	-	-	K25.2	-	1	1	K29.2	31	40	9	28
K11.9	-	9	9	K25.3	1	6	5	K29.3	-	-	-	-
K12.0	2	3	1	K25.4	552	891	340	K29.4	8	16	8	16
K12.1	9	35	26	K25.5	398	610	212	K29.5	27	116	89	116
K12.2	18	30	12	K25.6	25	36	11	K29.6	83	283	200	283
K13.0	-	2	2	K25.7	4	27	24	K29.7	184	1,010	826	1,025
K13.1	-	-	-	K25.9	132	636	505	K29.8	5	48	43	48
K13.2	-	1	1	K26.0	1	3	2	K29.9	4	14	10	14
K13.3	-	-	-	K26.1	4	6	2	K30	5	53	48	53

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
K31.0	1	8	7	K43.0	220	316	96	K56.2	511	878	367	923
K31.1	82	390	308	K43.1	19	19	-	K56.3	33	30	9	29
K31.2	-	1	1	K43.9	106	290	184	K56.4	134	319	186	321
K31.3	-	1	1	K44.0	76	102	26	K56.5	347	631	286	168
K31.4	1	7	6	K44.1	7	7	-	K56.6	4,110	11,926	7,827	12,627
K31.5	10	71	61	K44.9	349	1,019	671	K56.7	350	1,811	1,461	1,842
K31.6	31	92	61	K45.0	13	14	1	K57.0	14	21	7	10
K31.7	4	22	18	K45.1	-	-	-	K57.1	12	19	7	30
K31.8	306	1,042	736	K45.8	2	6	4	K57.2	324	379	55	272
K31.9	172	474	301	K46.0	293	448	155	K57.3	152	325	173	439
K35.0	302	486	184	K46.1	50	51	1	K57.4	1	1	-	1
K35.1	15	33	18	K46.9	130	347	218	K57.5	-	-	-	-
K35.9	64	114	50	K50.0	1	7	6	K57.8	1,298	1,614	317	956
K36	2	5	3	K50.1	28	60	32	K57.9	1,569	3,440	1,876	4,247
K37	61	135	75	K50.8	1	2	1	K58.0	3	5	2	-
K38.0	-	-	-	K50.9	590	1,514	924	K58.9	17	211	194	216
K38.1	-	-	-	K51.0	-	-	-	K59.0	137	582	445	582
K38.2	-	-	-	K51.1	-	1	1	K59.1	-	-	-	-
K38.3	-	-	-	K51.2	2	6	4	K59.2	1	18	17	18
K38.8	-	1	1	K51.3	-	-	-	K59.3	212	584	373	596
K38.9	8	19	11	K51.4	-	-	-	K59.4	-	-	-	-
K40.0	4	5	1	K51.5	4	8	4	K59.8	33	88	55	88
K40.1	-	-	-	K51.8	1	3	2	K59.9	14	37	23	40
K40.2	2	11	9	K51.9	303	970	667	K60.0	-	-	-	-
K40.3	159	231	72	K52.0	20	161	141	K60.1	-	-	-	-
K40.4	23	23	-	K52.1	13	36	23	K60.2	-	2	2	2
K40.9	30	150	120	K52.2	-	-	-	K60.3	3	5	2	5
K41.0	1	2	1	K52.8	2	12	10	K60.4	14	54	40	54
K41.1	-	-	-	K52.9	1,703	4,687	2,987	K60.5	-	-	-	-
K41.2	-	-	-	K55.0	2,801	5,309	2,476	K61.0	4	13	9	13
K41.3	30	55	25	K55.1	162	290	128	K61.1	65	135	70	137
K41.4	3	4	1	K55.2	48	160	112	K61.2	-	-	-	-
K41.9	1	5	4	K55.8	2	4	2	K61.3	2	8	6	8
K42.0	65	92	27	K55.9	5,915	11,145	5,235	K61.4	-	-	-	-
K42.1	5	5	-	K56.0	59	247	188	K62.0	-	1	1	1
K42.9	14	58	44	K56.1	28	53	25	K62.1	2	6	4	6

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			Entity axis	Record axis			Entity axis	Record axis			Entity axis	
	Total UC	Second- mention	Ary		Total UC	Second- mention	Ary		Total UC	Second- mention	Ary		
K62.2	-	-	-	-	K71.7	-	-	-	K80.1	170	273	107	17
K62.3	22	66	44	67	K71.8	-	2	2	K80.2	653	1,503	850	1,871
K62.4	2	18	16	18	K71.9	1	6	5	K80.3	38	49	11	-
K62.5	133	560	427	562	K72.0	251	1,315	1,060	K80.4	29	45	16	1
K62.6	13	33	20	33	K72.1	100	464	364	K80.5	108	208	101	302
K62.7	8	64	56	64	K72.9	3,540	26,919	23,252	K80.8	1	1	-	1
K62.8	28	81	53	81	K73.0	-	2	2	K81.0	858	1,277	419	1,403
K62.9	55	167	112	173	K73.1	-	-	-	K81.1	60	172	112	204
K63.0	33	133	102	191	K73.2	20	66	46	K81.8	3	4	1	4
K63.1	1,720	4,815	3,094	5,210	K73.8	5	9	5	K81.9	743	1,490	749	1,786
K63.2	174	720	547	721	K73.9	94	287	193	K82.0	5	15	10	15
K63.3	37	87	50	87	K74.0	10	84	74	K82.1	1	9	8	9
K63.4	2	5	3	5	K74.1	13	29	16	K82.2	39	91	52	91
K63.5	40	260	220	260	K74.2	-	1	1	K82.3	7	18	11	18
K63.8	60	177	117	178	K74.3	394	540	146	K82.4	-	6	6	6
K63.9	392	999	608	1,506	K74.4	4	18	14	K82.8	7	25	18	25
K65.0	608	2,561	1,954	2,821	K74.5	76	134	58	K82.9	275	842	567	848
K65.8	32	146	114	172	K74.6	13,849	30,143	16,296	K83.0	581	1,236	655	1,293
K65.9	836	3,781	2,949	4,405	K75.0	153	361	208	K83.1	423	1,777	1,354	1,779
K66.0	84	282	200	746	K75.1	-	-	-	K83.2	-	2	2	2
K66.1	158	564	406	567	K75.2	-	-	-	K83.3	9	19	10	19
K66.8	39	151	112	152	K75.3	14	222	208	K83.4	-	-	-	-
K66.9	24	71	47	73	K75.4	355	529	177	K83.5	-	-	-	-
K70.0	187	53	9	15	K75.8	12	23	11	K83.8	25	62	37	63
K70.1	750	877	159	856	K75.9	372	1,237	866	K83.9	31	64	33	92
K70.2	5	1	-	-	K76.0	450	2,072	1,622	K85	2,827	5,849	3,023	6,104
K70.3	8,250	8,350	919	4,285	K76.1	21	168	147	K86.0	348	293	35	57
K70.4	1,488	568	74	146	K76.2	-	2	2	K86.1	300	1,074	774	1,148
K70.9	1,868	2,242	886	2,282	K76.3	15	63	48	K86.2	7	33	26	33
K71.0	-	1	1	1	K76.4	1	3	2	K86.3	42	150	108	152
K71.1	3	6	3	5	K76.5	3	14	11	K86.8	52	280	228	281
K71.2	-	-	-	-	K76.6	91	972	881	K86.9	238	593	356	727
K71.3	-	-	-	-	K76.7	480	4,059	3,579	K90.0	21	82	61	82
K71.4	-	-	-	-	K76.8	126	760	634	K90.1	25	122	97	122
K71.5	-	-	-	-	K76.9	3,013	5,521	2,541	K90.2	146	375	229	376
K71.6	8	20	12	19	K80.0	89	112	25	K90.3	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
K90.4	12	38	26	38	L04.8	-	-	-	L21.9	-	5	5
K90.8	1	9	8	9	L04.9	-	-	-	L22	1	1	1
K90.9	47	204	157	223	L05.0	1	1	-	L23.0	-	-	-
K91.0	...	3	3	3	L05.9	1	5	4	L23.1	-	-	-
K91.1	...	26	26	26	L08.0	1	5	4	L23.2	-	-	-
K91.2	...	35	35	35	L08.1	-	-	-	L23.3	-	-	-
K91.3	...	168	168	168	L08.8	2	6	4	L23.4	-	-	-
K91.4	...	39	39	39	L08.9	441	1,561	1,120	L23.5	-	-	-
K91.5	...	1	1	1	L10.0	10	24	14	L23.6	-	-	-
K91.8	...	590	590	590	L10.1	-	1	1	L23.7	-	-	-
K91.9	...	32	32	32	L10.2	1	2	1	L23.8	-	-	-
K92.0	51	200	149	222	L10.3	-	-	-	L23.9	1	4	3
K92.1	6	74	68	74	L10.4	-	-	-	L24.0	-	-	-
K92.2	7,557	29,266	21,734	33,055	L10.5	-	1	1	L24.1	-	-	-
K92.8	18	47	29	47	L10.8	1	5	4	L24.2	-	-	-
K92.9	59	152	98	214	L10.9	29	109	80	L24.3	-	-	-
L00	5	7	2	7	L11.0	-	-	-	L24.4	-	-	-
L01.0	-	6	6	6	L11.1	-	1	1	L24.5	-	-	-
L01.1	-	-	-	-	L11.8	-	-	-	L24.6	-	-	-
L02.0	4	16	12	16	L11.9	-	-	-	L24.7	-	-	-
L02.1	14	45	31	45	L12.0	49	212	163	L24.8	-	-	-
L02.2	42	160	118	160	L12.1	3	6	3	L24.9	1	1	1
L02.3	11	41	30	41	L12.2	-	-	-	L25.0	-	-	-
L02.4	67	238	171	238	L12.3	1	2	1	L25.1	-	-	-
L02.8	3	11	8	11	L12.8	-	-	-	L25.2	-	-	-
L02.9	51	325	274	337	L12.9	9	53	44	L25.3	-	-	-
L03.0	5	19	14	19	L13.0	1	2	1	L25.4	-	-	-
L03.1	399	1,646	1,247	1,647	L13.1	1	2	1	L25.5	-	-	-
L03.2	13	50	37	50	L13.8	-	1	1	L25.8	-	-	-
L03.3	45	156	111	156	L13.9	3	7	4	L25.9	-	-	-
L03.8	10	30	20	30	L20.0	-	-	-	L26	8	17	9
L03.9	581	2,188	1,607	2,197	L20.8	-	-	-	L27.0	-	2	2
L04.0	-	-	-	-	L20.9	-	4	4	L27.1	-	-	-
L04.1	-	1	1	1	L21.0	-	-	-	L27.2	-	-	-
L04.2	-	-	-	-	L21.1	1	1	-	L27.8	-	-	-
L04.3	-	-	-	-	L21.8	-	-	-	L27.9	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
L28.0	-	5	5	L43.2	-	1	1	L55.9	-	3	3	3
L28.1	-	-	-	L43.3	-	-	-	L56.0	-	-	-	-
L28.2	-	-	-	L43.8	-	-	-	L56.1	-	-	-	-
L29.0	-	-	-	L43.9	-	6	6	L56.2	-	-	-	-
L29.1	-	-	-	L44.0	2	3	1	L56.3	-	-	-	-
L29.2	-	-	-	L44.1	-	-	-	L56.4	-	-	-	-
L29.3	-	-	-	L44.2	-	-	-	L56.8	-	1	1	1
L29.8	-	1	1	L44.3	-	-	-	L56.9	-	-	-	-
L29.9	1	5	4	L44.4	-	-	-	L57.0	-	4	4	4
L30.0	-	1	1	L44.8	-	-	-	L57.1	-	-	-	-
L30.1	-	-	-	L44.9	-	-	-	L57.2	-	-	-	-
L30.2	-	-	-	L50.0	-	-	-	L57.3	-	-	-	-
L30.3	-	1	1	L50.1	-	-	-	L57.4	-	-	-	-
L30.4	-	-	-	L50.2	-	-	-	L57.5	-	-	-	-
L30.5	-	-	-	L50.3	-	-	-	L57.8	-	1	1	1
L30.8	2	6	4	L50.4	-	-	-	L57.9	-	-	-	-
L30.9	5	91	86	L50.5	-	-	-	L58.0	-	-	-	-
L40.0	-	-	-	L50.6	-	-	-	L58.1	-	-	-	-
L40.1	5	9	4	L50.8	1	2	1	L58.9	-	-	-	-
L40.2	-	-	-	L50.9	-	7	7	L59.0	-	-	-	-
L40.3	-	1	1	L51.0	-	-	-	L59.8	1	5	4	5
L40.4	-	-	-	L51.1	41	104	63	L59.9	-	-	-	-
L40.5	5	68	63	L51.2	69	123	54	L60.0	-	2	2	2
L40.8	1	3	2	L51.8	-	-	-	L60.1	-	-	-	-
L40.9	17	237	220	L51.9	4	10	6	L60.2	-	1	1	1
L41.0	-	-	-	L52	-	-	-	L60.3	-	-	-	-
L41.1	-	-	-	L53.0	-	-	-	L60.4	-	-	-	-
L41.2	-	1	1	L53.1	-	-	-	L60.5	1	6	5	6
L41.3	-	-	-	L53.2	-	-	-	L60.8	-	-	-	-
L41.4	-	-	-	L53.3	-	-	-	L60.9	-	-	-	-
L41.5	-	-	-	L53.8	2	4	2	L63.0	-	1	1	1
L41.8	-	-	-	L53.9	17	145	128	L63.1	-	-	-	-
L41.9	-	1	1	L55.0	-	-	-	L63.2	-	-	-	-
L42	-	-	-	L55.1	-	1	1	L63.8	-	-	-	-
L43.0	-	-	-	L55.2	-	-	-	L63.9	1	1	-	1
L43.1	-	-	-	L55.8	-	-	-	L64.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
L64.8	-	-	-	L72.0	1	2	1	L85.0	-	-	-	-
L64.9	-	-	-	L72.1	1	3	2	L85.1	-	-	-	-
L65.0	-	-	-	L72.2	-	-	-	L85.2	-	-	-	-
L65.1	-	-	-	L72.8	-	1	1	L85.3	-	1	1	1
L65.2	-	-	-	L72.9	-	-	-	L85.8	1	1	-	1
L65.8	-	-	-	L73.0	-	-	-	L85.9	-	2	2	2
L65.9	-	-	-	L73.1	-	-	-	L87.0	-	-	-	-
L66.0	-	-	-	L73.2	7	13	6	L87.1	-	-	-	-
L66.1	-	-	-	L73.8	-	1	1	L87.2	-	-	-	-
L66.2	-	-	-	L73.9	-	3	3	L87.8	-	-	-	-
L66.3	-	-	-	L74.0	-	-	-	L87.9	-	-	-	-
L66.4	-	-	-	L74.1	-	-	-	L88	13	39	26	39
L66.8	-	-	-	L74.2	-	-	-	L89	1,571	8,199	6,633	10,045
L66.9	-	-	-	L74.3	-	-	-	L90.0	-	-	-	-
L67.0	-	-	-	L74.4	-	-	-	L90.1	-	-	-	-
L67.1	-	-	-	L74.8	-	-	-	L90.2	-	-	-	-
L67.8	-	-	-	L74.9	-	-	-	L90.3	-	-	-	-
L67.9	-	-	-	L75.0	-	-	-	L90.4	-	-	-	-
L68.0	-	1	1	L75.1	-	-	-	L90.5	4	51	47	51
L68.1	-	-	-	L75.2	-	-	-	L90.6	-	-	-	-
L68.2	-	-	-	L75.8	-	-	-	L90.8	-	-	-	-
L68.3	-	-	-	L75.9	-	-	-	L90.9	-	1	1	1
L68.8	-	-	-	L80	-	1	1	L91.0	-	-	-	-
L68.9	-	-	-	L81.0	-	-	-	L91.8	-	-	-	-
L70.0	-	1	1	L81.1	-	1	1	L91.9	-	-	-	-
L70.1	-	1	1	L81.2	-	-	-	L92.0	-	-	-	-
L70.2	-	-	-	L81.3	-	-	-	L92.1	-	-	-	-
L70.3	-	-	-	L81.4	-	3	3	L92.2	-	1	1	1
L70.4	-	-	-	L81.5	-	-	-	L92.3	-	-	-	-
L70.5	-	-	-	L81.6	-	-	-	L92.8	1	8	7	8
L70.8	-	-	-	L81.7	-	-	-	L92.9	8	44	36	44
L70.9	-	-	-	L81.8	-	1	1	L93.0	243	1,102	859	1,102
L71.0	-	-	-	L81.9	-	-	-	L93.1	-	-	-	-
L71.1	-	-	-	L82	-	2	2	L93.2	-	1	1	1
L71.8	-	-	-	L83	-	-	-	L94.0	1	2	1	2
L71.9	-	6	6	L84	1	2	1	L94.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
L94.2	-	2	2	M05.8	-	-	-	M13.8	1	5	4	6
L94.3	-	7	7	M05.9	1	1	-	M13.9	330	3,168	2,840	3,738
L94.4	-	-	-	M06.0	2	8	6	M15.0	-	-	-	-
L94.5	-	-	-	M06.1	-	1	1	M15.1	-	-	-	-
L94.6	-	-	-	M06.2	-	-	-	M15.2	-	-	-	-
L94.8	1	3	2	M06.3	-	-	-	M15.3	-	2	2	2
L94.9	-	4	4	M06.4	8	34	26	M15.4	-	-	-	-
L95.0	-	1	1	M06.8	-	1	1	M15.8	-	-	-	-
L95.1	-	-	-	M06.9	2,273	8,696	6,424	M15.9	17	178	161	178
L95.8	-	-	-	M08.0	8	37	29	M16.0	-	-	-	-
L95.9	-	2	2	M08.1	-	-	-	M16.1	-	-	-	-
L97	166	1,022	856	M08.2	4	7	3	M16.2	-	-	-	-
L98.0	-	2	2	M08.3	-	-	-	M16.3	-	-	-	-
L98.1	-	-	-	M08.4	-	-	-	M16.4	-	-	-	-
L98.2	5	21	16	M08.8	-	-	-	M16.5	-	-	-	-
L98.3	-	-	-	M08.9	2	3	1	M16.6	-	-	-	-
L98.4	131	947	816	M10.0	13	122	111	M16.7	-	-	-	-
L98.5	3	4	1	M10.1	-	-	-	M16.9	26	129	103	129
L98.6	-	-	-	M10.2	-	-	-	M17.0	-	-	-	-
L98.8	17	129	112	M10.3	3	3	-	M17.1	-	-	-	-
L98.9	14	64	50	M10.4	-	-	-	M17.2	-	-	-	-
M00.0	1	6	5	M10.9	64	1,635	1,571	M17.3	-	-	-	-
M00.1	-	-	-	M11.0	-	-	-	M17.4	-	-	-	-
M00.2	-	2	2	M11.1	-	-	-	M17.5	-	-	-	-
M00.8	1	1	-	M11.2	2	25	23	M17.9	23	172	149	172
M00.9	257	486	230	M11.8	-	-	-	M18.0	-	1	1	1
M02.0	-	-	-	M11.9	-	-	-	M18.1	-	-	-	-
M02.1	-	-	-	M12.0	-	1	1	M18.2	-	-	-	-
M02.2	-	-	-	M12.1	-	-	-	M18.3	-	-	-	-
M02.3	1	4	3	M12.2	1	1	-	M18.4	-	-	-	-
M02.8	-	-	-	M12.3	-	-	-	M18.5	-	-	-	-
M02.9	-	-	-	M12.4	-	-	-	M18.9	-	1	1	1
M05.0	30	64	34	M12.5	-	4	4	M19.0	-	1	1	1
M05.1	159	186	55	M12.8	-	1	1	M19.1	-	-	-	-
M05.2	44	21	13	M13.0	8	64	56	M19.2	3	11	8	11
M05.3	40	60	41	M13.1	-	-	-	M19.8	1	7	6	7

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
M19.9	880	14,161	13,283	14,175	M24.2	-	1	1	M33.0	-	-	-
M20.0	-	2	2	2	M24.3	1	3	2	M33.1	121	251	130
M20.1	1	5	4	5	M24.4	1	10	9	M33.2	206	395	189
M20.2	-	-	-	-	M24.5	6	67	61	M33.9	-	1	1
M20.3	-	-	-	-	M24.6	1	20	19	M34.0	40	45	5
M20.4	-	3	3	3	M24.7	-	-	-	M34.1	91	189	98
M20.5	-	-	-	-	M24.8	-	4	4	M34.2	-	-	-
M20.6	-	1	1	1	M24.9	-	1	1	M34.8	592	598	175
M21.0	-	-	-	-	M25.0	-	5	5	M34.9	592	1,054	495
M21.1	-	-	-	-	M25.1	-	1	1	M35.0	66	254	189
M21.2	-	-	-	-	M25.2	-	-	-	M35.1	6	16	10
M21.3	-	11	11	11	M25.3	-	-	-	M35.2	12	21	9
M21.4	-	-	-	-	M25.4	-	9	9	M35.3	92	963	871
M21.5	-	-	-	-	M25.5	6	82	76	M35.4	-	-	-
M21.6	-	2	2	2	M25.6	1	2	1	M35.5	-	-	-
M21.7	-	1	1	1	M25.7	3	7	4	M35.6	1	2	1
M21.8	1	1	-	1	M25.8	-	31	31	M35.7	-	-	-
M21.9	-	14	14	14	M25.9	20	828	808	M35.8	26	41	17
M22.0	-	-	-	-	M30.0	53	81	28	M35.9	300	490	195
M22.1	-	-	-	-	M30.1	37	50	14	M40.0	-	-	-
M22.2	-	-	-	-	M30.2	-	-	-	M40.1	-	51	51
M22.3	-	-	-	-	M30.3	8	12	4	M40.2	87	439	352
M22.4	-	-	-	-	M30.8	-	-	-	M40.3	-	1	1
M22.8	-	1	1	1	M31.0	49	70	21	M40.4	-	1	1
M22.9	-	1	1	1	M31.1	302	411	112	M40.5	-	8	8
M23.0	-	-	-	-	M31.2	1	1	-	M41.0	-	-	-
M23.1	-	-	-	-	M31.3	309	478	169	M41.1	1	1	-
M23.2	-	-	-	-	M31.4	14	26	12	M41.2	1	2	1
M23.3	-	-	-	-	M31.5	-	1	1	M41.3	-	2	2
M23.4	-	-	-	-	M31.6	105	512	407	M41.4	1	22	21
M23.5	-	-	-	-	M31.8	10	19	9	M41.5	1	31	30
M23.6	-	-	-	-	M31.9	6	25	19	M41.8	1	6	5
M23.8	-	-	-	-	M32.0	1	3	2	M41.9	252	723	472
M23.9	1	10	9	10	M32.1	1,156	1,917	761	M42.0	-	-	-
M24.0	-	-	-	-	M32.8	-	3	3	M42.1	-	-	-
M24.1	-	-	-	-	M32.9	146	197	69	M42.9	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis		
	Total UC	Second- mention ary	Entity axis	Total UC	Second- mention ary	Entity axis	Total UC	Second- mention ary	Entity axis		Total UC	Second- mention ary	Entity axis	Total UC	
M43.0	1	8	7	8	M50.9	2	12	10	12	M62.1	1	3	2	3	
M43.1	3	18	15	18	M51.0	2	2	-	-	M62.2	2	4	2	4	
M43.2	4	59	55	59	M51.1	3	3	-	-	M62.3	27	82	55	82	
M43.3	-	-	-	-	M51.2	10	64	54	65	M62.4	1	9	8	9	
M43.4	-	1	1	1	M51.3	25	329	304	331	M62.5	6	62	56	64	
M43.5	1	4	3	4	M51.4	-	-	-	-	M62.6	4	7	3	7	
M43.6	2	15	13	15	M51.8	-	2	2	2	M62.8	512	1,515	1,004	1,521	
M43.8	-	-	-	-	M51.9	8	99	91	104	M62.9	6	21	15	23	
M43.9	1	10	9	12	M53.0	-	2	2	2	M65.0	-	-	-	-	
M45	37	170	133	170	M53.1	-	4	4	4	M65.1	-	1	1	1	
M46.0	-	-	-	-	M53.2	1	7	6	7	M65.2	-	-	-	-	
M46.1	-	-	-	-	M53.3	-	2	2	2	M65.3	-	-	-	-	
M46.2	117	251	134	252	M53.8	3	18	15	18	M65.4	-	-	-	-	
M46.3	5	9	4	9	M53.9	-	18	18	19	M65.8	-	1	1	1	
M46.4	68	160	92	160	M54.0	-	-	-	-	M65.9	1	1	-	1	
M46.5	2	2	-	2	M54.1	5	104	99	107	M66.0	-	-	-	-	
M46.8	-	-	-	-	M54.2	2	54	52	54	M66.1	-	1	1	1	
M46.9	10	78	68	78	M54.3	1	20	19	20	M66.2	-	-	-	-	
M47.0	-	-	-	-	M54.4	-	-	-	-	M66.3	-	-	-	-	
M47.1	7	9	2	4	M54.5	14	232	218	232	M66.4	-	-	-	-	
M47.2	-	-	-	-	M54.6	-	-	-	-	M66.5	-	-	-	-	
M47.8	19	105	86	110	M54.8	1	25	24	25	M67.0	-	-	-	-	
M47.9	35	283	248	283	M54.9	53	775	722	775	M67.1	-	1	1	1	
M48.0	216	1,969	1,753	1,970	M60.0	40	110	70	110	M67.2	-	-	-	-	
M48.1	1	3	2	3	M60.1	-	1	1	1	M67.3	-	-	-	-	
M48.2	-	-	-	-	M60.2	-	3	3	3	M67.4	2	7	5	7	
M48.3	-	1	1	1	M60.8	1	9	8	9	M67.8	-	1	1	1	
M48.4	-	-	-	-	M60.9	73	192	119	192	M67.9	-	3	3	3	
M48.5	2	22	20	22	M61.0	-	-	-	-	M70.0	-	-	-	-	
M48.8	4	9	5	9	M61.1	1	3	2	3	M70.1	-	-	-	-	
M48.9	50	156	106	158	M61.2	-	-	-	-	M70.2	2	8	6	8	
M50.0	1	4	3	3	M61.3	-	-	-	-	M70.3	-	3	3	3	
M50.1	-	1	1	1	M61.4	-	-	-	-	M70.4	1	1	-	1	
M50.2	4	15	11	15	M61.5	2	4	2	4	M70.5	1	4	3	4	
M50.3	10	45	35	46	M61.9	-	-	-	-	M70.6	1	1	-	1	
M50.8	1	2	1	2	M62.0	-	-	-	-	M70.7	-	1	1	1	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
M70.8	-	-	-	M77.1	-	-	-	M83.3	-	-	-	-	
M70.9	-	-	-	M77.2	-	-	-	M83.4	-	-	-	-	
M71.0	-	-	-	M77.3	-	-	-	M83.5	-	-	-	-	
M71.1	1	4	3	M77.4	-	-	-	M83.8	-	1	1	1	
M71.2	-	1	1	M77.5	-	-	-	M83.9	4	16	12	16	
M71.3	-	1	1	M77.8	-	-	-	M84.0	-	4	4	4	
M71.4	-	-	-	M77.9	-	8	8	M84.1	3	29	26	29	
M71.5	-	2	2	M79.0	10	246	236	290	M84.2	-	-	-	
M71.8	-	-	-	M79.1	-	15	15	15	M84.3	1	5	4	
M71.9	6	19	13	M79.2	6	36	30	43	M84.4	114	911	798	3,145
M72.0	-	2	2	M79.3	20	39	19	39	M84.8	-	-	-	
M72.1	-	-	-	M79.4	-	-	-	M84.9	-	-	-	-	
M72.2	1	3	2	M79.5	-	-	-	M85.0	-	-	-	-	
M72.4	-	-	-	M79.6	6	68	62	68	M85.1	-	1	1	1
M72.6	484	901	418	M79.8	6	35	29	35	M85.2	1	1	-	1
M72.8	6	15	9	M79.9	2	7	5	7	M85.3	-	-	-	-
M72.9	44	110	66	M80.0	-	-	-	M85.4	-	-	-	-	
M75.0	-	4	4	M80.1	-	1	1	1	M85.5	1	1	-	1
M75.1	-	11	11	M80.2	-	-	-	M85.6	1	1	-	1	
M75.2	-	-	-	M80.3	-	-	-	M85.8	-	6	6	6	
M75.3	-	-	-	M80.4	-	3	3	1	M85.9	-	-	-	-
M75.4	-	-	-	M80.5	-	-	-	M86.0	-	-	-	-	
M75.5	-	4	4	M80.8	2	6	4	3	M86.1	4	7	3	7
M75.8	2	13	11	M80.9	719	2,265	1,547	15	M86.2	-	-	-	-
M75.9	-	-	-	M81.0	-	4	4	4	M86.3	-	-	-	-
M76.0	-	-	-	M81.1	-	-	-	M86.4	-	-	-	-	
M76.1	-	-	-	M81.2	-	-	-	M86.5	-	-	-	-	
M76.2	-	-	-	M81.3	-	-	-	M86.6	71	237	166	238	
M76.3	-	-	-	M81.4	1	6	5	8	M86.8	49	95	46	95
M76.4	-	-	-	M81.5	-	-	-	M86.9	1,258	2,818	1,562	2,841	
M76.5	-	-	-	M81.6	-	-	-	M87.0	-	-	-	-	
M76.6	-	-	-	M81.8	22	18	18	21	M87.1	2	3	1	3
M76.7	-	-	-	M81.9	953	11,414	10,467	13,670	M87.2	-	-	-	-
M76.8	-	4	4	M83.0	-	-	-	M87.3	-	1	1	1	
M76.9	-	-	-	M83.1	-	-	-	M87.8	3	17	14	17	
M77.0	-	-	-	M83.2	-	-	-	M87.9	14	64	50	67	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
M88.0	-	1	1	M94.3	-	-	-	N00.6	-	-	-	-
M88.8	-	-	-	M94.8	6	18	12	N00.7	-	-	-	-
M88.9	42	383	341	M94.9	-	2	2	N00.8	-	-	-	-
M89.0	9	30	21	M95.0	-	1	1	N00.9	24	54	31	71
M89.1	-	-	-	M95.1	-	-	-	N01.0	-	-	-	-
M89.2	-	-	-	M95.2	-	1	1	N01.1	-	-	-	-
M89.3	-	-	-	M95.3	-	-	-	N01.2	1	1	-	1
M89.4	-	2	2	M95.4	2	25	23	N01.3	-	-	-	-
M89.5	1	9	8	M95.5	-	-	-	N01.4	-	-	-	-
M89.6	-	-	-	M95.8	-	-	-	N01.5	-	-	-	-
M89.8	24	277	253	M95.9	2	10	8	N01.6	-	-	-	-
M89.9	17	61	45	M96.0	...	-	-	N01.7	-	-	-	-
M91.0	-	-	-	M96.1	...	4	4	N01.8	-	-	-	-
M91.1	1	3	2	M96.2	...	-	-	N01.9	5	12	7	12
M91.2	-	-	-	M96.3	...	-	-	N02.0	-	-	-	-
M91.3	-	-	-	M96.4	...	-	-	N02.1	-	-	-	-
M91.8	-	-	-	M96.5	...	-	-	N02.2	-	-	-	-
M91.9	8	18	10	M96.6	...	2	2	N02.3	-	-	-	-
M92.0	-	-	-	M96.8	...	16	16	N02.4	-	-	-	-
M92.1	-	-	-	M96.9	...	2	2	N02.5	-	-	-	-
M92.2	-	-	-	M99.0	-	-	-	N02.6	-	-	-	-
M92.3	-	-	-	M99.1	-	-	-	N02.7	-	-	-	-
M92.4	-	-	-	M99.2	-	-	-	N02.8	24	66	42	66
M92.5	-	1	1	M99.3	-	-	-	N02.9	2	11	9	11
M92.6	-	-	-	M99.4	-	-	-	N03.0	-	-	-	-
M92.7	-	-	-	M99.5	-	-	-	N03.1	-	-	-	-
M92.8	-	-	-	M99.6	-	-	-	N03.2	1	1	-	1
M92.9	-	-	-	M99.7	-	-	-	N03.3	-	-	-	-
M93.0	-	-	-	M99.8	-	-	-	N03.4	-	-	-	-
M93.1	-	-	-	M99.9	-	-	-	N03.5	-	-	-	-
M93.2	-	-	-	N00.0	-	-	-	N03.6	-	-	-	-
M93.8	-	-	-	N00.1	-	-	-	N03.7	-	-	-	-
M93.9	-	1	1	N00.2	-	-	-	N03.8	-	-	-	1
M94.0	-	-	-	N00.3	-	-	-	N03.9	300	734	441	990
M94.1	7	17	10	N00.4	-	-	-	N04.0	-	-	-	-
M94.2	2	4	2	N00.5	-	-	-	N04.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis		ICD-10 code		Record axis		ICD-10 code		Record axis		ICD-10 code			
	Total UC	Second-mention	Entity ary	axis	Total UC	Second-mention	Entity ary	axis	Total UC	Second-mention	Entity ary	axis		
N04.2	-	-	-	-	N07.8	-	-	-	N20.0	231	655	424	682	
N04.3	-	-	-	-	N07.9	-	-	-	N20.1	31	58	27	66	
N04.4	-	-	-	-	N10	135	285	150	N20.2	5	10	5	3	
N04.5	-	-	-	-	N11.0	2	5	3	N20.9	22	72	50	75	
N04.6	-	-	-	-	N11.1	10	24	14	N21.0	8	31	23	31	
N04.7	-	-	-	-	N11.8	-	2	2	N21.1	3	8	5	8	
N04.8	-	-	-	-	N11.9	46	156	110	N21.8	-	-	-	-	
N04.9	127	349	226	514	N12	536	1,148	612	1,162	N21.9	-	-	-	
N05.0	1	1	-	1	N13.0	4	4	-	-	N23	1	4	3	4
N05.1	4	7	4	9	N13.1	1	2	1	1	N25.0	2	28	26	28
N05.2	26	52	26	55	N13.2	15	22	7	-	N25.1	9	22	13	22
N05.3	-	-	-	-	N13.3	103	593	490	623	N25.8	25	73	48	74
N05.4	-	-	-	-	N13.4	1	14	13	14	N25.9	2	3	1	3
N05.5	14	21	7	21	N13.5	56	303	247	318	N26	48	109	62	164
N05.6	-	-	-	-	N13.6	6	14	8	12	N27.0	-	-	-	-
N05.7	2	5	3	8	N13.7	8	15	7	16	N27.1	-	-	-	-
N05.8	11	28	17	33	N13.8	15	66	51	66	N27.9	-	2	2	2
N05.9	120	254	145	340	N13.9	264	1,116	852	1,141	N28.0	50	236	186	236
N06.0	-	-	-	-	N14.0	1	2	1	2	N28.1	1	4	3	4
N06.1	-	-	-	-	N14.1	2	10	8	10	N28.8	107	566	459	568
N06.2	-	-	-	-	N14.2	4	15	11	15	N28.9	559	2,097	1,548	3,980
N06.3	-	-	-	-	N14.3	-	1	1	1	N30.0	12	29	17	30
N06.4	-	-	-	-	N14.4	2	2	-	2	N30.1	3	16	13	16
N06.5	-	-	-	-	N15.0	-	-	-	-	N30.2	9	54	45	54
N06.6	-	-	-	-	N15.1	29	116	87	117	N30.3	-	1	1	1
N06.7	-	-	-	-	N15.8	-	-	-	-	N30.4	4	71	67	71
N06.8	-	-	-	-	N15.9	12	63	51	65	N30.8	13	38	25	38
N06.9	-	-	-	-	N17.0	199	776	577	776	N30.9	99	358	260	361
N07.0	-	-	-	-	N17.1	-	3	3	3	N31.0	-	-	-	-
N07.1	-	-	-	-	N17.2	-	4	4	4	N31.1	-	-	-	-
N07.2	-	-	-	-	N17.8	-	4	4	4	N31.2	9	52	43	52
N07.3	-	-	-	-	N17.9	6,693	42,041	35,350	42,202	N31.8	-	-	-	-
N07.4	-	-	-	-	N18.0	9,956	30,396	20,453	40,389	N31.9	124	592	468	592
N07.5	-	-	-	-	N18.8	312	17	10	24	N32.0	47	221	174	221
N07.6	-	-	-	-	N18.9	7,375	42,783	35,412	44,604	N32.1	110	314	204	315
N07.7	-	-	-	-	N19	17,197	102,228	85,037	106,556	N32.2	9	69	60	70

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
N32.3	1	6	5	N42.9	47	189	142	N61	18	29	11	29
N32.4	16	66	50	N43.0	-	-	-	N62	-	-	-	-
N32.8	16	116	100	N43.1	-	-	-	N63	25	176	151	176
N32.9	23	105	82	N43.2	-	-	-	N64.0	-	-	-	-
N34.0	1	1	-	N43.3	3	11	8	N64.1	-	1	1	1
N34.1	-	-	-	N43.4	-	-	-	N64.2	-	-	-	-
N34.2	-	5	5	N44	1	1	-	N64.3	-	-	-	-
N34.3	1	3	2	N45.0	-	-	-	N64.4	-	1	1	1
N35.0	-	-	-	N45.9	10	17	7	N64.5	-	8	8	8
N35.1	-	-	-	N46	-	-	-	N64.8	3	4	1	4
N35.8	-	-	-	N47	-	4	4	N64.9	16	91	75	92
N35.9	12	44	32	N48.0	-	-	-	N70.0	1	1	-	1
N36.0	-	15	15	N48.1	2	2	-	N70.1	-	-	-	-
N36.1	-	-	-	N48.2	8	21	13	N70.9	9	17	8	17
N36.2	-	-	-	N48.3	1	2	1	N71.0	3	4	1	4
N36.3	-	-	-	N48.4	-	1	1	N71.1	-	-	-	-
N36.8	8	39	31	N48.5	1	3	2	N71.9	8	22	14	23
N36.9	1	6	5	N48.6	-	-	-	N72	-	1	1	1
N39.0	13,913	34,766	20,862	N48.8	1	5	4	N73.0	-	1	1	1
N39.1	-	-	-	N48.9	2	6	4	N73.1	-	1	1	1
N39.2	-	-	-	N49.0	-	-	-	N73.2	1	1	-	1
N39.3	1	7	6	N49.1	1	1	-	N73.3	-	-	-	-
N39.4	-	3	3	N49.2	30	76	46	N73.4	-	-	-	-
N39.8	-	1	1	N49.8	65	121	56	N73.5	-	1	1	1
N39.9	13	35	22	N49.9	2	2	-	N73.6	4	9	5	9
N40	507	2,832	2,325	N50.0	1	1	-	N73.8	-	-	-	-
N41.0	6	8	2	N50.1	5	8	3	N73.9	65	197	132	197
N41.1	4	16	12	N50.8	2	14	12	N75.0	-	-	-	-
N41.2	4	8	4	N50.9	5	21	16	N75.1	1	1	-	1
N41.3	2	2	-	N60.0	-	2	2	N75.8	-	-	-	-
N41.8	-	-	-	N60.1	-	2	2	N75.9	-	-	-	-
N41.9	15	57	42	N60.2	-	-	-	N76.0	1	4	3	4
N42.0	-	11	11	N60.3	-	-	-	N76.1	-	-	-	-
N42.1	1	24	23	N60.4	-	-	-	N76.2	3	3	-	3
N42.2	-	-	-	N60.8	-	-	-	N76.3	-	-	-	-
N42.8	1	7	6	N60.9	-	-	-	N76.4	4	8	4	8

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
N76.5	1	1	-	N83.7	-	-	-	N89.5	-	-	-	-
N76.6	-	-	-	N83.8	3	7	4	N89.6	-	-	-	-
N76.8	11	18	7	N83.9	46	195	149	N89.7	-	1	1	1
N80.0	2	3	1	N84.0	-	5	5	N89.8	1	5	4	5
N80.1	-	-	-	N84.1	1	2	1	N89.9	-	5	5	5
N80.2	-	-	-	N84.2	-	-	-	N90.0	-	-	-	-
N80.3	1	1	-	N84.3	-	-	-	N90.1	-	-	-	-
N80.4	-	-	-	N84.8	-	-	-	N90.2	-	-	-	-
N80.5	-	-	-	N84.9	-	-	-	N90.3	-	-	-	-
N80.6	-	-	-	N85.0	-	5	5	N90.4	-	-	-	-
N80.8	-	-	-	N85.1	-	-	-	N90.5	-	-	-	-
N80.9	3	8	5	N85.2	-	2	2	N90.6	-	-	-	-
N81.0	-	1	1	N85.3	-	-	-	N90.7	-	-	-	-
N81.1	5	20	15	N85.4	-	-	-	N90.8	-	8	8	8
N81.2	-	-	-	N85.5	-	-	-	N90.9	-	4	4	5
N81.3	-	3	3	N85.6	-	1	1	N91.0	-	-	-	-
N81.4	12	37	25	N85.7	-	1	1	N91.1	-	-	-	-
N81.5	-	1	1	N85.8	2	18	16	N91.2	-	-	-	-
N81.6	1	2	1	N85.9	10	225	215	N91.3	-	-	-	-
N81.8	2	2	-	N86	-	-	-	N91.4	-	-	-	-
N81.9	-	-	-	N87.0	-	-	-	N91.5	-	-	-	-
N82.0	5	21	16	N87.1	-	-	-	N92.0	-	8	8	8
N82.1	-	3	3	N87.2	-	-	-	N92.1	1	3	2	3
N82.2	-	1	1	N87.9	1	7	6	N92.2	-	-	-	-
N82.3	54	168	114	N88.0	-	-	-	N92.3	-	-	-	-
N82.4	10	34	24	N88.1	-	-	-	N92.4	-	-	-	-
N82.5	-	1	1	N88.2	6	36	30	N92.5	-	-	-	-
N82.8	-	1	1	N88.3	2	2	-	N92.6	-	-	-	-
N82.9	-	25	25	N88.4	-	-	-	N93.0	-	-	-	-
N83.0	-	-	-	N88.8	-	8	8	N93.8	1	7	6	7
N83.1	-	-	-	N88.9	3	8	5	N93.9	26	172	146	172
N83.2	11	38	27	N89.0	-	-	-	N94.0	-	-	-	-
N83.3	-	-	-	N89.1	-	-	-	N94.1	-	-	-	-
N83.4	-	-	-	N89.2	-	-	-	N94.2	-	-	-	-
N83.5	-	1	1	N89.3	-	-	-	N94.3	-	-	-	-
N83.6	-	1	1	N89.4	-	-	-	N94.4	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
N94.5	-	-	-	000.9	10	13	3	14	005.8	-	-	-
N94.6	-	2	2	001.0	-	-	-	-	005.9	-	-	-
N94.8	15	48	33	001.1	-	-	-	-	006.0	-	1	1
N94.9	2	12	10	001.9	2	2	-	2	006.1	-	1	1
N95.0	2	13	11	002.0	-	-	-	-	006.2	-	-	-
N95.1	2	31	29	002.1	-	1	1	1	006.3	-	-	-
N95.2	-	1	1	002.8	-	-	-	-	006.4	-	-	-
N95.3	-	1	1	002.9	-	-	-	-	006.5	4	3	-
N95.8	-	-	-	003.0	-	-	-	-	006.6	-	1	1
N95.9	-	1	1	003.1	-	-	-	-	006.7	-	-	-
N96	-	-	-	003.2	-	-	-	-	006.8	1	3	2
N97.0	-	-	-	003.3	-	-	-	-	006.9	3	3	-
N97.1	-	-	-	003.4	-	-	-	-	007.0	-	-	-
N97.2	-	-	-	003.5	1	2	1	1	007.1	-	-	-
N97.3	-	-	-	003.6	1	1	-	-	007.2	-	1	1
N97.4	-	-	-	003.7	-	-	-	-	007.3	-	-	-
N97.8	-	-	-	003.8	1	2	1	1	007.4	-	-	-
N97.9	-	1	1	003.9	2	6	4	9	007.5	-	-	-
N98.0	-	-	-	004.0	-	-	-	-	007.6	-	-	-
N98.1	-	-	-	004.1	-	-	-	-	007.7	-	-	-
N98.2	-	-	-	004.2	-	-	-	-	007.8	1	1	-
N98.3	-	-	-	004.3	-	-	-	-	007.9	-	-	-
N98.8	-	-	-	004.4	-	-	-	-	008.0	...	5	5
N98.9	-	-	-	004.5	-	1	1	-	008.1	...	6	6
N99.0	...	421	421	004.6	-	-	-	-	008.2	...	2	2
N99.1	...	2	2	004.7	-	-	-	-	008.3	...	1	1
N99.2	...	-	-	004.8	1	-	-	-	008.4	...	1	1
N99.3	...	-	-	004.9	1	2	1	3	008.5	...	-	-
N99.4	...	2	2	005.0	-	-	-	-	008.6	...	1	1
N99.5	...	2	2	005.1	-	-	-	-	008.7	...	-	-
N99.8	...	53	53	005.2	-	-	-	-	008.8	...	5	5
N99.9	...	8	8	005.3	-	-	-	-	008.9	...	-	-
000.0	-	-	-	005.4	-	-	-	-	010.0	4	10	6
000.1	4	4	-	005.5	-	-	-	-	010.1	3	5	2
000.2	-	-	-	005.6	-	-	-	-	010.2	-	-	-
000.8	-	-	-	005.7	-	-	-	-	010.3	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
010.4	-	-	-	023.5	-	1	1	030.0	1	4	3	4
010.9	-	-	-	023.9	-	-	-	030.1	-	-	-	-
011	-	1	1	024.0	-	-	-	030.2	-	-	-	-
012.0	-	-	-	024.1	-	1	1	030.8	-	-	-	-
012.1	1	1	-	024.2	-	-	-	030.9	-	-	-	-
012.2	-	-	-	024.3	-	-	-	031.0	-	-	-	-
013	2	3	1	024.4	1	1	-	031.1	-	-	-	-
014.0	-	-	-	024.9	8	14	6	031.2	-	-	-	-
014.1	8	9	1	025	-	-	-	031.8	-	-	-	-
014.9	12	17	5	026.0	-	-	-	032.0	-	-	-	-
015.0	3	6	3	026.1	-	-	-	032.1	-	1	1	1
015.1	-	-	-	026.2	-	-	-	032.2	-	-	-	-
015.2	1	1	-	026.3	1	1	-	032.3	-	-	-	-
015.9	21	25	4	026.4	-	-	-	032.4	-	-	-	-
016	7	15	8	026.5	-	1	1	032.5	-	-	-	-
020.0	-	-	-	026.6	9	16	7	032.6	-	-	-	-
020.8	-	-	-	026.7	-	-	-	032.8	-	-	-	-
020.9	-	-	-	026.8	62	93	31	032.9	-	-	-	-
021.0	-	-	-	026.9	-	-	1	033.0	-	-	-	-
021.1	-	-	-	028.0	-	-	-	033.1	-	-	-	-
021.2	-	-	-	028.1	-	-	-	033.2	-	-	-	-
021.8	-	-	-	028.2	-	-	-	033.3	-	-	-	-
021.9	-	-	-	028.3	-	-	-	033.4	-	-	-	-
022.0	-	-	-	028.4	-	-	-	033.5	-	-	-	-
022.1	-	-	-	028.5	-	-	-	033.6	-	-	-	-
022.2	-	-	-	028.8	-	-	-	033.7	-	-	-	-
022.3	8	9	1	028.9	-	-	-	033.8	-	-	-	-
022.4	-	-	-	029.0	-	-	-	033.9	1	1	-	1
022.5	-	-	-	029.1	2	3	1	034.0	-	-	-	-
022.8	1	1	-	029.2	-	-	-	034.1	-	-	-	-
022.9	4	4	-	029.3	-	-	-	034.2	-	-	-	-
023.0	-	-	-	029.4	-	-	-	034.3	-	-	-	-
023.1	-	-	-	029.5	-	-	-	034.4	-	-	-	-
023.2	-	-	-	029.6	-	-	-	034.5	-	-	-	-
023.3	-	-	-	029.8	-	-	-	034.6	-	-	-	-
023.4	-	-	-	029.9	-	-	-	034.7	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
034.8	-	-	-	044.1	4	5	1	065.1	-	-	-	-
034.9	-	-	-	045.0	-	-	-	065.2	-	-	-	-
035.0	-	-	-	045.8	-	-	-	065.3	-	-	-	-
035.1	-	-	-	045.9	12	14	2	065.4	-	-	-	-
035.2	-	-	-	046.0	1	3	2	065.5	-	-	-	-
035.3	-	-	-	046.8	1	2	1	065.8	-	-	-	-
035.4	-	-	-	046.9	6	16	10	065.9	-	-	-	-
035.5	-	-	-	047.0	-	-	-	066.0	-	-	-	-
035.6	-	-	-	047.1	-	-	-	066.1	-	-	-	-
035.7	-	-	-	047.9	-	-	-	066.2	-	-	-	-
035.8	-	-	-	048	-	-	-	066.3	-	-	-	-
035.9	-	1	1	060	-	3	3	066.4	-	-	-	-
036.0	-	-	-	061.0	-	-	-	066.5	-	-	-	-
036.1	-	-	-	061.1	-	-	-	066.8	-	-	-	-
036.2	-	-	-	061.8	-	-	-	066.9	1	1	-	1
036.3	-	-	-	061.9	-	-	-	067.0	-	-	-	-
036.4	8	12	4	062.0	-	-	-	067.8	-	-	-	-
036.5	-	-	-	062.1	-	-	-	067.9	3	5	2	5
036.6	-	-	-	062.2	2	2	-	068.0	1	1	-	1
036.7	-	-	-	062.3	1	1	-	068.1	-	-	-	-
036.8	-	1	1	062.4	-	-	-	068.2	-	-	-	-
036.9	-	-	-	062.8	-	-	-	068.3	-	-	-	-
040	-	1	1	062.9	-	-	-	068.8	-	-	-	-
041.0	-	-	-	063.0	-	-	-	068.9	1	2	1	2
041.1	1	2	1	063.1	-	-	-	069.0	-	-	-	-
041.8	-	-	-	063.2	-	-	-	069.1	-	-	-	-
041.9	-	-	-	063.9	-	-	-	069.2	-	-	-	-
042.0	-	-	-	064.0	-	-	-	069.3	-	-	-	-
042.1	-	-	-	064.1	-	-	-	069.4	-	-	-	-
042.2	-	-	-	064.2	-	-	-	069.5	-	1	1	1
042.9	1	2	1	064.3	-	-	-	069.8	-	-	-	-
043.0	-	-	-	064.4	-	-	-	069.9	-	-	-	-
043.1	-	-	-	064.5	-	-	-	070.0	-	-	-	-
043.8	-	1	1	064.8	-	-	-	070.1	1	1	-	1
043.9	-	-	-	064.9	-	-	-	070.2	-	-	-	-
044.0	-	-	-	065.0	-	-	-	070.3	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis			Entity axis		Record axis			Entity axis		Record axis			Entity axis
	Total UC	Second- mention	Ary	Entity axis		Total UC	Second- mention	Ary	Entity axis		Total UC	Second- mention	Ary	Entity axis
070.9	-	-	-	-	075.9	10	15	6	51	091.0	-	-	-	-
071.0	-	-	-	-	085	6	9	3	9	091.1	-	-	-	-
071.1	1	1	-	1	086.0	-	-	-	-	091.2	-	-	-	-
071.2	-	-	-	-	086.1	-	-	-	-	092.0	-	-	-	-
071.3	-	1	1	1	086.2	-	-	-	-	092.1	-	-	-	-
071.4	-	-	-	-	086.3	-	-	-	-	092.2	-	-	-	-
071.5	-	-	-	-	086.4	-	-	-	-	092.3	-	-	-	-
071.6	-	-	-	-	086.8	-	1	1	1	092.4	-	-	-	-
071.7	-	-	-	-	087.0	-	-	-	-	092.5	-	-	-	-
071.8	-	1	1	1	087.1	1	1	-	1	092.6	-	-	-	-
071.9	-	-	-	-	087.2	-	-	-	-	092.7	-	-	-	-
072.0	5	8	3	8	087.3	1	1	-	1	095	32	169	138	228
072.1	5	12	7	12	087.8	-	-	-	-	096	145	201	56	201
072.2	1	-	-	-	087.9	-	-	-	-	097	12	15	3	15
072.3	-	5	5	5	088.0	1	2	1	2	098.0	-	-	-	1
073.0	-	-	-	-	088.1	25	37	12	37	098.1	-	-	-	-
073.1	-	-	-	-	088.2	20	35	15	36	098.2	-	-	-	-
074.0	-	-	-	-	088.3	1	1	-	1	098.3	-	-	-	-
074.1	-	-	-	-	088.8	1	1	-	1	098.4	-	2	2	6
074.2	-	-	-	-	089.0	-	-	-	-	098.5	-	-	-	-
074.3	-	-	-	-	089.1	-	1	1	1	098.6	-	-	-	-
074.4	-	-	-	-	089.2	-	-	-	-	098.8	8	13	5	35
074.5	-	-	-	-	089.3	-	-	-	-	098.9	-	-	-	3
074.6	-	-	-	-	089.4	-	-	-	-	099.0	-	-	-	7
074.7	-	-	-	-	089.5	-	-	-	-	099.1	-	2	2	32
074.8	-	-	-	-	089.6	-	-	-	-	099.2	2	5	3	37
074.9	-	-	-	-	089.8	-	-	-	-	099.3	4	9	5	56
075.0	-	-	-	-	089.9	-	-	-	-	099.4	35	44	10	154
075.1	1	4	3	4	090.0	-	-	-	-	099.5	14	15	2	59
075.2	-	-	-	-	090.1	-	-	-	-	099.6	2	3	1	16
075.3	-	-	-	-	090.2	-	-	-	-	099.7	1	1	-	2
075.4	13	25	12	25	090.3	41	45	4	45	099.8	67	67	1	80
075.5	-	-	-	-	090.4	-	2	2	2	P00.0	82	105	23	105
075.6	-	-	-	-	090.5	-	-	-	-	P00.1	4	10	6	10
075.7	-	-	-	-	090.8	4	8	4	8	P00.2	10	18	8	18
075.8	1	2	1	2	090.9	1	1	-	1	P00.3	9	13	4	13

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
P00.4	-	-	-	P04.1	1	2	1	P12.3	-	-	-	-
P00.5	37	42	5	P04.2	5	26	21	P12.4	-	-	-	-
P00.6	-	-	-	P04.3	1	5	4	P12.8	-	-	-	-
P00.7	-	2	2	P04.4	42	100	58	P12.9	-	1	1	1
P00.8	15	32	17	P04.5	-	-	-	P13.0	-	-	-	-
P00.9	7	10	3	P04.6	-	-	-	P13.1	-	-	-	-
P01.0	455	497	42	P04.8	-	-	-	P13.2	-	-	-	-
P01.1	779	1,086	307	P04.9	-	-	-	P13.3	-	-	-	-
P01.2	147	240	93	P05.0	1	3	2	P13.4	-	-	-	-
P01.3	7	22	15	P05.1	4	22	18	P13.8	-	1	1	1
P01.4	-	-	-	P05.2	-	-	-	P13.9	1	1	-	1
P01.5	265	524	259	P05.9	66	201	135	P14.0	-	3	3	3
P01.6	3	8	5	P07.0	87	98	11	P14.1	-	-	-	-
P01.7	2	2	-	P07.1	7	13	6	P14.2	-	1	1	1
P01.8	58	77	19	P07.2	3,489	4,307	840	P14.3	-	-	-	-
P01.9	1	1	-	P07.3	1,072	1,826	762	P14.8	-	-	-	-
P02.0	15	24	9	P08.0	-	-	-	P14.9	-	-	-	-
P02.1	429	574	145	P08.1	-	-	1	P15.0	2	2	-	2
P02.2	15	23	8	P08.2	-	4	4	P15.1	-	-	-	-
P02.3	100	139	39	P10.0	-	-	-	P15.2	-	-	-	-
P02.4	26	42	16	P10.1	-	1	1	P15.3	-	-	-	-
P02.5	20	35	15	P10.2	-	-	-	P15.4	-	-	-	-
P02.6	13	14	1	P10.3	-	-	-	P15.5	-	-	-	-
P02.7	429	647	218	P10.4	-	-	-	P15.6	-	-	-	-
P02.8	-	1	1	P10.8	-	-	-	P15.8	7	10	3	10
P02.9	-	1	1	P10.9	-	-	-	P15.9	9	14	5	15
P03.0	9	17	8	P11.0	-	-	-	P20.0	2	3	1	3
P03.1	4	10	6	P11.1	-	2	2	P20.1	-	1	1	1
P03.2	-	-	-	P11.2	9	16	7	P20.9	106	406	300	406
P03.3	-	-	-	P11.3	-	-	-	P21.0	36	67	31	67
P03.4	-	4	4	P11.4	-	-	-	P21.1	-	-	-	-
P03.5	6	10	4	P11.5	-	-	-	P21.9	425	989	564	989
P03.6	6	7	1	P11.9	-	-	-	P22.0	810	1,449	639	1,449
P03.8	69	101	32	P12.0	-	-	-	P22.1	-	-	-	-
P03.9	46	76	30	P12.1	-	-	-	P22.8	-	1	1	1
P04.0	-	-	-	P12.2	-	-	-	P22.9	65	147	82	149

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
P23.0	10	12	2	P29.0	345	1,220	875	P39.9	60	84	25	93
P23.1	-	-	-	P29.1	534	1,503	969	P50.0	-	-	-	-
P23.2	5	9	4	P29.2	9	45	36	P50.1	2	7	5	7
P23.3	-	-	-	P29.3	32	164	132	P50.2	2	2	-	2
P23.4	-	-	-	P29.4	-	5	5	P50.3	-	-	-	-
P23.5	1	4	3	P29.8	17	55	38	P50.4	5	6	1	8
P23.6	1	4	3	P29.9	-	3	3	P50.5	-	-	-	-
P23.8	5	8	3	P35.0	5	7	2	P50.8	-	-	-	-
P23.9	85	176	91	P35.1	37	52	15	P50.9	5	11	6	11
P24.0	35	61	26	P35.2	29	31	2	P51.0	-	-	-	-
P24.1	2	7	5	P35.3	-	-	-	P51.8	-	-	-	-
P24.2	-	-	-	P35.8	3	7	4	P51.9	1	1	-	1
P24.3	1	1	-	P35.9	5	9	4	P52.0	-	1	1	1
P24.8	-	-	-	P36.0	22	38	16	P52.1	-	1	1	1
P24.9	4	21	17	P36.1	11	16	5	P52.2	-	5	5	5
P25.0	66	151	85	P36.2	18	26	8	P52.3	377	804	429	808
P25.1	71	334	263	P36.3	14	28	14	P52.4	26	82	56	82
P25.2	2	10	8	P36.4	9	19	10	P52.5	5	12	7	12
P25.3	2	18	16	P36.5	-	1	1	P52.6	-	5	5	5
P25.8	1	2	2	P36.8	80	140	60	P52.8	2	8	6	8
P26.0	-	-	-	P36.9	673	1,296	626	P52.9	133	295	162	300
P26.1	5	12	7	P37.0	1	1	-	P53	-	-	-	-
P26.8	-	-	-	P37.1	1	3	2	P54.0	-	-	-	-
P26.9	164	473	309	P37.2	2	2	-	P54.1	-	-	-	-
P27.0	-	-	-	P37.3	-	-	-	P54.2	-	-	-	-
P27.1	259	363	104	P37.4	-	-	-	P54.3	11	19	8	19
P27.8	2	2	-	P37.5	34	48	14	P54.4	-	4	4	4
P27.9	44	60	16	P37.8	25	43	18	P54.5	-	2	2	2
P28.0	417	659	242	P37.9	-	-	-	P54.6	2	4	2	4
P28.1	3	14	11	P38	3	5	2	P54.8	19	46	27	46
P28.2	-	-	-	P39.0	-	-	-	P54.9	29	48	19	67
P28.3	-	1	1	P39.1	-	-	-	P55.0	5	8	3	8
P28.4	18	99	81	P39.2	10	12	2	P55.1	-	1	1	1
P28.5	32	1,983	1,951	P39.3	1	9	8	P55.8	-	1	1	1
P28.8	8	67	59	P39.4	-	-	-	P55.9	2	3	1	3
P28.9	14	31	17	P39.8	12	16	4	P56.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
P56.9	-	1	1	P71.1	-	3	3	P81.9	1	2	1	2
P57.0	1	-	-	P71.2	-	-	-	P83.0	-	-	-	-
P57.8	-	-	-	P71.3	-	-	-	P83.1	-	-	-	-
P57.9	-	2	2	P71.4	-	-	-	P83.2	196	352	156	352
P58.0	-	-	-	P71.8	-	3	3	P83.3	4	7	3	7
P58.1	-	4	4	P71.9	-	-	-	P83.4	-	-	-	-
P58.2	-	4	4	P72.0	-	-	-	P83.5	-	-	-	-
P58.3	-	-	-	P72.1	1	2	1	P83.6	-	-	-	-
P58.4	-	-	-	P72.2	-	1	1	P83.8	1	1	-	1
P58.5	-	-	-	P72.8	-	-	-	P83.9	1	1	-	1
P58.8	-	1	1	P72.9	-	-	-	P90	11	97	86	97
P58.9	-	-	-	P74.0	-	3	3	P91.0	9	19	10	19
P59.0	-	6	6	P74.1	-	26	26	P91.1	-	-	-	-
P59.1	3	4	1	P74.2	-	-	-	P91.2	9	31	22	31
P59.2	2	4	2	P74.3	-	3	3	P91.3	-	-	-	-
P59.3	-	-	-	P74.4	-	1	1	P91.4	-	2	2	2
P59.8	-	-	-	P74.5	-	-	-	P91.5	1	1	-	1
P59.9	1	4	3	P74.8	-	1	1	P91.8	-	2	2	2
P60	63	250	187	P74.9	-	-	-	P91.9	1	1	-	1
P61.0	-	4	4	P76.0	1	1	-	P92.0	-	-	-	-
P61.1	-	1	1	P76.1	1	1	-	P92.1	-	-	-	-
P61.2	5	96	91	P76.2	-	-	-	P92.2	-	-	-	-
P61.3	4	3	-	P76.8	2	4	2	P92.3	-	-	-	-
P61.4	30	44	30	P76.9	1	4	3	P92.4	-	-	-	-
P61.5	1	2	1	P77	441	584	143	P92.5	-	-	-	-
P61.6	2	7	5	P78.0	78	181	103	P92.8	-	-	-	-
P61.8	-	-	-	P78.1	1	27	26	P92.9	1	1	-	1
P61.9	-	-	-	P78.2	-	-	-	P93	-	-	-	-
P70.0	1	2	1	P78.3	3	6	3	P94.0	-	-	-	-
P70.1	1	23	22	P78.8	1	4	3	P94.1	-	-	-	-
P70.2	3	12	9	P78.9	1	2	1	P94.2	8	18	10	18
P70.3	-	-	-	P80.0	-	-	-	P94.8	-	-	-	-
P70.4	-	8	8	P80.8	1	2	1	P94.9	-	-	-	-
P70.8	-	1	1	P80.9	6	23	17	P96.0	38	147	109	147
P70.9	-	1	1	P81.0	-	-	-	P96.1	1	3	2	3
P71.0	-	-	-	P81.8	-	-	-	P96.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
P96.3	-	-	-	Q05.9	114	260	147	Q13.8	-	-	-	-
P96.4	34	64	30	Q06.0	1	1	-	Q13.9	-	-	-	-
P96.5	-	1	1	Q06.1	-	3	3	Q14.0	-	-	-	-
P96.8	39	102	63	Q06.2	-	-	-	Q14.1	-	-	-	-
P96.9	13	29	16	Q06.3	-	-	-	Q14.2	-	-	-	-
Q00.0	296	312	16	Q06.4	1	2	1	Q14.3	-	-	-	-
Q00.1	-	-	-	Q06.8	-	1	1	Q14.8	-	-	-	-
Q00.2	-	-	-	Q06.9	2	8	6	Q14.9	-	-	-	-
Q01.0	-	-	-	Q07.0	29	57	28	Q15.0	-	4	4	4
Q01.1	-	-	-	Q07.8	3	4	1	Q15.8	-	-	-	-
Q01.2	2	2	-	Q07.9	37	60	23	Q15.9	-	3	3	3
Q01.8	1	1	-	Q10.0	-	-	-	Q16.0	-	-	-	-
Q01.9	52	72	20	Q10.1	-	-	-	Q16.1	-	-	-	-
Q02	73	147	74	Q10.2	-	-	-	Q16.2	-	-	-	-
Q03.0	9	11	2	Q10.3	1	1	-	Q16.3	-	-	-	-
Q03.1	39	65	26	Q10.4	-	-	-	Q16.4	-	-	-	-
Q03.8	2	3	1	Q10.5	-	-	-	Q16.5	-	-	-	-
Q03.9	147	245	99	Q10.6	-	-	-	Q16.9	-	-	-	-
Q04.0	17	36	19	Q10.7	-	-	-	Q17.0	-	-	-	-
Q04.1	-	-	-	Q11.0	-	-	-	Q17.1	-	-	-	-
Q04.2	143	185	42	Q11.1	-	4	4	Q17.2	-	-	-	-
Q04.3	142	174	32	Q11.2	-	5	5	Q17.3	-	-	-	-
Q04.4	6	12	6	Q11.3	-	-	-	Q17.4	-	-	-	-
Q04.5	2	3	1	Q12.0	-	2	2	Q17.5	-	-	-	-
Q04.6	21	39	18	Q12.1	-	-	-	Q17.8	-	1	1	1
Q04.8	26	44	18	Q12.2	-	-	-	Q17.9	-	3	3	3
Q04.9	104	152	48	Q12.3	-	-	-	Q18.0	-	-	-	-
Q05.0	-	-	-	Q12.4	-	-	-	Q18.1	-	-	-	-
Q05.1	-	-	-	Q12.8	-	-	-	Q18.2	-	-	-	-
Q05.2	-	-	-	Q12.9	-	-	-	Q18.3	-	1	1	1
Q05.3	-	-	-	Q13.0	-	1	1	Q18.4	-	2	2	2
Q05.4	26	45	19	Q13.1	-	-	-	Q18.5	1	1	-	1
Q05.5	1	1	-	Q13.2	-	-	-	Q18.6	-	1	1	1
Q05.6	-	1	1	Q13.3	-	-	-	Q18.7	-	-	-	-
Q05.7	-	-	-	Q13.4	-	-	-	Q18.8	-	1	1	1
Q05.8	-	-	-	Q13.5	-	-	-	Q18.9	2	15	13	15

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis			
Q20.0	45	56	11	56	Q24.4	30	43	13	43	Q28.9	6	8	2	11
Q20.1	22	45	23	45	Q24.5	173	298	125	298	Q30.0	-	5	5	5
Q20.2	-	4	4	4	Q24.6	11	14	3	14	Q30.1	2	4	2	4
Q20.3	88	115	27	115	Q24.8	100	170	70	170	Q30.2	-	-	-	-
Q20.4	21	38	17	38	Q24.9	1,159	1,633	474	1,975	Q30.3	-	-	-	-
Q20.5	3	4	1	4	Q25.0	85	327	242	327	Q30.8	-	1	1	1
Q20.6	-	1	1	1	Q25.1	55	140	85	140	Q30.9	-	1	1	1
Q20.8	30	47	17	47	Q25.2	-	-	-	-	Q31.0	-	-	-	-
Q20.9	-	1	1	1	Q25.3	16	24	8	24	Q31.1	5	5	-	5
Q21.0	155	401	246	401	Q25.4	17	49	32	50	Q31.2	-	-	-	-
Q21.1	212	437	225	437	Q25.5	52	123	71	123	Q31.3	1	3	2	3
Q21.2	44	102	58	102	Q25.6	40	87	47	87	Q31.5	6	13	7	13
Q21.3	159	245	86	245	Q25.7	13	25	12	25	Q31.8	6	6	-	6
Q21.4	3	5	2	5	Q25.8	1	2	1	2	Q31.9	-	-	-	-
Q21.8	84	123	39	123	Q25.9	-	-	-	-	Q32.0	7	8	1	8
Q21.9	4	16	12	19	Q26.0	-	-	-	-	Q32.1	34	42	8	42
Q22.0	3	8	5	8	Q26.1	-	-	-	-	Q32.2	1	1	-	1
Q22.1	2	4	2	4	Q26.2	8	17	9	17	Q32.3	-	-	-	-
Q22.2	1	2	1	2	Q26.3	2	5	3	5	Q32.4	4	7	3	7
Q22.3	2	10	8	10	Q26.4	21	50	29	50	Q33.0	4	13	9	13
Q22.4	30	45	15	45	Q26.5	-	1	1	1	Q33.1	-	-	-	-
Q22.5	48	60	12	60	Q26.6	-	-	-	-	Q33.2	2	4	2	4
Q22.6	11	15	4	15	Q26.8	6	11	5	11	Q33.3	13	21	8	21
Q22.8	6	10	4	10	Q26.9	4	8	4	8	Q33.4	2	2	-	2
Q22.9	3	5	2	6	Q27.0	-	-	-	-	Q33.5	-	-	-	-
Q23.0	46	68	22	68	Q27.1	-	-	-	-	Q33.6	564	989	425	989
Q23.1	74	140	66	140	Q27.2	-	-	-	-	Q33.8	1	1	-	1
Q23.2	8	16	8	16	Q27.3	228	390	162	390	Q33.9	18	39	21	42
Q23.3	7	13	6	13	Q27.4	-	-	-	-	Q34.0	-	1	1	1
Q23.4	354	437	83	437	Q27.8	7	16	9	18	Q34.1	-	-	-	-
Q23.8	-	-	-	-	Q27.9	42	65	23	65	Q34.8	7	11	4	11
Q23.9	21	40	19	40	Q28.0	3	6	3	6	Q34.9	6	15	9	15
Q24.0	9	22	13	22	Q28.1	-	1	1	1	Q35.1	1	1	-	1
Q24.1	-	-	-	-	Q28.2	242	278	36	278	Q35.3	-	-	-	-
Q24.2	-	2	2	2	Q28.3	37	46	9	58	Q35.5	-	-	-	-
Q24.3	-	-	-	-	Q28.8	8	13	5	13	Q35.7	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
Q35.9	9	38	29	57	Q41.0	5	15	10	15	Q50.1	-	-
Q36.0	-	1	1	1	Q41.1	1	5	4	5	Q50.2	1	1
Q36.1	-	-	-	-	Q41.2	2	4	2	4	Q50.3	-	-
Q36.9	-	3	3	21	Q41.8	-	-	-	-	Q50.4	-	-
Q37.0	-	-	-	-	Q41.9	5	14	9	14	Q50.5	1	1
Q37.1	-	-	-	-	Q42.0	-	-	-	-	Q50.6	-	-
Q37.2	-	-	-	-	Q42.1	-	1	1	1	Q51.0	-	-
Q37.3	-	-	-	-	Q42.2	-	1	1	1	Q51.1	-	-
Q37.4	-	-	-	-	Q42.3	3	45	42	45	Q51.2	1	1
Q37.5	-	-	-	-	Q42.8	-	-	-	-	Q51.3	-	-
Q37.8	-	-	-	-	Q42.9	1	3	2	3	Q51.4	-	-
Q37.9	-	25	25	7	Q43.0	5	8	3	8	Q51.5	-	-
Q38.0	-	-	-	-	Q43.1	23	40	17	40	Q51.6	-	-
Q38.1	-	-	-	-	Q43.2	1	1	-	1	Q51.7	-	-
Q38.2	-	-	-	-	Q43.3	36	50	14	50	Q51.8	1	1
Q38.3	-	-	-	-	Q43.4	-	1	1	1	Q51.9	-	1
Q38.4	-	-	-	-	Q43.5	-	-	-	-	Q52.0	-	-
Q38.5	-	1	1	1	Q43.6	-	-	-	-	Q52.1	-	-
Q38.6	-	-	-	-	Q43.7	-	2	2	2	Q52.2	-	-
Q38.7	-	-	-	-	Q43.8	22	41	19	41	Q52.3	-	-
Q38.8	4	6	2	6	Q43.9	12	37	25	39	Q52.4	-	-
Q39.0	8	40	32	43	Q44.0	1	2	1	2	Q52.5	-	-
Q39.1	-	4	4	1	Q44.1	-	1	1	1	Q52.6	-	-
Q39.2	4	15	11	18	Q44.2	5	8	3	8	Q52.7	-	-
Q39.3	-	1	1	1	Q44.3	-	-	-	-	Q52.8	-	1
Q39.4	1	5	4	5	Q44.4	2	4	2	4	Q52.9	-	1
Q39.5	-	-	-	-	Q44.5	17	32	15	32	Q53.0	-	-
Q39.6	11	21	10	21	Q44.6	14	28	14	28	Q53.1	-	-
Q39.8	2	3	1	3	Q44.7	14	20	6	20	Q53.2	-	-
Q39.9	3	5	2	5	Q45.0	1	1	-	1	Q53.9	-	-
Q40.0	1	5	4	5	Q45.1	-	1	1	1	Q54.0	-	-
Q40.1	1	1	-	1	Q45.2	-	-	-	-	Q54.1	-	-
Q40.2	1	3	2	3	Q45.3	2	4	2	4	Q54.2	-	-
Q40.3	1	6	5	6	Q45.8	1	4	3	4	Q54.3	-	-
Q40.8	-	-	-	-	Q45.9	4	17	13	17	Q54.4	-	-
Q40.9	-	-	-	-	Q50.0	-	-	-	-	Q54.8	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis		
	Total UC	Second-mention	Entity axis	Total UC	Second-mention	Entity axis	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	Total UC	
Q54.9	1	8	7	8	Q62.6	1	1	-	1	Q66.8	1	12	11	12	
Q55.0	-	-	-	-	Q62.7	1	2	1	2	Q66.9	-	-	-	-	
Q55.1	-	-	-	-	Q62.8	-	1	1	1	Q67.0	-	-	-	-	
Q55.2	-	-	-	-	Q63.0	-	-	-	-	Q67.1	-	-	-	-	
Q55.3	-	-	-	-	Q63.1	2	15	13	15	Q67.2	-	1	1	1	
Q55.4	-	1	1	1	Q63.2	-	2	2	2	Q67.3	-	-	-	-	
Q55.5	-	-	-	-	Q63.3	-	1	1	1	Q67.4	-	-	-	-	
Q55.6	-	1	1	1	Q63.8	-	2	2	2	Q67.5	18	27	9	27	
Q55.8	-	2	2	2	Q63.9	15	39	24	46	Q67.6	2	12	10	12	
Q55.9	-	1	1	1	Q64.0	-	2	2	2	Q67.7	1	1	-	1	
Q56.0	-	1	1	1	Q64.1	3	5	2	5	Q67.8	8	22	14	22	
Q56.1	-	-	-	-	Q64.2	6	17	11	17	Q68.0	-	-	-	-	
Q56.2	-	-	-	-	Q64.3	3	11	8	11	Q68.1	-	-	-	-	
Q56.3	-	-	-	-	Q64.4	-	3	3	3	Q68.2	-	-	-	-	
Q56.4	1	7	6	7	Q64.5	1	7	6	7	Q68.3	-	-	-	-	
Q60.0	10	37	27	37	Q64.6	-	-	-	-	Q68.4	-	-	-	-	
Q60.1	20	29	9	29	Q64.7	2	8	6	8	Q68.5	-	-	-	-	
Q60.2	110	163	53	163	Q64.8	-	1	1	1	Q68.8	17	35	18	35	
Q60.3	-	-	-	-	Q64.9	3	8	5	8	Q69.0	-	-	-	-	
Q60.4	4	7	3	7	Q65.0	-	-	-	-	Q69.1	-	-	-	-	
Q60.5	24	39	15	39	Q65.1	-	-	-	-	Q69.2	-	-	-	-	
Q60.6	71	124	53	124	Q65.2	-	2	2	2	Q69.9	1	6	5	6	
Q61.0	6	30	24	31	Q65.3	-	-	-	-	Q70.0	-	-	-	-	
Q61.1	3	9	6	9	Q65.4	-	-	-	-	Q70.1	-	-	-	-	
Q61.2	23	44	21	44	Q65.5	-	-	-	-	Q70.2	-	-	-	-	
Q61.3	350	727	377	728	Q65.6	-	-	-	-	Q70.3	-	-	-	-	
Q61.4	37	114	77	114	Q65.8	1	5	4	5	Q70.4	-	1	1	1	
Q61.5	1	2	1	2	Q65.9	-	-	-	-	Q70.9	-	2	2	2	
Q61.8	-	-	-	-	Q66.0	-	2	2	2	Q71.0	-	-	-	-	
Q61.9	16	40	24	42	Q66.1	-	-	-	-	Q71.1	-	-	-	-	
Q62.0	1	11	10	11	Q66.2	-	-	-	-	Q71.2	-	-	-	-	
Q62.1	-	1	1	1	Q66.3	-	-	-	-	Q71.3	-	3	3	3	
Q62.2	-	1	1	1	Q66.4	-	-	-	-	Q71.4	-	3	3	3	
Q62.3	1	3	2	3	Q66.5	-	-	-	-	Q71.5	-	-	-	-	
Q62.4	-	1	1	1	Q66.6	-	-	-	-	Q71.6	-	-	-	-	
Q62.5	-	1	1	1	Q66.7	-	-	-	-	Q71.8	-	2	2	2	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
Q71.9	1	1	-	Q76.8	-	-	-	Q80.9	2	9	7	10
Q72.0	-	-	-	Q76.9	-	-	-	Q81.0	1	1	-	1
Q72.1	-	-	-	Q77.0	5	10	5	Q81.1	5	5	-	5
Q72.2	-	-	-	Q77.1	37	54	17	Q81.2	1	4	3	4
Q72.3	-	1	1	Q77.2	14	17	3	Q81.8	-	-	-	-
Q72.4	-	-	-	Q77.3	3	4	1	Q81.9	14	28	14	28
Q72.5	-	-	-	Q77.4	7	20	13	Q82.0	4	11	7	11
Q72.6	-	-	-	Q77.5	-	1	1	Q82.1	-	2	2	2
Q72.7	-	-	-	Q77.6	1	7	6	Q82.2	18	41	23	41
Q72.8	-	1	1	Q77.7	3	3	-	Q82.3	-	-	-	-
Q72.9	-	-	-	Q77.8	1	1	-	Q82.4	1	2	1	2
Q73.0	-	-	-	Q77.9	1	1	-	Q82.5	-	1	1	1
Q73.1	1	3	2	Q78.0	46	90	44	Q82.8	4	26	22	28
Q73.8	-	-	-	Q78.1	-	2	2	Q82.9	-	-	-	-
Q74.0	-	2	2	Q78.2	8	28	20	Q83.0	-	-	-	-
Q74.1	-	-	-	Q78.3	-	1	1	Q83.1	-	-	-	-
Q74.2	-	2	2	Q78.4	-	3	3	Q83.2	-	-	-	-
Q74.3	5	8	3	Q78.5	1	1	-	Q83.3	-	-	-	-
Q74.8	-	1	1	Q78.6	1	2	1	Q83.8	-	-	-	-
Q74.9	3	10	7	Q78.8	-	-	-	Q83.9	-	-	-	-
Q75.0	2	8	6	Q78.9	39	69	30	Q84.0	-	-	-	-
Q75.1	2	3	1	Q79.0	245	312	67	Q84.1	-	-	-	-
Q75.2	-	-	-	Q79.1	8	25	17	Q84.2	2	3	1	3
Q75.3	3	12	9	Q79.2	28	87	59	Q84.3	-	-	-	-
Q75.4	1	2	1	Q79.3	48	87	39	Q84.4	-	-	-	-
Q75.5	-	-	-	Q79.4	14	30	16	Q84.5	-	-	-	-
Q75.8	3	6	3	Q79.5	8	16	8	Q84.6	-	1	1	1
Q75.9	7	16	9	Q79.6	15	44	29	Q84.8	-	1	1	1
Q76.0	-	2	2	Q79.8	9	26	17	Q84.9	-	-	-	-
Q76.1	-	6	6	Q79.9	4	11	7	Q85.0	99	306	207	306
Q76.2	-	-	-	Q80.0	-	-	-	Q85.1	31	68	37	68
Q76.3	-	-	-	Q80.1	-	-	-	Q85.8	18	50	32	50
Q76.4	6	27	21	Q80.2	1	1	-	Q85.9	2	3	1	3
Q76.5	-	-	-	Q80.3	-	1	1	Q86.0	1	6	5	6
Q76.6	3	7	4	Q80.4	1	2	1	Q86.1	-	-	-	-
Q76.7	-	-	-	Q80.8	1	1	-	Q86.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
Q86.8	3	6	3	Q92.8	29	41	12	Q98.3	-	-	-	-
Q87.0	26	48	22	Q92.9	29	34	5	Q98.4	3	17	14	17
Q87.1	65	151	86	Q93.0	-	-	-	Q98.5	-	-	-	-
Q87.2	17	52	35	Q93.1	-	-	-	Q98.6	-	-	-	-
Q87.3	5	11	6	Q93.2	-	1	1	Q98.7	-	2	2	2
Q87.4	93	165	72	Q93.3	10	14	4	Q98.8	1	1	-	1
Q87.5	-	-	-	Q93.4	6	10	4	Q98.9	-	-	-	-
Q87.8	42	72	30	Q93.5	23	34	11	Q99.0	-	-	-	-
Q89.0	14	57	43	Q93.6	-	-	-	Q99.1	-	-	-	-
Q89.1	4	5	1	Q93.7	-	-	-	Q99.2	6	11	5	11
Q89.2	4	8	4	Q93.8	9	22	13	Q99.8	31	48	17	48
Q89.3	11	22	11	Q93.9	8	9	1	Q99.9	93	135	42	179
Q89.4	19	21	2	Q95.0	-	-	-	R00.0	8	1,185	1,177	1,185
Q89.7	311	367	58	713	Q95.1	3	3	R00.1	65	2,427	2,362	2,427
Q89.8	64	144	80	144	Q95.2	-	-	R00.2	-	17	17	17
Q89.9	223	373	150	562	Q95.3	-	-	R00.8	1	53	52	53
Q90.0	-	-	-	Q95.4	-	-	-	R01.0	-	-	-	-
Q90.1	1	1	-	1	Q95.5	-	-	R01.1	2	102	100	102
Q90.2	-	2	2	2	Q95.8	-	-	R01.2	-	-	-	-
Q90.9	865	2,029	1,164	2,029	Q95.9	-	-	R02	120	4,789	4,669	7,169
Q91.0	-	-	-	-	Q96.0	-	-	R03.0	-	-	-	-
Q91.1	2	2	-	2	Q96.1	-	-	R03.1	-	1	1	1
Q91.2	1	3	2	3	Q96.2	-	-	R04.0	7	201	194	201
Q91.3	511	557	46	557	Q96.3	-	-	R04.1	1	38	37	38
Q91.4	-	-	-	-	Q96.4	-	-	R04.2	20	1,050	1,030	1,050
Q91.5	-	1	1	1	Q96.8	-	-	R04.8	72	1,697	1,625	1,697
Q91.6	2	2	-	2	Q96.9	5	46	R04.9	-	27	27	27
Q91.7	311	323	12	323	Q97.0	1	1	R05	-	50	50	50
Q92.0	-	-	-	-	Q97.1	-	1	R06.0	81	2,812	2,731	2,812
Q92.1	1	2	1	2	Q97.2	-	-	R06.1	2	14	12	14
Q92.2	-	-	-	-	Q97.3	-	-	R06.2	-	5	5	5
Q92.3	-	-	-	-	Q97.8	-	1	R06.3	-	10	10	10
Q92.4	-	-	-	-	Q97.9	-	-	R06.4	13	558	545	558
Q92.5	1	1	-	1	Q98.0	-	-	R06.5	-	2	2	2
Q92.6	-	-	-	-	Q98.1	-	-	R06.6	-	2	2	2
Q92.7	19	22	3	22	Q98.2	-	-	R06.7	-	2	2	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis	
	Total UC	Second-mention ary	Entity axis	UC	Total mention	Second-ary	Entity axis	UC	Total mention	Second-ary	Entity axis	UC	Total mention	Second-ary
R06.8	125	7,303	7,178	7,303	R20.2	-	1	1	1	R30.9	-	-	-	-
R07.0	-	-	-	-	R20.3	-	-	-	-	R31	2	620	618	620
R07.1	-	-	-	-	R20.8	-	3	3	3	R32	-	265	265	265
R07.2	-	3	3	3	R21	-	29	29	29	R33	-	645	645	645
R07.3	-	5	5	5	R22.0	-	6	6	6	R34	-	284	284	284
R07.4	11	227	216	227	R22.1	3	120	117	120	R35	-	7	7	7
R09.0	232	18,106	17,874	18,107	R22.2	8	90	82	90	R36	-	1	1	1
R09.1	2	78	76	78	R22.3	-	8	8	8	R39.0	-	1	1	1
R09.2	1,983	63,740	61,757	63,741	R22.4	-	2	2	2	R39.1	-	2	2	2
R09.3	-	2	2	2	R22.7	-	-	-	-	R39.2	-	2	2	2
R09.8	11	905	894	905	R22.9	-	6	6	6	R39.8	-	2	2	2
R10.0	19	466	447	466	R23.0	-	27	27	27	R40.0	-	6	6	6
R10.1	1	15	14	15	R23.1	-	2	2	2	R40.1	1	47	46	47
R10.2	-	13	13	13	R23.2	-	-	-	-	R40.2	22	2,110	2,088	2,468
R10.3	-	4	4	4	R23.3	1	23	22	23	R41.0	1	239	238	239
R10.4	34	741	707	741	R23.4	-	4	4	4	R41.1	-	-	-	-
R11	10	1,295	1,285	1,296	R23.8	-	20	20	20	R41.2	-	-	-	-
R12	-	10	10	10	R25.0	-	-	-	-	R41.3	2	110	108	110
R13	70	18,359	18,289	18,359	R25.1	1	85	84	85	R41.8	4	236	232	236
R14	2	102	100	102	R25.2	-	62	62	62	R42	1	161	160	161
R15	-	24	24	24	R25.3	-	-	-	-	R43.0	-	-	-	-
R16.0	2	219	217	219	R25.8	-	5	5	5	R43.1	-	1	1	1
R16.1	2	219	217	219	R26.0	-	14	14	14	R43.2	-	2	2	2
R16.2	-	112	112	112	R26.1	-	-	-	-	R43.8	-	-	-	-
R17	9	658	649	658	R26.2	-	4	4	4	R44.0	-	2	2	2
R18	8	3,827	3,819	3,827	R26.8	-	271	271	271	R44.1	-	-	-	-
R19.0	38	741	703	741	R27.0	3	163	160	163	R44.2	-	2	2	2
R19.1	-	-	-	-	R27.8	1	44	43	44	R44.3	-	27	27	27
R19.2	-	3	3	3	R29.0	-	-	-	-	R44.8	-	3	3	3
R19.3	-	2	2	2	R29.1	-	1	1	1	R45.0	1	2	1	2
R19.4	-	-	-	-	R29.2	-	11	11	11	R45.1	1	205	204	205
R19.5	-	1	1	1	R29.3	-	-	-	-	R45.2	-	-	-	-
R19.6	-	-	-	-	R29.4	-	-	-	-	R45.3	-	3	3	3
R19.8	145	2,033	1,888	2,033	R29.8	31	809	778	809	R45.4	-	1	1	1
R20.0	-	5	5	5	R30.0	-	7	7	7	R45.5	-	-	-	-
R20.1	-	-	-	-	R30.1	-	-	-	-	R45.6	-	6	6	6

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		
R45.7	-	-	-	R57.1	25	1,418	1,393	1,418	R74.8	-	13	13	
R45.8	-	13	13	R57.8	35	1,658	1,623	1,658	R74.9	-	22	22	
R46.0	-	3	3	R57.9	233	10,675	10,442	10,675	R75	10	266	261	
R46.1	-	-	-	R58	270	4,545	4,267	4,525	R76.0	-	1	1	
R46.2	-	-	-	R59.0	1	63	62	63	R76.1	-	2	2	
R46.3	-	-	-	R59.1	2	99	97	101	R76.2	-	-	-	
R46.4	-	-	-	R59.9	4	60	56	60	R76.8	-	8	8	
R46.5	-	-	-	R60.0	1	358	357	358	R76.9	-	-	-	
R46.6	-	-	-	R60.1	11	1,023	1,012	1,024	R77.0	-	-	-	
R46.7	-	-	-	R60.9	2	939	937	939	R77.1	-	2	2	
R46.8	-	9	9	R61.0	-	-	-	-	R77.2	-	1	1	
R47.0	4	1,254	1,250	1,254	R61.1	-	-	-	R77.8	-	1	1	
R47.1	-	40	40	40	R61.9	-	6	6	R77.9	-	1	1	
R47.8	-	10	10	10	R62.0	-	-	-	R78.0	1	403	402	
R48.0	-	1	1	1	R62.8	2,648	31,185	28,537	31,403	R78.1	-	1	1
R48.1	-	2	2	2	R62.9	-	210	210	210	R78.2	-	3	3
R48.2	-	17	17	17	R63.0	87	5,104	5,017	5,104	R78.3	-	1	1
R48.8	-	3	3	3	R63.1	1	17	16	17	R78.4	-	-	-
R49.0	-	7	7	7	R63.2	-	20	20	20	R78.5	-	2	2
R49.1	-	4	4	4	R63.3	-	123	123	123	R78.6	-	-	-
R49.2	-	-	-	-	R63.4	9	1,315	1,306	1,315	R78.7	-	-	-
R49.8	-	-	-	-	R63.5	-	5	5	5	R78.8	-	1	1
R50.0	-	-	-	-	R63.8	14	1,383	1,369	1,383	R78.9	-	1	1
R50.1	-	2	2	2	R64	332	10,796	10,464	11,707	R79.0	-	-	-
R50.9	45	1,061	1,016	1,061	R68.0	1	169	168	169	R79.8	8	1,315	1,307
R51	1	98	97	98	R68.1	-	-	-	R79.9	-	3	3	
R52.0	-	7	7	7	R68.2	-	-	-	R80	1	47	46	
R52.1	-	-	-	-	R68.3	-	1	1	R81	-	2	2	
R52.2	3	1,303	1,300	1,303	R68.8	85	2,725	2,640	2,726	R82.0	-	-	-
R52.9	2	562	560	562	R70.0	-	2	2	2	R82.1	-	17	17
R53	1,002	11,896	10,894	11,896	R70.1	-	2	2	2	R82.2	-	-	-
R54	4,806	20,821	16,015	22,172	R71	-	-	-	R82.3	-	2	2	
R55	19	1,397	1,378	1,397	R72	-	-	-	R82.4	-	1	1	
R56.0	1	6	5	6	R73.0	-	83	83	83	R82.5	-	2	2
R56.8	1,085	19,562	18,477	19,564	R73.9	12	788	776	788	R82.6	-	6	6
R57.0	462	14,263	13,801	14,263	R74.0	-	1	1	1	R82.7	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		
R82.8	-	-	-	R86.4	-	-	-	R93.6	-	-	-	-	
R82.9	-	3	3	R86.5	-	-	-	R93.7	-	-	-	-	
R83.0	-	-	-	R86.6	-	-	-	R93.8	-	9	9	9	
R83.1	-	-	-	R86.7	-	-	-	R94.0	-	1	1	1	
R83.2	-	-	-	R86.8	-	-	-	R94.1	-	-	-	-	
R83.3	-	-	-	R86.9	-	-	-	R94.2	-	2	2	2	
R83.4	-	-	-	R87.0	-	-	-	R94.3	3	34	31	34	
R83.5	-	-	-	R87.1	-	-	-	R94.4	-	3	3	3	
R83.6	-	-	-	R87.2	-	-	-	R94.5	-	61	61	61	
R83.7	-	-	-	R87.3	-	-	-	R94.6	-	-	-	-	
R83.8	-	-	-	R87.4	-	-	-	R94.7	-	-	-	-	
R83.9	-	-	-	R87.5	-	-	-	R94.8	-	-	-	-	
R84.0	-	-	-	R87.6	-	1	1	R95	2,246	2,281	35	2,281	
R84.1	-	-	-	R87.7	-	-	-	R96.0	232	238	6	238	
R84.2	-	-	-	R87.8	-	-	-	R96.1	-	-	-	-	
R84.3	-	-	-	R87.9	-	-	-	R98	23	26	3	26	
R84.4	-	-	-	R89.0	-	-	-	R99	13,044	32,948	18,871	31,891	
R84.5	-	2	2	R89.1	-	-	-	S00.0	...	35	35	35	
R84.6	-	-	-	R89.2	-	-	-	S00.1	...	2	2	2	
R84.7	-	-	-	R89.3	-	3	3	S00.2	...	-	-	-	
R84.8	-	-	-	R89.4	-	-	-	S00.3	...	3	3	3	
R84.9	-	-	-	R89.5	-	-	-	S00.4	...	-	-	-	
R85.0	-	-	-	R89.6	-	-	-	S00.5	...	2	2	2	
R85.1	-	-	-	R89.7	-	-	-	S00.7	...	1	1	1	
R85.2	-	-	-	R89.8	-	1	1	S00.8	...	54	54	54	
R85.3	-	-	-	R89.9	-	-	-	S00.9	...	86	86	86	
R85.4	-	-	-	R90.0	7	49	42	S01.0	...	133	133	133	
R85.5	-	-	-	R90.8	-	-	-	S01.1	...	2	2	2	
R85.6	-	-	-	R91	169	3,123	2,954	3,123	S01.2	...	9	9	9
R85.7	-	-	-	R92	-	-	-	S01.3	...	10	10	10	
R85.8	-	-	-	R93.0	-	-	-	S01.4	...	7	7	7	
R85.9	-	-	-	R93.1	-	-	-	S01.5	...	1,017	1,017	1,017	
R86.0	-	1	1	R93.2	-	1	1	S01.7	...	289	289	289	
R86.1	-	-	-	R93.3	-	1	1	S01.8	...	1,170	1,170	1,170	
R86.2	-	-	-	R93.4	-	-	-	S01.9	...	16,477	16,477	16,477	
R86.3	-	-	-	R93.5	-	-	-	S02.0	...	78	78	78	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
S02.1	...	678	678	S06.1	...	333	333	S12.2	...	45	45	45
S02.2	...	41	41	S06.2	...	2,712	2,712	S12.7	...	10	10	10
S02.3	...	1	1	S06.3	...	39	39	S12.8	...	16	16	16
S02.4	...	14	14	S06.4	...	151	151	S12.9	...	2,488	2,488	2,488
S02.5	...	1	1	S06.5	...	6,169	6,169	S13.0	...	1	1	1
S02.6	...	56	56	S06.6	...	914	914	S13.1	...	428	428	428
S02.7	...	40	40	S06.7	...	-	-	S13.2	...	-	-	-
S02.8	...	28	28	S06.8	...	2,050	2,050	S13.3	...	-	-	-
S02.9	...	2,557	2,557	S06.9	...	5,678	5,678	S13.4	...	12	12	12
S03.0	...	-	-	S07.0	...	9	9	S13.5	...	-	-	-
S03.1	...	-	-	S07.1	...	30	30	S13.6	...	-	-	-
S03.2	...	-	-	S07.8	...	-	-	S14.0	...	-	-	-
S03.3	...	6	6	S07.9	...	217	217	S14.1	...	351	351	351
S03.4	...	-	-	S08.0	...	1	1	S14.2	...	3	3	3
S03.5	...	-	-	S08.1	...	10	10	S14.3	...	4	4	4
S04.0	...	3	3	S08.8	...	2	2	S14.4	...	-	-	-
S04.1	...	-	-	S08.9	...	7	7	S14.5	...	2	2	2
S04.2	...	-	-	S09.0	...	5	5	S14.6	...	1	1	1
S04.3	...	-	-	S09.1	...	-	-	S15.0	...	127	127	127
S04.4	...	-	-	S09.2	...	-	-	S15.1	...	31	31	31
S04.5	...	-	-	S09.7	...	789	789	S15.2	...	61	61	61
S04.6	...	-	-	S09.8	...	16	16	S15.3	...	6	6	6
S04.7	...	-	-	S09.9	...	25,383	25,383	S15.7	...	1	1	1
S04.8	...	-	-	S10.0	...	2	2	S15.8	...	1	1	1
S04.9	...	2	2	S10.1	...	3	3	S15.9	...	6	6	6
S05.0	...	1	1	S10.7	...	1	1	S16	...	1	1	1
S05.1	...	2	2	S10.8	...	9	9	S17.0	...	4	4	4
S05.2	...	-	-	S10.9	...	19	19	S17.8	...	1	1	1
S05.3	...	-	-	S11.0	...	37	37	S17.9	...	36	36	36
S05.4	...	5	5	S11.1	...	-	-	S18	...	74	74	74
S05.5	...	-	-	S11.2	...	8	8	S19.7	...	129	129	129
S05.6	...	1	1	S11.7	...	88	88	S19.8	...	69	69	69
S05.7	...	16	16	S11.8	...	76	76	S19.9	...	3,387	3,387	3,387
S05.8	...	11	11	S11.9	...	1,500	1,500	S20.0	...	2	2	2
S05.9	...	44	44	S12.0	...	128	128	S20.1	...	1	1	1
S06.0	...	134	134	S12.1	...	180	180	S20.2	...	66	66	66

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
S20.3	...	-	-	S25.5	...	7	7	S31.8	...	1,478	1,478	1,478
S20.4	...	-	-	S25.7	...	-	-	S32.0	...	300	300	300
S20.7	...	1	1	S25.8	...	21	21	S32.1	...	43	43	43
S20.8	...	12	12	S25.9	...	22	22	S32.2	...	7	7	7
S21.0	...	6	6	S26.0	...	129	129	S32.3	...	7	7	7
S21.1	...	11	11	S26.8	...	672	672	S32.4	...	71	71	71
S21.2	...	775	775	S26.9	...	732	732	S32.5	...	111	111	111
S21.7	...	221	221	S27.0	...	312	312	S32.7	...	34	34	34
S21.8	...	16	16	S27.1	...	635	635	S32.8	...	1,426	1,426	1,426
S21.9	...	5,863	5,863	S27.2	...	83	83	S33.0	...	-	-	-
S22.0	...	242	242	S27.3	...	1,551	1,551	S33.1	...	3	3	3
S22.1	...	7	7	S27.4	...	9	9	S33.2	...	-	-	-
S22.2	...	136	136	S27.5	...	-	-	S33.3	...	-	-	-
S22.3	...	1,352	1,352	S27.6	...	33	33	S33.4	...	-	-	-
S22.4	...	537	537	S27.7	...	9	9	S33.5	...	1	1	1
S22.5	...	182	182	S27.8	...	139	139	S33.6	...	-	-	-
S22.8	...	1	1	S27.9	...	163	163	S33.7	...	-	-	-
S22.9	...	82	82	S28.0	...	422	422	S34.0	...	1	1	1
S23.0	...	-	-	S28.1	...	-	-	S34.1	...	-	-	-
S23.1	...	1	1	S29.0	...	-	-	S34.2	...	-	-	-
S23.2	...	-	-	S29.7	...	338	338	S34.3	...	-	-	-
S23.3	...	1	1	S29.8	...	64	64	S34.4	...	-	-	-
S23.4	...	3	3	S29.9	...	6,580	6,580	S34.5	...	-	-	-
S23.5	...	-	-	S30.0	...	6	6	S34.6	...	-	-	-
S24.0	...	-	-	S30.1	...	12	12	S34.8	...	1	1	1
S24.1	...	20	20	S30.2	...	1	1	S35.0	...	80	80	80
S24.2	...	4	4	S30.7	...	-	-	S35.1	...	77	77	77
S24.3	...	-	-	S30.8	...	17	17	S35.2	...	14	14	14
S24.4	...	-	-	S30.9	...	27	27	S35.3	...	6	6	6
S24.5	...	-	-	S31.0	...	147	147	S35.4	...	20	20	20
S24.6	...	1	1	S31.1	...	79	79	S35.5	...	71	71	71
S25.0	...	1,352	1,352	S31.2	...	-	-	S35.7	...	-	-	-
S25.1	...	41	41	S31.3	...	3	3	S35.8	...	-	-	-
S25.2	...	63	63	S31.4	...	2	2	S35.9	...	14	14	14
S25.3	...	19	19	S31.5	...	-	-	S36.0	...	732	732	732
S25.4	...	91	91	S31.7	...	14	14	S36.1	...	1,029	1,029	1,029

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
S36.2	...	34	34	S42.1	...	23	23	S46.8	...	-	-	-
S36.3	...	90	90	S42.2	...	25	25	S46.9	...	-	-	-
S36.4	...	63	63	S42.3	...	777	777	S47	...	1	1	1
S36.5	...	64	64	S42.4	...	7	7	S48.0	...	-	-	-
S36.6	...	12	12	S42.7	...	1	1	S48.1	...	-	-	-
S36.7	...	89	89	S42.8	...	2	2	S48.9	...	-	-	-
S36.8	...	788	788	S42.9	...	158	158	S49.7	...	1	1	1
S36.9	...	229	229	S43.0	...	22	22	S49.8	...	1	1	1
S37.0	...	187	187	S43.1	...	1	1	S49.9	...	57	57	57
S37.1	...	2	2	S43.2	...	-	-	S50.0	...	1	1	1
S37.2	...	32	32	S43.3	...	1	1	S50.1	...	1	1	1
S37.3	...	2	2	S43.4	...	-	-	S50.7	...	1	1	1
S37.4	...	-	-	S43.5	...	-	-	S50.8	...	-	-	-
S37.5	...	-	-	S43.6	...	-	-	S50.9	...	2	2	2
S37.6	...	6	6	S43.7	...	-	-	S51.0	...	13	13	13
S37.7	...	-	-	S44.0	...	-	-	S51.7	...	2	2	2
S37.8	...	12	12	S44.1	...	-	-	S51.8	...	-	-	-
S37.9	...	16	16	S44.2	...	-	-	S51.9	...	59	59	59
S38.0	...	-	-	S44.3	...	-	-	S52.0	...	72	72	72
S38.1	...	104	104	S44.4	...	-	-	S52.1	...	-	-	-
S38.2	...	1	1	S44.5	...	-	-	S52.2	...	40	40	40
S38.3	...	-	-	S44.7	...	-	-	S52.3	...	-	-	-
S39.0	...	3	3	S44.8	...	-	-	S52.4	...	-	-	-
S39.6	...	2	2	S44.9	...	-	-	S52.5	...	2	2	2
S39.7	...	44	44	S45.0	...	3	3	S52.6	...	-	-	-
S39.8	...	12	12	S45.1	...	31	31	S52.7	...	7	7	7
S39.9	...	2,306	2,306	S45.2	...	10	10	S52.8	...	51	51	51
S40.0	...	9	9	S45.3	...	-	-	S52.9	...	21	21	21
S40.7	...	2	2	S45.7	...	-	-	S53.0	...	-	-	-
S40.8	...	-	-	S45.8	...	-	-	S53.1	...	3	3	3
S40.9	...	4	4	S45.9	...	5	5	S53.2	...	-	-	-
S41.0	...	103	103	S46.0	...	2	2	S53.3	...	-	-	-
S41.1	...	24	24	S46.1	...	-	-	S53.4	...	-	-	-
S41.7	...	1	1	S46.2	...	-	-	S54.0	...	-	-	-
S41.8	...	18	18	S46.3	...	-	-	S54.1	...	-	-	-
S42.0	...	114	114	S46.7	...	-	-	S54.2	...	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
S54.3	...	-	-	S61.8	...	5	5	S66.0	...	-	-	-
S54.7	...	-	-	S61.9	...	347	347	S66.1	...	-	-	-
S54.8	...	-	-	S62.0	...	-	-	S66.2	...	-	-	-
S54.9	...	-	-	S62.1	...	-	-	S66.3	...	-	-	-
S55.0	...	3	3	S62.2	...	-	-	S66.4	...	-	-	-
S55.1	...	14	14	S62.3	...	1	1	S66.5	...	-	-	-
S55.2	...	-	-	S62.4	...	-	-	S66.6	...	-	-	-
S55.7	...	-	-	S62.5	...	1	1	S66.7	...	-	-	-
S55.8	...	-	-	S62.6	...	2	2	S66.8	...	-	-	-
S55.9	...	-	-	S62.7	...	-	-	S66.9	...	-	-	-
S56.0	...	-	-	S62.8	...	137	137	S67.0	...	2	2	2
S56.1	...	-	-	S63.0	...	-	-	S67.8	...	1	1	1
S56.2	...	-	-	S63.1	...	-	-	S68.0	...	1	1	1
S56.3	...	-	-	S63.2	...	-	-	S68.1	...	1	1	1
S56.4	...	-	-	S63.3	...	-	-	S68.2	...	-	-	-
S56.5	...	-	-	S63.4	...	-	-	S68.3	...	-	-	-
S56.7	...	-	-	S63.5	...	-	-	S68.4	...	-	-	-
S56.8	...	1	1	S63.6	...	-	-	S68.8	...	-	-	-
S57.0	...	1	1	S63.7	...	-	-	S68.9	...	2	2	2
S57.8	...	-	-	S64.0	...	-	-	S69.7	...	-	-	-
S57.9	...	-	-	S64.1	...	-	-	S69.8	...	-	-	-
S58.0	...	-	-	S64.2	...	-	-	S69.9	...	65	65	65
S58.1	...	-	-	S64.3	...	-	-	S70.0	...	16	16	16
S58.9	...	1	1	S64.4	...	-	-	S70.1	...	4	4	4
S59.7	...	-	-	S64.7	...	-	-	S70.7	...	-	-	-
S59.8	...	2	2	S64.8	...	-	-	S70.8	...	-	-	-
S59.9	...	26	26	S64.9	...	-	-	S70.9	...	28	28	28
S60.0	...	-	-	S65.0	...	-	-	S71.0	...	40	40	40
S60.1	...	-	-	S65.1	...	2	2	S71.1	...	129	129	129
S60.2	...	2	2	S65.2	...	1	1	S71.7	...	-	-	-
S60.7	...	-	-	S65.3	...	1	1	S71.8	...	-	-	-
S60.8	...	-	-	S65.4	...	-	-	S72.0	...	13,808	13,808	13,808
S60.9	...	6	6	S65.5	...	-	-	S72.1	...	261	261	261
S61.0	...	4	4	S65.7	...	-	-	S72.2	...	26	26	26
S61.1	...	-	-	S65.8	...	-	-	S72.3	...	28	28	28
S61.7	...	7	7	S65.9	...	1	1	S72.4	...	21	21	21

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
S72.7	...	10	10	S81.0	...	11	11	S85.9	...	4	4	4
S72.8	...	1	1	S81.7	...	2	2	S86.0	...	4	4	4
S72.9	...	2,160	2,160	S81.8	...	2	2	S86.1	...	-	-	-
S73.0	...	66	66	S81.9	...	10	10	S86.2	...	-	-	-
S73.1	...	1	1	S82.0	...	95	95	S86.3	...	-	-	-
S74.0	...	-	-	S82.1	...	20	20	S86.7	...	-	-	-
S74.1	...	-	-	S82.2	...	332	332	S86.8	...	-	-	-
S74.2	...	-	-	S82.3	...	3	3	S86.9	...	-	-	-
S74.7	...	-	-	S82.4	...	202	202	S87.0	...	-	-	-
S74.8	...	-	-	S82.5	...	3	3	S87.8	...	2	2	2
S74.9	...	-	-	S82.6	...	2	2	S88.0	...	3	3	3
S75.0	...	46	46	S82.7	...	5	5	S88.1	...	1	1	1
S75.1	...	14	14	S82.8	...	297	297	S88.9	...	7	7	7
S75.2	...	-	-	S82.9	...	42	42	S89.7	...	4	4	4
S75.7	...	1	1	S83.0	...	1	1	S89.8	...	1	1	1
S75.8	...	-	-	S83.1	...	11	11	S89.9	...	53	53	53
S75.9	...	7	7	S83.2	...	5	5	S90.0	...	1	1	1
S76.0	...	-	-	S83.3	...	1	1	S90.1	...	-	-	-
S76.1	...	5	5	S83.4	...	-	-	S90.2	...	-	-	-
S76.2	...	-	-	S83.5	...	1	1	S90.3	...	-	-	-
S76.3	...	-	-	S83.6	...	1	1	S90.7	...	-	-	-
S76.4	...	-	-	S83.7	...	-	-	S90.8	...	-	-	-
S76.7	...	-	-	S84.0	...	-	-	S90.9	...	1	1	1
S77.0	...	-	-	S84.1	...	-	-	S91.0	...	11	11	11
S77.1	...	-	-	S84.2	...	-	-	S91.1	...	1	1	1
S78.0	...	-	-	S84.7	...	-	-	S91.2	...	1	1	1
S78.1	...	-	-	S84.8	...	1	1	S91.3	...	42	42	42
S78.9	...	3	3	S84.9	...	-	-	S91.7	...	-	-	-
S79.7	...	-	-	S85.0	...	1	1	S92.0	...	7	7	7
S79.8	...	3	3	S85.1	...	2	2	S92.1	...	-	-	-
S79.9	...	282	282	S85.2	...	1	1	S92.2	...	-	-	-
S80.0	...	2	2	S85.3	...	3	3	S92.3	...	9	9	9
S80.1	...	1	1	S85.4	...	-	-	S92.4	...	1	1	1
S80.7	...	-	-	S85.5	...	1	1	S92.5	...	4	4	4
S80.8	...	-	-	S85.7	...	-	-	S92.7	...	1	1	1
S80.9	...	8	8	S85.8	...	-	-	S92.9	...	30	30	30

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
S93.0	...	2	2	S99.9	...	30	30	30	T08	...	786	786
S93.1	...	1	1	T00.2	...	-	-	-	T09.0	...	17	17
S93.2	...	-	-	T00.3	...	-	-	-	T09.1	...	1,259	1,259
S93.3	...	-	-	T00.8	...	-	-	-	T09.2	...	14	14
S93.4	...	11	11	T00.9	...	49	49	49	T09.3	...	926	926
S93.5	...	-	-	T01.2	...	21	21	21	T09.4	...	6	6
S93.6	...	-	-	T01.3	...	9	9	9	T09.5	...	-	-
S94.0	...	-	-	T01.9	...	3,802	3,802	3,802	T09.6	...	-	-
S94.1	...	-	-	T02.1	...	27	27	27	T09.8	...	2	2
S94.2	...	-	-	T02.2	...	10	10	10	T09.9	...	3,510	3,510
S94.3	...	-	-	T02.3	...	24	24	24	T10	...	196	196
S94.7	...	-	-	T02.4	...	14	14	14	T11.0	...	17	17
S94.8	...	-	-	T02.5	...	156	156	156	T11.1	...	445	445
S94.9	...	-	-	T02.8	...	-	-	-	T11.2	...	-	-
S95.0	...	1	1	T02.9	...	480	480	480	T11.3	...	-	-
S95.1	...	-	-	T03.1	...	1	1	1	T11.4	...	10	10
S95.2	...	-	-	T03.2	...	1	1	1	T11.5	...	1	1
S95.7	...	-	-	T03.3	...	-	-	-	T11.6	...	23	23
S95.8	...	-	-	T03.8	...	-	-	-	T11.8	...	-	-
S95.9	...	-	-	T03.9	...	-	-	-	T11.9	...	157	157
S96.0	...	-	-	T04.1	...	49	49	49	T12	...	350	350
S96.1	...	-	-	T04.2	...	6	6	6	T13.0	...	32	32
S96.2	...	-	-	T04.3	...	20	20	20	T13.1	...	278	278
S96.7	...	-	-	T04.8	...	-	-	-	T13.2	...	2	2
S96.8	...	-	-	T04.9	...	39	39	39	T13.3	...	1	1
S96.9	...	1	1	T05.0	...	-	-	-	T13.4	...	5	5
S97.0	...	1	1	T05.2	...	-	-	-	T13.5	...	3	3
S97.1	...	-	-	T05.3	...	-	-	-	T13.6	...	38	38
S97.8	...	3	3	T05.5	...	2	2	2	T13.8	...	-	-
S98.0	...	1	1	T05.8	...	9	9	9	T13.9	...	424	424
S98.1	...	-	-	T05.9	...	-	-	-	T14.0	...	269	269
S98.2	...	-	-	T06.2	...	-	-	-	T14.1	...	9,151	9,151
S98.3	...	-	-	T06.3	...	14	14	14	T14.2	...	903	903
S98.4	...	1	1	T06.4	...	-	-	-	T14.3	...	58	58
S99.7	...	-	-	T06.5	...	523	523	523	T14.4	...	91	91
S99.8	...	-	-	T07	...	17,450	17,450	17,450	T14.5	...	242	242

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis		
	Total UC	Second-mention	Entity axis	UC	Total mention	Second-ary	Entity axis	UC	Total mention	Second-ary	Entity axis	UC	Total mention	Second-ary	
T14.6	...	21	21	21	T20.5	...	-	-	-	-	-	T25.1	...	-	-
T14.7	...	415	415	415	T20.6	...	-	-	-	-	-	T25.2	...	-	-
T14.8	...	1,351	1,351	1,351	T20.7	...	-	-	-	-	-	T25.3	...	1	1
T14.9	...	12,847	12,847	12,847	T21.0	...	159	159	159	-	-	T25.4	...	-	-
T15.0	...	-	-	-	T21.1	...	-	-	-	-	-	T25.5	...	-	-
T15.1	...	1	1	1	T21.2	...	4	4	4	-	-	T25.6	...	-	-
T15.8	...	-	-	-	T21.3	...	22	22	22	-	-	T25.7	...	-	-
T15.9	...	3	3	3	T21.4	...	-	-	-	-	-	T26.0	...	-	-
T16	...	-	-	-	T21.5	...	-	-	-	-	-	T26.1	...	-	-
T17.0	...	2	2	2	T21.6	...	-	-	-	-	-	T26.2	...	-	-
T17.1	...	-	-	-	T21.7	...	-	-	-	-	-	T26.3	...	-	-
T17.2	...	22	22	22	T22.0	...	21	21	21	-	-	T26.4	...	-	-
T17.3	...	12	12	12	T22.1	...	1	1	1	-	-	T26.5	...	-	-
T17.4	...	35	35	35	T22.2	...	1	1	1	-	-	T26.6	...	-	-
T17.5	...	35	35	35	T22.3	...	4	4	4	-	-	T26.7	...	-	-
T17.8	...	193	193	193	T22.4	...	-	-	-	-	-	T26.8	...	-	-
T17.9	...	15,620	15,620	15,620	T22.5	...	-	-	-	-	-	T26.9	...	-	-
T18.0	...	4	4	4	T22.6	...	-	-	-	-	-	T27.0	...	1	1
T18.1	...	12	12	12	T22.7	...	-	-	-	-	-	T27.1	...	6	6
T18.2	...	5	5	5	T23.0	...	13	13	13	-	-	T27.2	...	2	2
T18.3	...	4	4	4	T23.1	...	-	-	-	-	-	T27.3	...	167	167
T18.4	...	2	2	2	T23.2	...	4	4	4	-	-	T27.4	...	-	-
T18.5	...	4	4	4	T23.3	...	1	1	1	-	-	T27.5	...	-	-
T18.8	...	-	-	-	T23.4	...	-	-	-	-	-	T27.6	...	-	-
T18.9	...	22	22	22	T23.5	...	-	-	-	-	-	T27.7	...	-	-
T19.0	...	-	-	-	T23.6	...	-	-	-	-	-	T28.0	...	1	1
T19.1	...	-	-	-	T23.7	...	-	-	-	-	-	T28.1	...	2	2
T19.2	...	-	-	-	T24.0	...	29	29	29	-	-	T28.2	...	4	4
T19.3	...	-	-	-	T24.1	...	-	-	-	-	-	T28.3	...	-	-
T19.8	...	-	-	-	T24.2	...	3	3	3	-	-	T28.4	...	1	1
T19.9	...	-	-	-	T24.3	...	9	9	9	-	-	T28.5	...	-	-
T20.0	...	57	57	57	T24.4	...	-	-	-	-	-	T28.6	...	-	-
T20.1	...	1	1	1	T24.5	...	-	-	-	-	-	T28.7	...	2	2
T20.2	...	4	4	4	T24.6	...	-	-	-	-	-	T28.8	...	-	-
T20.3	...	9	9	9	T24.7	...	-	-	-	-	-	T28.9	...	-	-
T20.4	...	1	1	1	T25.0	...	4	4	4	-	-	T30.0	...	2,030	2,030

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
T30.1	...	1	1	T33.9	...	-	-	T37.9	...	-	-	-
T30.2	...	15	15	T34.0	...	-	-	T38.0	...	2	2	2
T30.3	...	97	97	T34.1	...	-	-	T38.1	...	-	-	-
T30.4	...	5	5	T34.2	...	-	-	T38.2	...	1	1	1
T30.5	...	-	-	T34.3	...	-	-	T38.3	...	102	102	102
T30.6	...	-	-	T34.4	...	-	-	T38.4	...	-	-	-
T30.7	...	-	-	T34.5	...	-	-	T38.5	...	-	-	-
T31.0	...	10	10	T34.6	...	-	-	T38.6	...	-	-	-
T31.1	...	35	35	T34.7	...	-	-	T38.7	...	3	3	3
T31.2	...	52	52	T34.8	...	-	-	T38.8	...	1	1	1
T31.3	...	63	63	T34.9	...	-	-	T38.9	...	-	-	-
T31.4	...	41	41	T35.0	...	-	-	T39.0	...	161	161	161
T31.5	...	38	38	T35.1	...	-	-	T39.1	...	748	748	748
T31.6	...	38	38	T35.2	...	1	1	T39.2	...	2	2	2
T31.7	...	24	24	T35.3	...	-	-	T39.3	...	304	304	304
T31.8	...	48	48	T35.4	...	-	-	T39.4	...	1	1	1
T31.9	...	278	278	T35.5	...	2	2	T39.8	...	27	27	27
T32.0	...	-	-	T35.6	...	-	-	T39.9	...	-	-	-
T32.1	...	1	1	T35.7	...	8	8	T40.0	...	1	1	1
T32.2	...	-	-	T36.0	...	1	1	T40.1	...	2,009	2,009	2,009
T32.3	...	-	-	T36.1	...	1	1	T40.2	...	5,558	5,558	5,558
T32.4	...	-	-	T36.2	...	-	-	T40.3	...	4,031	4,031	4,031
T32.5	...	-	-	T36.3	...	-	-	T40.4	...	1,719	1,719	1,719
T32.6	...	-	-	T36.4	...	-	-	T40.5	...	6,398	6,398	6,398
T32.7	...	-	-	T36.5	...	6	6	T40.6	...	2,950	2,950	2,950
T32.8	...	-	-	T36.6	...	-	-	T40.7	...	122	122	122
T32.9	...	-	-	T36.7	...	-	-	T40.8	...	1	1	1
T33.0	...	-	-	T36.8	...	5	5	T40.9	...	7	7	7
T33.1	...	-	-	T36.9	...	6	6	T41.0	...	31	31	31
T33.2	...	-	-	T37.0	...	-	-	T41.1	...	65	65	65
T33.3	...	-	-	T37.1	...	6	6	T41.2	...	37	37	37
T33.4	...	-	-	T37.2	...	6	6	T41.3	...	18	18	18
T33.5	...	-	-	T37.3	...	1	1	T41.4	...	5	5	5
T33.6	...	-	-	T37.4	...	-	-	T41.5	...	5	5	5
T33.7	...	-	-	T37.5	...	3	3	T42.0	...	43	43	43
T33.8	...	-	-	T37.8	...	6	6	T42.1	...	51	51	51

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
T42.2	...	3	3	T46.0	...	235	235	T49.8	...	-	-	-
T42.3	...	284	284	T46.1	...	116	116	T49.9	...	2	2	2
T42.4	...	2,779	2,779	T46.2	...	126	126	T50.0	...	1	1	1
T42.5	...	2	2	T46.3	...	5	5	T50.1	...	-	-	-
T42.6	...	297	297	T46.4	...	6	6	T50.2	...	5	5	5
T42.7	...	55	55	T46.5	...	17	17	T50.3	...	19	19	19
T42.8	...	477	477	T46.6	...	2	2	T50.4	...	7	7	7
T43.0	...	1,399	1,399	T46.7	...	1	1	T50.5	...	22	22	22
T43.1	...	11	11	T46.8	...	-	-	T50.6	...	6	6	6
T43.2	...	1,751	1,751	T46.9	...	2	2	T50.7	...	1	1	1
T43.3	...	234	234	T47.0	...	1	1	T50.8	...	12	12	12
T43.4	...	10	10	T47.1	...	3	3	T50.9	...	15,537	15,537	15,537
T43.5	...	620	620	T47.2	...	1	1	T51.0	...	1,645	1,645	1,645
T43.6	...	1,657	1,657	T47.3	...	-	-	T51.1	...	23	23	23
T43.8	...	30	30	T47.4	...	-	-	T51.2	...	38	38	38
T43.9	...	17	17	T47.5	...	5	5	T51.3	...	1	1	1
T44.0	...	2	2	T47.6	...	5	5	T51.8	...	21	21	21
T44.1	...	-	-	T47.7	...	1	1	T51.9	...	954	954	954
T44.2	...	-	-	T47.8	...	-	-	T52.0	...	9	9	9
T44.3	...	13	13	T47.9	...	-	-	T52.1	...	1	1	1
T44.4	...	5	5	T48.0	...	1	1	T52.2	...	17	17	17
T44.5	...	1	1	T48.1	...	44	44	T52.3	...	5	5	5
T44.6	...	1	1	T48.2	...	2	2	T52.4	...	6	6	6
T44.7	...	46	46	T48.3	...	115	115	T52.8	...	168	168	168
T44.8	...	-	-	T48.4	...	12	12	T52.9	...	21	21	21
T44.9	...	101	101	T48.5	...	4	4	T53.0	...	1	1	1
T45.0	...	852	852	T48.6	...	16	16	T53.1	...	10	10	10
T45.1	...	127	127	T48.7	...	66	66	T53.2	...	1	1	1
T45.2	...	2	2	T49.0	...	10	10	T53.3	...	-	-	-
T45.3	...	-	-	T49.1	...	2	2	T53.4	...	1	1	1
T45.4	...	2	2	T49.2	...	2	2	T53.5	...	25	25	25
T45.5	...	200	200	T49.3	...	1	1	T53.6	...	5	5	5
T45.6	...	1	1	T49.4	...	11	11	T53.7	...	3	3	3
T45.7	...	5	5	T49.5	...	1	1	T53.9	...	1	1	1
T45.8	...	2	2	T49.6	...	3	3	T54.0	...	1	1	1
T45.9	...	-	-	T49.7	...	-	-	T54.1	...	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
T54.2	...	26	26	T60.8	...	1	1	T67.4	...	-	-	-	
T54.3	...	22	22	T60.9	...	8	8	T67.5	...	15	15	15	
T54.9	...	11	11	T61.0	...	-	-	T67.6	...	-	-	-	
T55	...	1	1	T61.1	...	-	-	T67.7	...	-	-	-	
T56.0	...	6	6	T61.2	...	3	3	T67.8	...	9	9	9	
T56.1	...	2	2	T61.8	...	-	-	T67.9	...	91	91	91	
T56.2	...	-	-	T61.9	...	1	1	T68	...	1,174	1,174	1,174	
T56.3	...	2	2	T62.0	...	4	4	T69.0	...	1	1	1	
T56.4	...	1	1	T62.1	...	1	1	T69.1	...	-	-	-	
T56.5	...	1	1	T62.2	...	1	1	T69.8	...	21	21	21	
T56.6	...	-	-	T62.8	...	1	1	T69.9	...	358	358	358	
T56.7	...	1	1	T62.9	...	1	1	T70.0	...	-	-	-	
T56.8	...	70	70	T63.0	...	7	7	T70.1	...	-	-	-	
T56.9	...	2	2	T63.1	...	-	-	T70.2	...	11	11	11	
T57.0	...	4	4	T63.2	...	1	1	T70.3	...	-	-	-	
T57.1	...	1	1	T63.3	...	17	17	T70.4	...	-	-	-	
T57.2	...	2	2	T63.4	...	72	72	T70.8	...	-	-	-	
T57.3	...	3	3	T63.5	...	-	-	T70.9	...	-	-	-	
T57.8	...	7	7	T63.6	...	1	1	T71	...	11,196	11,196	11,196	
T57.9	...	-	-	T63.8	...	-	-	T73.0	...	59	59	59	
T58	...	2,628	2,628	2,628	T63.9	...	7	7	T73.1	...	3	3	3
T59.0	...	9	9	9	T64	...	-	-	T73.2	...	1	1	1
T59.1	...	-	-	-	T65.0	...	30	30	T73.3	...	16	16	16
T59.2	...	1	1	1	T65.1	...	5	5	T73.8	...	3	3	3
T59.3	...	-	-	-	T65.2	...	6	6	T73.9	...	-	-	-
T59.4	...	6	6	6	T65.3	...	2	2	T74.0	...	47	47	47
T59.5	...	-	-	-	T65.4	...	-	-	T74.1	...	29	29	29
T59.6	...	3	3	3	T65.5	...	-	-	T74.2	...	1	1	1
T59.7	...	6	6	6	T65.6	...	4	4	T74.3	...	-	-	-
T59.8	...	2,582	2,582	2,582	T65.8	...	6	6	T74.8	...	42	42	42
T59.9	...	548	548	548	T65.9	...	240	240	T74.9	...	60	60	60
T60.0	...	7	7	7	T66	...	60	60	T75.0	...	39	39	39
T60.1	...	1	1	1	T67.0	...	240	240	T75.1	...	5,127	5,127	5,127
T60.2	...	8	8	8	T67.1	...	1	1	T75.2	...	-	-	-
T60.3	...	6	6	6	T67.2	...	-	-	T75.3	...	-	-	-
T60.4	...	2	2	2	T67.3	...	-	-	T75.4	...	422	422	422

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity ary		Total UC	Second- mention	Entity ary		Total UC	Second- mention	Entity ary		
T75.8	...	276	276	276	T81.9	...	424	424	424	T85.6	...	44	44
T78.0	...	12	12	12	T82.0	...	95	95	95	T85.7	...	182	182
T78.1	...	12	12	12	T82.1	...	85	85	85	T85.8	...	240	240
T78.2	...	125	125	125	T82.2	...	19	19	19	T85.9	...	144	144
T78.3	...	66	66	66	T82.3	...	45	45	45	T86.0	...	622	622
T78.4	...	88	88	88	T82.4	...	20	20	20	T86.1	...	302	302
T78.8	...	-	-	-	T82.5	...	52	52	52	T86.2	...	292	292
T78.9	...	1	1	1	T82.6	...	200	200	200	T86.3	...	7	7
T79.0	...	58	58	58	T82.7	...	1,381	1,381	1,381	T86.4	...	280	280
T79.1	...	165	165	165	T82.8	...	3,851	3,851	3,851	T86.8	...	324	324
T79.2	...	-	-	-	T82.9	...	229	229	229	T86.9	...	64	64
T79.3	...	26	26	26	T83.0	...	8	8	8	T87.0	...	-	-
T79.4	...	811	811	811	T83.1	...	2	2	2	T87.1	...	-	-
T79.5	...	-	-	-	T83.2	...	3	3	3	T87.2	...	1	1
T79.6	...	118	118	118	T83.3	...	1	1	1	T87.3	...	-	-
T79.7	...	142	142	142	T83.4	...	1	1	1	T87.4	...	131	131
T79.8	...	34	34	34	T83.5	...	279	279	279	T87.5	...	13	13
T79.9	...	9	9	9	T83.6	...	9	9	9	T87.6	...	60	60
T80.0	...	1	1	1	T83.8	...	39	39	39	T88.0	...	-	-
T80.1	...	1	1	1	T83.9	...	13	13	13	T88.1	...	1	1
T80.2	...	56	56	56	T84.0	...	23	23	23	T88.2	...	1	1
T80.3	...	3	3	3	T84.1	...	2	2	2	T88.3	...	4	4
T80.4	...	-	-	-	T84.2	...	3	3	3	T88.4	...	2	2
T80.5	...	2	2	2	T84.3	...	4	4	4	T88.5	...	14	14
T80.6	...	2	2	2	T84.4	...	-	-	-	T88.6	...	51	51
T80.8	...	80	80	80	T84.5	...	175	175	175	T88.7	...	330	330
T80.9	...	62	62	62	T84.6	...	16	16	16	T88.8	...	84	84
T81.0	...	870	870	870	T84.7	...	24	24	24	T88.9	...	355	355
T81.1	...	237	237	237	T84.8	...	236	236	236	T90.0	...	5	5
T81.2	...	537	537	537	T84.9	...	24	24	24	T90.1	...	71	71
T81.3	...	253	253	253	T85.0	...	25	25	25	T90.2	...	15	15
T81.4	...	1,782	1,782	1,782	T85.1	...	-	-	-	T90.3	...	4	4
T81.5	...	7	7	7	T85.2	...	-	-	-	T90.4	...	1	1
T81.6	...	18	18	18	T85.3	...	-	-	-	T90.5	...	455	455
T81.7	...	1,432	1,432	1,432	T85.4	...	2	2	2	T90.8	...	9	9
T81.8	...	2,502	2,502	2,502	T85.5	...	33	33	33	T90.9	...	598	598

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis			
T91.0	...	119	119	119	T97	...	60	60	60	V09.0	160	163	3	163
T91.1	...	174	174	174	T98.0	...	8	8	8	V09.1	158	161	3	161
T91.2	...	46	46	46	T98.1	...	122	122	122	V09.2	1,770	1,785	15	1,785
T91.3	...	700	700	700	T98.2	...	12	12	12	V09.3	22	22	-	22
T91.4	...	29	29	29	T98.3	...	878	878	878	V09.9	62	63	1	63
T91.5	...	18	18	18	U01.0	-	-	-	-	V10.0	-	-	-	-
T91.8	...	61	61	61	U01.1	-	-	-	-	V10.1	-	-	-	-
T91.9	...	161	161	161	U01.2	-	-	-	-	V10.2	-	-	-	-
T92.0	...	8	8	8	U01.3	-	-	-	-	V10.3	-	-	-	-
T92.1	...	31	31	31	U01.4	-	-	-	-	V10.4	-	-	-	-
T92.2	...	2	2	2	U01.5	-	-	-	-	V10.5	-	-	-	-
T92.3	...	-	-	-	U01.6	-	-	-	-	V10.9	2	2	-	2
T92.4	...	-	-	-	U01.7	-	-	-	-	V11.0	-	-	-	-
T92.5	...	-	-	-	U01.8	-	-	-	-	V11.1	-	-	-	-
T92.6	...	2	2	2	U01.9	-	-	-	-	V11.2	-	-	-	-
T92.8	...	2	2	2	U02	-	-	-	-	V11.3	-	-	-	-
T92.9	...	4	4	4	U03.0	-	-	-	-	V11.4	2	2	-	2
T93.0	...	27	27	27	U03.9	-	-	-	-	V11.5	-	-	-	-
T93.1	...	353	353	353	V01.0	1	1	-	1	V11.9	-	-	-	-
T93.2	...	23	23	23	V01.1	4	5	1	5	V12.0	-	-	-	-
T93.3	...	14	14	14	V01.9	1	1	-	1	V12.1	-	-	-	-
T93.4	...	1	1	1	V02.0	5	5	-	5	V12.2	-	-	-	-
T93.5	...	-	-	-	V02.1	31	32	1	32	V12.3	-	-	-	-
T93.6	...	3	3	3	V02.9	-	-	-	-	V12.4	2	2	-	2
T93.8	...	8	8	8	V03.0	231	234	3	234	V12.5	-	-	-	-
T93.9	...	19	19	19	V03.1	2,790	2,812	23	2,812	V12.9	2	2	-	2
T94.0	...	79	79	79	V03.9	14	14	-	14	V13.0	1	1	-	1
T94.1	...	477	477	477	V04.0	59	59	-	59	V13.1	5	5	-	5
T95.0	...	1	1	1	V04.1	229	231	2	231	V13.2	5	5	-	5
T95.1	...	3	3	3	V04.9	5	5	-	5	V13.3	-	-	-	-
T95.2	...	-	-	-	V05.0	83	83	-	83	V13.4	207	208	1	208
T95.3	...	1	1	1	V05.1	83	83	-	83	V13.5	3	3	-	3
T95.4	...	3	3	3	V05.9	258	258	-	258	V13.9	221	223	2	223
T95.8	...	9	9	9	V06.0	6	6	-	6	V14.0	2	2	-	2
T95.9	...	20	20	20	V06.1	4	4	-	4	V14.1	-	-	-	-
T96	...	104	104	104	V06.9	-	1	1	1	V14.2	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
V14.3	-	-	-	V19.4	70	70	-	V24.3	-	-	-	-
V14.4	25	25	-	V19.5	4	4	-	V24.4	96	97	1	97
V14.5	1	1	-	V19.6	81	81	-	V24.5	13	13	-	13
V14.9	21	21	-	V19.8	2	2	-	V24.9	18	18	-	18
V15.0	-	-	-	V19.9	68	73	5	V25.0	-	-	-	-
V15.1	-	-	-	V20.0	-	-	-	V25.1	1	1	-	1
V15.2	-	-	-	V20.1	-	-	-	V25.2	-	-	-	-
V15.3	-	-	-	V20.2	-	-	-	V25.3	-	-	-	-
V15.4	3	3	-	V20.3	-	-	-	V25.4	2	2	-	2
V15.5	-	-	-	V20.4	41	42	1	V25.5	1	1	-	1
V15.9	6	6	-	V20.5	3	3	-	V25.9	1	1	-	1
V16.0	-	-	-	V20.9	8	8	-	V26.0	-	-	-	-
V16.1	-	-	-	V21.0	-	-	-	V26.1	-	-	-	-
V16.2	-	-	-	V21.1	-	-	-	V26.2	-	-	-	-
V16.3	-	-	-	V21.2	-	-	-	V26.3	-	-	-	-
V16.4	-	-	-	V21.3	-	-	-	V26.4	3	3	-	3
V16.5	-	-	-	V21.4	-	-	-	V26.5	1	1	-	1
V16.9	-	-	-	V21.5	-	-	-	V26.9	2	2	-	2
V17.0	-	-	-	V21.9	1	1	-	V27.0	19	19	-	19
V17.1	-	-	-	V22.0	4	4	-	V27.1	-	-	-	-
V17.2	1	1	-	V22.1	-	-	-	V27.2	2	2	-	2
V17.3	-	-	-	V22.2	-	-	-	V27.3	-	-	-	-
V17.4	4	4	-	V22.3	1	1	-	V27.4	620	621	1	621
V17.5	-	-	-	V22.4	46	46	-	V27.5	57	57	-	57
V17.9	10	10	-	V22.5	4	4	-	V27.9	103	103	-	103
V18.0	5	5	-	V22.9	8	8	-	V28.0	17	17	-	17
V18.1	-	-	-	V23.0	2	2	-	V28.1	1	1	-	1
V18.2	11	11	-	V23.1	1	1	-	V28.2	3	3	-	3
V18.3	1	1	-	V23.2	-	-	-	V28.3	-	1	1	1
V18.4	11	11	-	V23.3	-	-	-	V28.4	419	424	5	424
V18.5	1	1	-	V23.4	960	964	4	V28.5	54	54	-	54
V18.9	56	59	3	V23.5	102	102	-	V28.9	97	97	-	97
V19.0	-	-	-	V23.9	148	149	1	V29.0	8	8	-	8
V19.1	1	1	-	V24.0	-	-	-	V29.1	-	-	-	-
V19.2	4	4	-	V24.1	-	-	-	V29.2	4	4	-	4
V19.3	4	4	-	V24.2	-	-	-	V29.3	16	16	-	16

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
V29.4	409	410	1	410	V33.4	-	-	-	V37.4	-	-	-
V29.5	43	43	-	43	V33.5	3	3	-	V37.5	1	1	-
V29.6	49	49	-	49	V33.6	-	-	-	V37.6	1	1	-
V29.8	6	6	-	6	V33.7	-	-	-	V37.7	-	-	-
V29.9	624	636	12	636	V33.9	-	-	-	V37.9	-	-	-
V30.0	-	-	-	-	V34.0	-	-	-	V38.0	-	-	-
V30.1	1	1	-	1	V34.1	-	-	-	V38.1	-	-	-
V30.2	-	-	-	-	V34.2	-	-	-	V38.2	-	-	-
V30.3	-	-	-	-	V34.3	-	-	-	V38.3	-	-	-
V30.4	-	-	-	-	V34.4	-	-	-	V38.4	-	-	-
V30.5	-	-	-	-	V34.5	-	-	-	V38.5	3	3	-
V30.6	-	-	-	-	V34.6	-	-	-	V38.6	1	1	-
V30.7	-	-	-	-	V34.7	-	-	-	V38.7	-	-	-
V30.9	-	-	-	-	V34.9	1	1	1	V38.9	-	-	-
V31.0	-	-	-	-	V35.0	-	-	-	V39.0	-	-	-
V31.1	-	-	-	-	V35.1	-	-	-	V39.1	-	-	-
V31.2	-	-	-	-	V35.2	-	-	-	V39.2	-	-	-
V31.3	-	-	-	-	V35.3	-	-	-	V39.3	-	-	-
V31.4	-	-	-	-	V35.4	-	-	-	V39.4	-	-	-
V31.5	-	-	-	-	V35.5	-	-	-	V39.5	-	-	-
V31.6	-	-	-	-	V35.6	-	-	-	V39.6	-	-	-
V31.7	-	-	-	-	V35.7	-	-	-	V39.8	-	-	-
V31.9	-	-	-	-	V35.9	-	-	-	V39.9	-	-	-
V32.0	-	-	-	-	V36.0	-	-	-	V40.0	-	-	-
V32.1	-	-	-	-	V36.1	-	-	-	V40.1	-	-	-
V32.2	-	-	-	-	V36.2	-	-	-	V40.2	-	-	-
V32.3	-	-	-	-	V36.3	-	-	-	V40.3	1	1	-
V32.4	1	1	-	1	V36.4	-	-	-	V40.4	2	2	-
V32.5	-	-	-	-	V36.5	-	-	-	V40.5	36	36	-
V32.6	-	-	-	-	V36.6	-	-	-	V40.6	9	9	-
V32.7	-	-	-	-	V36.7	-	-	-	V40.7	-	-	-
V32.9	1	1	-	1	V36.9	-	-	-	V40.9	2	2	-
V33.0	-	-	-	-	V37.0	-	-	-	V41.0	-	-	-
V33.1	-	-	-	-	V37.1	-	-	-	V41.1	-	-	-
V33.2	-	-	-	-	V37.2	-	-	-	V41.2	-	-	-
V33.3	-	-	-	-	V37.3	-	-	-	V41.3	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
V41.4	-	-	-	V45.4	1	1	-	V49.4	436	443	7	443
V41.5	-	-	-	V45.5	59	59	-	V49.5	389	397	8	397
V41.6	-	-	-	V45.6	18	18	-	V49.6	191	192	1	192
V41.7	-	-	-	V45.7	-	-	-	V49.8	16	16	-	16
V41.9	2	2	-	V45.9	22	22	-	V49.9	1,312	1,358	46	1,358
V42.0	-	-	-	V46.0	-	-	-	V50.0	-	-	-	-
V42.1	-	-	-	V46.1	-	-	-	V50.1	-	-	-	-
V42.2	-	-	-	V46.2	-	-	-	V50.2	-	-	-	-
V42.3	-	-	-	V46.3	-	-	-	V50.3	-	-	-	-
V42.4	-	-	-	V46.4	-	-	-	V50.4	-	-	-	-
V42.5	6	6	-	V46.5	5	5	-	V50.5	2	2	-	2
V42.6	4	4	-	V46.6	2	2	-	V50.6	1	1	-	1
V42.7	-	-	-	V46.7	-	-	-	V50.7	-	-	-	-
V42.9	6	7	1	V46.9	1	2	1	V50.9	1	2	1	2
V43.0	3	3	-	V47.0	13	13	-	V51.0	-	-	-	-
V43.1	3	3	-	V47.1	6	6	-	V51.1	-	-	-	-
V43.2	-	-	-	V47.2	-	-	-	V51.2	-	-	-	-
V43.3	-	-	-	V47.3	3	3	-	V51.3	-	-	-	-
V43.4	2	2	-	V47.4	1	2	1	V51.4	-	-	-	-
V43.5	3,210	3,247	37	V47.5	2,310	2,342	32	V51.5	-	-	-	-
V43.6	1,632	1,657	25	V47.6	860	864	4	V51.6	-	-	-	-
V43.7	-	-	-	V47.7	-	-	-	V51.7	-	-	-	-
V43.9	461	465	4	V47.9	345	349	4	V51.9	-	-	-	-
V44.0	-	-	-	V48.0	12	12	-	V52.0	-	-	-	-
V44.1	-	-	-	V48.1	6	6	-	V52.1	-	-	-	-
V44.2	-	-	-	V48.2	5	5	-	V52.2	-	-	-	-
V44.3	-	-	-	V48.3	9	9	-	V52.3	-	-	-	-
V44.4	-	-	-	V48.4	13	13	-	V52.4	-	-	-	-
V44.5	825	830	5	V48.5	1,515	1,524	9	V52.5	2	2	-	2
V44.6	305	307	2	V48.6	816	817	1	V52.6	-	-	-	-
V44.7	-	-	-	V48.7	5	5	-	V52.7	-	-	-	-
V44.9	70	70	-	V48.9	316	322	6	V52.9	1	1	-	1
V45.0	5	5	-	V49.0	4	4	-	V53.0	1	1	-	1
V45.1	1	1	-	V49.1	-	-	-	V53.1	-	-	-	-
V45.2	-	-	-	V49.2	1	1	-	V53.2	-	-	-	-
V45.3	-	-	-	V49.3	5	6	1	V53.3	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
V53.4	6	6	-	V57.4	1	1	-	V61.4	-	-	-	-
V53.5	623	628	5	V57.5	737	750	13	V61.5	-	-	-	-
V53.6	267	267	-	V57.6	183	184	1	V61.6	-	-	-	-
V53.7	1	1	-	V57.7	3	3	-	V61.7	-	-	-	-
V53.9	46	46	-	V57.9	54	54	-	V61.9	-	-	-	-
V54.0	-	-	-	V58.0	6	6	-	V62.0	-	-	-	-
V54.1	-	-	-	V58.1	5	5	-	V62.1	-	-	-	-
V54.2	-	-	-	V58.2	3	3	-	V62.2	-	-	-	-
V54.3	-	-	-	V58.3	9	9	-	V62.3	-	-	-	-
V54.4	1	1	-	V58.4	2	4	2	V62.4	-	-	-	-
V54.5	310	311	1	V58.5	680	686	6	V62.5	-	-	-	-
V54.6	110	110	-	V58.6	312	313	1	V62.6	-	-	-	-
V54.7	-	-	-	V58.7	5	5	-	V62.7	-	-	-	-
V54.9	26	27	1	V58.9	141	142	1	V62.9	-	-	-	-
V55.0	1	1	-	V59.0	1	1	-	V63.0	-	-	-	-
V55.1	-	-	-	V59.1	-	-	-	V63.1	-	-	-	-
V55.2	-	-	-	V59.2	-	-	-	V63.2	-	-	-	-
V55.3	-	-	-	V59.3	6	6	-	V63.3	-	-	-	-
V55.4	-	-	-	V59.4	102	105	3	V63.4	3	3	-	3
V55.5	45	45	-	V59.5	80	80	-	V63.5	34	35	1	35
V55.6	13	13	-	V59.6	21	21	-	V63.6	6	6	-	6
V55.7	-	-	-	V59.8	13	13	-	V63.7	-	-	-	-
V55.9	14	14	-	V59.9	66	67	1	V63.9	4	4	-	4
V56.0	-	-	-	V60.0	-	-	-	V64.0	-	-	-	-
V56.1	-	-	-	V60.1	-	-	-	V64.1	-	-	-	-
V56.2	-	-	-	V60.2	-	-	-	V64.2	-	-	-	-
V56.3	-	-	-	V60.3	-	-	-	V64.3	-	-	-	-
V56.4	-	-	-	V60.4	-	-	-	V64.4	-	-	-	-
V56.5	1	1	-	V60.5	2	2	-	V64.5	58	59	1	59
V56.6	-	-	-	V60.6	2	2	-	V64.6	7	8	1	8
V56.7	-	-	-	V60.7	-	-	-	V64.7	-	-	-	-
V56.9	-	-	-	V60.9	-	-	-	V64.9	15	15	-	15
V57.0	4	4	-	V61.0	-	-	-	V65.0	1	1	-	1
V57.1	-	-	-	V61.1	-	-	-	V65.1	-	-	-	-
V57.2	-	-	-	V61.2	-	-	-	V65.2	-	-	-	-
V57.3	1	1	-	V61.3	-	-	-	V65.3	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
V65.4	-	-	-	V69.4	13	13	-	13	V73.4	-	-	-
V65.5	5	5	-	V69.5	8	8	-	8	V73.5	1	1	-
V65.6	1	1	-	V69.6	2	2	-	2	V73.6	5	5	-
V65.7	-	-	-	V69.8	3	3	-	3	V73.7	-	-	-
V65.9	5	5	-	V69.9	35	37	2	37	V73.9	1	1	-
V66.0	-	-	-	V70.0	-	-	-	-	V74.0	-	-	-
V66.1	-	-	-	V70.1	-	-	-	-	V74.1	-	-	-
V66.2	-	-	-	V70.2	-	-	-	-	V74.2	-	-	-
V66.3	-	-	-	V70.3	-	-	-	-	V74.3	-	-	-
V66.4	-	-	-	V70.4	-	-	-	-	V74.4	-	-	-
V66.5	-	-	-	V70.5	-	-	-	-	V74.5	2	2	-
V66.6	-	-	-	V70.6	-	-	-	-	V74.6	3	3	-
V66.7	-	-	-	V70.7	-	-	-	-	V74.7	-	-	-
V66.9	-	-	-	V70.9	-	-	-	-	V74.9	-	-	-
V67.0	-	-	-	V71.0	-	-	-	-	V75.0	-	-	-
V67.1	-	-	-	V71.1	-	-	-	-	V75.1	-	-	-
V67.2	-	-	-	V71.2	-	-	-	-	V75.2	-	-	-
V67.3	-	-	-	V71.3	-	-	-	-	V75.3	-	-	-
V67.4	-	-	-	V71.4	-	-	-	-	V75.4	-	-	-
V67.5	63	66	3	V71.5	-	-	-	-	V75.5	-	-	-
V67.6	11	11	-	V71.6	-	-	-	-	V75.6	-	-	-
V67.7	-	-	-	V71.7	-	-	-	-	V75.7	-	-	-
V67.9	4	4	-	V71.9	-	-	-	-	V75.9	-	-	-
V68.0	2	2	-	V72.0	-	-	-	-	V76.0	-	-	-
V68.1	-	-	-	V72.1	-	-	-	-	V76.1	-	-	-
V68.2	1	1	-	V72.2	-	-	-	-	V76.2	-	-	-
V68.3	3	3	-	V72.3	-	-	-	-	V76.3	-	-	-
V68.4	4	4	-	V72.4	-	-	-	-	V76.4	-	-	-
V68.5	99	100	1	V72.5	-	-	-	-	V76.5	-	-	-
V68.6	18	18	-	V72.6	-	-	-	-	V76.6	-	-	-
V68.7	-	-	-	V72.7	-	-	-	-	V76.7	-	-	-
V68.9	29	30	1	V72.9	-	-	-	-	V76.9	-	-	-
V69.0	-	1	1	V73.0	-	-	-	-	V77.0	1	1	-
V69.1	-	-	-	V73.1	-	-	-	-	V77.1	-	-	-
V69.2	-	-	-	V73.2	-	-	-	-	V77.2	-	-	-
V69.3	1	1	-	V73.3	-	-	-	-	V77.3	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
V77.4	-	-	-	V81.3	2	2	-	V85.1	1	1	-	1
V77.5	1	1	-	V81.4	3	3	-	V85.2	-	-	-	-
V77.6	-	-	-	V81.5	2	2	-	V85.3	-	-	-	-
V77.7	-	-	-	V81.6	8	8	-	V85.4	1	1	-	1
V77.9	-	-	-	V81.7	2	2	-	V85.5	4	4	-	4
V78.0	-	-	-	V81.8	1	1	-	V85.6	1	1	-	1
V78.1	-	-	-	V81.9	4	4	-	V85.7	-	-	-	-
V78.2	-	-	-	V82.0	-	-	-	V85.9	8	8	-	8
V78.3	-	-	-	V82.1	-	-	-	V86.0	238	240	2	240
V78.4	1	3	2	V82.2	-	-	-	V86.1	32	32	-	32
V78.5	1	1	-	V82.3	-	-	-	V86.2	1	1	-	1
V78.6	11	11	-	V82.4	-	-	-	V86.3	89	89	-	89
V78.7	-	-	-	V82.5	-	-	-	V86.4	3	3	-	3
V78.9	1	1	-	V82.6	-	-	-	V86.5	272	273	1	273
V79.0	-	-	-	V82.7	1	1	-	V86.6	39	39	-	39
V79.1	1	1	-	V82.8	-	-	-	V86.7	5	5	-	5
V79.2	-	-	-	V82.9	-	-	-	V86.9	272	277	5	277
V79.3	2	2	-	V83.0	3	3	-	V87.0	48	49	1	49
V79.4	3	3	-	V83.1	-	-	-	V87.1	37	37	-	37
V79.5	1	1	-	V83.2	-	-	-	V87.2	120	123	3	123
V79.6	4	4	-	V83.3	-	-	-	V87.3	1	1	-	1
V79.8	-	-	-	V83.4	-	-	-	V87.4	53	53	-	53
V79.9	1	1	-	V83.5	3	3	-	V87.5	1	1	-	1
V80.0	63	66	3	V83.6	2	2	-	V87.6	14	14	-	14
V80.1	3	3	-	V83.7	2	2	-	V87.7	3,696	3,743	47	3,743
V80.2	-	-	-	V83.9	2	2	-	V87.8	15	15	-	15
V80.3	-	-	-	V84.0	25	25	-	V87.9	2	2	-	2
V80.4	7	7	-	V84.1	2	2	-	V88.0	-	-	-	-
V80.5	1	1	-	V84.2	2	2	-	V88.1	1	1	-	1
V80.6	-	-	-	V84.3	6	6	-	V88.2	-	-	-	-
V80.7	2	2	-	V84.4	-	-	-	V88.3	-	-	-	-
V80.8	5	5	-	V84.5	15	15	-	V88.4	-	-	-	-
V80.9	10	11	1	V84.6	1	1	-	V88.5	-	-	-	-
V81.0	-	-	-	V84.7	6	6	-	V88.6	-	-	-	-
V81.1	3	3	-	V84.9	48	50	2	V88.7	24	25	1	25
V81.2	2	2	-	V85.0	12	13	1	V88.8	3	3	-	3

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
V88.9	2	2	-	V93.0	-	-	-	V97.8	1	1	-	1	
V89.0	109	112	3	V93.1	-	-	-	V98	-	-	-	-	
V89.1	3	3	-	V93.2	-	-	-	V99	-	-	-	-	
V89.2	10,055	10,406	351	V93.3	2	2	-	W00	99	115	16	115	
V89.3	1	1	-	V93.4	1	1	-	W01	584	789	206	789	
V89.9	214	220	6	V93.5	1	1	-	W02	62	63	1	63	
V90.0	-	-	-	V93.6	-	-	-	W03	7	18	11	18	
V90.1	1	1	-	V93.7	-	-	-	W04	12	17	5	17	
V90.2	9	9	-	V93.8	-	-	-	W05	360	476	116	476	
V90.3	5	5	-	V93.9	8	9	1	W06	503	691	188	691	
V90.4	1	1	-	V94.0	-	-	-	W07	189	283	94	283	
V90.5	33	33	-	V94.1	-	-	-	W08	82	107	25	107	
V90.6	9	9	-	V94.2	-	-	-	W09	-	-	-	-	
V90.7	-	-	-	V94.3	12	12	-	W10	1,638	1,786	148	1,786	
V90.8	4	4	-	V94.4	-	-	-	W11	344	370	26	370	
V90.9	168	169	1	V94.5	2	2	-	W12	48	50	2	50	
V91.0	1	1	-	V94.6	3	3	-	W13	587	681	94	681	
V91.1	-	-	-	V94.7	2	2	-	W14	103	104	1	104	
V91.2	-	-	-	V94.8	5	5	-	W15	67	67	-	67	
V91.3	23	24	1	V94.9	45	45	-	W16	70	84	14	84	
V91.4	-	-	-	V95.0	75	75	-	W17	484	518	34	518	
V91.5	-	-	-	V95.1	36	36	-	W18	4,290	5,313	1,025	5,313	
V91.6	1	1	-	V95.2	40	40	-	W19	9,278	12,506	3,229	12,506	
V91.7	-	-	-	V95.3	1	1	-	W20	702	706	4	706	
V91.8	-	-	-	V95.4	-	-	-	W21	10	12	2	12	
V91.9	47	47	-	V95.8	25	25	-	W22	121	130	9	130	
V92.0	1	1	-	V95.9	467	471	4	471	W23	134	138	4	138
V92.1	2	2	-	V96.0	2	2	-	W24	134	137	3	137	
V92.2	10	10	-	V96.1	6	6	-	W25	23	25	2	25	
V92.3	10	10	-	V96.2	4	4	-	W26	2	2	-	2	
V92.4	3	3	-	V96.8	3	3	-	W27	6	9	3	9	
V92.5	15	15	-	V96.9	-	-	-	W28	61	64	4	64	
V92.6	8	8	-	V97.0	-	-	-	W29	14	14	-	14	
V92.7	-	-	-	V97.1	-	-	-	W30	299	305	6	305	
V92.8	4	4	-	V97.2	16	16	-	W31	362	371	9	371	
V92.9	138	140	2	V97.3	3	3	-	W32	93	98	5	98	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis				Record axis				Record axis					
	Total	Second-	Entity		UC	mention	Second-	Entity	UC	mention	Second-	Entity		
UC	mention	ary	axis		UC	mention	ary	axis	UC	mention	ary	axis		
W33	95	97	2	97	W77	48	48	-	48	X19	4	5	1	5
W34	461	506	45	506	W78	377	1,209	832	1,209	X20	6	7	1	7
W35	5	5	-	5	W79	878	1,441	563	1,441	X21	14	18	4	18
W36	12	12	-	12	W80	3,215	18,324	15,110	18,324	X22	1	1	-	1
W37	9	9	-	9	W81	16	17	1	17	X23	52	62	10	62
W38	2	2	-	2	W83	231	268	37	268	X24	-	-	-	-
W39	2	2	-	2	W84	278	315	37	315	X25	7	11	4	11
W40	148	155	7	155	W85	94	94	-	94	X26	-	-	-	-
W41	2	2	-	2	W86	73	75	2	75	X27	-	-	-	-
W42	-	-	-	-	W87	215	220	5	220	X28	-	-	-	-
W43	-	-	-	-	W88	-	-	-	-	X29	1	2	1	2
W44	31	39	8	39	W89	-	-	-	-	X30	226	268	42	268
W45	1	2	1	2	W90	-	-	-	-	X31	676	1,023	347	1,023
W49	30	34	4	34	W91	-	-	-	-	X32	-	-	-	-
W50	8	10	2	10	W92	13	16	3	16	X33	46	46	-	46
W51	5	5	-	5	W93	1	1	-	1	X34	-	-	-	-
W52	-	-	-	-	W94	9	11	2	11	X35	-	-	-	-
W53	-	1	1	1	W99	-	-	-	-	X36	30	30	-	30
W54	27	31	4	31	X00	2,635	2,686	52	2,686	X37	63	66	3	66
W55	77	83	6	83	X01	37	40	3	40	X38	22	25	3	25
W56	2	2	-	2	X02	28	30	2	30	X39	39	71	32	71
W57	5	10	5	10	X03	48	50	2	50	X40	212	251	39	251
W58	1	1	-	1	X04	55	59	4	59	X41	1,300	1,674	374	1,674
W59	-	-	-	-	X05	7	7	-	7	X42	9,798	11,046	1,250	11,046
W60	-	-	-	-	X06	119	123	4	123	X43	22	26	4	26
W64	14	14	-	14	X08	57	63	6	63	X44	8,506	9,730	1,224	9,730
W65	368	400	32	400	X09	243	319	76	319	X45	358	1,962	1,604	1,962
W66	34	35	1	35	X10	9	12	3	12	X46	67	77	10	77
W67	530	542	12	542	X11	30	34	4	34	X47	562	619	57	619
W68	95	96	1	96	X12	8	10	2	10	X48	3	12	9	12
W69	1,111	1,143	32	1,143	X13	7	7	-	7	X49	122	226	104	226
W70	222	228	6	228	X14	4	4	-	4	X50	12	20	8	20
W73	197	202	5	202	X15	12	13	1	13	X51	-	-	-	-
W74	751	796	46	796	X16	14	17	3	17	X52	-	-	-	-
W75	596	609	13	609	X17	4	4	-	4	X53	26	45	19	45
W76	252	253	1	253	X18	1	1	-	1	X54	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			Entity axis	Record axis			Entity axis	Record axis			Entity axis
	Total UC	Second- mention	Ary		Total UC	Second- mention	Ary		Total UC	Second- mention	Ary	
X57	1	1	-	1	X93	1,011	1,011	-	1,011	Y20	152	159
X58	25	36	11	36	X94	714	714	-	714	Y21	223	233
X59	6,173	15,980	9,808	15,980	X95	9,899	9,923	24	9,923	Y22	31	31
X60	235	242	7	242	X96	6	5	1	5	Y23	21	22
X61	902	957	55	957	X97	140	162	22	162	Y24	183	190
X62	626	669	43	669	X98	3	4	1	4	Y25	4	4
X63	16	16	-	16	X99	2,079	2,149	70	2,149	Y26	83	86
X64	2,429	2,538	109	2,538	Y00	102	107	5	107	Y27	3	3
X65	35	314	279	314	Y01	17	17	-	17	Y28	23	24
X66	124	130	6	130	Y02	2	3	1	3	Y29	2	3
X67	1,328	1,346	18	1,346	Y03	51	54	3	54	Y30	71	78
X68	14	15	1	15	Y04	61	73	12	73	Y31	23	23
X69	91	97	6	97	Y05	1	3	2	3	Y32	21	23
X70	7,336	7,360	24	7,360	Y06.0	-	-	-	-	Y33	136	172
X71	365	381	16	381	Y06.1	-	1	1	1	Y34	505	610
X72	3,609	3,615	6	3,615	Y06.2	-	-	-	-	Y35.0	311	312
X73	2,798	2,804	6	2,804	Y06.8	2	3	1	3	Y35.1	-	-
X74	10,343	10,369	26	10,369	Y06.9	26	46	20	46	Y35.2	-	-
X75	8	8	-	8	Y07.0	1	1	-	1	Y35.3	-	-
X76	175	181	6	181	Y07.1	4	4	-	4	Y35.4	-	-
X77	2	2	-	2	Y07.2	-	-	-	-	Y35.5	52	52
X78	590	631	41	631	Y07.3	-	-	-	-	Y35.6	3	6
X79	2	2	-	2	Y07.8	5	5	-	5	Y35.7	2	7
X80	676	678	4	678	Y07.9	164	171	7	171	Y36.0	-	-
X81	358	358	-	358	Y08	355	405	50	405	Y36.1	-	-
X82	108	111	3	111	Y09	1,699	1,839	140	1,839	Y36.2	9	10
X83	120	133	13	133	Y10	55	61	6	61	Y36.3	-	-
X84	73	128	55	128	Y11	262	298	36	298	Y36.4	2	2
X85	72	99	27	99	Y12	1,761	1,839	78	1,839	Y36.5	-	-
X86	-	-	-	-	Y13	9	12	3	12	Y36.6	-	-
X87	-	-	-	-	Y14	1,219	1,313	94	1,313	Y36.7	-	-
X88	23	23	-	23	Y15	20	154	134	154	Y36.8	-	1
X89	4	4	-	4	Y16	17	18	1	18	Y36.9	1	3
X90	4	4	-	4	Y17	86	88	2	88	Y40.0	5	19
X91	664	705	41	705	Y18	-	-	-	-	Y40.1	3	9
X92	56	58	2	58	Y19	26	31	5	31	Y40.2	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		
Y40.3	-	1	1	Y44.2	46	1,521	1,475	1,521	Y48.4	6	38	32	38
Y40.4	-	-	-	Y44.3	9	38	29	38	Y48.5	-	-	-	-
Y40.5	-	3	3	Y44.4	-	-	-	-	Y49.0	-	3	3	3
Y40.6	-	1	1	Y44.5	6	107	101	107	Y49.1	-	-	-	-
Y40.7	-	3	3	Y44.6	2	5	3	5	Y49.2	3	6	3	6
Y40.8	4	16	12	Y44.7	-	-	-	-	Y49.3	3	4	1	4
Y40.9	5	139	134	Y44.9	-	1	1	1	Y49.4	-	4	4	4
Y41.0	-	-	-	Y45.0	25	84	59	84	Y49.5	5	17	12	17
Y41.1	-	4	4	Y45.1	1	17	16	17	Y49.6	-	1	1	1
Y41.2	1	1	-	Y45.2	1	9	8	9	Y49.7	-	5	5	5
Y41.3	-	-	-	Y45.3	3	66	63	66	Y49.8	-	1	1	1
Y41.4	-	-	-	Y45.4	-	-	-	-	Y49.9	-	3	3	3
Y41.5	-	8	8	Y45.5	1	12	11	12	Y50.0	-	-	-	-
Y41.8	-	5	5	Y45.8	2	11	9	11	Y50.1	-	-	-	-
Y41.9	-	-	-	Y45.9	-	16	16	16	Y50.2	-	-	-	-
Y42.0	5	33	28	Y46.0	-	-	-	-	Y50.8	-	-	-	-
Y42.1	-	3	3	Y46.1	-	-	-	-	Y50.9	-	-	-	-
Y42.2	-	18	18	Y46.2	9	24	15	24	Y51.0	-	-	-	-
Y42.3	6	43	37	Y46.3	-	-	-	-	Y51.1	-	-	-	-
Y42.4	-	4	4	Y46.4	1	2	1	2	Y51.2	-	-	-	-
Y42.5	-	3	3	Y46.5	1	5	4	5	Y51.3	-	1	1	1
Y42.6	-	2	2	Y46.6	1	3	2	3	Y51.4	-	-	-	-
Y42.7	8	311	303	Y46.7	-	1	1	1	Y51.5	-	1	1	1
Y42.8	-	3	3	Y46.8	-	-	-	-	Y51.6	-	-	-	-
Y42.9	-	2	2	Y47.0	-	3	3	3	Y51.7	-	2	2	2
Y43.0	1	4	3	Y47.1	1	9	8	9	Y51.8	-	-	-	-
Y43.1	1	43	42	Y47.2	-	-	-	-	Y51.9	-	-	-	-
Y43.2	-	3	3	Y47.3	-	-	-	-	Y52.0	1	8	7	8
Y43.3	13	1,275	1,262	Y47.4	-	-	-	-	Y52.1	-	-	-	-
Y43.4	24	636	612	Y47.5	-	-	-	-	Y52.2	4	53	49	53
Y43.5	-	-	-	Y47.8	1	2	1	2	Y52.3	-	1	1	1
Y43.6	-	2	2	Y47.9	-	8	8	8	Y52.4	3	9	6	9
Y43.8	-	1	1	Y48.0	-	3	3	3	Y52.5	-	2	2	2
Y43.9	-	-	-	Y48.1	-	-	-	-	Y52.6	1	7	6	7
Y44.0	-	1	1	Y48.2	2	10	8	10	Y52.7	1	1	-	1
Y44.1	-	2	2	Y48.3	4	18	14	18	Y52.8	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
Y52.9	-	4	4	Y56.7	-	-	-	Y60.8	28	89	61	89
Y53.0	-	-	-	Y56.8	-	-	-	Y60.9	10	32	22	32
Y53.1	-	-	-	Y56.9	1	1	-	Y61.0	2	7	5	7
Y53.2	-	1	1	Y57.0	1	3	2	Y61.1	-	1	1	1
Y53.3	-	-	-	Y57.1	-	-	-	Y61.2	-	-	-	-
Y53.4	-	-	-	Y57.2	-	-	-	Y61.3	-	-	-	-
Y53.5	1	3	2	Y57.3	-	-	-	Y61.4	-	2	2	2
Y53.6	-	-	-	Y57.4	-	-	-	Y61.5	1	2	1	2
Y53.7	-	-	-	Y57.5	7	64	57	Y61.6	-	1	1	1
Y53.8	-	-	-	Y57.6	-	3	3	Y61.7	-	-	-	-
Y53.9	-	-	-	Y57.7	-	-	-	Y61.8	1	2	1	2
Y54.0	-	-	-	Y57.8	2	15	13	Y61.9	2	3	1	3
Y54.1	-	-	-	Y57.9	123	362	239	Y62.0	-	-	-	-
Y54.2	-	1	1	Y58.0	-	-	-	Y62.1	-	-	-	-
Y54.3	-	-	-	Y58.1	-	-	-	Y62.2	-	1	1	1
Y54.4	-	-	-	Y58.2	-	-	-	Y62.3	-	-	-	-
Y54.5	-	9	9	Y58.3	-	-	-	Y62.4	-	-	-	-
Y54.6	1	3	2	Y58.4	-	-	-	Y62.5	-	-	-	-
Y54.7	-	-	-	Y58.5	-	-	-	Y62.6	-	-	-	-
Y54.8	1	3	2	Y58.6	1	1	-	Y62.8	-	-	-	-
Y54.9	-	2	2	Y58.8	-	-	-	Y62.9	-	-	-	-
Y55.0	-	-	-	Y58.9	-	-	-	Y63.0	-	1	1	1
Y55.1	-	1	1	Y59.0	-	1	1	Y63.1	-	-	-	-
Y55.2	1	1	-	Y59.1	-	-	-	Y63.2	-	7	7	7
Y55.3	-	-	-	Y59.2	-	-	-	Y63.3	-	2	2	2
Y55.4	-	-	-	Y59.3	-	2	2	Y63.4	-	-	-	-
Y55.5	-	-	-	Y59.8	-	-	-	Y63.5	-	-	-	-
Y55.6	-	-	-	Y59.9	-	4	4	Y63.6	-	-	-	-
Y55.7	-	-	-	Y60.0	36	228	192	Y63.8	1	3	2	3
Y56.0	-	2	2	Y60.1	-	1	1	Y63.9	-	-	-	-
Y56.1	-	-	-	Y60.2	3	16	13	Y64.0	-	23	23	23
Y56.2	-	-	-	Y60.3	1	2	1	Y64.1	1	2	1	2
Y56.3	1	1	-	Y60.4	17	61	44	Y64.8	-	-	-	-
Y56.4	1	1	-	Y60.5	11	51	40	Y64.9	-	-	-	-
Y56.5	-	-	-	Y60.6	9	46	37	Y65.0	-	-	-	-
Y56.6	-	-	-	Y60.7	1	3	2	Y65.1	1	3	2	3

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2004

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
Y65.2	-	-	-	Y75.8	-	-	-	Y83.0	49	1,468	1,419	1,468
Y65.3	-	-	-	Y76.0	-	-	-	Y83.1	329	3,117	2,788	3,117
Y65.4	-	-	-	Y76.1	-	-	-	Y83.2	177	3,973	3,796	3,973
Y65.5	-	-	-	Y76.2	-	-	-	Y83.3	107	552	445	552
Y65.8	38	96	58	96	Y76.3	-	-	Y83.4	96	1,437	1,341	1,437
Y66	-	1	1	1	Y76.8	-	-	Y83.5	127	622	495	622
Y69	6	16	10	16	Y77.0	-	-	Y83.6	142	2,407	2,265	2,407
Y70.0	-	-	-	-	Y77.1	-	-	Y83.8	117	983	866	983
Y70.1	-	-	-	-	Y77.2	-	-	Y83.9	584	3,971	3,387	3,971
Y70.2	-	-	-	-	Y77.3	-	-	Y84.0	20	130	110	130
Y70.3	-	-	-	-	Y77.8	-	-	Y84.1	46	515	469	515
Y70.8	-	-	-	-	Y78.0	-	-	Y84.2	27	1,182	1,155	1,182
Y71.0	-	-	-	-	Y78.1	-	-	Y84.3	-	5	5	5
Y71.1	-	-	-	-	Y78.2	-	-	Y84.4	8	35	27	35
Y71.2	-	-	-	-	Y78.3	-	-	Y84.5	-	2	2	2
Y71.3	-	-	-	-	Y78.8	-	-	Y84.6	69	364	295	364
Y71.8	-	-	-	-	Y79.0	-	-	Y84.7	-	1	1	1
Y72.0	-	-	-	-	Y79.1	-	-	Y84.8	327	2,196	1,869	2,196
Y72.1	-	-	-	-	Y79.2	-	-	Y84.9	10	62	52	62
Y72.2	-	1	1	1	Y79.3	-	-	Y85.0	660	801	141	801
Y72.3	-	-	-	-	Y79.8	-	-	Y85.9	8	9	1	9
Y72.8	-	-	-	-	Y80.0	-	-	Y86	958	1,770	812	1,770
Y73.0	-	-	-	-	Y80.1	-	-	Y87.0	76	86	10	86
Y73.1	1	1	-	1	Y80.2	-	-	Y87.1	192	210	18	210
Y73.2	-	-	-	-	Y80.3	-	-	Y87.2	40	58	18	58
Y73.3	-	1	1	1	Y80.8	-	-	Y88.0	10	34	24	34
Y73.8	-	-	-	-	Y81.0	-	1	Y88.1	2	37	35	37
Y74.0	-	-	-	-	Y81.1	-	-	Y88.2	-	-	-	-
Y74.1	-	-	-	-	Y81.2	-	-	Y88.3	101	1,080	979	1,080
Y74.2	-	1	1	1	Y81.3	-	-	Y89.0	4	4	-	4
Y74.3	-	-	-	-	Y81.8	1	4	Y89.1	16	39	23	39
Y74.8	-	-	-	-	Y82.0	-	1	Y89.9	-	2	2	2
Y75.0	-	-	-	-	Y82.1	1	2	1	2	-	-	-
Y75.1	-	-	-	-	Y82.2	-	-	-	-	-	-	-
Y75.2	-	-	-	-	Y82.3	1	1	-	-	-	-	-
Y75.3	-	-	-	-	Y82.8	2	6	4	6	-	-	-