

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
1-4	4	<u>DATAYEAR</u> <u>Year Birth of Child (Data Year)</u> 2000 ... 2000
5	1	<u>RECTYPE</u> <u>Record Type</u> 1 ... Resident: State and county of occurrence and residence are the same. 2 ... Nonresident: State and/or county of occurrence and residence are different.
6	1	<u>RESTATUS</u> <u>Resident Status</u> <u>United States occurrence</u> 1 ... RESIDENTS: State and county of occurrence and residence are the same. 2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different. 3 ... INTERSTATE NONRESIDENTS: State of occurrence and residence are different, but both are in the U.S. 4 ... FOREIGN RESIDENTS: State of occurrence is one of the 50 States or the District of Columbia, but place of residence of mother is outside of the U.S. <u>Puerto Rico occurrence</u> 1 ... RESIDENTS: Territory and county equivalent of occurrence and residence are the same. 2 ... INTRATERRITORY NONRESIDENTS: Territory of occurrence and residence are the same, but county equivalent is different. 4 ... FOREIGN RESIDENTS: Occurred in Puerto Rico to a resident of any other place.

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
6	1	<u>RESTATUS</u> <u>Resident Status (Cont'd)</u> <u>Virgin Islands occurrence</u> 1 ... RESIDENTS: Territory and county equivalent of occurrence and residence are the same. 2 ... INTRATERRITORY NONRESIDENTS: Territory of occurrence and residence are the same, but county equivalent is different. 4 ... FOREIGN RESIDENTS: Occurred in the Virgin Islands to a resident of any other place. <u>Guam occurrence</u> 1 ... RESIDENTS: Occurred in Guam to a resident of Guam or to a resident of the U.S. 4 ... FOREIGN RESIDENTS: Occurred in Guam to a resident of any place other than Guam or of the U.S. <u>American Samoa occurrence</u> 1 ... RESIDENTS: Territory and county equivalent of occurrence and residence are the same. 2 ... INTRATERRITORY NONRESIDENTS: Territory of occurrence and residence are the same, but county equivalent is different. 4 ... FOREIGN RESIDENTS: Occurred in the American Samoa to a resident of any other place. <u>Northern Marianas occurrence</u> 1 ... RESIDENTS: Territory and county equivalent of occurrence and residence are the same. 2 ... INTRATERRITORY NONRESIDENTS: Territory of occurrence and residence are the same, but county equivalent is different. 4 ... FOREIGN RESIDENTS: Occurred in the Northern Marianas to a resident of any other place.
7	1	<u>RECWT</u> <u>Record Weight</u> 1 ... Constant - as of the 1985 data year, this file contains data on a 100-percent basis from all reporting areas.

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
8	1	<u>PLDEL</u> <u>Place or Facility of Birth</u> 1 ... Hospital 2 ... Freestanding Birthing Center 3 ... Clinic or Doctor's Office 4 ... A Residence 5 ... Other 9 ... Unknown or Not Stated
9	1	<u>PLDEL3</u> <u>Place or Facility of Birth Recode</u> 1 ... In Hospital 2 ... Not in a Hospital 3 ... Unknown or Not Stated
10	1	<u>BIRATTND</u> <u>Attendant at Birth</u> 1 ... Doctor of Medicine (M.D.) 2 ... Doctor of Osteopathy (D.O.) 3 ... Certified Nurse Midwife (C.N.M.) 4 ... Other Midwife 5 ... Other 9 ... Unknown or Not Stated
11-26	16	<u>NOCCUR</u> <u>Place of Occurrence</u>
11-13	3	<u>RDSSCOCC</u> <u>Region, Division, and State Subcode of Occurrence</u>
11	1	<u>REGNOCC</u> <u>Region of Occurrence</u>
12	1	<u>DIVOCC</u> <u>Division of Occurrence</u>
13	1	<u>STSUBOCC</u> <u>State Subcode of Occurrence</u> States are coded within division and the structure is designed to sequence the States as they appear in NCHS publications. 000 ... Not applicable: P.R., V.I., A.S., Guam or M.P. occurrence 1 ... <u>NORTHEAST</u> 1 ... New England 1 ... Maine 2 ... New Hampshire 3 ... Vermont 4 ... Massachusetts

2000
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

13

1

STSUBOCC
State Subcode of Occurrence (Cont'd)

5	...	Rhode Island
6	...	Connecticut
2	...	<u>Middle Atlantic</u>
1	...	New York
2	...	New Jersey
3	...	Pennsylvania
2	...	<u>MIDWEST</u>
3	...	<u>East North Central</u>
1	...	Ohio
2	...	Indiana
3	...	Illinois
4	...	Michigan
5	...	Wisconsin
4	...	<u>West North Central</u>
1	...	Minnesota
2	...	Iowa
3	...	Missouri
4	...	North Dakota
5	...	South Dakota
6	...	Nebraska
7	...	Kansas
3	...	<u>SOUTH</u>
5	...	<u>South Atlantic</u>
1	...	Delaware
2	...	Maryland
3	...	District of Columbia
4	...	Virginia
5	...	West Virginia
6	...	North Carolina
7	...	South Carolina
8	...	Georgia
9	...	Florida
6	...	<u>East South Central</u>
1	...	Kentucky
2	...	Tennessee
3	...	Alabama
4	...	Mississippi
7	...	<u>West South Central</u>
1	...	Arkansas
2	...	Louisiana
3	...	Oklahoma
4	...	Texas
4	...	<u>WEST</u>
8	...	<u>Mountain</u>
1	...	Montana
2	...	Idaho
3	...	Wyoming
4	...	Colorado
5	...	New Mexico
6	...	Arizona
7	...	Utah
8	...	Nevada
9	...	<u>Pacific</u>
1	...	Washington
2	...	Oregon
3	...	California

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
13	1	<u>STSUBOCC</u> <u>State Subcode of Occurrence (Cont'd)</u> 4 ... Alaska 5 ... Hawaii
14-15	2	<u>STNATEXP</u> <u>Expanded State of Occurrence</u> This item is designed to separately identify New York city records from other New York State records. <u>United States</u> 01 ... Alabama 02 ... Alaska 03 ... Arizona 04 ... Arkansas 05 ... California 06 ... Colorado 07 ... Connecticut 08 ... Delaware 09 ... District of Columbia 10 ... Florida 11 ... Georgia 12 ... Hawaii 13 ... Idaho 14 ... Illinois 15 ... Indiana 16 ... Iowa 17 ... Kansas 18 ... Kentucky 19 ... Louisiana 20 ... Maine 21 ... Maryland 22 ... Massachusetts 23 ... Michigan 24 ... Minnesota 25 ... Mississippi 26 ... Missouri 27 ... Montana 28 ... Nebraska 29 ... Nevada 30 ... New Hampshire 31 ... New Jersey 32 ... New Mexico 33 ... New York 34 ... New York city 35 ... North Carolina 36 ... North Dakota 37 ... Ohio 38 ... Oklahoma 39 ... Oregon 40 ... Pennsylvania 41 ... Rhode Island 42 ... South Carolina 43 ... South Dakota 44 ... Tennessee 45 ... Texas

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
14-15	2	<p><u>STNATEXP</u> <u>Expanded State of Occurrence (Cont'd)</u></p> <p>46 ... Utah 47 ... Vermont 48 ... Virginia 49 ... Washington 50 ... West Virginia 51 ... Wisconsin 52 ... Wyoming</p> <p><u>Puerto Rico</u></p> <p>53 ... Puerto Rico</p> <p><u>Virgin Islands</u></p> <p>54 ... Virgin Islands</p> <p><u>Guam</u></p> <p>55 ... Guam</p> <p><u>American Samoa</u></p> <p>62 ... American Samoa</p> <p><u>Northern Marianas</u></p> <p>63 ... Northern Marianas</p>
16-17	2	<p><u>STATENAT</u> <u>State of Occurrence</u></p> <p><u>United States</u></p> <p>01 ... Alabama 02 ... Alaska 03 ... Arizona 04 ... Arkansas 05 ... California 06 ... Colorado 07 ... Connecticut 08 ... Delaware 09 ... District of Columbia 10 ... Florida 11 ... Georgia 12 ... Hawaii 13 ... Idaho 14 ... Illinois 15 ... Indiana 16 ... Iowa 17 ... Kansas 18 ... Kentucky 19 ... Louisiana 20 ... Maine 21 ... Maryland 22 ... Massachusetts 23 ... Michigan 24 ... Minnesota 25 ... Mississippi 26 ... Missouri 27 ... Montana 28 ... Nebraska</p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
16-17	2	<p><u>STATENAT</u> <u>State of Occurrence (Cont'd)</u></p> <p>29 ... Nevada 30 ... New Hampshire 31 ... New Jersey 32 ... New Mexico 33 ... New York 34 ... North Carolina 35 ... North Dakota 36 ... Ohio 37 ... Oklahoma 38 ... Oregon 39 ... Pennsylvania 40 ... Rhode Island 41 ... South Carolina 42 ... South Dakota 43 ... Tennessee 44 ... Texas 45 ... Utah 46 ... Vermont 47 ... Virginia 48 ... Washington 49 ... West Virginia 50 ... Wisconsin 51 ... Wyoming</p> <p><u>Puerto Rico</u> 52 ... Puerto Rico</p> <p><u>Virgin Islands</u> 53 ... Virgin Islands</p> <p><u>Guam</u> 54 ... Guam</p> <p><u>American Samoa</u> 61 ... American Samoa</p> <p><u>Northern Marianas</u> 62 ... Northern Marianas</p>
18-20	3	<p><u>CNTYNAT</u> <u>County of Occurrence</u></p> <p>001-nnn ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 1990. (Note: To uniquely identify a county, both and State and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.</p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>																																																												
26	1	<p><u>CNTOCPOP</u> <u>Population Size of County of Occurrence</u></p> <p>Based on the results of the 1990 Census</p> <table border="0" style="margin-left: 40px;"> <tr><td>0</td><td>...</td><td>County of 1,000,000 or more</td></tr> <tr><td>1</td><td>...</td><td>County of 500,000 to 1,000,000</td></tr> <tr><td>2</td><td>...</td><td>County of 250,000 to 500,000</td></tr> <tr><td>3</td><td>...</td><td>County of 100,000 to 250,000</td></tr> <tr><td>9</td><td>...</td><td>County of less than 100,000</td></tr> </table>	0	...	County of 1,000,000 or more	1	...	County of 500,000 to 1,000,000	2	...	County of 250,000 to 500,000	3	...	County of 100,000 to 250,000	9	...	County of less than 100,000																																													
0	...	County of 1,000,000 or more																																																												
1	...	County of 500,000 to 1,000,000																																																												
2	...	County of 250,000 to 500,000																																																												
3	...	County of 100,000 to 250,000																																																												
9	...	County of less than 100,000																																																												
27-58	32	<p><u>NRESID</u> <u>Place of Residence</u></p> <p>Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. Some Geographic codes have changed to reflect the results of the 1990 Census.</p>																																																												
27-29	3	<p><u>RDSCRES</u> <u>Region, Division, and State Subcode of Residence</u></p>																																																												
27	1	<p><u>REGNRES</u> <u>Region of Residence</u></p>																																																												
28	1	<p><u>DIVRES</u> <u>Division of Residence</u></p>																																																												
29	1	<p><u>STSUBRES</u> <u>State Subcode of Residence</u></p> <p>States are coded within Division and the code structure is designed to sequence the States as they appear in NCHS publications.</p> <p><u>APPLICABLE TO U.S. ONLY</u></p> <table border="0" style="margin-left: 40px;"> <tr><td>000</td><td>...</td><td><u>Foreign Residents</u></td></tr> <tr><td>1</td><td>...</td><td><u>NORTHEAST</u></td></tr> <tr><td> 1</td><td>...</td><td><u>New England</u></td></tr> <tr><td> 1</td><td>...</td><td>Maine</td></tr> <tr><td> 2</td><td>...</td><td>New Hampshire</td></tr> <tr><td> 3</td><td>...</td><td>Vermont</td></tr> <tr><td> 4</td><td>...</td><td>Massachusetts</td></tr> <tr><td> 5</td><td>...</td><td>Rhode Island</td></tr> <tr><td> 6</td><td>...</td><td>Connecticut</td></tr> <tr><td> 2</td><td>...</td><td><u>Middle Atlantic</u></td></tr> <tr><td> 1</td><td>...</td><td>New York</td></tr> <tr><td> 2</td><td>...</td><td>New Jersey</td></tr> <tr><td> 3</td><td>...</td><td>Pennsylvania</td></tr> <tr><td> 2</td><td>...</td><td><u>MIDWEST</u></td></tr> <tr><td> 3</td><td>...</td><td><u>East North Central</u></td></tr> <tr><td> 1</td><td>...</td><td>Ohio</td></tr> <tr><td> 2</td><td>...</td><td>Indiana</td></tr> <tr><td> 3</td><td>...</td><td>Illinois</td></tr> <tr><td> 4</td><td>...</td><td>Michigan</td></tr> <tr><td> 5</td><td>...</td><td>Wisconsin</td></tr> </table>	000	...	<u>Foreign Residents</u>	1	...	<u>NORTHEAST</u>	1	...	<u>New England</u>	1	...	Maine	2	...	New Hampshire	3	...	Vermont	4	...	Massachusetts	5	...	Rhode Island	6	...	Connecticut	2	...	<u>Middle Atlantic</u>	1	...	New York	2	...	New Jersey	3	...	Pennsylvania	2	...	<u>MIDWEST</u>	3	...	<u>East North Central</u>	1	...	Ohio	2	...	Indiana	3	...	Illinois	4	...	Michigan	5	...	Wisconsin
000	...	<u>Foreign Residents</u>																																																												
1	...	<u>NORTHEAST</u>																																																												
1	...	<u>New England</u>																																																												
1	...	Maine																																																												
2	...	New Hampshire																																																												
3	...	Vermont																																																												
4	...	Massachusetts																																																												
5	...	Rhode Island																																																												
6	...	Connecticut																																																												
2	...	<u>Middle Atlantic</u>																																																												
1	...	New York																																																												
2	...	New Jersey																																																												
3	...	Pennsylvania																																																												
2	...	<u>MIDWEST</u>																																																												
3	...	<u>East North Central</u>																																																												
1	...	Ohio																																																												
2	...	Indiana																																																												
3	...	Illinois																																																												
4	...	Michigan																																																												
5	...	Wisconsin																																																												

2000
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

29 1

<u>STSUBRES</u>		
<u>State Subcode of Residence (Cont'd)</u>		
4	...	<u>West North Central</u>
1	...	Minnesota
2	...	Iowa
3	...	Missouri
4	...	North Dakota
5	...	South Dakota
6	...	Nebraska
7	...	Kansas
3	...	<u>SOUTH</u>
5	...	<u>South Atlantic</u>
1	...	Delaware
2	...	Maryland
3	...	District of Columbia
4	...	Virginia
5	...	West Virginia
6	...	North Carolina
7	...	South Carolina
8	...	Georgia
9	...	Florida
6	...	<u>East South Central</u>
1	...	Kentucky
2	...	Tennessee
3	...	Alabama
4	...	Mississippi
7	...	<u>West South Central</u>
1	...	Arkansas
2	...	Louisiana
3	...	Oklahoma
4	...	Texas
4	...	<u>WEST</u>
8	...	<u>Mountain</u>
1	...	Montana
2	...	Idaho
3	...	Wyoming
4	...	Colorado
5	...	New Mexico
6	...	Arizona
7	...	Utah
8	...	Nevada
9	...	<u>Pacific</u>
1	...	Washington
2	...	Oregon
3	...	California
4	...	Alaska
5	...	Hawaii

30-31 2

STRESEXP
Expanded State of Residence

This item is designed to separately identify New York City records from other New York State records.

United States occurrence

01 ... Alabama

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
30-31	2	<u>STRESEXP</u> <u>Expanded State of Residence (Cont'd)</u>
		02 ... Alaska
		03 ... Arizona
		04 ... Arkansas
		05 ... California
		06 ... Colorado
		07 ... Connecticut
		08 ... Delaware
		09 ... District of Columbia
		10 ... Florida
		11 ... Georgia
		12 ... Hawaii
		13 ... Idaho
		14 ... Illinois
		15 ... Indiana
		16 ... Iowa
		17 ... Kansas
		18 ... Kentucky
		19 ... Louisiana
		20 ... Maine
		21 ... Maryland
		22 ... Massachusetts
		23 ... Michigan
		24 ... Minnesota
		25 ... Mississippi
		26 ... Missouri
		27 ... Montana
		28 ... Nebraska
		29 ... Nevada
		30 ... New Hampshire
		31 ... New Jersey
		32 ... New Mexico
		33 ... New York
		34 ... New York City
		35 ... North Carolina
		36 ... North Dakota
		37 ... Ohio
		38 ... Oklahoma
		39 ... Oregon
		40 ... Pennsylvania
		41 ... Rhode Island
		42 ... South Carolina
		43 ... South Dakota
		44 ... Tennessee
		45 ... Texas
		46 ... Utah
		47 ... Vermont
		48 ... Virginia
		49 ... Washington
		50 ... West Virginia
		51 ... Wisconsin
		52 ... Wyoming
		53-58,60, ... Foreign Residents
		62,63
		53 ... Puerto Rico

2000
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

30-31

2

STRESEXP

Expanded State of Residence (Cont'd)

54	...	Virgin Islands
55	...	Guam
62	...	American Samoa
63	...	Northern Marianas
56	...	Canada
57	...	Cuba
58	...	Mexico
60	...	Remainder of the world

Puerto Rico occurrence

53	...	Puerto Rico
01-52,54-58,60,62,63...		Foreign residents: Refer to U.S. for specific code structure.

Virgin Islands occurrence

54	...	Virgin Islands
01-53,55-58,60,62,63...		Foreign residents: Refer to U.S. for specific code structure.

Guam occurrence

55	...	Guam
01-52	...	U.S. resident is also considered a resident of Guam.
53-54,56-58,60,62,63...		Foreign residents: Refer to U.S. for specific code structure.

American Samoa occurrence

62	...	American Samoa
01-52	...	U.S. resident is also considered a resident of American Samoa
53-58,60,63	...	Foreign residents: Refer to U.S. for specific code structure.

Northern Marianas

63	...	Northern Marianas
01-52	...	U.S. resident is also considered a resident of Northern Marianas.
53-58,60,62	...	Foreign residents: Refer to U.S. for specific code structure.

32-33

2

STATERES

State of Residence

United States occurrence

01	...	Alabama
02	...	Alaska
03	...	Arizona
04	...	Arkansas
05	...	California

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
32-33	2	<u>STATERES</u>
		<u>State of Residence (Cont'd)</u>
		06 ... Colorado
		07 ... Connecticut
		08 ... Delaware
		09 ... District of Columbia
		10 ... Florida
		11 ... Georgia
		12 ... Hawaii
		13 ... Idaho
		14 ... Illinois
		15 ... Indiana
		16 ... Iowa
		17 ... Kansas
		18 ... Kentucky
		19 ... Louisiana
		20 ... Maine
		21 ... Maryland
		22 ... Massachusetts
		23 ... Michigan
		24 ... Minnesota
		25 ... Mississippi
		26 ... Missouri
		27 ... Montana
		28 ... Nebraska
		29 ... Nevada
		30 ... New Hampshire
		31 ... New Jersey
		32 ... New Mexico
		33 ... New York
		34 ... North Carolina
		35 ... North Dakota
		36 ... Ohio
		37 ... Oklahoma
		38 ... Oregon
		39 ... Pennsylvania
		40 ... Rhode Island
		41 ... South Carolina
		42 ... South Dakota
		43 ... Tennessee
		44 ... Texas
		45 ... Utah
		46 ... Vermont
		47 ... Virginia
		48 ... Washington
		49 ... West Virginia
		50 ... Wisconsin
		51 ... Wyoming
		52-57, 59, 61, 62.. Foreign Residents
		52 ... Puerto Rico
		53 ... Virgin Islands
		54 ... Guam
		61 ... American Samoa
		62 ... Northern Marianas
		55 ... Canada
		56 ... Cuba
		57 ... Mexico

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
32-33	2	<p><u>STATERES</u> <u>State of Residence (Cont'd)</u></p> <p>59 ... Remainder of the world</p> <p><u>Puerto Rico occurrence</u></p> <p>52 ... Puerto Rico 01-51,53-57,59, ... Foreign Residents: Refer to 61,62 U.S. for specific code structure.</p> <p><u>Virgin Islands occurrence</u></p> <p>53 ... Virgin Islands 01-52,54-57,59, ... Foreign Residents: Refer to 61,62 U.S. for specific code structure.</p> <p><u>Guam occurrence</u></p> <p>54 ... Guam 01-51 ... U.S. resident is also considered a resident of Guam. 52-53,55-57,59, ... Foreign Residents: Refer to 61,62 U.S. for specific code structure.</p> <p><u>American Samoa occurrence</u></p> <p>61 ... American Samoa 01-51 ... U.S. resident is also considered a resident of American Samoa 52-57,59,62 ... Foreign Residents: Refer to U.S. for specific code structure.</p> <p><u>Northern Marianas</u></p> <p>62 ... Northern Marianas 01-51 ... U.S resident is also considered a resident of Northern Marianas. 52-57,59,61 ... Foreign Residents: Refer to U.S. for specific code structure.</p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
34-36	3	<p><u>CNTYRES</u> <u>County of Residence</u></p> <p>A complete list of counties is shown in the Geographic Code Outline further back in this document.</p> <p>001-nnn ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 1990. (Note: To uniquely identify a county, both the State and county codes must be used.)</p> <p>999 ... County of less than 100,000 population</p> <p>ZZZ ... Foreign Residents</p>
37-39	3	<p><u>CITYRES</u> <u>City of Residence</u></p> <p>A complete list of cities is shown in the Geographic Code Outline further back in this document.</p> <p>001-nnn ... Cities are numbered alphabetically within each State and identify each city with a population of 100,000 or more in 1990. (Note: To uniquely identify a city, both the State and city codes must be used. State, county and city codes may also be used.)</p> <p>999 ... Balance of county</p> <p>ZZZ ... Foreign residents</p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>																																																												
40	1	<p><u>CITRSPOP</u> <u>Population Size of City of Residence</u></p> <p>Based on the results of the 1990 census</p> <table border="0"> <tr><td>0</td><td>...</td><td>Place of 1,000,000 or more</td></tr> <tr><td>1</td><td>...</td><td>Place of 500,000 to 1,000,000</td></tr> <tr><td>2</td><td>...</td><td>Place of 250,000 to 500,000</td></tr> <tr><td>3</td><td>...</td><td>Place of 100,000 to 250,000</td></tr> <tr><td>9</td><td>...</td><td>All other areas in the U.S.</td></tr> <tr><td>Z</td><td>...</td><td>Foreign residents</td></tr> </table>	0	...	Place of 1,000,000 or more	1	...	Place of 500,000 to 1,000,000	2	...	Place of 250,000 to 500,000	3	...	Place of 100,000 to 250,000	9	...	All other areas in the U.S.	Z	...	Foreign residents																																										
0	...	Place of 1,000,000 or more																																																												
1	...	Place of 500,000 to 1,000,000																																																												
2	...	Place of 250,000 to 500,000																																																												
3	...	Place of 100,000 to 250,000																																																												
9	...	All other areas in the U.S.																																																												
Z	...	Foreign residents																																																												
41	1	<p><u>METRORES</u> <u>Metropolitan - Nonmetropolitan County of Residence</u></p> <p><u>NOTE:</u> VIRGIN ISLANDS, GUAM, NORTHERN MARIANAS AND AMERICAN SAMOA DO NOT HAVE ANY METROPOLITAN AREAS</p> <table border="0"> <tr><td>1</td><td>...</td><td>Metropolitan county</td></tr> <tr><td>2</td><td>...</td><td>Nonmetropolitan county</td></tr> <tr><td>Z</td><td>...</td><td>Foreign residents</td></tr> </table>	1	...	Metropolitan county	2	...	Nonmetropolitan county	Z	...	Foreign residents																																																			
1	...	Metropolitan county																																																												
2	...	Nonmetropolitan county																																																												
Z	...	Foreign residents																																																												
42-57	16	<p><u>FIPSRES</u> <u>Federal Information Processing Standards (FIPS) Geographic Codes (Residence)</u></p> <p>Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications. Some Geographic Codes have changed to reflect the results of the 1990 Census.</p>																																																												
42-43	2	<p><u>STRESFIP</u> <u>State of Residence (FIPS)</u></p> <table border="0"> <tr><td>00</td><td>...</td><td>Foreign residents</td></tr> <tr><td>01</td><td>...</td><td>Alabama</td></tr> <tr><td>02</td><td>...</td><td>Alaska</td></tr> <tr><td>04</td><td>...</td><td>Arizona</td></tr> <tr><td>05</td><td>...</td><td>Arkansas</td></tr> <tr><td>06</td><td>...</td><td>California</td></tr> <tr><td>08</td><td>...</td><td>Colorado</td></tr> <tr><td>09</td><td>...</td><td>Connecticut</td></tr> <tr><td>10</td><td>...</td><td>Delaware</td></tr> <tr><td>11</td><td>...</td><td>District of Columbia</td></tr> <tr><td>12</td><td>...</td><td>Florida</td></tr> <tr><td>13</td><td>...</td><td>Georgia</td></tr> <tr><td>15</td><td>...</td><td>Hawaii</td></tr> <tr><td>16</td><td>...</td><td>Idaho</td></tr> <tr><td>17</td><td>...</td><td>Illinois</td></tr> <tr><td>18</td><td>...</td><td>Indiana</td></tr> <tr><td>19</td><td>...</td><td>Iowa</td></tr> <tr><td>20</td><td>...</td><td>Kansas</td></tr> <tr><td>21</td><td>...</td><td>Kentucky</td></tr> <tr><td>22</td><td>...</td><td>Louisiana</td></tr> </table>	00	...	Foreign residents	01	...	Alabama	02	...	Alaska	04	...	Arizona	05	...	Arkansas	06	...	California	08	...	Colorado	09	...	Connecticut	10	...	Delaware	11	...	District of Columbia	12	...	Florida	13	...	Georgia	15	...	Hawaii	16	...	Idaho	17	...	Illinois	18	...	Indiana	19	...	Iowa	20	...	Kansas	21	...	Kentucky	22	...	Louisiana
00	...	Foreign residents																																																												
01	...	Alabama																																																												
02	...	Alaska																																																												
04	...	Arizona																																																												
05	...	Arkansas																																																												
06	...	California																																																												
08	...	Colorado																																																												
09	...	Connecticut																																																												
10	...	Delaware																																																												
11	...	District of Columbia																																																												
12	...	Florida																																																												
13	...	Georgia																																																												
15	...	Hawaii																																																												
16	...	Idaho																																																												
17	...	Illinois																																																												
18	...	Indiana																																																												
19	...	Iowa																																																												
20	...	Kansas																																																												
21	...	Kentucky																																																												
22	...	Louisiana																																																												

2000
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

42-43

2

STRESFIP

State of Residence (FIPS) (Cont'd)

23	...	Maine
24	...	Maryland
25	...	Massachusetts
26	...	Michigan
27	...	Minnesota
28	...	Mississippi
29	...	Missouri
30	...	Montana
31	...	Nebraska
32	...	Nevada
33	...	New Hampshire
34	...	New Jersey
35	...	New Mexico
36	...	New York
37	...	North Carolina
38	...	North Dakota
39	...	Ohio
40	...	Oklahoma
41	...	Oregon
42	...	Pennsylvania
44	...	Rhode Island
45	...	South Carolina
46	...	South Dakota
47	...	Tennessee
48	...	Texas
49	...	Utah
50	...	Vermont
51	...	Virginia
53	...	Washington
54	...	West Virginia
55	...	Wisconsin
56	...	Wyoming

Puerto Rico occurrence

00-56,60,66,78,69	...	Foreign Residents: Refer to U.S. for specific code structure
72	...	Puerto Rico

Virgin Islands occurrence

00-56,60,66,72,69	...	Foreign Residents: Refer to U.S. for specific code structure
78	...	Virgin Islands

Guam occurrence

00,60,72,78,69	...	Foreign Residents: Refer to U.S. for specific code structure
01-56	...	U.S. Resident is also considered a resident of Guam. Refer to U.S. for specific code structure
66	...	Guam

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
42-43	2	<p><u>STRESFIP</u> <u>State of Residence (FIPS) (Cont'd)</u></p> <p><u>American Samoa occurrence</u></p> <p>00,66,72,78,69 ... Foreign Residents: Refer to U.S. for specific code structure</p> <p>01-56 ... U.S. Resident is also considered a resident of American Samoa. Refer to specific code structure</p> <p>60 ... American Samoa</p> <p><u>Northern Marianas</u></p> <p>00,60,66,72,78 ... Foreign Residents: Refer to U.S. for specific code structure.</p> <p>01-56 ... U.S. Resident is also considered a resident of Northern Marianas. Refer to Specific code structure.</p> <p>69 ... Northern Marianas</p>
44-46	3	<p><u>CNTYRFIP</u> <u>County of Residence (FIPS)</u></p> <p>001-nnn ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.)</p> <p>999 ... County of less than 100,000 population</p> <p>000 ... Foreign residents</p>
47-51	5	<p><u>PLACEFIP</u> <u>Place (City) of Residence</u></p> <p>A complete list of cities is shown in the Geographic code outline further back in this document. Effective with the 1994 data year, the FIPS place code has been added to the Natality record. It identifies each city of 100,000 population or more in 1990.</p> <p>00000 ... Foreign residents</p> <p>00001- nnnnn ... Code range</p> <p>99999 ... Balance of county; or city of less than 100,000 population</p>
52-53	2	<p><u>CMSA</u> <u>CMSA of Residence (FIPS)</u></p> <p>Consolidated Metropolitan Statistical Areas are groupings of certain Primary Metropolitan Statistical Areas and are defined by the U.S. Office of Management and Budget (OMB) as of June 30, 1990.</p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>																																							
58	1	<p><u>CNTRSPOP</u> <u>Population Size of County of Residence</u></p> <p>Based on the results of the 1990 Census.</p> <table border="0"> <tr><td>0</td><td>...</td><td>County of 1,000,000 or more</td></tr> <tr><td>1</td><td>...</td><td>County of 500,000 to 1,000,000</td></tr> <tr><td>2</td><td>...</td><td>County of 250,000 to 500,000</td></tr> <tr><td>3</td><td>...</td><td>County of 100,000 to 250,000</td></tr> <tr><td>9</td><td>...</td><td>County of less than 100,000</td></tr> <tr><td>Z</td><td>...</td><td>Foreign resident</td></tr> </table>	0	...	County of 1,000,000 or more	1	...	County of 500,000 to 1,000,000	2	...	County of 250,000 to 500,000	3	...	County of 100,000 to 250,000	9	...	County of less than 100,000	Z	...	Foreign resident																					
0	...	County of 1,000,000 or more																																							
1	...	County of 500,000 to 1,000,000																																							
2	...	County of 250,000 to 500,000																																							
3	...	County of 100,000 to 250,000																																							
9	...	County of less than 100,000																																							
Z	...	Foreign resident																																							
59-67	9	<p><u>RIA</u> <u>Reserved Positions</u></p>																																							
68	1	<p><u>MAGERFLG</u> <u>Reported Age of Mother Used Flag</u></p> <p>This position is flagged whenever the mother's reported age is used. The reported age is used, if valid, when age could not be computed or when the computed age is outside the 10-54 code range.</p> <table border="0"> <tr><td>Blank</td><td>...</td><td>Reported age is not used</td></tr> <tr><td>1</td><td>...</td><td>Reported age is used</td></tr> </table>	Blank	...	Reported age is not used	1	...	Reported age is used																																	
Blank	...	Reported age is not used																																							
1	...	Reported age is used																																							
69	1	<p><u>MAGEIMP</u> <u>Age of Mother Imputation Flag</u></p> <table border="0"> <tr><td>Blank</td><td>...</td><td>Age is not imputed</td></tr> <tr><td>1</td><td>...</td><td>Age is imputed</td></tr> </table>	Blank	...	Age is not imputed	1	...	Age is imputed																																	
Blank	...	Age is not imputed																																							
1	...	Age is imputed																																							
70-71	2	<p><u>DMAGE</u> <u>Age of Mother</u></p> <p>This item is: a) computed using dates of birth of mother and of delivery; b) reported; or c) imputed. This is the age item used in NCHS publications.</p> <table border="0"> <tr><td>10-54</td><td>...</td><td>Age in single years</td></tr> </table>	10-54	...	Age in single years																																				
10-54	...	Age in single years																																							
72-73	2	<p><u>MAGE36</u> <u>Age of Mother Recode 36</u></p> <table border="0"> <tr><td>01</td><td>...</td><td>Under 15 years</td></tr> <tr><td>02</td><td>...</td><td>15 years</td></tr> <tr><td>03</td><td>...</td><td>16 years</td></tr> <tr><td>04</td><td>...</td><td>17 years</td></tr> <tr><td>05</td><td>...</td><td>18 years</td></tr> <tr><td>06</td><td>...</td><td>19 years</td></tr> <tr><td>07</td><td>...</td><td>20 years</td></tr> <tr><td>08</td><td>...</td><td>21 years</td></tr> <tr><td>09</td><td>...</td><td>22 years</td></tr> <tr><td>10</td><td>...</td><td>23 years</td></tr> <tr><td>11</td><td>...</td><td>24 years</td></tr> <tr><td>12</td><td>...</td><td>25 years</td></tr> <tr><td>13</td><td>...</td><td>26 years</td></tr> </table>	01	...	Under 15 years	02	...	15 years	03	...	16 years	04	...	17 years	05	...	18 years	06	...	19 years	07	...	20 years	08	...	21 years	09	...	22 years	10	...	23 years	11	...	24 years	12	...	25 years	13	...	26 years
01	...	Under 15 years																																							
02	...	15 years																																							
03	...	16 years																																							
04	...	17 years																																							
05	...	18 years																																							
06	...	19 years																																							
07	...	20 years																																							
08	...	21 years																																							
09	...	22 years																																							
10	...	23 years																																							
11	...	24 years																																							
12	...	25 years																																							
13	...	26 years																																							

2000
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

72-73

2

MAGE36
Age of Mother Recode 36 (Cont'd)

14	...	27 years
15	...	28 years
16	...	29 years
17	...	30 years
18	...	31 years
19	...	32 years
20	...	33 years
21	...	34 years
22	...	35 years
23	...	36 years
24	...	37 years
25	...	38 years
26	...	39 years
27	...	40 years
28	...	41 years
29	...	42 years
30	...	43 years
31	...	44 years
32	...	45 years
33	...	46 years
34	...	47 years
35	...	48 years
36	...	49 years
37	...	50 years
38	...	51 years
39	...	52 years
40	...	53 years
41	...	54 years

74-75

2

MAGE12
Age of Mother Recode 12

01	...	Under 15 years
03	...	15 years
04	...	16 years
05	...	17 years
06	...	18 years
07	...	19 years
08	...	20 - 24 years
09	...	25 - 29 years
10	...	30 - 34 years
11	...	35 - 39 years
12	...	40 - 44 years
13	...	45 - 49 years
14	...	50 - 54 years

76

1

MAGE8
Age of Mother Recode 8

1	...	Under 15 years
2	...	15 - 19 years
3	...	20 - 24 years
4	...	25 - 29 years
5	...	30 - 34 years
6	...	35 - 39 years

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
76	1	<p><u>MAGE8</u> <u>Age of Mother Recode 8 (Cont'd)</u></p> <p>7 ... 40 - 44 years 8 ... 45 - 49 years 9 ... 50 - 54 years</p>
77	1	<p><u>ORMOTH</u> <u>Hispanic Origin of Mother</u></p> <p>Hispanic origin is reported by all areas except Puerto Rico, Northern Marianas, and American Samoa</p> <p>0 ... Non-Hispanic 1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other and unknown Hispanic 9 ... Origin unknown or not stated</p>
78	1	<p><u>ORRACEM</u> <u>Hispanic Origin and Race of Mother Recode</u></p> <p>Hispanic origin is reported by all areas except Puerto Rico, Northern Marianas, and American Samoa</p> <p>1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other and unknown Hispanic 6 ... Non-Hispanic White 7 ... Non-Hispanic Black 8 ... Non-Hispanic other races 9 ... Origin unknown or not stated</p>
79	1	<p><u>MRACEIMP</u> <u>Race of Mother Imputation Flag</u></p> <p>Blank ... Race is not imputed 1 ... Unknown race is imputed 2 ... All other races, formerly code 09, is imputed</p>
80-81	2	<p><u>MRACE</u> <u>Race of Mother</u></p> <p><u>United States occurrence</u> Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18-68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. For consistency with Census race code 09 (all other races) used prior to 1992 has been imputed.</p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
80-81	2	<p><u>MRACE</u> <u>Race of Mother (Cont'd)</u></p> <p>01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes part-Hawaiian) 07 ... Filipino 18 ... Asian Indian 28 ... Korean 38 ... Samoan 48 ... Vietnamese 58 ... Guamanian 68 ... Other Asian or Pacific Islander in areas reporting codes 18-58 78 ... Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately</p> <p><u>Puerto Rico occurrence</u></p> <p>01 ... White 02 ... Black 00 ... Other races</p> <p><u>Virgin Islands occurrence</u></p> <p>01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander</p> <p><u>Guam occurrence</u></p> <p>01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander 58 ... Guamanian</p> <p><u>American Samoa occurrence</u></p> <p>01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese</p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
80-81	2	<p><u>MRACE</u> <u>Race of Mother (Cont'd)</u></p> <p>05 ... Japanese 06 ... Hawaiian (includes part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander</p> <p><u>Northern Marianas occurrence</u></p> <p>01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander</p>
82	1	<p><u>MRACE3</u> <u>Race of Mother Recode</u></p> <p><u>For All Areas</u></p> <p>1 ... White 2 ... Races other than White or Black 3 ... Black</p>
83-84	2	<p><u>DMEDUC</u> <u>Education of Mother</u></p> <p>Effective with 1992 data, all areas report education.</p> <p>00 ... No formal education 01-08 ... Years of elementary school 09 ... 1 year of high school 10 ... 2 years of high school 11 ... 3 years of high school 12 ... 4 years of high school 13 ... 1 year of college 14 ... 2 years of college 15 ... 3 years of college 16 ... 4 years of college 17 ... 5 or more years of college 99 ... Not stated</p>
85	1	<p><u>MEDUC6</u> <u>Education of Mother Recode</u></p> <p>1 ... 0 - 8 years 2 ... 9 - 11 years 3 ... 12 years</p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
85	1	<p><u>MEDUC6</u> <u>Education of Mother Recode (Cont'd)</u></p> <p>4 ... 13 - 15 years 5 ... 16 years and over 6 ... Not stated</p>
86	1	<p><u>DMARIMP</u> <u>Marital Status of Mother Imputation Flag</u></p> <p>Blank ... Marital Status is not imputed 1 ... Marital Status is imputed</p>
87	1	<p><u>DMAR</u> <u>Marital Status of Mother</u></p> <p>Marital status is not reported by all areas. See reporting flags.</p> <p><u>United States/Virgin Island/Guam/American Samoa/Northern Marianas</u></p> <p>1 ... Married 2 ... Unmarried 9 ... Unknown or not stated</p> <p><u>Puerto Rico</u></p> <p>1 ... Married 2 ... Unmarried parents living together 3 ... Unmarried parents not living together 9 ... Unknown or not stated</p>
88-89	2	<p><u>MPLBIR</u> <u>Place of Birth of Mother</u></p> <p>01 ... Alabama 02 ... Alaska 03 ... Arizona 04 ... Arkansas 05 ... California 06 ... Colorado 07 ... Connecticut 08 ... Delaware 09 ... District of Columbia 10 ... Florida 11 ... Georgia 12 ... Hawaii 13 ... Idaho 14 ... Illinois 15 ... Indiana 16 ... Iowa 17 ... Kansas 18 ... Kentucky 19 ... Louisiana 20 ... Maine 21 ... Maryland 22 ... Massachusetts</p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
88-89	2	<u>MPLBIR</u> <u>Place of Birth of Mother (Cont'd)</u> 23 ... Michigan 24 ... Minnesota 25 ... Mississippi 26 ... Missouri 27 ... Montana 28 ... Nebraska 29 ... Nevada 30 ... New Hampshire 31 ... New Jersey 32 ... New Mexico 33 ... New York 34 ... North Carolina 35 ... North Dakota 36 ... Ohio 37 ... Oklahoma 38 ... Oregon 39 ... Pennsylvania 40 ... Rhode Island 41 ... South Carolina 42 ... South Dakota 43 ... Tennessee 44 ... Texas 45 ... Utah 46 ... Vermont 47 ... Virginia 48 ... Washington 49 ... West Virginia 50 ... Wisconsin 51 ... Wyoming 52 ... Puerto Rico 53 ... Virgin Islands 54 ... Guam 61 ... American Samoa 62 ... Northern Marianas 55 ... Canada 56 ... Cuba 57 ... Mexico 59 ... Remainder of the World 99 ... Not classifiable
90	1	<u>MPLBIRR</u> <u>Place of Birth of Mother Recode</u> 1 ... Native born 2 ... Foreign born 3 ... Unknown or not stated
91-92	2	<u>DMAGERPT</u> <u>Reported Age of Mother</u> 10-54 ... Age in single years 99 ... Unknown or not stated

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
93	1	<p><u>ADEQUACY</u> <u>Adequacy Of Care Recode (Kessner Index)</u></p> <p>This recode is based on a modified Kessner criterion. Month Prenatal Care Began, Number of Prenatal Visits, and Gestation are the items used to generate this recode.</p> <p>1 ... Adequate 2 ... Intermediate 3 ... Inadequate 4 ... Unknown</p>
94-95	2	<p><u>NLBNI</u> <u>Number of Live Births, Now Living</u></p> <p>Does not include this birth or adoptions.</p> <p>00-30 ... Stated number of births 99 ... Unknown or not stated</p>
96-97	2	<p><u>NLBND</u> <u>Number of Live Births, Now Dead</u></p> <p>Does not include this birth or adoptions.</p> <p>00-30 ... Stated number of births 99 ... Unknown or not stated</p>
98-99	2	<p><u>NOTERM</u> <u>Number of Other Terminations</u></p> <p>Includes spontaneous and induced at any time after conception.</p> <p>00-30 ... Stated number of other terminations 99 ... Unknown or not stated</p>
100-101	2	<p><u>DLIVORD</u> <u>Detail Live Birth Order</u></p> <p>Sum of live births now living and now dead plus one. If either item is unknown, this item is made unknown.</p> <p>00-31 ... Number of children born alive to mother 99 ... Unknown</p>
102	1	<p><u>LIVORD9</u> <u>Live Birth Order Recode</u></p> <p>1 ... First Child 2 ... Second Child 3 ... Third Child 4 ... Fourth Child 5 ... Fifth Child</p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
102	1	<u>LIVORD9</u> <u>Live Birth Order Recode (Cont'd)</u> 6 ... Sixth Child 7 ... Seventh Child 8 ... Eighth Child and over 9 ... Unknown or not stated
103-104	2	<u>DTOTORD</u> <u>Detail Total Birth Order</u> Sum of live birth order and other terminations. If either item is unknown, this item is made unknown. 01-40 ... Total number of live births and other terminations 99 ... Unknown
105	1	<u>TOTORD9</u> <u>Total Birth Order Recode</u> 1 ... First Child 2 ... Second Child 3 ... Third Child 4 ... Fourth Child 5 ... Fifth Child 6 ... Sixth Child 7 ... Seventh Child 8 ... Eighth Child and over 9 ... Unknown or not stated
106-107	2	<u>MONPRE</u> <u>Detail Month of Pregnancy Prenatal Care Began</u> 00 ... No prenatal care 01 ... 1st month 02 ... 2nd month 03 ... 3rd month 04 ... 4th month 05 ... 5th month 06 ... 6th month 07 ... 7th month 08 ... 8th month 09 ... 9th month 99 ... Unknown or not stated

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
108	1	<u>MPRE6</u> <u>Month Prenatal Care Began Recode 6</u> 1 ... 1st - 2nd month 2 ... 3rd month 3 ... 4th - 6th month 4 ... 7th - 9th month 5 ... No prenatal care 6 ... Unknown or not stated
109	1	<u>MPRE5</u> <u>Month Prenatal Care Began Recode 5</u> 1 ... 1st Trimester (1st-3rd month) 2 ... 2nd Trimester (4th-6th month) 3 ... 3rd Trimester (7th-9th month) 4 ... No Prenatal Care 5 ... Unknown or not stated
110-111	2	<u>NPREVIS</u> <u>Total Number of Prenatal Visits</u> 00 ... No prenatal visits 01-48 ... Stated number of visits 49 ... 49 or more visits 99 ... Unknown or not stated
112-113	2	<u>NPREV12</u> <u>Number of Prenatal Visits Recode</u> 01 ... No visits 02 ... 1 - 2 visits 03 ... 3 - 4 visits 04 ... 5 - 6 visits 05 ... 7 - 8 visits 06 ... 9 - 10 visits 07 ... 11 - 12 visits 08 ... 13 - 14 visits 09 ... 15 - 16 visits 10 ... 17 - 18 visits 11 ... 19 visits or more 12 ... Unknown or not stated number of visits
114-121	8	<u>LMPDATE</u> <u>Date Last Normal Menses Began</u>
114-115	2	<u>LMPMON</u> <u>Month Last Normal Menses Began</u> 01 ... January 02 ... February 03 ... March 04 ... April 05 ... May 06 ... June 07 ... July 08 ... August 09 ... September

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
114-115	2	<u>LMPMON</u> <u>Month Last Normal Menses Began (Cont'd)</u> 10 ... October 11 ... November 12 ... December 99 ... Unknown or not stated month of LMP
116-117	2	<u>LMPDAY</u> <u>Day Last Normal Menses Began</u> 01-31 ... As applicable to month of LMP 99 ... Unknown or not stated day of LMP
118-121	4	<u>LMPYR</u> <u>Year Last Normal Menses Began</u> 1999 ... 1999 2000 ... 2000 9999 ... Unknown or not stated year of LMP
122-132	11	<u>R8</u> Item was dropped in 1994 <u>R8A</u> <u>Reserved Position</u>
133-137	5	<u>Imputed Birthweight</u> Created beginning with 1995 data
133	1	<u>BWIMP</u> <u>Imputed Birthweight Flag</u> Blank ... Birthweight is not imputed 1 ... Birthweight is imputed
134-137	4	<u>Imputed Birthweight</u> 0227-8165 ... Number of grams
138-152	15	<u>R2</u> <u>Reserved Positions</u>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
153	1	<p><u>FAGERFLG</u> <u>Reported Age of Father Used Flag</u></p> <p>This position is flagged whenever the father's reported age in years is used. The reported age is used, if valid, when age derived from date of birth is not available or when it is less than 10.</p> <p>Blank ... Reported age is not used 1 ... Reported age is used</p>
154-155	2	<p><u>DFAGE</u> <u>Age of Father</u></p> <p>This item is either computed from date of birth of father and of child or is the reported age. This is the age item used in NCHS publications.</p> <p>10-98 ... Age in single years 99 ... Unknown or not stated</p>
156-157	2	<p><u>FAGE11</u> <u>Age of Father Recode</u></p> <p>01 ... Under 15 years 02 ... 15 - 19 years 03 ... 20 - 24 years 04 ... 25 - 29 years 05 ... 30 - 34 years 06 ... 35 - 39 years 07 ... 40 - 44 years 08 ... 45 - 49 years 09 ... 50 - 54 years 10 ... 55 - 98 years 11 ... Not stated</p>
158	1	<p><u>ORFATH</u> <u>Hispanic Origin of Father</u></p> <p>Hispanic origin of father is reported by all areas except Puerto Rico, Northern Marianas and American Samoa</p> <p>0 ... Non - Hispanic 1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other and unknown Hispanic 9 ... Origin unknown or not stated</p>

2000
Detail Natality Record

**Tape
Location**

**Field
Size**

Item and Code Outline

159

1

ORRACEF

Hispanic Origin and Race of Father Recode

Hispanic origin of father is reported by all areas except Puerto Rico, Northern Marianas and American Samoa.

1	...	Mexican
2	...	Puerto Rican
3	...	Cuban
4	...	Central or South American
5	...	Other and unknown Hispanic
6	...	Non - Hispanic White
7	...	Non - Hispanic Black
8	...	Non - Hispanic other or unknown race
9	...	Origin unknown or not stated

160-161

2

FRACE

Race of Father

United States occurrence

Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18-68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. For consistency with Census race code 09 (all other races) used prior to 1992 has been Changed to 99.

01	...	White
02	...	Black
03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes part-Hawaiian)
07	...	Filipino
18	...	Asian Indian
28	...	Korean
38	...	Samoan
48	...	Vietnamese
58	...	Guamanian
68	...	Other Asian or Pacific Islander in areas reporting codes 18-58
78	...	Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately
99	...	Unknown or Not Stated

Puerto Rico occurrence

01	...	White
02	...	Black
00	...	Other races
99	...	Unknown or not stated

Virgin Islands occurrence

01	...	White
02	...	Black

2000
Detail Natality Record

**Tape
Location**

**Field
Size**

Item and Code Outline

160-161

2

FRACE

Race of Father (Cont'd)

03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes part-Hawaiian)
07	...	Filipino
08	...	Other Asian or Pacific Islander
99	...	Unknown or Not Stated

Guam occurrence

01	...	White
02	...	Black
03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes part-Hawaiian)
07	...	Filipino
08	...	Other Asian or Pacific Islander
58	...	Guamanian
99	...	Unknown or Not Stated

American Samoa occurrence

01	...	White
02	...	Black
03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes part-Hawaiian)
07	...	Filipino
08	...	Other Asian or Pacific Islander
99	...	Unknown or Not Stated

Northern Marianas occurrence

01	...	White
02	...	Black
03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes part-Hawaiian)
07	...	Filipino
08	...	Other Asian or Pacific Islander

162

1

FRACE4

Race of Father Recode

1	...	White
2	...	Races other than White, Black, or unknown
3	...	Black
4	...	Unknown or not stated

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
163-165	3	<u>R2A</u> <u>Reserved positions</u> Item was dropped in 1995
166-167	2	<u>DFAGERPT</u> <u>Reported Age of Father</u> 10-98 ... Age in single years 99 ... Unknown or not stated
168	1	<u>FRACEIMP</u> <u>Race of Father Imputation Flag</u> (Unknown race of father is not imputed. However, the all other races code is changed to unknown.) Blank ... Race is not changed 3 ... All other races, formerly code 09, is changed to code 99
169	1	<u>R3</u> <u>Reserved Position</u>
170	1	<u>CDOBMIMP</u> <u>Month of Birth of Child Imputation Flag</u> Blank ... Month is not imputed 1 ... Month is imputed
171	1	<u>RB</u> <u>Reserved Position</u>
172-173	2	<u>BIRMON</u> <u>Month of Birth</u> 01 ... January 02 ... February 03 ... March 04 ... April 05 ... May 06 ... June 07 ... July 08 ... August 09 ... September 10 ... October 11 ... November 12 ... December
174-175	2	<u>RC</u> <u>Reserved Positions</u>
176-179	4	<u>BIRYR</u> <u>Year of Birth</u> 2000 ... 2000

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>																														
180	1	<p><u>WEEKDAY</u> <u>Day of Week Child Born</u></p> <table border="0"> <tr><td>1</td><td>...</td><td>Sunday</td></tr> <tr><td>2</td><td>...</td><td>Monday</td></tr> <tr><td>3</td><td>...</td><td>Tuesday</td></tr> <tr><td>4</td><td>...</td><td>Wednesday</td></tr> <tr><td>5</td><td>...</td><td>Thursday</td></tr> <tr><td>6</td><td>...</td><td>Friday</td></tr> <tr><td>7</td><td>...</td><td>Saturday</td></tr> </table>	1	...	Sunday	2	...	Monday	3	...	Tuesday	4	...	Wednesday	5	...	Thursday	6	...	Friday	7	...	Saturday									
1	...	Sunday																														
2	...	Monday																														
3	...	Tuesday																														
4	...	Wednesday																														
5	...	Thursday																														
6	...	Friday																														
7	...	Saturday																														
181	1	<p><u>GESTESTM</u> <u>Clinical Estimate of Gestation Used Flag</u></p> <p>This position is flagged whenever the clinical estimate of gestation is used. It is used when gestation could not be computed or when the computed gestation is outside the 17-47 code range.</p> <table border="0"> <tr><td>Blank</td><td>...</td><td>Clinical Estimate is not used</td></tr> <tr><td>1</td><td>...</td><td>Clinical Estimate is used</td></tr> </table>	Blank	...	Clinical Estimate is not used	1	...	Clinical Estimate is used																								
Blank	...	Clinical Estimate is not used																														
1	...	Clinical Estimate is used																														
182	1	<p><u>GESTIMP</u> <u>Gestation Imputation Flag</u></p> <table border="0"> <tr><td>Blank</td><td>...</td><td>Gestation is not imputed</td></tr> <tr><td>1</td><td>...</td><td>Gestation is imputed</td></tr> </table>	Blank	...	Gestation is not imputed	1	...	Gestation is imputed																								
Blank	...	Gestation is not imputed																														
1	...	Gestation is imputed																														
183-184	2	<p><u>DGESTAT</u> <u>Gestation - Detail in Weeks</u></p> <p>This item is: a) computed using dates of birth of child and last normal menses; b) imputed from LMP date; c) the clinical estimate; or d) unknown when there is insufficient data to impute or no valid clinical estimate. This is the gestation item used in NCHS publications.</p> <table border="0"> <tr><td>17-47</td><td>...</td><td>17th through 47th week of gestation</td></tr> <tr><td>99</td><td>...</td><td>Unknown</td></tr> </table>	17-47	...	17th through 47th week of gestation	99	...	Unknown																								
17-47	...	17th through 47th week of gestation																														
99	...	Unknown																														
185-186	2	<p><u>GESTAT10</u> <u>Gestation Recode 10</u></p> <table border="0"> <tr><td>01</td><td>...</td><td>Under 20 weeks</td></tr> <tr><td>02</td><td>...</td><td>20 - 27 weeks</td></tr> <tr><td>03</td><td>...</td><td>28 - 31 weeks</td></tr> <tr><td>04</td><td>...</td><td>32 - 35 weeks</td></tr> <tr><td>05</td><td>...</td><td>36 weeks</td></tr> <tr><td>06</td><td>...</td><td>37 - 39 weeks</td></tr> <tr><td>07</td><td>...</td><td>40 weeks</td></tr> <tr><td>08</td><td>...</td><td>41 weeks</td></tr> <tr><td>09</td><td>...</td><td>42 weeks and over</td></tr> <tr><td>10</td><td>...</td><td>Not stated</td></tr> </table>	01	...	Under 20 weeks	02	...	20 - 27 weeks	03	...	28 - 31 weeks	04	...	32 - 35 weeks	05	...	36 weeks	06	...	37 - 39 weeks	07	...	40 weeks	08	...	41 weeks	09	...	42 weeks and over	10	...	Not stated
01	...	Under 20 weeks																														
02	...	20 - 27 weeks																														
03	...	28 - 31 weeks																														
04	...	32 - 35 weeks																														
05	...	36 weeks																														
06	...	37 - 39 weeks																														
07	...	40 weeks																														
08	...	41 weeks																														
09	...	42 weeks and over																														
10	...	Not stated																														

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
187	1	<u>GESTAT3</u> <u>Gestation Recode 3</u> 1 ... Under 37 weeks 2 ... 37 weeks and over 3 ... Not stated
188	1	<u>CSEXIMP</u> <u>Sex Imputation Flag</u> Blank ... Sex is not imputed 1 ... Sex is imputed
189	1	<u>CSEX</u> <u>Sex</u> 1 ... Male 2 ... Female
190-192	3	<u>RD</u> <u>Reserved Positions</u>
193-196	4	<u>DBIRWT</u> <u>Birth Weight - Detail in Grams</u> 0227-8165 ... Number of grams 9999 ... Not stated birth weight
197-198	2	<u>BIRWT12</u> <u>Birth Weight Recode 12</u> 01 ... 499 grams or less 02 ... 500 - 999 grams 03 ... 1000 - 1499 grams 04 ... 1500 - 1999 grams 05 ... 2000 - 2499 grams 06 ... 2500 - 2999 grams 07 ... 3000 - 3499 grams 08 ... 3500 - 3999 grams 09 ... 4000 - 4499 grams 10 ... 4500 - 4999 grams 11 ... 5000 - 8165 grams 12 ... Not stated
199	1	<u>BIRWT4</u> <u>Birth Weight Recode 4</u> 1 ... 1499 grams or less 2 ... 1500 - 2499 grams 3 ... 2500 - grams or more 4 ... Unknown or not stated
200	1	<u>PLURIMP</u> <u>Plurality Imputation Flag</u> Blank ... Plurality is not imputed 1 ... Plurality is imputed

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
201	1	<p><u>DPLURAL</u> <u>Plurality</u></p> <p>1 ... Single 2 ... Twin 3 ... Triplet 4 ... Quadruplet 5 ... Quintuplet or higher</p>
202-204	3	<p><u>R6</u> <u>Reserved positions</u></p> <p>Item was dropped in 1995</p>
205-206	2	<p><u>FMAPS</u> <u>Five Minute Apgar Score</u></p> <p>Apgar Score is not reported by all areas. See reporting flags.</p> <p>00-10 ... A score of 0-10 99 ... Unknown or not stated</p>
207	1	<p><u>FMAPSR</u> <u>Five Minute Apgar Score Recode</u></p> <p>Apgar Score is not reported by all areas. See reporting flags.</p> <p>1 ... A score of 0-3 2 ... A score of 4-6 3 ... A score of 7-8 4 ... A score of 9-10 5 ... Not stated</p>
208-209	2	<p><u>CLINGEST</u> <u>Clinical Estimate of Gestation</u></p> <p>Clinical estimate is not reported by all areas. See reporting flags.</p> <p>17-47 ... Estimated gestation in weeks 99 ... Unknown or not stated</p>
210-216	7	<p><u>R4</u> <u>Reserved Positions</u></p>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>															
217-306	90	<p><u>MEDINFO</u> <u>Medical and Health Data</u></p> <p>Some States do not report an entire item while other States do not report all of the categories within an item.</p> <p>If an item is not reported, it is indicated by code zero in the appropriate reporting flag.</p> <p>If a category within an item is not reported it is indicated by code 8 in the position for that category.</p>															
217-222	6	<p><u>DELMETH</u> <u>Method of Delivery</u></p> <p>Each method is assigned a separate position, and the code structure for each method (position) is:</p> <table border="0"> <tr> <td>1</td> <td>...</td> <td>The method was used</td> </tr> <tr> <td>2</td> <td>...</td> <td>The method was not used</td> </tr> <tr> <td>8</td> <td>...</td> <td>Method not on certificate</td> </tr> <tr> <td>9</td> <td>...</td> <td>Method unknown or not stated</td> </tr> </table>	1	...	The method was used	2	...	The method was not used	8	...	Method not on certificate	9	...	Method unknown or not stated			
1	...	The method was used															
2	...	The method was not used															
8	...	Method not on certificate															
9	...	Method unknown or not stated															
217	1	<p><u>VAGINAL</u> <u>Vaginal</u></p>															
218	1	<p><u>VBAC</u> <u>Vaginal birth after previous C-section</u></p>															
219	1	<p><u>PRIMAC</u> <u>Primary C -section</u></p>															
220	1	<p><u>REPEAC</u> <u>Repeat C -section</u></p>															
221	1	<p><u>FORCEP</u> <u>Forceps</u></p>															
222	1	<p><u>VACUUM</u> <u>Vacuum</u></p>															
223	1	<p><u>R5</u> <u>Reserved Position</u></p>															
224	1	<p><u>DELMETH5</u> <u>Method of Delivery Recode</u></p> <table border="0"> <tr> <td>1</td> <td>...</td> <td>Vaginal (excludes vaginal after previous C-section)</td> </tr> <tr> <td>2</td> <td>...</td> <td>Vaginal birth after previous C-section</td> </tr> <tr> <td>3</td> <td>...</td> <td>Primary C -section</td> </tr> <tr> <td>4</td> <td>...</td> <td>Repeat C -section</td> </tr> <tr> <td>5</td> <td>...</td> <td>Not stated</td> </tr> </table>	1	...	Vaginal (excludes vaginal after previous C-section)	2	...	Vaginal birth after previous C-section	3	...	Primary C -section	4	...	Repeat C -section	5	...	Not stated
1	...	Vaginal (excludes vaginal after previous C-section)															
2	...	Vaginal birth after previous C-section															
3	...	Primary C -section															
4	...	Repeat C -section															
5	...	Not stated															

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
225-241	17	<u>MEDRISK</u> <u>Medical Risk Factors</u> Each risk factor is assigned a separate position, and the code structure for each risk factor (position) is: 1 ... Factor reported 2 ... Factor not reported 8 ... Factor not on certificate 9 ... Factor not classifiable
225	1	<u>ANEMIA</u> <u>Anemia (Hct.<30/Hgb.<10)</u>
226	1	<u>CARDIAC</u> <u>Cardiac disease</u>
227	1	<u>LUNG</u> <u>Acute or chronic lung disease</u>
228	1	<u>DIABETES</u> <u>Diabetes</u>
229	1	<u>HERPES</u> <u>Genital herpes</u>
230	1	<u>HYDRA</u> <u>Hydramnios/Oligohydramnios</u>
231	1	<u>HEMO</u> <u>Hemoglobinopathy</u>
232	1	<u>CHYPER</u> <u>Hypertension, chronic</u>
233	1	<u>PHYPER</u> <u>Hypertension, pregnancy-associated</u>
234	1	<u>ECLAMP</u> <u>Eclampsia</u>
235	1	<u>INCERVIX</u> <u>Incompetent cervix</u>
236	1	<u>PRE4000</u> <u>Previous infant 4000+ grams</u>
237	1	<u>PRETERM</u> <u>Previous preterm or small-for-gestational-age infant</u>
238	1	<u>RENAL</u> <u>Renal disease</u>
239	1	<u>RH</u> <u>Rh sensitization</u>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
240	1	<u>UTERINE</u> <u>Uterine bleeding</u>
241	1	<u>OTHERMR</u> <u>Other Medical Risk Factors</u>
242-252	11	<u>OTHERRSK</u> <u>Other Risk Factors for this Pregnancy</u>
242-245	4	<u>TOBACRSK</u> <u>Tobacco Risks</u>
242	1	<u>TOBACCO</u> <u>Tobacco Use During Pregnancy</u>
		1 ... Yes 2 ... No 9 ... Unknown or not stated
243-244	2	<u>CIGAR</u> <u>Average Number of Cigarettes Per Day</u>
		00-97 ... As stated 98 ... 98 or more cigarettes per day 99 ... Unknown or not stated
245	1	<u>CIGAR6</u> <u>Average Number of Cigarettes Per Day Recode</u>
		0 ... Nonsmoker 1 ... 1 - 5 cigarettes per day 2 ... 6 - 10 cigarettes per day 3 ... 11 - 20 cigarettes per day 4 ... 21 - 40 cigarettes per day 5 ... 41 or more cigarettes per day 6 ... Unknown or not stated
246-249	4	<u>ALCOHRSK</u> <u>Alcohol</u>
246	1	<u>ALCOHOL</u> <u>Alcohol Use During Pregnancy</u>
		1 ... Yes 2 ... No 9 ... Unknown or not stated
247-248	2	<u>DRINK</u> <u>Average Number of Drinks Per Week</u>
		00-97 ... As stated 98 ... 98 or more drinks per week 99 ... Unknown or not stated

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
249	1	<u>DRINK5</u> <u>Average Number of Drinks Per Week Recode</u> 0 ... Non drinker 1 ... 1 drink per week 2 ... 2 drinks per week 3 ... 3 - 4 drinks per week 4 ... 5 or more drinks per week 5 ... Unknown or not stated
250-252	3	<u>WTGANRSK</u> <u>Weight Gain During Pregnancy</u>
250-251	2	<u>WTGAIN</u> <u>Weight Gain</u> 00-97 ... Stated number of pounds 98 ... 98 pounds or more 99 ... Unknown or not stated
252	1	<u>WTGAIN9</u> <u>Weight Gain Recode</u> 1 ... Less than 16 pounds 2 ... 16 - 20 pounds 3 ... 21 - 25 pounds 4 ... 26 - 30 pounds 5 ... 31 - 35 pounds 6 ... 36 - 40 pounds 7 ... 41 - 45 pounds 8 ... 46 or more pounds 9 ... Unknown or not stated
253-259	7	<u>OBSTETRC</u> <u>Obstetric Procedures</u> Each procedure is assigned a separate position, and the code structure for each procedure (position) is: 1 ... Procedure reported 2 ... Procedure not reported 8 ... Procedure not on certificate 9 ... Procedure not classifiable
253	1	<u>AMNIO</u> <u>Amniocentesis</u>
254	1	<u>MONITOR</u> <u>Electronic fetal monitoring</u>
255	1	<u>INDUCT</u> <u>Induction of labor</u>
256	1	<u>STIMULA</u> <u>Stimulation of labor</u>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
257	1	<u>TOCOL</u> <u>Tocolysis</u>
258	1	<u>ULTRAS</u> <u>Ultrasound</u>
259	1	<u>OTHEROB</u> <u>Other Obstetric Procedures</u>
260-275	16	<u>LABOR</u> <u>Complications of Labor and/or Delivery</u> Each complication is assigned a separate position, and the code structure for each complication (position) is: 1 ... Complication reported 2 ... Complication not reported 8 ... Complication not on certificate 9 ... Complication not classifiable
260	1	<u>FEBRILE</u> <u>Febrile (>100 degrees F. or 38 degrees C.)</u>
261	1	<u>MECONIUM</u> <u>Meconium, moderate/heavy</u>
262	1	<u>RUPTURE</u> <u>Premature rupture of membrane (>12 hours)</u>
263	1	<u>ABRUPTIO</u> <u>Abruptio placenta</u>
264	1	<u>PREPLACE</u> <u>Placenta previa</u>
265	1	<u>EXCEBLD</u> <u>Other excessive bleeding</u>
266	1	<u>SEIZURE</u> <u>Seizures during labor</u>
267	1	<u>PRECIP</u> <u>Precipitous labor (<3 hours)</u>
268	1	<u>PROLONG</u> <u>Prolonged labor (>20 hours)</u>
269	1	<u>DYSFUNC</u> <u>Dysfunctional labor</u>
270	1	<u>BREECH</u> <u>Breech/Malpresentation</u>
271	1	<u>CEPHALO</u> <u>Cephalopelvic disproportion</u>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
272	1	<u>CORD</u> <u>Cord prolapse</u>
273	1	<u>ANESTHE</u> <u>Anesthetic complications</u>
274	1	<u>DISTRESS</u> <u>Fetal distress</u>
275	1	<u>OTHERLB</u> <u>Other Complication of Labor and/or Delivery</u>
276-284	9	<u>NEWBORN</u> <u>Abnormal Conditions of the Newborn</u>
		Each condition is assigned a separate position, and the code structure for each condition (position) is:
		1 ... Condition reported
		2 ... Condition not reported
		8 ... Condition not on certificate
		9 ... Condition not classifiable
276	1	<u>NANEMIA</u> <u>Anemia (Hct.<39/Hgb.<13)</u>
277	1	<u>INJURY</u> <u>Birth injury</u>
278	1	<u>ALCOSYN</u> <u>Fetal alcohol syndrome</u>
279	1	<u>HYALINE</u> <u>Hyaline membrane disease</u>
280	1	<u>MECONSYN</u> <u>Meconium aspiration syndrome</u>
281	1	<u>VENL30</u> <u>Assisted ventilation, less than 30 minutes</u>
282	1	<u>VEN30M</u> <u>Assisted ventilation, 30 minutes or more</u>
283	1	<u>NSEIZ</u> <u>Seizures</u>
284	1	<u>OTHERAB</u> <u>Other Abnormal Conditions of the Newborn</u>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
285-306	22	<u>CONGENIT</u> <u>Congenital Anomalies</u> Each anomaly is assigned a separate position, and the code structure for each anomaly (position) is: 1 ... Anomaly reported 2 ... Anomaly not reported 8 ... Anomaly not on certificate 9 ... Anomaly not classifiable
285	1	<u>ANEN</u> <u>Anencephalus</u>
286	1	<u>SPINA</u> <u>Spina bifida/Meningocele</u>
287	1	<u>HYDRO</u> <u>Hydrocephalus</u>
288	1	<u>MICROCE</u> <u>Microcephalus</u>
289	1	<u>NERVOUS</u> <u>Other central nervous system anomalies</u>
290	1	<u>HEART</u> <u>Heart malformations</u>
291	1	<u>CIRCUL</u> <u>Other circulatory/respiratory anomalies</u>
292	1	<u>RECTAL</u> <u>Rectal atresia/stenosis</u>
293	1	<u>TRACHEO</u> <u>Tracheo - esophageal fistula/Esophageal atresia</u>
294	1	<u>OMPHALO</u> <u>Omphalocele/Gastroschisis</u>
295	1	<u>GASTRO</u> <u>Other gastrointestinal anomalies</u>
296	1	<u>GENITAL</u> <u>Malformed genitalia</u>
297	1	<u>RENALAGE</u> <u>Renal agenesis</u>
298	1	<u>UROGEN</u> <u>Other urogenital anomalies</u>
299	1	<u>CLEFTLP</u> <u>Cleft lip/palate</u>
300	1	<u>ADACTYLY</u> <u>Polydactyly/Syndactyly/Adactyly</u>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
301	1	<u>CLUBFOOT</u> <u>Club foot</u>
302	1	<u>HERNIA</u> <u>Diaphragmatic hernia</u>
303	1	<u>MUSCULO</u> <u>Other musculoskeletal/integumental anomalies</u>
304	1	<u>DOWNS</u> <u>Down's syndrome</u>
305	1	<u>CHROMO</u> <u>Other chromosomal anomalies</u>
306	1	<u>OTHERCON</u> <u>Other Congenital Anomalies</u>
307-325	19	<u>FLRES</u> <u>Reporting Flags for Place of Residence</u> These positions contain flags to indicate whether or not the specified item is included on the birth certificate of the State of residence or of the MSA of residence. The code structure for each flag (position) is: 0 ... The item is not reported 1 ... The item is reported or partially reported.
307	1	<u>ORIGM</u> <u>Origin of mother</u>
308	1	<u>ORIGF</u> <u>Origin of father</u>
309	1	<u>EDUCM</u> <u>Education of mother</u>
310	1	<u>EDUCF</u> <u>Education of father</u>
311	1	<u>GESTE</u> <u>Clinical estimate of gestation</u>
312	1	<u>R6A</u> <u>Reserved position</u>
313	1	<u>FMAPSRF</u> <u>5 - minute Apgar score</u>
314	1	<u>DELMETRF</u> <u>Method of delivery</u>
315	1	<u>MEDRSK</u> <u>Medical risk factors</u>

2000
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
316	1	<u>TOBUSE</u> <u>Tobacco use</u>
317	1	<u>ALCUSE</u> <u>Alcohol use</u>
318	1	<u>WTGN</u> <u>Weight gain</u>
319	1	<u>OBSTRC</u> <u>Obstetric procedures</u>
320	1	<u>CLABOR</u> <u>Complications of labor and/or delivery</u>
321	1	<u>ABNML</u> <u>Abnormal conditions of newborn</u>
322	1	<u>CONGAN</u> <u>Congenital anomalies</u>
323	1	<u>R6</u> <u>Reserved Position</u>
324	1	<u>EDUCMSA</u> <u>Education of Mother (Based on MSA)</u>
325	1	<u>APIFLAG</u> <u>Race codes 18-68 reported (beginning with 1992 data)</u>
326-346	21	<u>R7</u> <u>Reserved positions</u>
347-349	3	<u>SMSARES</u> <u>PSMA/MSA of Residence (NCHS)</u>

Primary Metropolitan Statistical Areas and Metropolitan Statistical Areas are those defined by the U.S. Office of Management and Budget (OMB) as of June 30, 1990. For New England, the New England County Metropolitan Areas (NECMA's) are used.

Further back in this document is a list of PMSA's, MSA's, NECMA's, and their component counties.

000	...	Nonmetropolitan counties
001-320	...	Code range
999	...	Area of less than 100,000 population
ZZZ	...	Foreign residents

2000
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

350

1

POPSMAS

PMSA/MSA Population Size

Based on 1990 Census county population counts

1	...	Area of 250,000 or more
2	...	Area of 100,000 to 250,000
9	...	Area of less than 100,000 or nonmetropolitan area
Z	...	Foreign resident