

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ALL RACES, ALL BIRTHWEIGHTS						
ALL CAUSES.....	NUMBER... 4,026,036	27,523	18,275	14,622	3,653	9,248
	RATE.....	683.6	453.9	363.2	90.7	229.7
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 5,538	5,538	3,906	2,984	923	1,632
	RATE.....	137.6	97.0	74.1	22.9	40.5
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....	NUMBER... 4,408	4,408	4,324	4,195	129	84
	RATE.....	109.5	107.4	104.2	3.2	2.1
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 2,236	2,236	186	24	162	2,049
	RATE.....	55.5	4.6	.6	4.0	50.9
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 1,501	1,501	1,493	1,469	23	8
	RATE.....	37.3	37.1	36.5	.6	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 1,019	1,019	953	763	190	66
	RATE.....	25.3	23.7	18.9	4.7	1.6
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 1,014	1,014	995	961	34	19
	RATE.....	25.2	24.7	23.9	.9	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... 970	970	103	17	85	867
	RATE.....	24.1	2.5	*	2.1	21.5
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 695	695	649	282	367	46
	RATE.....	17.3	16.1	7.0	9.1	1.2
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... 616	616	216	138	79	400
	RATE.....	15.3	5.4	3.4	2.0	9.9
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....	NUMBER... 531	531	508	392	116	23
	RATE.....	13.2	12.6	9.7	2.9	.6
ALL OTHER CAUSES.....	NUMBER... 8,994	8,994	4,941	3,396	1,545	4,053
	RATE.....	223.4	122.7	84.4	38.4	100.7

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ALL RACES, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	NUMBER... 309,760	18,151	14,752	12,413	2,339	3,399
	RATE.....	5,859.6	4,762.4	4,007.2	755.2	1,097.2
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 3,134	3,134	2,461	2,056	404	673
	RATE.....	1,011.8	794.4	663.9	130.6	217.3
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....	NUMBER... 4,218	4,218	4,136	4,008	128	82
	RATE.....	1,361.8	1,335.1	1,293.9	41.2	26.6
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 432	432	35	4	31	397
	RATE.....	139.4	11.4	*	10.1	128.0
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 1,422	1,422	1,415	1,392	23	7
	RATE.....	459.1	456.8	449.3	7.5	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 983	983	921	738	183	61
	RATE.....	317.3	297.5	238.4	59.1	19.8
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 877	877	863	843	19	14
	RATE.....	283.0	278.5	272.3	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... 146	146	20	7	13	126
	RATE.....	47.1	6.5	*	*	40.6
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 599	599	555	236	319	43
	RATE.....	193.2	179.2	76.2	103.0	14.0
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... 266	266	120	83	37	146
	RATE.....	85.9	38.8	26.8	12.0	47.1
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....	NUMBER... 270	270	265	215	49	5
	RATE.....	87.0	85.4	69.4	16.0	*
ALL OTHER CAUSES.....	NUMBER... 5,805	5,805	3,961	2,830	1,132	1,844
	RATE.....	1,874.1	1,278.8	913.4	365.4	595.2

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ALL RACES, 2,500 GRAMS OR MORE						
ALL CAUSES.....	NUMBER... 3,714,965	8,989	3,164	1,862	1,302	5,825
	RATE.....	242.0	85.2	50.1	35.0	156.8
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 2,366	2,366	1,413	896	517	952
	RATE.....	63.7	38.0	24.1	13.9	25.6
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....	NUMBER... 31	31	30	29	1	1
	RATE.....	.8	.8	.8	*	*
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 1,801	1,801	150	19	130	1,651
	RATE.....	48.5	4.0	*	3.5	44.4
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 23	23	22	22	-	1
	RATE.....	.6	.6	.6	-	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 30	30	25	18	7	5
	RATE.....	.8	.7	*	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 112	112	107	92	15	5
	RATE.....	3.0	2.9	2.5	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... 823	823	82	10	72	740
	RATE.....	22.1	2.2	*	1.9	19.9
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 94	94	91	44	47	3
	RATE.....	2.5	2.4	1.2	1.3	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... 346	346	94	54	40	252
	RATE.....	9.3	2.5	1.4	1.1	6.8
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....	NUMBER... 255	255	239	173	66	16
	RATE.....	6.9	6.4	4.7	1.8	*
ALL OTHER CAUSES.....	NUMBER... 3,108	3,108	909	504	405	2,199
	RATE.....	83.7	24.5	13.6	10.9	59.2

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ALL RACES, NOT STATED BIRTHWEIGHT						
ALL CAUSES.....	NUMBER... 1,311	383	359	347	12	24
	RATE.....	29,221.2	27,378.0	26,452.3	*	1,843.2
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 38	32	31	1	6	*
	RATE.....	2,924.7	2,463.8	2,383.6	*	*
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....	NUMBER... 159	158	158	-	1	*
	RATE.....	12,113.3	12,036.9	12,036.9	-	*
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 3	1	1	-	2	*
	RATE.....	*	*	*	-	*
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 56	56	56	-	-	-
	RATE.....	4,240.0	4,240.0	4,240.0	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 6	6	6	-	-	-
	RATE.....	*	*	*	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 25	25	25	-	-	-
	RATE.....	1,923.2	1,923.2	1,923.2	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... 1	-	-	-	1	*
	RATE.....	*	-	-	-	*
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 3	3	2	1	-	-
	RATE.....	*	*	*	*	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... 4	2	1	1	2	*
	RATE.....	*	*	*	*	*
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....	NUMBER... 7	5	4	1	2	*
	RATE.....	*	*	*	*	*
ALL OTHER CAUSES.....	NUMBER... 81	71	63	8	10	*
	RATE.....	6,164.2	5,396.1	4,782.0	*	*

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, ALL BIRTHWEIGHTS						
ALL CAUSES.....	NUMBER... 3,177,698	18,087	12,078	9,571	2,506	6,009
	RATE.....	569.2	380.1	301.2	78.9	189.1
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 4,261	4,261	3,065	2,362	704	1,196
	RATE.....	134.1	96.5	74.3	22.1	37.6
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....	NUMBER... 2,463	2,463	2,422	2,343	79	41
	RATE.....	77.5	76.2	73.7	2.5	1.3
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 1,449	1,449	137	17	120	1,312
	RATE.....	45.6	4.3	*	3.8	41.3
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 932	932	928	913	14	4
	RATE.....	29.3	29.2	28.7	*	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 633	633	597	471	126	36
	RATE.....	19.9	18.8	14.8	4.0	1.1
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 696	696	684	659	25	12
	RATE.....	21.9	21.5	20.7	.8	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... 657	657	72	10	62	584
	RATE.....	20.7	2.3	*	2.0	18.4
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 439	439	414	182	232	25
	RATE.....	13.8	13.0	5.7	7.3	.8
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... 408	408	151	95	55	257
	RATE.....	12.8	4.7	3.0	1.7	8.1
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....	NUMBER... 391	391	376	288	88	15
	RATE.....	12.3	11.8	9.1	2.8	*
ALL OTHER CAUSES.....	NUMBER... 5,759	5,759	3,232	2,231	1,002	2,527
	RATE.....	181.2	101.7	70.2	31.5	79.5

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	212,870	11,380	9,419	7,907	1,512	1,961
		5,345.8	4,424.6	3,714.3	710.3	921.2
CONGENITAL MALFORMATIONS (Q00-Q99).....		2,412	1,924	1,620	304	488
		1,133.2	903.9	760.9	143.0	229.3
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....		2,363	2,323	2,245	78	40
		1,110.1	1,091.2	1,054.7	36.4	18.9
SUDDEN INFANT DEATH SYNDROME (R95).....		233	25	3	22	207
		109.3	11.9	*	10.4	97.4
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		880	877	863	14	3
		413.5	412.0	405.4	*	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....		609	577	456	121	32
		286.0	270.9	214.2	56.7	15.1
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		585	577	562	14	8
		274.6	270.8	264.2	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		84	11	3	8	73
		39.3	*	*	*	34.1
BACTERIAL SEPSIS OF NEWBORN (P36).....		360	335	143	192	24
		168.9	157.6	67.2	90.3	11.4
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		175	85	59	26	90
		82.0	39.9	27.6	12.3	42.1
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....		184	181	147	33	3
		86.2	84.8	69.2	15.7	*
ALL OTHER CAUSES.....		3,497	2,504	1,805	699	993
		1,642.8	1,176.4	848.0	328.4	466.4

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, 2,500 GRAMS OR MORE						
ALL CAUSES.....	NUMBER... 2,963,831 RATE.....	6,461 218.0	2,434 82.1	1,449 48.9	984 33.2	4,027 135.9
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... RATE.....	1,815 61.2	1,112 37.5	714 24.1	398 13.4	703 23.7
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....	NUMBER... RATE.....	17 *	17 *	16 *	1 *	- -
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... RATE.....	1,213 40.9	111 3.7	13 *	97 3.3	1,102 37.2
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... RATE.....	19 *	18 *	18 *	- -	1 *
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... RATE.....	21 .7	17 *	12 *	5 *	4 *
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... RATE.....	92 3.1	88 3.0	77 2.6	11 *	4 *
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... RATE.....	572 19.3	61 2.1	7 *	54 1.8	511 17.2
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... RATE.....	77 2.6	76 2.6	36 1.2	39 1.3	1 *
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... RATE.....	229 7.7	64 2.1	36 1.2	28 1.0	165 5.6
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....	NUMBER... RATE.....	202 6.8	192 6.5	139 4.7	53 1.8	10 *
ALL OTHER CAUSES.....	NUMBER... RATE.....	2,204 74.3	677 22.9	381 12.9	296 10.0	1,526 51.5

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, NOT STATED BIRTHWEIGHT						
ALL CAUSES.....	997	247	226	215	10	21
		24,742.9	22,621.5	21,604.8	*	2,121.3
CONGENITAL MALFORMATIONS (Q00-Q99).....		34	29	28	1	5
		3,443.0	2,938.0	2,832.5	*	*
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....		83	82	82	-	1
		8,325.8	8,225.3	8,225.3	-	*
SUDDEN INFANT DEATH SYNDROME (R95).....		3	1	1	-	2
		*	*	*	-	*
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		32	32	32	-	-
		3,242.0	3,242.0	3,242.0	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....		3	3	3	-	-
		*	*	*	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		19	19	19	-	-
		*	*	*	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		1	-	-	-	1
		*	-	-	-	*
BACTERIAL SEPSIS OF NEWBORN (P36).....		3	3	2	1	-
		*	*	*	*	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		4	2	1	1	2
		*	*	*	*	*
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....		5	3	2	1	2
		*	*	*	*	*
ALL OTHER CAUSES.....		59	51	45	6	8
		5,883.9	5,075.2	4,468.3	*	*

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, ALL BIRTHWEIGHTS						
ALL CAUSES.....	NUMBER... 606,183	8,084	5,396	4,425	971	2,688
	RATE.....	1,333.6	890.2	730.0	160.2	443.4
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 982	982	650	488	162	332
	RATE.....	162.1	107.3	80.5	26.8	54.8
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....	NUMBER... 1,779	1,779	1,737	1,690	47	42
	RATE.....	293.5	286.5	278.7	7.8	7.0
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 688	688	39	6	33	649
	RATE.....	113.5	6.5	*	5.5	107.1
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 517	517	512	504	8	4
	RATE.....	85.2	84.5	83.2	*	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 346	346	319	262	57	26
	RATE.....	57.0	52.7	43.2	9.4	4.3
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 280	280	274	266	8	6
	RATE.....	46.2	45.2	43.9	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... 251	251	27	6	21	224
	RATE.....	41.5	4.5	*	3.5	37.0
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 229	229	212	88	124	17
	RATE.....	37.7	34.9	14.5	20.4	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... 177	177	52	31	21	125
	RATE.....	29.2	8.6	5.2	3.5	20.6
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....	NUMBER... 118	118	111	87	24	7
	RATE.....	19.5	18.4	14.4	4.0	*
ALL OTHER CAUSES.....	NUMBER... 2,717	2,717	1,462	997	465	1,255
	RATE.....	448.2	241.1	164.4	76.7	207.1

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	78,760	5,960	4,708	3,992	716	1,252
.....NUMBER...						
.....RATE.....		7,567.6	5,977.9	5,068.3	909.6	1,589.7
CONGENITAL MALFORMATIONS (Q00-Q99).....		569	422	345	78	147
.....NUMBER...						
.....RATE.....		722.6	536.2	437.4	98.8	186.4
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....		1,700	1,659	1,612	47	41
.....NUMBER...						
.....RATE.....		2,158.6	2,106.2	2,046.3	59.9	52.4
SUDDEN INFANT DEATH SYNDROME (R95).....		180	10	1	9	170
.....NUMBER...						
.....RATE.....		228.7	*	*	*	215.9
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		493	489	481	8	4
.....NUMBER...						
.....RATE.....		626.3	621.2	610.9	*	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....		336	311	256	55	25
.....NUMBER...						
.....RATE.....		427.1	395.2	325.1	70.2	31.9
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		260	254	249	5	6
.....NUMBER...						
.....RATE.....		329.7	322.1	315.6	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		53	6	3	3	47
.....NUMBER...						
.....RATE.....		67.6	*	*	*	60.0
BACTERIAL SEPSIS OF NEWBORN (P36).....		213	198	82	116	15
.....NUMBER...						
.....RATE.....		269.9	250.8	104.0	146.8	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		79	27	17	10	52
.....NUMBER...						
.....RATE.....		100.8	34.5	*	*	66.3
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....		77	75	61	14	2
.....NUMBER...						
.....RATE.....		97.6	95.0	77.2	*	*
ALL OTHER CAUSES.....		1,999	1,257	886	371	742
.....NUMBER...						
.....RATE.....		2,538.7	1,596.3	1,125.0	471.3	942.4

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, 2,500 GRAMS OR MORE						
ALL CAUSES.....	NUMBER... 527,185	2,009	574	320	254	1,435
	RATE.....	381.0	108.8	60.7	48.1	272.2
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 410	410	225	140	85	185
	RATE.....	77.8	42.7	26.6	16.1	35.1
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....	NUMBER... 11	11	10	10	-	1
	RATE.....	*	*	*	-	*
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 508	508	29	5	24	479
	RATE.....	96.4	5.5	*	4.6	90.9
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 3	3	3	3	-	-
	RATE.....	*	*	*	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 7	7	6	4	2	1
	RATE.....	*	*	*	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 17	17	17	14	3	-
	RATE.....	*	*	*	*	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... 198	198	21	3	18	177
	RATE.....	37.6	4.0	*	*	33.6
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 16	16	14	6	8	2
	RATE.....	*	*	*	*	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... 98	98	25	14	11	72
	RATE.....	18.5	4.8	*	*	13.7
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....	NUMBER... 39	39	34	24	10	5
	RATE.....	7.5	6.5	4.6	*	*
ALL OTHER CAUSES.....	NUMBER... 700	700	188	96	92	512
	RATE.....	132.8	35.7	18.1	17.5	97.1

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, NOT STATED BIRTHWEIGHT						
ALL CAUSES.....	238	115	114	113	1	1
.....NUMBER...						
.....RATE.....		48,414.9	47,994.7	47,574.5	*	*
CONGENITAL MALFORMATIONS (Q00-Q99).....		3	3	3	-	-
.....NUMBER...		*	*	*	-	-
.....RATE.....						
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....		68	68	68	-	-
.....NUMBER...		28,461.6	28,461.6	28,461.6	-	-
.....RATE.....						
SUDDEN INFANT DEATH SYNDROME (R95).....		-	-	-	-	-
.....NUMBER...		-	-	-	-	-
.....RATE.....						
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		20	20	20	-	-
.....NUMBER...		8,491.4	8,491.4	8,491.4	-	-
.....RATE.....						
RESPIRATORY DISTRESS OF NEWBORN (P22).....		2	2	2	-	-
.....NUMBER...		*	*	*	-	-
.....RATE.....						
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		3	3	3	-	-
.....NUMBER...		*	*	*	-	-
.....RATE.....						
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		-	-	-	-	-
.....NUMBER...		-	-	-	-	-
.....RATE.....						
BACTERIAL SEPSIS OF NEWBORN (P36).....		-	-	-	-	-
.....NUMBER...		-	-	-	-	-
.....RATE.....						
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		-	-	-	-	-
.....NUMBER...		-	-	-	-	-
.....RATE.....						
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....		2	2	2	-	-
.....NUMBER...		*	*	*	-	-
.....RATE.....						
ALL OTHER CAUSES.....		17	16	15	1	1
.....NUMBER...		*	*	*	*	*
.....RATE.....						

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
AMERICAN INDIAN 1/, ALL BIRTHWEIGHTS						
ALL CAUSES.....	41,872	404	176	129	47	228
		965.0	420.9	307.8	113.1	544.1
CONGENITAL MALFORMATIONS (Q00-Q99).....		65	40	29	10	25
		154.7	94.5	70.3	*	60.2
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....		28	28	28	-	-
		67.6	67.6	67.6	-	-
SUDDEN INFANT DEATH SYNDROME (R95).....		61	8	1	7	53
		146.6	*	*	*	127.5
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		14	14	14	-	-
		*	*	*	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....		9	8	6	2	1
		*	*	*	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		13	12	11	1	1
		*	*	*	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		37	1	-	1	36
		88.9	*	-	*	86.5
BACTERIAL SEPSIS OF NEWBORN (P36).....		7	5	4	1	2
		*	*	*	*	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		10	3	2	1	7
		*	*	*	*	*
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....		6	6	6	-	-
		*	*	*	-	-
ALL OTHER CAUSES.....		152	50	26	24	102
		363.9	120.6	63.1	57.5	243.3

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
AMERICAN INDIAN 1/, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	3,072	189	128	101	27	61
	RATE.....	6,159.5	4,158.8	3,274.1	884.8	2,000.7
CONGENITAL MALFORMATIONS (Q00-Q99).....		32	23	19	4	9
	RATE.....	1,052.1	756.6	*	*	*
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....		26	26	26	-	-
	RATE.....	855.8	855.8	855.8	-	-
SUDDEN INFANT DEATH SYNDROME (R95).....		11	-	-	-	11
	RATE.....	*	-	-	-	*
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		13	13	13	-	-
	RATE.....	*	*	*	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....		8	7	5	2	1
	RATE.....	*	*	*	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		9	9	9	-	-
	RATE.....	*	*	*	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		7	1	-	1	6
	RATE.....	*	*	-	*	*
BACTERIAL SEPSIS OF NEWBORN (P36).....		6	4	3	1	2
	RATE.....	*	*	*	*	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		2	2	1	1	-
	RATE.....	*	*	*	*	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....		2	2	2	-	-
	RATE.....	*	*	*	-	-
ALL OTHER CAUSES.....		72	39	21	18	32
	RATE.....	2,332.0	1,282.8	695.5	*	1,049.2

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
AMERICAN INDIAN 1/, 2,500 GRAMS OR MORE						
ALL CAUSES.....	38,773	208	41	22	19	166
	RATE.....	536.0	107.0	57.5	*	429.0
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER...	32	16	10	6	16
	RATE.....	83.7	*	*	*	*
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....	NUMBER...	-	-	-	-	-
	RATE.....	-	-	-	-	-
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER...	50	8	1	7	42
	RATE.....	129.7	*	*	*	109.1
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER...	-	-	-	-	-
	RATE.....	-	-	-	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER...	-	-	-	-	-
	RATE.....	-	-	-	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER...	3	2	1	1	1
	RATE.....	*	*	*	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER...	30	-	-	-	30
	RATE.....	77.8	-	-	-	77.8
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER...	1	1	1	-	-
	RATE.....	*	*	*	-	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER...	8	1	1	-	7
	RATE.....	*	*	*	-	*
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....	NUMBER...	4	4	4	-	-
	RATE.....	*	*	*	-	-
ALL OTHER CAUSES.....	NUMBER...	79	9	4	5	70
	RATE.....	203.1	*	*	*	179.6

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
AMERICAN INDIAN 1/, NOT STATED BIRTHWEIGHT						
ALL CAUSES.....	27	7	7	6	1	-
		*	*	*	*	-
CONGENITAL MALFORMATIONS (Q00-Q99).....		-	-	-	-	-
		-	-	-	-	-
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....		2	2	2	-	-
		*	*	*	-	-
SUDDEN INFANT DEATH SYNDROME (R95).....		-	-	-	-	-
		-	-	-	-	-
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		1	1	1	-	-
		*	*	*	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....		1	1	1	-	-
		*	*	*	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		1	1	1	-	-
		*	*	*	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		-	-	-	-	-
		-	-	-	-	-
BACTERIAL SEPSIS OF NEWBORN (P36).....		-	-	-	-	-
		-	-	-	-	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		-	-	-	-	-
		-	-	-	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....		-	-	-	-	-
		-	-	-	-	-
ALL OTHER CAUSES.....		2	2	1	1	-
		*	*	*	*	-

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ASIAN OR PACIFIC ISLANDER, ALL BIRTHWEIGHTS						
ALL CAUSES.....	200,283	947	624	496	128	323
.....NUMBER...		473.0	311.8	247.8	64.0	161.2
.....RATE.....						
CONGENITAL MALFORMATIONS (Q00-Q99).....		230	151	105	47	79
.....NUMBER...		114.7	75.4	52.2	23.2	39.3
.....RATE.....						
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....		138	137	134	3	1
.....NUMBER...		68.9	68.4	66.9	*	*
.....RATE.....						
SUDDEN INFANT DEATH SYNDROME (R95).....		37	2	-	2	35
.....NUMBER...		18.7	*	-	*	17.7
.....RATE.....						
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		38	38	37	1	-
.....NUMBER...		19.2	19.2	18.7	*	-
.....RATE.....						
RESPIRATORY DISTRESS OF NEWBORN (P22).....		31	28	23	5	3
.....NUMBER...		15.7	14.2	11.6	*	*
.....RATE.....						
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		25	25	25	-	-
.....NUMBER...		12.6	12.6	12.6	-	-
.....RATE.....						
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		24	2	1	1	22
.....NUMBER...		12.1	*	*	*	11.1
.....RATE.....						
BACTERIAL SEPSIS OF NEWBORN (P36).....		20	18	8	10	2
.....NUMBER...		10.1	*	*	*	*
.....RATE.....						
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		21	10	9	1	11
.....NUMBER...		10.6	*	*	*	*
.....RATE.....						
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....		16	15	11	4	1
.....NUMBER...		*	*	*	*	*
.....RATE.....						
ALL OTHER CAUSES.....		365	197	142	54	168
.....NUMBER...		182.4	98.3	71.1	27.2	84.1
.....RATE.....						

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ASIAN OR PACIFIC ISLANDER, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	15,058	622	498	414	84	124
.....NUMBER...		622	498	414	84	124
.....RATE.....		4,128.0	3,303.9	2,747.9	556.0	824.1
CONGENITAL MALFORMATIONS (Q00-Q99).....		120	91	73	18	29
.....NUMBER...		120	91	73	18	29
.....RATE.....		799.8	605.5	484.6	*	194.3
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....		129	128	125	3	1
.....NUMBER...		129	128	125	3	1
.....RATE.....		855.7	849.0	829.0	*	*
SUDDEN INFANT DEATH SYNDROME (R95).....		8	-	-	-	8
.....NUMBER...		8	-	-	-	8
.....RATE.....		*	-	-	-	*
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		35	35	34	1	-
.....NUMBER...		35	35	34	1	-
.....RATE.....		234.5	234.5	227.8	*	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....		29	26	21	5	3
.....NUMBER...		29	26	21	5	3
.....RATE.....		194.9	174.8	141.3	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		23	23	23	-	-
.....NUMBER...		23	23	23	-	-
.....RATE.....		154.5	154.5	154.5	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		2	2	1	1	-
.....NUMBER...		2	2	1	1	-
.....RATE.....		*	*	*	*	-
BACTERIAL SEPSIS OF NEWBORN (P36).....		20	18	8	10	2
.....NUMBER...		20	18	8	10	2
.....RATE.....		134.0	*	*	*	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		10	6	6	-	4
.....NUMBER...		10	6	6	-	4
.....RATE.....		*	*	*	-	*
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....		7	7	5	2	-
.....NUMBER...		7	7	5	2	-
.....RATE.....		*	*	*	*	-
ALL OTHER CAUSES.....		237	160	117	43	77
.....NUMBER...		237	160	117	43	77
.....RATE.....		1,573.3	1,064.5	776.3	288.2	508.8

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ASIAN OR PACIFIC ISLANDER, 2,500 GRAMS OR MORE						
ALL CAUSES.....	NUMBER... 185,176	312	115	70	44	197
	RATE.....	168.2	62.0	38.0	24.0	106.2
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 108	108	60	32	28	48
	RATE.....	58.5	32.3	17.1	15.3	26.1
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....	NUMBER... 3	3	3	3	-	-
	RATE.....	*	*	*	-	-
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 29	29	2	-	2	27
	RATE.....	15.8	*	-	*	14.7
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 1	1	1	1	-	-
	RATE.....	*	*	*	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 2	2	2	2	-	-
	RATE.....	*	*	*	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... -	-	-	-	-	-
	RATE.....	-	-	-	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... 22	22	-	-	-	22
	RATE.....	12.0	-	-	-	12.0
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... -	-	-	-	-	-
	RATE.....	-	-	-	-	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... 11	11	4	3	1	7
	RATE.....	*	*	*	*	*
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....	NUMBER... 9	9	8	6	2	1
	RATE.....	*	*	*	*	*
ALL OTHER CAUSES.....	NUMBER... 125	125	35	24	11	91
	RATE.....	67.7	18.7	12.7	*	49.1

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2001 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ASIAN OR PACIFIC ISLANDER, NOT STATED BIRTHWEIGHT						
ALL CAUSES.....	49	14	12	12	-	2
.....NUMBER...		*	*	*	-	*
.....RATE.....						
CONGENITAL MALFORMATIONS (Q00-Q99).....		1	-	-	-	1
.....NUMBER...		*	-	-	-	*
.....RATE.....						
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07).....		6	6	6	-	-
.....NUMBER...		*	*	*	-	-
.....RATE.....						
SUDDEN INFANT DEATH SYNDROME (R95).....		-	-	-	-	-
.....NUMBER...		-	-	-	-	-
.....RATE.....						
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		2	2	2	-	-
.....NUMBER...		*	*	*	-	-
.....RATE.....						
RESPIRATORY DISTRESS OF NEWBORN (P22).....		-	-	-	-	-
.....NUMBER...		-	-	-	-	-
.....RATE.....						
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		2	2	2	-	-
.....NUMBER...		*	*	*	-	-
.....RATE.....						
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		-	-	-	-	-
.....NUMBER...		-	-	-	-	-
.....RATE.....						
BACTERIAL SEPSIS OF NEWBORN (P36).....		-	-	-	-	-
.....NUMBER...		-	-	-	-	-
.....RATE.....						
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		-	-	-	-	-
.....NUMBER...		-	-	-	-	-
.....RATE.....						
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21).....		-	-	-	-	-
.....NUMBER...		-	-	-	-	-
.....RATE.....						
ALL OTHER CAUSES.....		3	2	2	-	1
.....NUMBER...		*	*	*	-	*
.....RATE.....						

* FIGURE DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION; BASED ON FEWER THAN 20 DEATHS IN THE NUMERATOR.
 - QUANTITY ZERO.

1/ INCLUDES ALEUTS AND ESKIMOS.