User Guide to the 2014 Natality Public Use File



2014 Natality Detail Data Set

Contents

- 1. Introduction
- 2. Control count of records
- 3. List of data elements and locations
- 4. Record layout and definition of items and codes
- 5. List of Country Codes
- 6. Detailed Technical Notes to the United States 2014 data Natality (formerly "Technical Appendix to the Vital Statistics of the United States Natality")
- 7. Births in the United States, 2014
- 8. Births: Final Data for 2014 (forthcoming)
- 9. Control tables for items not shown in "Births: Final Data for 2014" (Documentation Table 1 to Documentation Table 17)

User Guide to the 2014 Natality Public Use File

Introduction

United States birth data available in this file represent all births registered in the 50 States, the District of Columbia, and New York City. The Centers for Disease Control and Prevention's National Center for Health Statistics (NCHS) receives these data as electronic files, prepared from individual records processed by each registration area, through the Vital Statistics Cooperative Program.

Birth data for the U.S. are limited to births occurring within the United States to U.S. residents and nonresidents. Births to nonresidents of the United States are excluded from all tabulations by place of residence. Births occurring to U.S. citizens outside of the United States are not included in this file. For more detailed information on the 2014 Natality file see the "Detailed Technical Notes – Natality: United States, 2014" in this User Guide.

Availability of Geographic Detail

Beginning with the 2005 data year, the U.S. micro-data natality file no longer includes geographic detail (e.g., mother's state of residence). Tabulations of birth data by residence of mother for states and for counties with populations of 100,000 or more are available using the VitalStats online data access tool described below. Certain geographic level data may also be available upon request: See "NCHS Data Release and Access Policy for Microdata and Compressed Vital Statistics Files," available

at: http://www.cdc.gov/nchs/nvss/dvs_data_release.htm.

The territories file, which includes data on births occurring in Puerto Rico, the U.S. Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Marianas Islands, includes limited geographical detail. Information identifying individual territories and counties (or their equivalent) with populations of 100,000 or more by place of occurrence and residence are available in this file.

VitalStats

VitalStats is an online data access tool which provides access to a collection of interactive pre-built tables, and the ability to build tables from over 100 public use birth variables including limited geographic detail. Interactive charting and mapping tools are a key part of the system, and provide powerful options for visualizing and manipulating tabulated data. Tabulated data

can be exported to Excel for further analysis. VitalStats is available at: http://www.cdc.gov/nchs/VitalStats.htm.

The 1989 and 2003 Revisions of the U.S. Certificate of Live Birth

Certificate of Live Birth (unrevised) and the 2003 revision of the U.S. Standard Certificate of Live Birth (revised). However, in general only data comparable between the 1989 and 2003 revisions and data exclusive to the 2003 revision are included. The 2003 revision is described in detail elsewhere. (See the 2003 Revision website at: http://www.cdc.gov/nchs/nvss/vital_certificate_revisions.htm.) Forty-seven states, the District of Columbia, Guam, Puerto Rico, and the Northern Marianas had implemented the revised birth certificate as of January 1, 2014: Alabama, Alaska, Arizona, Arkansas, California, Colorado, Delaware, Florida, Georgia, Hawaii, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Mississippi, Montana, Nebraska, Nevada, New Hampshire, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Virginia, Washington, West Virginia, Wisconsin and Wyoming. One additional state, New Jersey, implemented the revised birth certificate in 2014, but after January 1st. The 47 revised states and the District of Columbia (excluding the territories) represent 96.2 percent of births to U.S. residents. Selected items new to the 2003 Revision are included in this data file. Tables presenting these data are not shown in "Births: Final Data for 2014" [1] but are included in this guide; see **Documentation Table 1** to **Documentation Table 17**. For 2013, this information can be found in **Documentation Tables 1** through **18** in the 2013 User's Guide [2]. For 2012, this information can be found in **Documentation Tables 1** through **19** in the 2012 User Guide [3]. For 2011, this information can be found in **Documentation Tables 1** through **19** of the 2011 User Guide [4]. For 2010, this information can be found in **Documentation Tables 1** through 11 of the 2010 User Guide [5]. For 2009, this information can be found in **Documentation Tables 1** through 8 of the 2009 User Guide [6]. Data for 2007 and 2008 are contained in the 2007 User Guide [7] and in an NCHS report for 2008 [8]. For further information please contact us at births@cdc.gov or (301) 458-4111.

This data file includes data based on both the 1989 Revision of the U.S. Standard

Beginning with the 2007 data year, data items exclusive to the 1989 (i.e., maternal anemia, ultrasound, alcohol use) are no longer available in public use files.

Incomplete National Reporting: Selecting reporting areas for the 2014 natality file The use of reporting flags

As a result of the delayed, phased transition to the 2003 Standard Certificate of Live Births, the 2014 natality file includes data for reporting areas that use the 2003 revision of the U.S. Standard Certificate of Live Birth (revised) and data for reporting areas that use the 1989 Standard Certificate of Live Birth (unrevised). Reporting flags were developed to help the user identify those records (i.e. births) to residents of all reporting areas collecting the specified item in a comparable form. These reporting flags are available for all items from the 2003 certificate revision for which the data are not national. Reporting flags are also used to include those areas that collect the data with sufficient data quality. For a list of the items with state-specific reporting flags, see the footnotes of Table B. See also more information on specific data quality issues in the Quality of Data section of the Technical Notes. The national reporting area is defined as the 50 States, the District of Columbia, and New York City; (NYC is an independent reporting area from New York State). Reporting flags are available for most items on the file. Positions for reporting flags are noted along with each data item in the file layout.

Translating "blanks"

In the 2014 natality file, for the items in the revised area which are not common or comparable across certificate revisions, births to residents of a revised state occurring in an unrevised state are represented by "blanks" (total of 0.3 percent of births for the revised area). Blanks should be treated as "unknowns" for tabulation.

In sum, the correct use of reporting flags and translation of blanks will result in an accurate tally of births for items with incomplete national reporting. For an example of SAS code that may be used to incorporate the correct use of reporting flags and the translation of blanks see the Introduction 2010 User Guide [5].

References

- 1. Martin JA, Hamilton BE, Osterman MJK, Curtin SC, Mathews TJ. Births: Final Data for 2014. National vital statistics reports; Hyattsville, MD: National Center for Health Statistics. Upcoming.
- 2. National Center for Health Statistics. User Guide to the 2013 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2014. Available for downloading
 - at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm
- 3. National Center for Health Statistics. User Guide to the 2012 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2013. Available for downloading
 - at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm
- 4. National Center for Health Statistics. User Guide to the 2011 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2013. Available for downloading
 - at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 5. National Center for Health Statistics. User Guide to the 2010 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2012. Available for downloading
 - at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm .
- 6. National Center for Health Statistics. User Guide to the 2009 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2011. Available for downloading
 - at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 7. National Center for Health Statistics. User Guide to the 2007 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2011. Available for downloading
 - at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 8. Osterman MJK, Martin JA, Mathews TJ, Hamilton BE. Expanded data from the new birth certificate, 2008. National vital statistics reports; vol 59 no 7. Hyattsville, MD: National Center for Health Statistics. 2011.

2014 Natality Machine / File / Data Characteristics

All Files:

Record format: Fixed Format

Code scheme: Numeric/Alphabetic/Blank

Record length: 775

| | <u>United States</u> | <u>Territories</u> |
|-----------------------|----------------------|--------------------|
| All births: | | |
| Record count: | 3,998,175 | 40,002 |
| By occurrence: | 3,998,175 | 40,002 |
| By residence: | 3,988,076 | 39,429 |
| To foreign residents: | 10,099 | 573 |

2014 LIST OF DATA ELEMENTS AND LOCATIONS

| <u>Data Items</u> | Locations |
|--|--|
| 1. Generala) Data yearb) Resident status | 9-12 104 |
| 2. Prenatal Carea) Month beganb) Number of visits | 224-227 238-239, 242-244 |
| 3. Child a) Sex b) Number at delivery c) Birthweight d) Apgar score e) Gestation f) Year/month of birth g) Time of birth h) Day of week of birth | 475 454 504-507, 509-511 444-450 499-503, 490-494 9-14 19-22 23 |
| 4. Mother a) Age b) Race c) Marital status d) Education e) Hispanic origin | 75-79 105-110 120 124, 126 115- 117 |
| 5. Pregnancy Historya) Total birth orderb) Live birth orderc) Birth interval | 182 179 198-202 |
| 6. Fathera) Ageb) Racec) Hispanic origind) Education | 149-150 151-156 160,162 163, 165 |
| 7. Other Itemsa) Attendant at birthb) Place of delivery | 433 32 |

| c) WIC receipt | 251-252 |
|--|-------------------|
| d) Source of payment | 435-438 |
| | |
| Medical and Health Data | |
| a) Method of delivery | 401-409 |
| b) Medical risk factors | 313-327, 329-333, |
| | 335-337 |
| c) Other risk factors | |
| i. Tobacco | 253-270 |
| ii. Mother's pre-pregnancy body mass index (BMI) | 283-287 |
| iii. Weight gain during pregnancy | 304-307 |
| d) Maternal infections | 343-353 |
| e) Obstetric procedures | 360-361, 363-364 |
| f) Characteristics of labor and/or delivery | 383-395 |
| g) Maternal morbidity | 415-419, 421-425, |
| | 427 |
| h) Abnormal conditions of the newborn | 517-522, 524-529, |
| | 531 |
| i) Congenital anomalies of the newborn | 549-561 |
| j) Infant breastfed | 569-570 |
| | |

8.

2014 Natality Public Use File Documentation

| Position | Length | Field | Description | Values | Definition |
|----------|--------|------------|--|--|--|
| 1-8 | 6 | FILLER | Filler | Blank | |
| 9-12 | 4 | DOB_YY | Birth Year | 2014 | Year of birth |
| 13-14 | 2 | DOB_MM | Birth Month | 01 02 03 04 05 06 07 08 09 10 11 | January February March April May June July August September October November December |
| 15-18 | 4 | FILLER | Filler | Blank | |
| 19-22 | 4 | DOB_TT | Time of Birth | 0000-235 9999 | 59 Time of Birth Not Stated |
| 23 | 1 | DOB_WK | Birth Day of Week | 1 2 3 4 5 6 7 | Sunday Monday Tuesday Wednesday Thursday Friday Saturday |
| 24-31 | 8 | FILLER | Filler | Blank | |
| 32 | 1 | BFACIL | Birth Place Revised data only. See field 1330 for national data. | 1 2 3 4 5 6 7 | Hospital Freestanding Birth Center Home (intended) Home (not intended) Home (unknown if intended) Clinic / Doctor's Office Other Unknown |
| 33 | 1 | F_FACILITY | Reporting Flag for Birth Place | 0 1 | Non-Reporting Reporting |
| 34-49 | 16 | FILLER | Filler | Blank | |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-------------|---|--|---|
| 50 | 1 | BFACIL3 | Facility Recode | 1 2 3 | In Hospital Not in Hospital Unknown or Not Stated |
| 51-72 | 22 | FILLER_B | Filler | Blank | |
| 73 | 1 | MAGE_IMPFLG | Mother's Age Imputed Due to missing data, age imputed. | Blank 1 | Age not imputed Age imputed |
| 74 | 1 | MAGE_REPFLG | Reported Age of Mother Used Flag Due to missing date of birth, reported age used. | Blank 1 | Reported age not used Reported age used |
| 75-76 | 2 | MAGER | Mother's Single Years of Age | 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 | 10 – 12 years 13 years 14 years 15 years 16 years 17 years 18 years 19 years 20 years 21 years 22 years 23 years 24 years 25 years 26 years 27 years 28 years 29 years 30 years 31 years 32 years 33 years 34 years 35 years 36 years 37 years 38 years 39 years 39 years 39 years 39 years 40 years 41 years 42 years 43 years |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-------------|------------------------|--------|--|
| | | | | 44 | 44 years |
| | | | | 45 | 45 years |
| | | | | 46 | 46 years |
| | | | | 47 | 47 years |
| | | | | 48 | 48 years |
| | | | | 49 | 49 years |
| | | | | 50 | 50 years and over |
| 77-78 | 2 | MAGER14 | Mother's Age Recode 14 | 01 | Under 15 Years |
| | | | | 03 | 15 years |
| | | | | 04 | 16 years |
| | | | | 05 | 17 years |
| | | | | 06 | 18 years |
| | | | | 07 | 19 years |
| | | | | 08 | 20-24 years |
| | | | | 09 | 25-29 years |
| | | | | | |
| | | | | 10 | 30-34 years |
| | | | | 11 | 35-39 years |
| | | | | 12 | 40-44 years |
| | | | | 13 | 45-49 years |
| | | | | 14 | 50-54 years |
| 79 | 1 | MAGER9 | Mother's Age Recode 9 | 1 | Under 15 years |
| | | | S | 2 | 15-19 years |
| | | | | 3 | 20-24 years |
| | | | | 4 | 25-29 years |
| | | | | 5 | 30-34 years |
| | | | | 6 | 35-39 years |
| | | | | 7 | 40-44 years |
| | | | | 8 | 45-49 years |
| | | | | 9 | 50-54 years |
| | | | | | 50-54 years |
| 80-83 | 4 | FILLER | Filler | Blank | |
| 84 | 1 | MBSTATE_REC | Mother's Nativity | 1 | Born in the U.S. (50 US States) |
| | | | • | 2 | Born outside the U.S. (includes possessions) |
| | | | | 3 | Unknown or Not Stated |
| 85-103 | 19 | FILLER | Filler | Blank | |
| 104 | 1 | RESTATUS | Residence Status | | |
| 107 | 1 | 1111100 | <u>United States</u> | 1 | RESIDENT: State and county of occurrence and residence |
| | | | Office States | 1 | are the same. |
| | | | | 2 | INTRASTATE NONRESIDENT: State of occurrence and |
| | | | | 2 | residence are the same but county is different. |
| | | | | | residence are the same but county is unferent. |

| Position | Length Field | Description | Values | Definition |
|----------|--------------|---|--|---|
| | | | 3 | INTERSTATE NONRESIDENT: State of occurrence and residence are different but both are one of the 50 US states or District of Columbia. FOREIGN RESIDENT: The state of residence is not one of the 50 US states or District of Columbia. |
| | | <u>U.S. Territories</u> For detailed geography codes see addendum. | 1 2 2 3 | RESIDENT: State and county of occurrence and residence residence are the same. (Unique to Guam, all US residents are considered residents of Guam and thus are assigned 1.) INTRATERRITORY NONRESIDENT: Territory of occurrence and residence are the same but county is different. INTERTERRITORY RESIDENT: Territory of occurrence and residence are different but both are US Territories. FOREIGN RESIDENT: The residence is not a US Territory. |
| 105-106 | 2 MRACE31 | Mother's Race Recode 31 United States and all Outlying Areas of the United States except Puerto Rico | 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 | White (only) [only one race reported] Black (only) AIAN (American Indian or Alaskan Native) (only) Asian (only) NHOPI (Native Hawaiian or Other Pacific Islander) (only) Black and White Black and AIAN Black and Asian Black and NHOPI AIAN and White AIAN and White AIAN and NHOPI Asian and WhoPI Asian and White Black, AIAN, and White Black, AIAN, and White Black, AIAN, and White Black, Asian, and WhoPI Black, Asian, and White AIAN, Asian, and White Black, AIAN, NHOPI, and White Black, AIAN, NHOPI, and White Black, AIAN, NHOPI, and White |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-----------|--|--------|--|
| | | | | 30 | AIAN, Asian, NHOPI, and White |
| | | | | 31 | Black, AIAN, Asian, NHOPI, and White |
| 107 | 2 | MRACE6 | Mother's Race Recode 6 | | |
| 10, | _ | 111111020 | United States and all Outlying Areas of | 1 | White (only) |
| | | | the United States except Puerto Rico | 2 | Black (only) |
| | | | | 3 | AIAN (only) |
| | | | | 4 | Asian (only) |
| | | | | 5 | NHOPI (only) |
| | | | | 6 | More than one race |
| 108-109 | 2 | MRACE15 | Mother's Race Recode 15 | | |
| | | | United States and all Outlying Areas of | 01 | White (only) |
| | | | the United States except Puerto Rico | 02 | Black (only) |
| | | | - | 03 | AIAN (only) |
| | | | | 04 | Asian Indian (only) |
| | | | | 05 | Chinese (only) |
| | | | | 06 | Filipino (only) |
| | | | | 07 | Japanese (only) |
| | | | | 08 | Korean (only) |
| | | | | 09 | Vietnamese (only) |
| | | | | 10 | Other Asian (only) |
| | | | | 11 | Hawaiian (only) |
| | | | | 12 | Guamanian (only) |
| | | | | 13 | Samoan (only) |
| | | | | 14 | Other Pacific Islander (only) |
| | | | | 15 | More than one race |
| 110 | 1 | MBRACE | Bridged Race Mother | | |
| | | | Includes individuals reporting only one race and | | |
| | | | individuals reporting more than one race bridged | | |
| | | | to a single race. | | |
| | | | United States and all Outlying Areas of | 1 | White |
| | | | the United States except Puerto Rico | 2 | Black |
| | | | | 3 | American Indian or Alaskan Native |
| | | | | 4 | Asian or Pacific Islander |
| | | | Puerto Rico | 1 | White |
| | | | | 2 | Black |
| | | | | 0 | Other (not classified as White or Black) |
| | | | | | |
| 111 | 1 | MRACEIMP | Mother's Race Imputed Flag | Blank | Mother's race not imputed |
| | | | | 1 | Unknown race imputed |
| | | | | 2 | All other races, formerly coded 09, imputed. |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-----------|---|--------------------------------------|--|
| 112-114 | 3 | FILLER | Filler | Blank | |
| 115 | 1 | MHISP_R | Mother's Hispanic Origin Recode | 0 1 2 3 4 5 | Non-Hispanic Mexican Puerto Rican Cuban Central and South American Other and Unknown Hispanic origin Hispanic origin not stated |
| 116 | 1 | F_MHISP | Reporting Flag for Mother's Origin | 0 1 | Non-Reporting Reporting |
| 117 | 1 | MRACEHISP | Mother's Race/Hispanic Origin Based on single/multiple-race (fields 105-106, 107, and 108-109); for coding to create bridged-race categories (field 110) see "Coding for bridge-race and Hispanic origin categories" in the Detailed Technical Notes. | 1 2 3 4 5 6 7 8 | Non-Hispanic White (only) Non-Hispanic Black (only) Non-Hispanic AIAN (only) Non-Hispanic Asian (only) Non-Hispanic NHOPI (only) Non-Hispanic more than one race Hispanic Origin unknown or not stated |
| 118 | 1 | FILLER | Filler | Blank | |
| 119 | 1 | MAR_P | Paternity Acknowledged | Y N U X | Yes No Unknown Not Applicable |
| 120 | 1 | DMAR | Marital Status United States and all Outlying Areas of the United States except Puerto Rico Puerto Rico | 1 2 1 2 3 9 | Married Unmarried Yes Unmarried parents living together Unmarried parents not living together Unknown or not stated |
| 121 | 1 | MAR_IMP | Mother's Marital Status Imputed | Blank 1 | Marital Status not imputed Marital Status imputed |
| 122 | 1 | FILLER | Filler | Blank | |
| 123 | 1 | F_MAR_P | Reporting Flag for Paternity Acknowledged | 0 1 | Non-Reporting Reporting |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-------------|--|--|---|
| 124 | 1 | MEDUC | Mother's Education | 1 2 3 4 5 6 7 8 | 8 th grade or less 9 th through 12 th grade with no diploma High school graduate or GED completed Some college credit, but not a degree. Associate degree (AA,AS) Bachelor's degree (BA, AB, BS) Master's degree (MA, MS, MEng, MEd, MSW, MBA) Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, LLB, JD) Unknown |
| 125 | 1 | FILLER | Filler | Blank | |
| 126 | 1 | F_MEDUC | Reporting Flag for Education of Mother | 0 1 | Non-Reporting Reporting |
| 127-141 | 15 | FILLER_M | Filler M | Blank | |
| 142 | 1 | FAGERPT_FLG | Father's Reported Age Used | Blank 1 | Father's reported age not used Father's reported age used |
| 143-146 | 4 | FILLER | Filler | Blank | |
| 147-148 | 2 | FAGECOMB | Father's Combined Age (Revised) | 09-98 99 | Father's combined age in years Unknown or not stated |
| 149-150 | 2 | FAGEREC11 | Father's Age Recode 11 | 01 02 03 04 05 06 07 08 09 10 | Under 15 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years 50-54 years 50-59 years Not stated |
| 151-152 | 2 | FRACE31 | Father's Race Recode 31 | 01 02 03 04 05 | White (only) [only one race reported] Black (only) AIAN (American Indian or Alaskan Native) (only) Asian (only) NHOPI (Native Hawaiian or Other Pacific Islander) (only) |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|---------|-------------------------|--------|---|
| | | | | 06 | Black and White |
| | | | | 07 | Black and AIAN |
| | | | | 08 | Black and Asian |
| | | | | 09 | Black and NHOPI |
| | | | | 10 | AIAN and White |
| | | | | 11 | AIAN and Asian |
| | | | | 12 | AIAN and NHOPI |
| | | | | 13 | Asian and White |
| | | | | 14 | Asian and NHOPI |
| | | | | 15 | NHOPI and White |
| | | | | 16 | Black, AIAN, and White |
| | | | | 17 | Black, AIAN, and Asian |
| | | | | 18 | Black, AIAN, and NHOPI |
| | | | | 19 | Black, Asian, and White |
| | | | | 20 | Black, Asian, and NHOPI |
| | | | | 21 | Black, NHOPI, and White |
| | | | | 22 | AIAN, Asian, and White |
| | | | | 23 | AIAN, NHOPI, and White |
| | | | | 24 | AIAN, Asian, and NHOPI |
| | | | | 25 | Asian, NHOPI, and White |
| | | | | 26 | Black, AIAN, Asian, and White |
| | | | | 27 | Black, AIAN, Asian, and NHOPI |
| | | | | 28 | Black, AIAN, NHOPI, and White |
| | | | | 29 | Black, Asian, NHOPI, and White |
| | | | | 30 | AIAN, Asian, NHOPI, and White |
| | | | | 31 | Black, AIAN, Asian, NHOPI, and White |
| | | | | 99 | Unknown or Not Stated |
| 153 | 1 | FRACE6 | Father's Race Recode 6 | 1 | White (only) |
| | | | | 2 | Black (only) |
| | | | | 3 | AIAN (only) |
| | | | | 4 | Asian (only) |
| | | | | 5 | NHOPI (only) |
| | | | | 6 | More than one race |
| | | | | 9 | Unknown or Not Stated |
| 154-155 | 2 | FRACE15 | Father's Race Recode 15 | 01 | White (only) |
| | | | | 02 | Black (only) |
| | | | | 03 | AIAN (only) |
| | | | | 04 | Asian Indian (only) |
| | | | | 05 | Chinese (only) |
| | | | | 06 | Filipino (only) |
| | | | | 07 | Japanese (only) |
| | | | | 08 | Korean (only) |
| | | | | 09 | Vietnamese (only) |
| | | | | 10 | Other Asian (only) |
| | | | | | ` • • • • • • • • • • • • • • • • • • • |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-----------|---|--------|---|
| | | | | 11 | Hawaiian (only) |
| | | | | 12 | Guamanian (only) |
| | | | | 13 | Samoan (only) |
| | | | | 14 | Other Pacific Islander (only) |
| | | | | 15 | More than one race |
| | | | | 99 | Unknown or Not Stated |
| 156 | 1 | FBRACE | Bridged Race Father | 1 | White |
| | | | Includes individuals reporting only one race and | 2 | Black |
| | | | individuals reporting more than one race bridged | 3 | American Indian or Alaskan Native |
| | | | to a single race | 4 | Asian or Pacific Islander |
| | | | - | 9 | Unknown or Not Stated |
| 157-159 | 3 | FILLER | Filler | | |
| 160 | 1 | FHISP_R | Father's Hispanic Origin Recode | 0 | Non-Hispanic |
| | _ | | | 1 | Mexican |
| | | | | 2 | Puerto Rican |
| | | | | 3 | Cuban |
| | | | | 4 | Central and South American |
| | | | | 5 | Other and Unknown Hispanic origin |
| | | | | 9 | Hispanic origin not stated |
| 161 | 1 | F_FHISP | Reporting Flag for Father's Origin | 0 | Non-Reporting |
| 101 | - | 1_11101 | reporting ring for runner of origin | 1 | Reporting |
| 162 | 1 | FRACEHISP | Father's Race/Hispanic Origin | 1 | Non-Hispanic White (only) |
| 102 | 1 | FRACERISF | Based on single/multiple-race (fields 151-152, 153, and | 2 | Non-Hispanic Wille (only) |
| | | | 154-155); for coding to create bridged-race categories | 3 | Non-Hispanic AIAN (only) |
| | | | (field 156) see "Coding for bridge-race and Hispanic | 4 | Non-Hispanic Asian (only) |
| | | | origin categories" in the Detailed Technical Notes. | 5 | Non-Hispanic Asian (only) |
| | | | origin categories in the Detailed Technical Notes. | 6 | Non-Hispanic more than one race |
| | | | | 7 | Hispanic |
| | | | | 8 | Origin unknown or not stated |
| | | | | 9 | Race unknown or not stated (Non-Hispanic) |
| | | | | | • |
| 163 | 1 | FEDUC | Father's Education | 1 | 8 th grade or less |
| | | | | 2 | 9 th through 12 th grade with no diploma |
| | | | | 3 | High school graduate or GED completed |
| | | | | 4 | Some college credit, but not a degree. |
| | | | | 5 | Associate degree (AA,AS) |
| | | | | 6 | Bachelor's degree (BA, AB, BS) |
| | | | | 7 | Master's degree (MA, MS, MEng, MEd, MSW, MBA) |
| | | | | 8 | Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, LLB, JD) |
| | | | | 9 | Unknown |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-----------|--|--|---|
| 164 | 1 | FILLER | Filler | Blank | |
| 165 | 1 | F_FEDUC | Reporting Flag for Education of Father | 0 1 | Non-Reporting Reporting |
| 166-170 | 5 | FILLER_F | Filler | Blank | |
| 171-172 | 2 | PRIORLIVE | Prior Births Now Living | 00-30 99 | Number of children still living from previous live births. Unknown or not stated |
| 173-174 | 2 | PRIORDEAD | Prior Births Now Dead | 00-30 99 | Number of children dead from previous live births. Unknown or not stated |
| 175-176 | 2 | PRIORTERM | Prior Other Terminations | 00-30 99 | Number other terminations Unknown or not stated |
| 177-178 | 2 | FILLER | Filler | Blank | |
| 179 | 1 | LBO_REC | Live Birth Order Recode | 1-7 8 9 | Number of live birth order. 8 or more live births Unknown or not stated |
| 180-181 | 2 | FILLER | Filler | Blank | |
| 182 | 1 | TBO_REC | Total Birth Order Recode | 1-7 8 9 | Number of total birth order. 8 or more total births Unknown or not stated |
| 183-197 | 15 | FILLER | Filler | Blank | |
| 198-200 | 3 | ILLB_R | Interval Since Last Live Birth Recode Use reporting flag in field 126 | | Plural delivery Months since last live birth Not applicable / 1 st live birth Unknown or not stated |
| 201-202 | 2 | ILLB_R11 | Interval Since Last Live Birth Recode 11 Use reporting flag in field 126 | 00 01 02 03 04 05 06 07 | Zero to 3 months (plural delivery) 4 to 11 months 12 to 17 months 18 to 23 months 24 to 35 months 36 to 47 months 48 to 59 months 60 to 71 months |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|----------|---|--|---|
| | | | | 08 88 99 | 72 months and over Not applicable (1st live birth) Unknown or not stated |
| 203-205 | 3 | FILLER | Filler | Blank | |
| 206-208 | 3 | ILOP_R | Interval Since Last Other Pregnancy Recode Use reporting flag in field 126 | | Plural delivery Months since last live birth Not applicable / 1 st natality event Unknown or not stated |
| 209-210 | 2 | ILOP_R11 | Interval Since Last Other Pregnancy Recode 11 Use reporting flag in field 126 | 00 01 02 03 04 05 06 07 08 88 99 | Zero to 3 months (plural delivery) 4 to 11 months 12 to 17 months 18 to 23 months 24 to 35 months 36 to 47 months 48 to 59 months 60 to 71 months 72 months and over Not applicable (1st natality event) Unknown or not stated |
| 211-213 | 3 | FILLER | Filler | Blank | |
| 214-216 | 3 | ILP_R | Interval Since Last Pregnancy Recode Use reporting flag in field 126 | | Plural delivery Months since last live birth Not applicable / no previous pregnancy Unknown or not stated |
| 217-218 | 2 | ILP_R11 | Interval Since Last Pregnancy Recode 11 Use reporting flag in field 126 | 00 01 00 01 02 03 04 05 06 88 99 | Zero to 3 months (plural delivery) 4 to 11 months 12 to 17 months 18 to 23 months 24 to 35 months 36 to 47 months 48 to 59 months 60 to 71 months 72 months and over Not applicable (no previous pregnancy) Unknown or not stated |
| 219-223 | 5 | FILLER_P | Filler | Blank | |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|------------|---|--|---|
| 224-225 | 2 | PRECARE | Month Prenatal Care Began | 00 01-10 99 | No prenatal care Month prenatal care began Unknown or not stated |
| 226 | 1 | F_MPCB | Reporting Flag for Month Prenatal Care Began | 0 1 | Non-Reporting Reporting |
| 227 | 1 | PRECARE5 | Month Prenatal Care Began Recode | 1 2 3 4 5 | 1 st to 3 rd month 4 th to 6 th month 7 th to final month No prenatal care Unknown or not stated |
| 228-237 | 10 | FILLER | Filler | Blank | |
| 238-239 | 2 | PREVIS | Number of Prenatal Visits (Revised only) See field 242-243 for national data | 00-98 99 | Number of prenatal visits Unknown or not stated |
| 240-241 | 2 | FILLER | Filler | Blank | |
| 242-243 | 2 | PREVIS_REC | Number of Prenatal Visits Recode | 01 02 03 04 05 06 07 08 09 10 11 | No visits 1 to 2 visits 3 to 4 visits 5 to 6 visits 7 to 8 visits 9 to 10 visits 11 to 12 visits 13 to 14 visits 15 to 16 visits 17 to 18 visits 19 or more visits Unknown or not stated |
| 244 | 1 | F_TPCV | Reporting Flag for Total Prenatal Care Visits | 0 1 | Non-Reporting Reporting |
| 245-250 | 6 | FILLER | Filler | Blank | |
| 251 | 1 | WIC | WIC | Y N U | Yes No Unknown or not stated |
| 252 | 1 | F_WIC | Reporting Flag for WIC | 0 1 | Non-Reporting Reporting |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|--------|---|---------------------------------|--|
| 253-254 | 2 | CIG_0 | Cigarettes Before Pregnancy | 00-97 98 99 | Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated |
| 255-256 | 2 | CIG_1 | Cigarettes 1 st Trimester | 00-97 98 99 | Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated |
| 257-258 | 2 | CIG_2 | Cigarettes 2 nd Trimester | 00-97 98 99 | Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated |
| 259-260 | 2 | CIG_3 | Cigarettes 3 rd Trimester | 00-97 98 99 | Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated |
| 261 | 1 | CIG0_R | Cigarettes Before Pregnancy Recode | 0 1 2 3 4 5 | Nonsmoker 1-5 6-10 11-20 21-40 41 or more Unknown or not stated |
| 262 | 1 | CIG1_R | Cigarettes 1 st Trimester Recode | 0 1 2 3 4 5 6 | Nonsmoker 1-5 6-10 11-20 21-40 41 or more Unknown or not stated |
| 263 | 1 | CIG2_R | Cigarettes 2 nd Trimester Recode | 0 1 2 3 4 5 | Nonsmoker 1-5 6-10 11-20 21-40 41 or more Unknown or not stated |
| 264 | 1 | CIG3_R | Cigarettes 3 rd Trimester Recode | 0 1 2 3 4 | Nonsmoker 1-5 6-10 11-20 21-40 |

| Position | Length | Field | Description | Values | Definition |
|---------------------------|--------|-------------------------|--|--|--|
| | | | | 5 6 | 41 or more Unknown or not stated |
| 265 | 1 | F_CIGS_0 | Reporting Flag for Cigarettes before Pregnancy | 0 1 | Non-Reporting Reporting |
| 266 | 1 | F_CIGS_1 | Reporting Flag for Cigarettes 1st Trimester | 0 1 | Non-Reporting Reporting |
| 267 | 1 | F_CIGS_2 | Reporting Flag for Cigarettes 2 nd Trimester | 0 1 | Non-Reporting Reporting |
| 268 | 1 | F_CIGS_3 | Reporting Flag for Cigarettes 3 rd Trimester | 0 1 | Non-Reporting Reporting |
| 269 | 1 | CIG_REC | Cigarette Recode (Revised) | Y N U | Yes No Unknown or not stated |
| 270 | 1 | F_TOBACO | Reporting Flag for Tobacco use | 0 1 | Non-Reporting Reporting |
| | | | | | |
| 271-279 | 9 | FILLER_R | Filler | Blank | |
| 271-279 280-281 | 9 2 | FILLER_R M_Ht_In | Filler Mother's Height in Total Inches | 30-78 99 | Height in inches Unknown or not stated |
| | | | | 30-78 | C |
| 280-281 | 2 | M_Ht_In | Mother's Height in Total Inches | 30-78 99 0 | Unknown or not stated Non-Reporting |
| 280-281 282 | 2 | M_Ht_In F_M_HT | Mother's Height in Total Inches Reporting Flag for Mother's Height Body Mass Index | 30-78 99 0 1 | Unknown or not stated Non-Reporting Reporting Body Mass Index |
| 280-281 282 283-286 | 2 1 4 | M_Ht_In F_M_HT BMI | Mother's Height in Total Inches Reporting Flag for Mother's Height Body Mass Index Use reporting flag in field 282 Body Mass Index Recode | 30-78 99 0 1 13.0-69.9 99.9 1 2 3 4 5 6 | Unknown or not stated Non-Reporting Reporting Body Mass Index Unknown or not stated Underweight <18.5 Normal 18.5-24.9 Overweight 25.0-29.9 Obesity I 35.0-34.9 Obesity II 35.0-39.9 Extreme Obesity III ≥ 40.0 |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|------------|---|----------------------------|--|
| | | | | 999 | Unknown or not stated |
| 295 | 1 | F_PWGT | Reporting Flag for Pre-pregnancy Weight | 0 1 | Non-Reporting Reporting |
| 296-298 | 3 | FILLER | Filler | Blank | |
| 299-301 | 3 | DWgt_R | Delivery Weight Recode | 100-400 999 | Weight in pounds Unknown or not stated |
| 302 | 1 | FILLER | Filler | Blank | |
| 303 | 1 | F_DWGT | Reporting Flag for Delivery Weight | 0 1 | Non-Reporting Reporting |
| 304-305 | 2 | WTGAIN | Weight Gain | 00-97 98 99 | Weight gain in pounds 98 pounds and over Unknown or not stated |
| 306 | 1 | WTGAIN_REC | Weight Gain Recode | 1 2 3 4 5 9 | Less than 11 pounds 11 to 20 pounds 21 to 30 pounds 31 to 40 pounds 41 to 98 pounds Unknown or not stated |
| 307 | 1 | F_WTGAIN | Reporting Flag for Weight Gain | 0 1 | Non-Reporting Reporting |
| 308-312 | 5 | FILLER_W | Filler | Blank | |

The following checkbox fields 313-432 include data for revised states only. For national data for items that are comparable across revisions see fields 1330-1338.

| 313-342 | 30 | Risk Factors | | | |
|---------|----|--------------|-----------------------------|---|-----------------------|
| 313 | 1 | RF_PDIAB | Pre-pregnancy Diabetes | Y | Yes |
| | | | | N | No |
| | | | | U | Unknown or not stated |
| 314 | 1 | RF_GDIAB | Gestational Diabetes | Y | Yes |
| | | | | N | No |
| | | | | U | Unknown or not stated |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-------------|--|------------|-----------------------|
| 315 | 1 | RF_PHYPE | Pre-pregnancy Hypertension | Y | Yes |
| | | | | N | No |
| | | | | U | Unknown or not stated |
| 316 | 1 | RF_GHYPE | Gestational Hypertension | Y | Yes |
| 310 | 1 | KI_GIIIIL | Gestational Hypertension | N | No |
| | | | | Ü | Unknown or not stated |
| 215 | | DE EUROE | W | T 7 | ** |
| 317 | 1 | RF_EHYPE | Hypertension Eclampsia | Y | Yes |
| | | | | N | No |
| | | | | U | Unknown or not stated |
| 318 | 1 | RF_PPTERM | Previous Preterm Birth | Y | Yes |
| | | | | N | No |
| | | | | U | Unknown or not stated |
| 319 | 1 | F_RF_PDIAB | Reporting Flag for Pre-pregnancy Diabetes | 0 | Non-Reporting |
| 317 | 1 | I_KI_IDIMD | Reporting Flag for Tre-pregnancy Diabetes | 1 | Reporting |
| | | | | 1 | Reporting |
| 320 | 1 | F_RF_GDIAB | Reporting Flag for Gestational Diabetes | 0 | Non-Reporting |
| | | | | 1 | Reporting |
| 321 | 1 | F_RF_PHYPER | Reporting Flag for Pre-pregnancy Hypertension | 0 | Non-Reporting |
| 521 | • | | reporting ring for the programme, my personalist | 1 | Reporting |
| 222 | | E DE CHAMED | | 0 | N. D. C |
| 322 | 1 | F_RF_GHYPER | Reporting Flag for Gestational Hypertension | 0 | Non-Reporting |
| | | | | 1 | Reporting |
| 323 | 1 | F_RF_ECLAMP | Reporting Flag for Hypertension Eclampsia | 0 | Non-Reporting |
| | | | | 1 | Reporting |
| 324 | 1 | F_RF_PPB | Reporting Flag for Previous Preterm Birth | 0 | Non-Reporting |
| 324 | 1 | 1_I(I_I I I | Reporting Fing for Frevious Freterin Diffi | 1 | Reporting |
| | | | | 1 | Reporting |
| 325 | 1 | RF_INFTR | Infertility Treatment Used | Y | Yes |
| | | | Use reporting flag in field 319 | N | No |
| | | | | U | Unknown or not stated |
| 326 | 1 | RF_FEDRG | Fertility Enhancing Drugs | Y | Yes |
| | - | | · · · · · · · · · · · · · · · · · · · | N | No |
| | | | | X | Not applicable |
| | | | | U | Unknown or not stated |
| 225 | | DE ADTEC | | 3.7 | *** |
| 327 | 1 | RF_ARTEC | Asst. Reproductive Technology | Y | Yes |
| | | | | N | No |

| Position | l | Length | Field | Description | Values | Definition |
|----------|---------|--------|-------------------|---|-------------------|---|
| | | | | | X U | Not applicable Unknown or not stated |
| | 328 | 1 | FILLER | Filler | Blank | |
| | 329 | 1 | F_RF_INF_DRG | Reporting Flag for Fertility Enhance Drugs | 0 1 | Non-Reporting Reporting |
| | 330 | 1 | F_RF_INF_ART | Reporting Flag for Reproductive Technology | 0 1 | Non-Reporting Reporting |
| | 331 | 1 | RF_CESAR | Previous Cesarean | Y N U | Yes No Unknown or not stated |
| | 332-333 | 2 | RF_CESARN | Number of Previous Cesareans | 00 01-30 99 | None Number of previous cesareans Unknown or not stated |
| | 334 | 1 | FILLER | Filler | Blank | |
| | 335 | 1 | F_RF_CESAR | Reporting Flag for Previous Cesarean | 0 1 | Non-Reporting Reporting |
| | 336 | 1 | F_RF_NCESAR | Reporting Flag for Number of Previous Cesareans | 0 1 | Non-Reporting Reporting |
| | 337 | 1 | NO_RISKS | No Risk Factors Reported | 1 0 9 | True False Not Reported |
| | 338-342 | 5 | FILLER_RF | Filler | Blank | |
| 343-358 | | 15 | Infections Presen | <u>t</u> | | |
| | 343 | 1 | IP_GON | Gonorrhea | Y N U | Yes No Unknown or not stated |
| | 344 | 1 | IP_SYPH | Syphilis | Y N U | Yes No Unknown or not stated |
| | 345 | 1 | IP_CHLAM | Chlamydia | Y | Yes |

| Position | | Length | Field | Description | Values | Definition |
|----------|---------|--------|-------------------|--------------------------------------|--------|-----------------------------|
| | | | | | N | No |
| | | | | | U | Unknown or not stated |
| | 346 | 1 | IP_HEPB | Hepatitis B | Y | Yes |
| | | | | | N U | No Unknown or not stated |
| | 347 | 1 | IP_HEPC | Hepatitis C | Y | Yes |
| | | | | | N | No |
| | | | | | U | Unknown or not stated |
| | 348 | 1 | F_IP_GONOR | Reporting Flag for Gonorrhea | 0 | Non-Reporting |
| | | | | | 1 | Reporting |
| | 349 | 1 | F_IP_SYPH | Reporting Flag for Syphilis | 0 | Non-Reporting |
| | | | | | 1 | Reporting |
| | 350 | 1 | F_IP_CHLAM | Reporting Flag for Chlamydia | 0 | Non-Reporting |
| | | | | | 1 | Reporting |
| | 351 | 1 | F_IP_HEPATB | Reporting Flag for Hepatitis B | 0 | Non-Reporting |
| | | | | | 1 | Reporting |
| | 352 | 1 | F_IP_HEPATC | Reporting Flag for Hepatitis C | 0 | Non-Reporting |
| | | | | 1 8 8 1 | 1 | Reporting |
| | 353 | 1 | NO_INFEC | No Infections Reported | 1 | True |
| | | | _ | • | 0 | False |
| | | | | | 9 | Not Reported |
| | 354-358 | 5 | FILLER_IP | Filler_IP | Blank | |
| 359-370 | | 12 | Obstetric Procedu | ures | | |
| | 359 | 1 | FILLER | Filler | Blank | |
| | 339 | 1 | FILLER | Filler | Dialik | |
| | 360 | 1 | OB_ECVS | Successful External Cephalic Version | Y | Yes |
| | | | | | N U | No Unknown or not stated |
| | 241 | | op Edu | | | |
| | 361 | 1 | OB_ECVF | Failed External Cephalic Version | Y N | Yes No |
| | | | | | U | Unknown or not stated |
| | | | | | | |

| Position | 1 | Length | Field | Description | Values | Definition |
|----------|---------|--------|-------------------|---|------------------|------------------------------------|
| | 362 | 1 | FILLER | Filler | Blank | |
| | 363 | 1 | F_OB_SUCC | Reporting Flag for Successful External Cephalic Version | on 0 1 | Non-Reporting Reporting |
| | 364 | 1 | F_OB_FAIL | Reporting Flag for Failed External Cephalic Version | 0 1 | Non-Reporting Reporting |
| | 365-382 | 17 | FILLER_OB | Filler_OB | Blank | |
| 383-400 | | 18 | Characteristics o | f Labor and Delivery | | |
| | 383 | 1 | LD_INDL | Induction of Labor | Y N U | Yes No Unknown or not stated |
| | 384 | 1 | LD_AUGM | Augmentation of Labor | Y N U | Yes No Unknown or not stated |
| | 385 | 1 | LD_STER | Steroids | Y N U | Yes No Unknown or not stated |
| | 386 | 1 | LD_ANTB | Antibiotics | Y N U | Yes No Unknown or not stated |
| | 387 | 1 | LD_CHOR | Chorioamnionitis | Y N U | Yes No Unknown or not stated |
| | 388 | 1 | LD_ANES | Anesthesia | Y N U | Yes No Unknown or not stated |
| | 389 | 1 | F_LD_INDL | Reporting Flag for Induction of Labor | 0 1 | Non-Reporting Reporting |
| | 390 | 1 | F_LD_AUGM | Reporting Flag for Augmentation of Labor | 0 1 | Non-Reporting Reporting |
| | 391 | 1 | F_LD_STER | Reporting Flag for Steroids | 0 | Non-Reporting |

| Position | l | Length | Field | Description | Values | Definition |
|----------|---------|--------|------------------|---|-----------------------|---|
| | | | | | 1 | Reporting |
| | 392 | 1 | F_LD_ANTB | Reporting Flag for Antibiotics | 0 1 | Non-Reporting Reporting |
| | 393 | 1 | F_LD_CHOR | Reporting Flag for Chorioamnionitis | 0 1 | Non-Reporting Reporting |
| | 394 | 1 | F_LD_ANES | Reporting Flag for Anesthesia | 0 1 | Non-Reporting Reporting |
| | 395 | 1 | NO_LBRDLV | No Characteristics of Labor Reported | 1 0 9 | True False Not Reported |
| | 396-400 | 5 | FILLER_LD | Filler | Blank | |
| 401-414 | | 14 | Method of Delive | <u>ry</u> | | |
| | 401 | 1 | ME_PRES | Fetal Presentation at Delivery | 1 2 | Cephalic Breech |
| | | | | | 3 9 | Other Unknown or not stated |
| | 402 | 1 | ME_ROUT | Final Route & Method of Delivery | 1 2 3 4 9 | Spontaneous Forceps Vacuum Cesarean Unknown or not stated |
| | 403 | 1 | ME_TRIAL | Trial of Labor Attempted (if cesarean) | Y N X U | Yes No Not applicable Unknown or not stated |
| | 404 | 1 | F_ME_PRES | Reporting Flag for Fetal Presentation | 0 1 | Non-Reporting Reporting |
| | 405 | 1 | F_ME_ROUT | Reporting Flag for Final Route and Method of Delivery | 0 | Non-Reporting Reporting |
| | 406 | 1 | F_ME_TRIAL | Reporting Flag for Trial of Labor Attempted | 0 1 | Non-Reporting Reporting |

| Position | l | Length | Field | Description | Values | Definition |
|----------|-------------------------|--------|-----------------|--|---------------------------------|--|
| | 407 | 1 | RDMETH_REC | Delivery Method Recode (revised only) | 1 2 3 4 5 6 9 | Vaginal (excludes vaginal after previous C-section) Vaginal after previous c-section Primary C-section Repeat C-section Vaginal (unknown if previous c-section) C-section (unknown if previous c-section) Not stated |
| | 408 1 | | DMETH_REC | Delivery Method Recode Combined (revised and unrevised) | 1 2 9 | Vaginal C-Section Unknown |
| | 409 | 1 | F_DMETH_REC | Reporting Flag for Method of Delivery Recode | 0 1 | Non-Reporting Reporting |
| | 410-414 | 5 | FILLER_ME | Filler | Blank | |
| 415-432 | | 18 | Maternal Morbid | <u>lity</u> | | |
| | 415 | 1 | MM_MTR | Maternal Transfusion | Y N U | Yes No Unknown or not stated |
| | 416 1 417 1 418 1 | | MM_PLAC | Perineal Laceration | Y N U | Yes No Unknown or not stated |
| | | | MM_RUPT | Ruptured Uterus | Y N U | Yes No Unknown or not stated |
| | | | MM_UHYST | Unplanned Hysterectomy | Y N U | Yes No Unknown or not stated |
| | 419 | 1 | MM_AICU | Admit to Intensive Care | Y N U | Yes No Unknown or not stated |
| | 420 | 1 | FILLER | Filler | Blank | |
| | 421 | 1 | F_MM_MTR | Reporting Flag for Maternal Transfusion | 0 1 | Non-Reporting Reporting |

| Position | | Length | Field | Description | Values | Definition |
|----------|---------|--------|------------|---|--------------------------------------|--|
| | 422 | 1 | F_MM_ PLAC | Reporting Flag for Perineal Laceration | 0 1 | Non-Reporting Reporting |
| | 423 | 1 | F_MM_RUPT | Reporting Flag for Ruptured Uterus | 0 1 | Non-Reporting Reporting |
| | 424 | 1 | F_MM_UHYST | Reporting Flag for Unplanned Hysterectomy | 0 1 | Non-Reporting Reporting |
| | 425 1 | | F_MM_AICU | Reporting Flag for Admission to Intensive Care | 0 1 | Non-Reporting Reporting |
| | 426 | 1 | FILLER | Filler | Blank | |
| | 427 1 | | NO_MMORB | No Maternal Morbidity Reported | 1 0 9 | True False Not Reported |
| | 428-432 | 5 | FILLER_MM | Filler | Blank | |
| 433 | | 1 | ATTEND | Attendant at Birth | 1 2 3 4 5 | Doctor of Medicine (MD) Doctor of Osteopathy (DO) Certified Nurse Midwife (CNM) Other Midwife Other Unknown or not stated |
| 434 | | 1 | MTRAN | Mother Transferred Use reporting flag in field 126 | Y N U | Yes No Unknown |
| 435 | | 1 | PAY | Payment Source for Delivery | 1 2 3 4 5 6 8 9 | Medicaid Private Insurance Self-Pay Indian Health Service CHAMPUS/TRICARE Other Government (Federal, State, Local) Other Unknown |
| 436 | | 1 | PAY_REC | Payment Recode | 1 2 3 4 | Medicaid Private Insurance Self Pay Other |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-----------|---|-----------------------|--|
| | | | | 9 | Unknown |
| 437 | 1 | F_PAY | Reporting Flag for Source of Payment | 0 1 | Non-Reporting Reporting |
| 438 | 1 | F_PAY_REC | Reporting Flag for Payment Recode | 0 1 | Non-Reporting Reporting |
| 439-443 | 5 | FILLER_A | Filler | Blank | |
| 444-445 | 2 | APGAR5 | Five Minute APGAR Score | 00-10 99 | A score of 0-10 Unknown or not stated |
| 446 | 1 | APGAR5R | Five Minute APGAR Recode | 1 2 3 4 5 | A score of 0-3 A score of 4-6 A score of 7-8 A score of 9-10 Unknown or not stated |
| 447 | 1 | F_APGAR5 | Reporting Flag for Five minute APGAR | 0 1 | Non-Reporting Reporting |
| 448-449 | 2 | APGAR10 | Ten Minute APGAR Score Use reporting flag in field 126 | 00-10 88 99 | A score of 0-10 Not applicable Unknown or not stated |
| 450 | 1 | APGAR10R | Ten Minute APGAR Recode Use reporting flag in field 126 | 1 2 3 4 5 | A score of 0-3 A score of 4-6 A score of 7-8 A score of 9-10 Not stated/not applicable |
| 451-453 | 3 | FILLER | Filler | Blank | |
| 454 | 1 | DPLURAL | Plurality Recode | 1 2 3 4 5 | Single Twin Triplet Quadruplet Quintuplet or higher |
| 455 | 1 | FILLER | Filler | Blank | |
| 456 | 1 | IMP_PLUR | Plurality Imputed | Blank 1 | Plurality is imputed Plurality is not imputed |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-------------|--|--|---|
| 457-458 | 2 | FILLER | Filler | Blank | |
| 459 | 1 | SETORDER_R | Set Order Recode Use reporting flag in field 126 | 1 2 3 4 5 9 | 1 st 2 nd 3 rd 4 th 5 th to 16 th Unknown or not stated |
| 460-474 | 15 | FILLER | Filler | Blank | |
| 475 | 1 | SEX | Sex of Infant | M F | Male Female |
| 476 | 1 | IMP_SEX | Imputed Sex | Blank 1 | Infant Sex not Imputed Infant Sex is Imputed |
| 477-478 | 2 | DLMP_MM | Last Normal Menses Month | 01 02 03 04 05 06 07 08 09 10 11 12 | January February March April May June July August September October November December Unknown or not stated |
| 479-480 | 2 | FILLER | Filler | Blank | |
| 481-484 | 4 | DLMP_YY | Last Normal Menses Year | nnnn 9999 | Year of last normal menses Unknown or not stated |
| 485-487 | 3 | FILLER | Filler | Blank | |
| 488 | 1 | COMPGST_IMP | Combined Gestation Imputation Flag | Blank 1 | Combined Gestation is not imputed Combined Gestation is imputed |
| 489 | 1 | OBGEST_FLG | Obstetric Estimate of Gestation Used Flag | Blank 1 | Obstetric Estimate is not used Obstetric Estimate is used |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-------------|---|--|---|
| 490-491 | 2 | COMBGEST | Combined Gestation – Detail in Weeks | 17-47 99 | 17 th through 47 th week of Gestation Unknown |
| 492-493 | 2 | GESTREC10 | Combined Gestation Recode 10 | 01 02 03 04 05 06 07 08 09 10 | Under 20 weeks 20-27 weeks 28-31 weeks 32-33 weeks 34-36 weeks 37-38 weeks 39 weeks 40 weeks 41 weeks 42 weeks and over Unknown |
| 494 | 1 | GESTREC3 | Combined Gestation Recode 3 | 1 2 3 | Under 37 weeks 37 weeks and over Not stated |
| 495-497 | 3 | FILLER | Filler | Blank | |
| 498 | 1 | LMPUSED | Combined Gestation Used Flag | Blank 1 | Combined gestation not used Combined gestation used |
| 499-500 | 2 | OEGest_Comb | Obstetric Estimate Edited (NCHS standard item) | 17-47 99 | Weeks of gestation Not stated |
| 501-502 | 2 | OEGest_R10 | Obstetric Estimate Recode10 (NCHS standard item) | 01 02 03 04 05 06 07 08 09 10 | Under 20 weeks 20-27 weeks 28-31 weeks 32-33 weeks 34-36 weeks 37-38 weeks 39 weeks 40 weeks 41 weeks 42 weeks and over Unknown |
| 503 | 1 | OEGest_R3 | Obstetric Estimate Recode 3 (NCHS Standard Item) | 1 2 3 | Under 37 weeks 37 weeks and over Not stated |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|----------|---|--|---|
| 504-507 | 4 | DBWT | Birth Weight – Detail in Grams (Edited) | 0227-810 9999 | 65 Number of grams Not stated birth weight |
| 508 | 1 | FILLER | Filler | Blank | |
| 509-510 | 2 | BWTR12 | Birth Weight Recode 12 | 01 02 03 04 05 06 07 08 09 10 11 | 0227 - 0499 grams 0500 - 0999 grams 1000 - 1499 grams 1500 - 1999 grams 2000 - 2499 grams 2500 - 2999 grams 3000 - 3499 grams 3500 - 3999 grams 4000 - 4499 grams 4500 - 4999 grams 5000 - 8165 grams Not Stated |
| 511 | 1 | BWTR4 | Birth Weight Recode 4 | 1 2 3 4 | 0227 - 1499 grams 1500 – 2499 grams 2500 - 8165 grams Unknown or not stated |
| 512-516 | 5 | FILLER_G | Filler | Blank | |

The following checkbox fields 517-566 include data for revised states only. For national data for items that are comparable across revisions see fields 1340-1345.

| 517-536 | | 20 | Abnormal Condit | ions of the Newborn | | |
|---------|-----|----|-----------------|------------------------------------|---|-----------------------|
| | 517 | 1 | AB_AVEN1 | Assisted Ventilation (immediately) | Y | Yes |
| | | | | | N | No |
| | | | | | U | Unknown or not stated |
| | 518 | 1 | AB_AVEN6 | Assisted Ventilation > 6 hrs | Y | Yes |
| | | | | | N | No |
| | | | | | U | Unknown or not stated |
| | 519 | 1 | AB_NICU | Admission to NICU | Y | Yes |
| | | | | | N | No |
| | | | | | U | Unknown or not stated |
| | 520 | 1 | AB_SURF | Surfactant | Y | Yes |

| Position | 1 | Length | Field | Description | Values | Definition |
|----------|---------|--------|-----------------|---|-------------|------------------------------------|
| | | | | | N U | No Unknown or not stated |
| | 521 | 1 | AB_ANTI | Antibiotics for Newborn | Y N U | Yes No Unknown or not stated |
| | 522 | 1 | AB_SEIZ | Seizures | Y N U | Yes No |
| | 523 | 1 | FILLER | Filler | Blank | Unknown or not stated |
| | 524 | 1 | F_AB_VENT | Reporting Flag for Assisted Ventilation (immediately) | 0 1 | Non-Reporting Reporting |
| | 525 | 1 | F_AB_VENT6 | Reporting Flag for Assisted Ventilation >6 hrs | 0 1 | Non-Reporting Reporting |
| | 526 | 1 | F_AB_NIUC | Reporting Flag for Admission to NICU | 0 1 | Non-Reporting Reporting |
| | 527 | 1 | F_AB_SURFAC | Reporting Flag for Surfactant | 0 1 | Non-Reporting Reporting |
| | 528 | 1 | F_AB_ANTIBIO | Reporting Flag for Antibiotics | 0 1 | Non-Reporting Reporting |
| | 529 | 1 | F_AB_SEIZ | Reporting Flag for Seizures | 0 1 | Non-Reporting Reporting |
| | 530 | 1 | FILLER | Filler | Blank | |
| | 531 | 1 | NO_ABNORM | No Abnormal Conditions Checked | 1 0 9 | True False Not Reported |
| | 532-536 | 5 | FILLER_AB | Filler | blank | |
| 537-566 | | 30 | Congenital Anom | alies of the Newborn | | |
| | 537 | 1 | CA_ANEN | Anencephaly | Y N U | Yes No Unknown or not stated |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-----------------|---|--------|-----------------------------|
| 538 | 1 | CA_MNSB | Meningomyelocele / Spina Bifida | Y N | Yes No |
| | | | | U | Unknown or not stated |
| 539 | 1 | CA_CCHD | Cyanotic Congenital Heart Disease | Y | Yes |
| | | | | N U | No Unknown or not stated |
| | | | | U | |
| 540 | 1 | CA_CDH | Congenital Diaphragmatic Hernia | Y | Yes |
| | | | | N U | No Unknown or not stated |
| 541 | 1 | CA OMBII | Omphalocele | Y | Yes |
| 341 | 1 | CA_OMPH | Опірпаюсеїе | N | No |
| | | | | U | Unknown or not stated |
| 542 | 1 | CA_GAST | Gastroschisis | Y | Yes |
| 342 | 1 | CA_GAS1 | Gastroschisis | N | No |
| | | | | U | Unknown or not stated |
| 543 | 1 | F_CA_ANEN | Reporting Flag for Anencephaly | 0 | Non-Reporting |
| 343 | 1 | r_ca_anen | Reporting Flag for Ancheephary | 1 | Reporting |
| 544 | 1 | F_CA_MENIN | Reporting Flag for Meningomyelocele/Spina Bifida | 0 | Non-Reporting |
| 544 | 1 | I_C/I_WILIVIIV | reporting Fing for intellingoing electic opina Dilida | 1 | Reporting |
| 545 | 1 | F_CA_HEART | Reporting Flag for Cyanotic Congenital Heart Disease | 0 | Non-Reporting |
| 343 | 1 | 1_C/1_IIL/IKI | Reporting Fing for Cyanotic Congenital Reart Disease | 1 | Reporting |
| 546 | 1 | F_CA_HERNIA | Reporting Flag for Congenital Diaphragmatic Hernia | 0 | Non-Reporting |
| 340 | 1 | 1_0/1_112/0/1/1 | reporting I mg for Congenius Dispiringmane Iterina | 1 | Reporting |
| 547 | 1 | F_CA_OMPHA | Reporting Flag for Omphalocele | 0 | Non-Reporting |
| 547 | 1 | 1_C/1_OWI 1I/1 | reporting Fing for Omphanoccic | 1 | Reporting |
| 548 | 1 | F_CA_GASTRO | Reporting Flag for Gastroschisis | 0 | Non-Reporting |
| 346 | 1 | r_ca_das1ko | Reporting Flag for Gastroschisis | 1 | Reporting |
| 549 | 1 | CA_LIMB | Limb Reduction Defect | Y | Yes |
| 349 | 1 | CA_LIMB | Linib Reduction Defect | N | No |
| | | | | U | Unknown or not stated |
| 550 | 1 | CA_CLEFT | Cleft Lip w/ or w/o Cleft Palate | Y | Yes |
| 220 | - | | | N | No |
| | | | | U | Unknown or not stated |

| Position | ı | Length | Field | Description | Values | Definition |
|----------|---------|--------|--------------|---|------------------|---|
| | 551 | 1 | CA_CLPAL | Cleft Palate alone | Y N | Yes No |
| | 552 | 1 | CA_DOWN | Down Syndrome | U C P N | Unknown or not stated Confirmed Pending No |
| | 553 | 1 | CA_DISOR | Suspected Chromosomal Disorder | U C P N | Unknown Confirmed Pending No |
| | 554 | 1 | СА_НҮРО | Hypospadias | U Y N U | Unknown Yes, anomaly reported No, anomaly not reported Unknown |
| | 555 | 1 | F_CA_LIMB | Reporting Flag for Limb Reduction Defect | 0 | Non-Reporting Reporting |
| | 556 | 1 | F_CA_CLEFTLP | Reporting Flag for Cleft Lip with or without Cleft Pala | te 0 | Non-Reporting Reporting |
| | 557 | 1 | F_CA_CLEFT | Reporting Flag for Cleft Plate Alone | 0 1 | Non-Reporting Reporting |
| | 558 | 1 | F_CA_DOWNS | Reporting Flag for Down Syndrome | 0 1 | Non-Reporting Reporting |
| | 559 | 1 | F_CA_CHROM | Reporting Flag for Suspected Chromosomal Disorder | 0 1 | Non-Reporting Reporting |
| | 560 | 1 | F_CA_HYPOS | Reporting Flag for Hypospadias | 0 1 | Non-Reporting Reporting |
| | 561 | 1 | NO_CONGEN | No Congenital Anomalies Checked | 1 0 9 | True False Not Reported |
| | 562-566 | 5 | FILLER_CA | Filler | Blank | |
| 567 | | 1 | ITRAN | Infant Transferred | Y | Yes |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|----------|---|--------|-----------------------|
| | | | Use reporting flag in field 126 | N | No |
| | | | | U | Unknown or not stated |
| 568 | 1 | ILIVE | Infant Living at Time of Report | Y | Yes |
| | | | Use reporting flag in field 126 | N | No |
| | | | | U | Unknown or not stated |
| 569 | 1 | BFED | Infant Breastfed at Discharge | Y | Yes |
| | | | | N | No |
| | | | | U | Unknown or not stated |
| 570 | 1 | F_BFED | Reporting Flag for Breastfed at Discharge | 0 | Non-Reporting |
| | | | | 1 | Reporting |
| 571-1329 | 759 | FILLER_X | Filler | Blank | |
| | | | | | |

The following items (fields 1330-1338 and 1340-1345) are comparable across revisions and include data for revised and unrevised reporting areas.

| 1330 | 1 | UBFACIL | Birth Place | 1 2 3 4 5 | Hospital Freestanding Birthing Center Clinic / Doctor's Office Residence Other Unknown |
|------|---|------------|-----------------------------------|-----------------------|---|
| 1331 | 1 | URF_DIAB | Diabetes | 1 2 9 Blank | Yes No Unknown Not on certificate |
| 1332 | 1 | URF_CHYPER | Chronic Hypertension | 1 2 9 Blank | Yes No Unknown Not on certificate |
| 1333 | 1 | URF_PHYPER | Pregnancy Associated Hypertension | 1 2 9 Blank | Yes No Unknown Not on certificate |
| 1334 | 1 | URF_ECLAM | Eclampsia | 1 | Yes |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-------------|------------------------------|--------|--------------------------|
| | | | | 2 | No |
| | | | | 9 | Unknown |
| | | | | Blank | Not on certificate |
| | | | | | |
| 1335 | 1 | UME_FORCP | Forceps | 1 | Yes |
| | | | | 2 | No |
| | | | | 9 | Unknown or not stated |
| 1336 | 1 | UME_VAC | Vacuum | 1 | Yes |
| | | _ | | 2 | No |
| | | | | 9 | Unknown or not stated |
| 1337 | 1 | UOP_INDUC | Induction of Labor | 1 | Yes |
| 1557 | 1 | UOF_INDUC | induction of Labor | 2 | No |
| | | | | 9 | Unknown |
| | | | | Blank | Not on certificate |
| | | | | Diank | Not on certificate |
| 1338 | 1 | ULD_BREECH | Breech | 1 | Yes |
| | | | | 2 | No |
| | | | | 9 | Unknown |
| | | | | Blank | Not on certificate |
| | | | | | |
| 1339 | 1 | FILLER | Filler | Blank | |
| 1340 | 1 | UCA_ANEN | Anencephalus | 1 | Anomaly reported |
| 1340 | 1 | OCH_MILIN | Anencephatus | 2 | Anomaly not reported |
| | | | | 9 | Anomaly not classifiable |
| | | | | Blank | Not on certificate |
| | | | | Diame | |
| 1341 | 1 | UCA_SPINA | Spina Bifida / Meningocele | 1 | Anomaly reported |
| | | | | 2 | Anomaly not reported |
| | | | | 9 | Anomaly not classifiable |
| | | | | Blank | Not on certificate |
| 1342 | 1 | UCA_OMPHA | Omphalocele / Gastroschisis | 1 | Anomaly reported |
| 13.12 | | | Ompharocete / Gusti oscinsis | 2 | Anomaly not reported |
| | | | | 9 | Anomaly not classifiable |
| | | | | Blank | Not on certificate |
| | | | | | |
| 1343 | 1 | UCA_CELFTLP | Cleft Lip / Palate | 1 | Anomaly reported |
| | | | | 2 | Anomaly not reported |
| | | | | 9 | Anomaly not classifiable |
| | | | | Blank | Not on certificate |
| 1244 | 1 | HOA HEDNIA | D'arlan and Ham's | 1 | A 1 |
| 1344 | 1 | UCA_HERNIA | Diaphragmatic Hernia | 1 | Anomaly reported |
| | | | | 2 | Anomaly not reported |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-----------|---------------|----------------------|---|
| | | | | 9 Blank | Anomaly not classifiable Not on certificate |
| 1345 | 1 | UCA_DOWNS | Down Syndrome | 1 2 9 Blank | Anomaly reported Anomaly not reported Anomaly not classifiable Not on certificate |

Position Length Field Description Values Definition

ADDENDUM

Detailed geographic information for the territories.

| 24.25 | 2 | OCTEDD | Mala 10 m 14 m | |
|-------|---|-----------|--|---|
| 24-25 | 2 | OCTERR | Mother's Occurrence Territory/Possession | Outlying Areas of the United States |
| | | | | AS American Samoa GU Guam |
| | | | | MP Northern Marianas |
| | | | | PR Puerto Rico |
| | | | | VI Virgin Islands |
| | | | | US United States (births to residents of the 50 states or DC) |
| | | | | XX Not Applicable |
| | | | | ZZ Not Classifiable |
| | | | | ZZ Not Classifiable |
| 28-30 | 3 | OCNTYFIPS | Occurrence FIPS County | Puerto Rico |
| | | | • | 021 Bayamo'n |
| | | | | 025 Caguas |
| | | | | 031 Carolina |
| | | | | 097 Mayaguez |
| | | | | Ponce |
| | | | | 127 San Juan |
| | | | | County of less than 100,000 |
| | | | | Other Outlying Areas of the United States |
| | | | | 000 No county level geography |
| | | | | 999 County of less than 100,000 |
| | | | | county of less than 100,000 |
| 31 | 1 | OCNTYPOP | Occurrence County Pop | 0 County of 1,000,000 or more |
| | | | v 1 | 1 County of 500,000 to 1,000,000 |
| | | | | 2 County of 250,000 to 500,000 |
| | | | | 3 County of 100,000 to 250,000 |
| | | | | 4 County of 50,000 to 100,000 |
| | | | | 5 County of 25,000 to 50,000 |
| | | | | 6 County of 10,000 to 25,000 |
| | | | | 9 County less than 10,000 |
| 80-81 | 2 | MBCNTRY | Mother's Birth Country | AA-ZZ See Geographic Documentation |
| | | | . | |
| | | | | |
| 89-90 | 2 | MRTERR | Mother's Residence Territory | Outlying Areas of the United States |
| | | | • | AS American Samoa |
| | | | | GU Guam |
| | | | | MP Northern Marianas |
| | | | | PR Puerto Rico |

| Position | Length | Field | Description | Values | Definition |
|----------|--------|-----------|--------------------------------|----------|--|
| | | | | VI | Virgin Islands |
| | | | | US | United States (births to residents of the 50 states or DC) |
| | | | | XX | Not Applicable |
| | | | | ZZ | Not Classifiable |
| | | | | | Not Classifiable |
| 91-93 | 3 | RCNTY | Residence FIPS county | Puerto F | |
| | | | | 021 | Bayamo'n |
| | | | | 025 | Caguas |
| | | | | 031 | Carolina |
| | | | | 097 | Mayaguez |
| | | | | 113 | Ponce |
| | | | | 127 | San Juan |
| | | | | 999 | County of less than 100,000 |
| | | | | Other O | utlying Areas of the United States |
| | | | | 000 | No county level geography |
| | | | | 999 | County of less than 100,000 |
| | | | | 777 | County of less than 100,000 |
| 99 | 1 | RCNTY_POP | Population of Residence County | 0 | County of 1,000,000 or more |
| | | | | 1 | County of 500,000 to 1,000,000 |
| | | | | 2 | County of 250,000 to 500,000 |
| | | | | 3 | County of 100,000 to 250,000 |
| | | | | 4 | County of 50,000 to 100,000 |
| | | | | 5 | County of 25,000 to 50,000 |
| | | | | 6 | County of 10,000 to 25,000 |
| | | | | 9 | County less than 10,000 |
| | | | | Ž | Foreign resident |
| | | | | L | Poleigh resident |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 103 | 1 | RECTYPE | Record Type | 1 | RESIDENT: Territory and county of occurrence and |
| | | | | | residence are the same. |
| | | | | 2 | NONRESIDENT: Territory and county of occurrence and |
| | | | | | residence are different. |

- AA ARUBA
- AC ANTIGUA AND BARBUDA
- AE UNITED ARAB EMIRATES
- AF AFGHANISTAN
- AG ALGERIA
- AJ AZERBAIJAN
- AL ALBANIA
- AM ARMENIA
- AN ANDORRA
- AO ANGOLA
- AQ AMERICAN SAMOA
- AR ARGENTINA
- AS AUSTRALIA
- AT ASHMORE AND CARTIER ISLANDS
- AU AUSTRIA
- AV ANGUILLA
- AY ANTARCTICA
- BA BAHRAIN
- BB BARBADOS
- BC BOTSWANA
- BD BERMUDA
- BE BELGIUM
- BF BAHAMAS, THE
- BG BANGLADESH
- BH BELIZE
- BK BOSNIA AND HERZEGOVINA
- BL BOLIVIA
- BM BURMA
- BN BENIN
- **BO BELARUS**
- **BP SOLOMON ISLANDS**
- BR BRAZIL
- BS BASSAS DA INDIA
- BT BHUTAN
- BU BULGARIA
- BV BOUVET ISLAND
- BX BRUNEI
- BY BURUNDI
- CA CANADA
- CB CAMBODIA
- CD CHAD
- CE SRI LANKA
- CF CONGO
- CG CONGO
- CH CHINA
- CI CHILE
- CJ CAYMAN ISLANDS
- CK COCOS (KEELING) ISLANDS
- CL CENTRAL AND SOUTHERN LINE ISLANDS
- CM CAMEROON
- CN COMOROS
- CO COLOMBIA
- CQ NORTHERN MARIANAS ISLANDS
- CR CORAL SEA ISLANDS

- CS COSTA RICA
- CT CENTRAL AFRICAN REPUBLIC
- CU CUBA
- CV CAPE VERDE
- CW COOK ISLANDS
- CY CYPRUS
- CZ CZECHOSLOVAKIA
- DA DENMARK
- DJ DJIBOUTI
- DM DAHOMEY [BENIN]
- DO DOMINICA
- DQ JARVIS ISLAND
- DR DOMINICAN REPUBLIC
- **EB EAST BERLIN**
- EC ECUADOR
- EG EGYPT
- EI IRELAND
- EK EQUATORIAL GUINEA
- EN ESTONIA
- EQ CANTON AND ENDERBERRY ISLANDS
- ER ERITREA
- ES EL SALVADOR
- ET ETHIOPIA
- EU EUROPA ISLAND
- **EZ CZECH REPUBLIC**
- FG FRENCH GUIANA
- FI FINLAND
- FJ FIJI
- FK FALKLAND ISLANDS
- FM MICRONESIA, FEDERATED STATES OF
- FO FAROE ISLANDS
- FP FRENCH POLYNESIA
- FR FRANCE
- FS FRENCH SOUTHERN AND ANTARCTIC LANDS
- FT FRENCH TERRITORY OF THE AFFARS AND ISSAS
- GA GAMBIA, THE
- GB GABON
- GC EAST GERMANY (GERMAN DEMOCRATIC REPUBLIC)
- GE WEST GERMANY (FEDERAL REPUBLIC OF GERMANY)
- GG GEORGIA
- GH GHANA
- GI GIBRALTAR
- GJ GRENADA
- GK GUERNSEY
- GL GREENLAND
- GM GERMANY
- GN GILBERT AND ELLICE ISLANDS
- GO GLORIOSO ISLANDS
- GP GUADELOUPE
- GQ GUAM
- GR GREECE
- GS GILBERT ISLANDS
- GT GUATEMALA
- **GV GUINEA**

- GY GUYANA
- GZ GAZA STRIP
- HA HAITI
- HK HONG KONG
- HM HEARD ISLAND AND MCDONALD ISLANDS
- HO HONDURAS
- HQ HOWLAND ISLAND
- HR CROATIA
- HU HUNGARY
- IC ICELAND
- ID INDONESIA
- IM ISLE OF MAN
- IN INDIA
- IO BRITISH INDIAN OCEAN TERRITORY
- IP CLIPPERTON ISLAND
- IQ US MISCELLANEOUS PACIFIC ISLANDS
- IR IRAN
- IS ISRAEL
- IT ITALY
- IU ISRAEL-SYRIA DEMILITARIZED ZONE
- IV COTE D' IVOIRE
- IW ISRAEL-JORDAN DEMILITARIZED ZONE
- IY IRAQ-SAUDI ARABIA NEUTRAL ZONE
- IZ IRAQ
- JA JAPAN
- JE JERSEY
- JM JAMAICA
- JN JAN MAYEN
- JO JORDAN
- JQ JOHNSTON ISLAND
- JS SVALBARD AND JAN MAYEN
- JU JUAN DE NOVA ISLAND
- KE KENYA
- KG KYRGYZSTAN
- KN NORTH KOREA
- KR KIRIBATI
- KS SOUTH KOREA
- KT CHRISTMAS ISLAND
- KU KUWAIT
- KZ KAZAKHSTAN
- LA LAOS
- LE LEBANON
- LG LATVIA
- LH LITHUANIA
- LI LIBERIA
- LO SLOVAKIA
- LQ PALMYRA ATOLL
- LS LIECHTENSTEIN
- LT LESOTHO
- LU LUXEMBOURG
- LY LIBYA
- MA MADAGASCAR
- MB MARTINIQUE
- MC MACAU

- MD MOLDOVA
- ME SPANISH NORTH AFRICA
- MF MAYOTTE
- MG MONGOLIA
- MH MONTSERRAT
- MI MALAWI
- MK MACEDONIA, F.Y.R.O.
- ML MALI
- MN MONACO
- MO MOROCCO
- MP MAURITIUS
- MQ MIDWAY ISLAND
- MR MAURITANIA
- MT MALTA
- MU OMAN
- MV MALDIVES
- MX MEXICO
- MY MALAYSIA
- MZ MOZAMBIQUE
- NA NETHERLANDS ANTILLES
- NC NEW CALEDONIA
- NE NIUE
- NF NORFOLK ISLAND
- NG NIGER
- NH VANUATU
- NI NIGERIA
- NL NETHERLANDS
- NO NORWAY
- NP NEPAL
- NR NAURU
- NS SURINAME
- NT NETHERLANDS ANTILLES
- NU NICARAGUA
- NZ NEW ZEALAND
- PA PARAGUAY
- PC PITCAIRN ISLAND
- PE PERU
- PF PARACEL ISLANDS
- PG SPRATLY ISLANDS
- PK PAKISTAN
- PL POLAND
- PM PANAMA
- PN PANAMA
- PO PORTUGAL
- PP PAPUA NEW GUINEA
- PQ PANAMA CANAL ZONE
- PS PALAU
- PT TIMOR
- PU GUINEA-BISSAU
- QA QATAR
- RE REUNION
- RH SOUTHERN RHODESIA
- RM MARSHALL ISLANDS
- RO ROMANIA

- RP PHILIPPINES
- RQ PUERTO RICO
- RS RUSSIA
- RW RWANDA
- SA SAUDI ARABIA
- SB SAINT PIERRE AND MIQUELON
- SC SAINT KITTS AND NEVIS
- SE SEYCHELLES
- SF SOUTH AFRICA
- SG SENEGAL
- SH SAINT HELENA
- SI SLOVENIA
- SK SIKKIM
- SL SIERRA LEONE
- SM SAN MARINO
- SN SINGAPORE
- SO SOMALIA
- SP SPAIN
- SQ SWAN ISLANDS
- SS SPANISH SAHARA
- ST SAINT LUCIA
- SU SUDAN
- SV SVALBARD
- SW SWEDEN
- SX SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS
- SY SYRIA
- SZ SWITZERLAND
- TC UNITED ARAB EMIRATES
- TD TRINIDAD AND TOBAGO
- TE TROMELIN ISLAND
- TH THAILAND
- TI TAJIKISTAN
- TK TURKS AND CAICOS ISLANDS
- TL TOKELAU
- TN TONGA
- TO TOGO
- TP SAO TOME AND PRINCIPE
- TQ TRUST TERRITORY OF THE PACIFIC ISLANDS
- TS TUNISIA
- TT EAST TIMOR
- TU TURKEY
- TV TUVALU
- TW TAIWAN
- TX TURKMENISTAN
- TZ TANZANIA
- UG UGANDA
- UK UNITED KINGDOM
- UP UKRAINE
- UR UNION OF SOVIET SOCIALIST REPUBLICS
- US UNITED STATES
- UV BURKINA FASO
- UY URUGUAY
- UZ UZBEKISTAN
- VC SAINT VINCENT AND THE GRENADINES

- VE VENEZUELA
- VI BRITISH VIRGIN ISLANDS
- VM VIETNAM
- VN NORTH VIETNAM
- VQ UNITED STATES VIRGIN ISLANDS
- VS SOUTH VIETNAM
- VT HOLY SEE (VATICAN CITY)
- WA NAMIBIA
- WB WEST BERLIN
- WE WEST BANK
- WF WALLIS AND FUTUNA
- WI WESTERN SAHARA
- WQ WAKE ISLAND
- WS SAMOA
- WZ SWAZILAND
- YE YEMEN (SANA'A)
- YI YUGOSLAVIA
- YM YEMEN
- YO YUGOSLAVIA
- YQ RYUKYU ISLANDS, SOUTHERN
- YS YEMEN (ADEN)
- ZA ZAMBIA
- ZI ZIMBABWE

DETAILED TECHNICAL NOTES *

UNITED STATES

2014

NATALITY

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

CENTERS FOR DISEASE CONTROL AND PREVENTION NATIONAL CENTER FOR HEALTH STATISTICS Hyattsville, Maryland: 2015

* Formerly the "Technical appendix for Vital Statistics of the United States. Natality.

ACKNOWLEDGMENTS

The preparation of these detailed technical notes was coordinated by Sharon Kirmeyer in the Division of Vital Statistics (DVS) under the general direction of Joyce A. Martin, Lead Statistician, Reproductive Statistics Branch (RSB), DVS, and Amy M. Branum, Chief of the Reproductive Statistics Branch.

The Division of Vital Statistics Acting Director, Delton Atkinson, managed the Vital Statistics Cooperative Program through which the vital registration offices of all states, the District of Columbia, New York City, Puerto Rico, Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands provided the data to the National Center for Health Statistics (NCHS).

The vital statistics computer file on which it is based was prepared by DVS staff. This Division also processed computer edits, designed and programmed the tabulations, reviewed the data, prepared documentation for this file, and was responsible for receipt and processing of the basic data file. The following management staff provided overall direction: Rajesh Virkar. Important contributors were, Sally Curtin, Senora Davis, Connie M. Gentry, Brenda A. Green, Brady E. Hamilton, Margaret Jamison, Christina K. Jarman, David W. Justice, Virginia J. Justice, Kryn Krautheim, Annie Liu, Li Lu, T.J. Mathews, Susan L. McBroom, Michelle J.K. Osterman, Adrienne L. Rouse, Steven Steimel, Pam Stephenson, George C. Tolson, and Elizabeth Gregory. Marie Thoma reviewed and verified these technical notes.

NCHS acknowledges the essential role of the vital registration offices of all states and territories in maintaining the system through which vital statistics data are obtained and their cooperation in providing the information on which this publication is based.

For a list of reports published by the National Center for Health Statistics, contact:

Information Dissemination Branch National Center for Health Statistics Centers for Disease Control and Prevention 3311 Toledo Road, Room 5420 Hyattsville, MD 20782 www.cdc.gov/nchs

Table of Contents

| Introduction | 11 |
|--|----|
| Definition of Live Birth | 12 |
| The Birth-Registration Area | 13 |
| Classification of births by occurrence and residence | 14 |
| Residence error | 14 |
| Population based rates | 14 |
| Geographic classification | 15 |
| Standard Certificates of Live Birth | 15 |
| 2003 revision | 15 |
| Comparability of data between the 1989 and 2003 Revisions of the United States | |
| Standard Certificates of Live Birth | 16 |
| Natality data files | 18 |
| Micro-data files | 18 |
| Reporting flags | 18 |
| VitalStats | 18 |
| Demographic Characteristics | 19 |
| Hispanic origin and race | 19 |
| Hispanic origin | 19 |
| Change in births to "other and unknown Hispanic" women | 20 |
| Single, multiple and "bridged" race of mother and father | 21 |
| Coding for bridge-race and Hispanic origin categories | 23 |
| Age of mother | 24 |
| Imputation of age of mother | 24 |
| Extreme values of age | 25 |
| Populations for age-specific rates | 25 |
| Median and mean age of mother | 25 |
| Not stated age or date of birth of mother | 25 |
| Age of father | 26 |
| Marital status | 26 |
| Inferential procedures | 27 |

| Imputation of marital status | 27 |
|--|----|
| Educational attainment | 28 |
| Mother | 28 |
| Father | 28 |
| Live birth order and parity | 28 |
| Birth interval | 29 |
| Medical and Public Services Utilization | 30 |
| Prenatal care | 30 |
| Does mother get WIC food for herself during this pregnancy | 30 |
| Obstetric procedures | 31 |
| Characteristics of labor and delivery | 31 |
| Place of birth | 32 |
| Planned home births | 33 |
| Time of birth | 33 |
| Attendant at birth | 33 |
| CNM-attended births | 34 |
| Method of delivery | 34 |
| Trial of labor | 35 |
| Total cesarean rate | 35 |
| Primary cesarean and VBAC delivery rates | 35 |
| Source of payment for the delivery | 35 |
| Maternal Lifestyle and Health Characteristics | 36 |
| Mother's body mass index (BMI) | 36 |
| Weight gain during pregnancy | 37 |
| Mother's height | 37 |
| Mother's pre-pregnancy weight | 38 |
| Mother's weight at delivery | 38 |
| Cigarette smoking before and during pregnancy | 38 |
| Risk factors in this pregnancy | 39 |
| Diabetes during pregnancy | 40 |
| Pregnancy resulted from infertility treatment | 41 |

| Infections present and/or treated during this pregnancy | 41 |
|---|----|
| Maternal morbidity | 42 |
| Infant Health Characteristics | 42 |
| Period of gestation | 42 |
| Birthweight | 43 |
| Apgar score | 44 |
| 5-minute score | 44 |
| 10-minute score | 45 |
| Abnormal conditions of the newborn | 45 |
| Congenital anomalies of the newborn | 46 |
| Down syndrome and suspected chromosomal disorder | 47 |
| Plurality | 47 |
| Infant breastfed | 47 |
| Definition of medical terms | 48 |
| Quality of Data | 48 |
| Completeness of registration | 48 |
| Completeness of reporting | 48 |
| Quality control procedures | 49 |
| Comparison with medical records | 49 |
| Rarely occurring events | 49 |
| State-specific data quality | 50 |
| Data quality issues for the Northern Marianas | 52 |
| Computation of Rates and Other Measures | 52 |
| Population denominators | 52 |
| 2014 population estimates | 52 |
| Population estimates for the specific Hispanic groups | 53 |
| Revised population estimates | 54 |
| Residential population base | 54 |
| Small populations as denominators | 54 |
| Net census undercounts and overcounts | 54 |
| Cohort fertility tables | 54 |

| Total fertility rates | 55 |
|---|----|
| Seasonal adjustment of rates | 55 |
| Computation of percentages, percentage distributions, and means | 55 |
| Computation of Measures of Variability | 56 |
| Random variation and significance testing for natality data | 56 |
| Specified Hispanic population groups | 56 |
| References | 59 |

Figures

1. U.S. Standard Certificate of Live Birth: 2003 Revision

Text Tables

- A. Births by place of occurrence and residence for births occurring in the 50 states, the District of Columbia, and U.S. territories, 2014
- B. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, the District of Columbia, 2014
- C. Implementation of the 2003 U.S. Standard Certificate of Live Birth: Each state and territory, New York City, and the District of Columbia, 2003-2014
- D. Live births by selected demographic and health characteristics: United States and total of 47 revised states and the District of Columbia, 2014
- E. Sources for the resident population and population including Armed Forces abroad: Birth- and death-registration states, 1900-1932, and United States, 1900-2014
- F. Percentage net population under/over count, by age, sex, and race/Hispanic origin: United States, April 1, 2010

Population Tables

- 1. Estimated total population, by race and Hispanic origin and specified Hispanic origin group and estimated female population, by age and race and Hispanic origin and specified Hispanic origin group of woman and standard errors by age and specified Hispanic origin group: United States, 2014
- 2. Estimated total population, female population, and age-specific female population: United States, each state, and territory, July 1, 2014
- 3. Population of birth- and death-registration states, 1900–1932, and United States, 1900–2014

Internet Tables

- I–1. Mean age of mother, by live-birth order and race and Hispanic origin of mother: United States, 1980-2014
- I-2. Births and seasonally adjusted birth rates, by month: United States, 2014
- I–3. Births, by day of week and method of delivery: United States, 2014

- I–4. Births to unmarried women, by race and Hispanic origin of mother: United States, each state and territory, 2014
- I–5. Births, by weight gain of mother during pregnancy, by plurality, gestational age, and race and Hispanic origin of mother: United States, 2014
- I–6. Selected risk factors, obstetric procedures, characteristics of labor and delivery, and congenital anomalies, by age and race and Hispanic origin of mother: United States, 2014
- I–7. Cesarean delivery, by race and Hispanic origin of mother: United States, each state and territory, 2014
- I–8. Preterm births, by race and Hispanic origin of mother: United States, each state and territory, 2014
- I–9. Low birthweight births, by race and Hispanic origin of mother: United States, each state and territory, 2014
- I–10. Very-low birthweight births, by race and Hispanic origin of mother: United States, each state and territory, 2014
- I–11. Twin, and triplet and higher-order multiple births, by state: United States and each state, 2007-2014
- I-12. Births occurring at home, by state: United States and each state, 2014

In the following tables, gestational age data are based on the date of the last normal menses:

- I-13. Births, by birthweight, gestational age, and by race and Hispanic origin of mother: United States, 2014
- I-14. Very preterm and preterm births, and very low birthweight and low-birthweight births, by race and Hispanic origin of mother: United States, 1989-2014
- I-15. Preterm and low birthweight births, by age and race and Hispanic origin of mother: United States, 2014
- I-16. Preterm births, by race and Hispanic origin of mother: United States, each state and territory, 2014

Documentation Tables

- 1. Number and percentage of live births by race of mother: 49 states and the District of Columbia, 2014
- 2. Educational attainment of mother, by age and race and Hispanic origin of mother: Total of 47 reporting states and District of Columbia, 2014

- 3. Maternal pre-pregnancy body mass index (BMI), by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 4. Mothers who smoked for the three months before pregnancy and anytime during pregnancy and those who quit before pregnancy and during pregnancy, by age and race and Hispanic origin of mother: Total of 46 reporting states and the District of Columbia, 2014
- 5. Mother received WIC food for herself during this pregnancy and infant was being breastfed at discharge, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 6. Pregnancy risk factors, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 7. Infections present and/or treated during this pregnancy, by age and race and Hispanic origin of mother: Total of 47 reporting states and DC, 2014
- 8. Month prenatal care began, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 9. Obstetric procedures by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 10. Principal source of payment for the delivery, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 11. Live births by interval since last live birth, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 12. Characteristics of labor and delivery, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 13. Method of delivery, by age and race and Hispanic origin of mother: Total of 47 states and the District of Columbia, 2014
- 14. Time of birth, by day of week of birth and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 15. Maternal morbidity, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 16. Abnormal conditions of the newborn, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014
- 17. Congenital anomaly of the newborn, by age of mother: Total of 47 reporting states and the District of Columbia, 2014

Introduction

These Detailed Technical Notes, published by the Centers for Disease Control and Prevention's National Center for Health Statistics (NCHS), supplement the "Technical Notes" section of "Births: Final Data for 2014" [1], and are for use with the 2014 Natality public use data. The 2014 natality micro-data file may be downloaded at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm [2] and is available on CD-ROM by request. These Technical Notes also provide additional documentation for VitalStats http://www.cdc.gov/nchs/VitalStats.htm, a data access and analysis tool [3]. VitalStats includes interactive pre-built tables and the ability to create tables and graphics using more than 100 demographic and health variables from the 1990-2014 natality public-use files.

Beginning with the 2005 data year, the micro-data natality file no longer includes geographic detail (e.g., state or county of birth). Information on the NCHS data release policy is available at: http://www.cdc.gov/nchs/nvss/dvs data release.htm [4]. Tabulations of birth data by state and for counties with populations of 100,000 or more may be made using VitalStats as described above. Procedures for requesting micro-data files with geographic detail are provided in the NCHS data release policy.

Beginning with the 2007 data year, data items exclusive to the 1989 revision of the U.S. Standard Certificate of Live Birth (i.e., maternal anemia, ultrasound, alcohol use) are no longer available in public use files. Beginning with the 2011 data year, unrevised data for educational attainment, prenatal care, and type of vaginal and cesarean delivery are no longer included on the data file. Data for these items from the 1989 revision are not comparable with the data from the 2003 revision.

A review of 2003-based birth certificate revision items during 2014 and 2015 by a collaborative effort among representatives from several vital statistics jurisdictions and NCHS resulted in the decision to drop a number of items from the national birth certificate data file for reasons of poor data quality. The following items are not available in the 2014 public use files: Mother ever married, Date of last prenatal care visit, Other previous poor pregnancy outcomes (Risk Factors in this Pregnancy), Tocolysis (Obstetric procedure), Cervical cerclage (Obstetric procedure), Premature rupture of the membranes >=12 hours (Onset of labor), Precipitous labor <3 hours (Onset of labor), Prolonged labor => 20 hours (Onset of labor), Unplanned operating room procedures (Maternal morbidity), Moderate/heavy meconium staining of the amniotic

fluid (Characteristics of Labor and Delivery), Fetal intolerance of labor (Characteristics of Labor and Delivery), Significant birth injury (Abnormal condition of the Newborn). For more information on this effort, please contact the Reproductive Statistics Branch/Division of Vital Statistics.

"Births: Final Data for 2014" [1] includes information for items considered comparable across revisions. Documentation tables in this Guide show data for most other items included in the natality public use file. Recent reports and data releases present information on items not previously available from The National Center for Health Statistics (e.g., use of infertility therapies, WIC food, source of payment for the delivery, maternal morbidity, breastfeeding, time of birth, interpregnancy intervals, and assisted reproductive technologies) for years 2009 - 2014. [5-9,]. A recent report also assesses the quality of the 2003 revised medical and health birth certificate data [10].

Definition of Live Birth

Every product of conception that gives a sign of life after birth, regardless of the length of the pregnancy, is considered a live birth. This concept is included in the definition set forth by the World Health Organization in 1950 as described in a United Nation's Handbook [11]. A slightly expanded definition of live birth was recommended by the 1992 revision of the Model State Vital Statistics Act and Regulations [12], based on recommendations of a 1988 working group formed by the American Academy of Pediatrics and the American College of Obstetricians and Gynecologists [13] and is consistent with that currently used by the WHO in the ICD-10 [14] and the United Nations:

"Live birth" means the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes, or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.

This definition distinguishes in precise terms a live birth from a fetal death [15,16]. The vast majority of registration areas use definitions of live births similar to this definition [15]. All states require the reporting of live births regardless of length of gestation or birth weight.

The Birth-Registration Area

Currently the birth-registration system of the United States includes the 50 states, the District of Columbia, the independent registration area of New York City, and Puerto Rico, the U.S. Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands (referred to as Northern Marianas). However, in the statistical tabulations, "United States" refers only to the aggregate of the 50 states (including New York City) and the District of Columbia. Information on the history and development of the birth-registration area is available elsewhere [17,18].

Birth statistics for years prior to 1951 and for 1955 are based on the total file of birth records. Statistics for 1951-54, 1956-66, and 1968-71 are based on 50-percent samples except for data for Guam and the Virgin Islands, which are based on all records filed. During the processing of the 1967 data, the sampling rate was reduced from 50 percent to 20 percent. From 1972 to 1984 statistics are based on all records filed in the States submitting computer tapes and on a 50-percent sample of records in all other States.

Since 1985, natality statistics for all states and the District of Columbia have been based on information from the total file of records, that is, all births registered in the reporting areas. The information is received on electronic files consisting of individual records processed by the states, the District of Columbia, New York City, Puerto Rico, the Virgin Islands, American Samoa, and the Northern Marianas (except for the Virgin Islands from 2009-2014). NCHS receives these files from the registration offices of all states, the two cities and four territories through the Vital Statistics Cooperative Program. Information for Guam for 2014 is obtained from paper copies of original birth certificates which are coded and keyed by NCHS. Data from American Samoa first became available in 1997; data from the Northern Marianas in 1998.

U.S. natality data are limited to births occurring within the United States, including those occurring to U.S. residents and nonresidents. Births to nonresidents of the United States have been excluded from most published tabulations by place of residence beginning in 1970 (for further discussion see "Classification by occurrence and residence"). Births occurring to U.S.

citizens outside the United States are not included in the natality file. Data for Puerto Rico, the Virgin Islands, Guam, American Samoa, and the Northern Marianas are limited to births registered in these areas.

Classification of births by occurrence and residence

In tabulations by place of residence, births occurring within the United States to U.S. citizens and to residents who are not citizens are allocated to the usual place of residence of the mother in the United States, as reported on the birth certificate. Births to U.S. residents occurring outside this country are not included in tabulations by place of residence or place of occurrence.

The total count of births for the United States by place of residence and by place of occurrence will not be identical. Births to nonresidents of the United States are included in data by place of occurrence but excluded from data by place of residence, as previously indicated. See **Table A** for the number of births by residence and occurrence for the 50 states and the District of Columbia for 2014.

Residence error -- According to a 1950 test (which has not been repeated), errors in residence reporting for the country as a whole tend to overstate the number of births to residents of urban areas and to understate the number of births to residents of other areas [19]. Recent experience based on anecdotal evidence from the states, suggests that this is still a concern. This tendency has assumed special importance because of a concomitant development—the increased utilization of hospitals in cities by residents of nearby places—with the result that a number of births are erroneously reported as having occurred to residents of urban areas. Another factor that contributes to this overstatement of urban births is the customary practice of using city addresses for persons living outside the city limits. Residence error should be taken into particular consideration in interpreting tabulated data for small areas. Both birth and infant mortality patterns can be affected.

Information on the completeness of reporting of birth certificate data is shown in **Table B**, which presents a listing of items and the percentage of records that were not stated for each reporting area: all 50 states, New York City, Puerto Rico, Guam, American Samoa, and the Northern Marianas.

Population based rates -- One of the principal values of vital statistics data is realized

through the presentation of rates that are computed by relating the vital events of a class to the population of a similarly defined class (e.g., 2014 births to women aged 20-24 years and the 2014 population of women aged 20-24). Vital statistics and population statistics, therefore, must be tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, significant discrepancies may result from differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data [20].

Geographic classification -- The geographic code structure for the 2014 natality file is given in NCHS manual, "Vital Records Geographic Classification, 2014," and in the country, county, and place geographic code files [21, 22]. The geographic code structure on the 2014 file is based on results of the 2010 Census of Population.

Standard Certificates of Live Birth

The U.S. Standard Certificate of Live Birth, issued by the U.S. Department of Health and Human Services, has served for many years as the principal means for attaining uniformity in the content of the documents used to collect information on births in the United States. The U.S. Standard Certificate of Live Birth is revised every 10-15 years. Most state certificates conform closely in content to the standard certificate, but are modified to the extent required by the particular state's needs or by special provisions of the state's vital statistics law.

The 2003 revision — In 2003, a revised U.S. Standard Certificate of Live Birth was adopted (**Figure 1**). For more details regarding the certificate revision and links to the documents referenced below, see the NCHS website of the 2003 certificate revision at: http://www.cdc.gov/nchs/nvss/vital certificate revisions.htm. The 2003 birth certificate replaces the previous 1989 U.S. Standard Certificate of Live Birth [17, 23, 24]. Implementation of the 2003 U.S. Standard Certificate of Live Birth (revised) by the states and independent reporting areas is being phased in over a number of years and is expected to be complete in January 2016. See **Table C** for the year of implementation by state and independent reporting areas. Forty-seven states, the District of Columbia, Guam, Puerto Rico, and the Northern Marianas had implemented the revised birth certificate as of January 1, 2014. One additional state, New Jersey, implemented the revised birth certificate in 2014, but after January 1st. Two states, Connecticut and Rhode Island remained on the 1989 stand birth certificates. Data for

reporting areas revising after January 1 are not included in **Documentation Tables 1 through**17. Births to residents of the 47 states and the District of Columbia which had revised as of January 1, 2014 represent 96.2 percent of all births to United States residents in 2014. See **Table**D for a comparison of selected demographic and infant health characteristics of the revised reporting area (excluding territories) to the United States as a whole. Data from 2014 for the 47-state and the District of Columbia revised reporting area are presented in **Documentation Tables**1 through 17 of these Notes.

The 2003 Revision of the U.S. Standard Certificate of live birth introduced substantial changes to data content and quality. Many key data items are common between revisions; however, a number of items were substantively modified. The 2003 revision also includes many new items never before collected on the Standard Certificate [23, 24]; see recent reports on selected new data items [5,9].

A key aspect of the 2003 revision of the U.S. Standard Certificate of Live Birth has been the re-engineering of the data collection and transmission system. The intent of the reengineering is to improve data quality, speed of data collection and transmission, and to enhance standardization of data [23,25]. To encourage collection of data from the best sources, two worksheets have been developed: the "Mother's Worksheet" and the "Facility Worksheet." In the mother's worksheet, data are directly obtained from the mother and include items such as race, Hispanic origin and educational attainment. For the facility worksheet, data are obtained directly from the medical records of the mother and infant for items such as date last normal menses began, pregnancy risk factors, and method of delivery. To assist hospital staff in completing the facility worksheet, a comprehensive instruction manual was developed: *Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision)* [26]. Details of the nature and content of the 1989 revision are available elsewhere [17].

Comparability of data between the 1989 and 2003 Revisions of the United States Standard Certificates of Live Birth — Many data items (e.g., maternal age, birth order, marital status, attendant at birth, birthweight, gestational age) are common to both the 1989 and 2003 standard birth certificates and are considered directly comparable between revisions. Several key items, however (i.e., educational attainment, tobacco use during pregnancy, month prenatal care began and type of vaginal or cesarean delivery), although collected on both certificate

revisions, were substantively modified. Data for these items are not considered comparable between revisions and are not combined in tabulations or in the data files. Beginning in 2008, key non-comparable data items exclusive to the 2003 revision (i.e. education, prenatal care, tobacco use, type of vaginal and cesarean delivery) are no longer included in "Births: Final Data:," see **Documentation Tables 2, 4, 8 and 13** for tabular data for 2014. Also, as of the 2011 data year, the unrevised data on these items are no longer on this file or included in VitalStats.

The checkbox items Risk factors in this pregnancy, Obstetric procedures, Characteristics of labor and delivery, Method of delivery, Abnormal conditions of the newborn, and Congenital anomalies of the newborn are included on both the 1989 and the 2003 U.S. Standard Certificates of Live Birth. However, many of the specific checkboxes under these items were modified, or are entirely new to the 2003 certificate. "Births: Final Data for 2014" presents information for specific checkboxes for which data *are* comparable across revisions [1]. See selected **Documentation tables 2 through 17** for tabular data for 2014 for 2003 revision-based information for selected specific checkbox items included under the checkbox categories listed above plus data on key items not comparable between revisions, i.e.: education, tobacco use, prenatal care, and type of vaginal and cesarean delivery. This information can be found in Documentation tables of the 2009-2013 User Guides [27-29]. Earlier reports and the 2007 User Guide presented these data for 2004-2008 [30-34]. For 2003-2010 data based on the unrevised reporting area, see VitalStats, and the public use data files [2,3]. The public-use files and VitalStats do not include data for non-comparable unrevised checkbox items from 2007 onward [6,7,8].

The 2003 revision also includes a number of items which are new *and* exclusive to the 2003 revised certificate (e.g., Use of infertility therapies, Principal source of payment for the delivery, Maternal morbidity, Infant breastfed, and the Receipt of WIC food for the pregnancy) (**Figure 1**). These items are included on the 2014 natality public use file and are discussed below. See selected **Documentation tables 3 through 17** for tabular data for 2014.

Table B presents a listing of items and the percentage of records that were not stated for all reporting areas: each state, New York City, the District of Columbia, plus Puerto Rico, Guam, American Samoa, and the Northern Marianas. Births to residents of revised states which occur in unrevised states are classified as unknowns for items exclusive to the 2003 revision (0.3)

percent for the revised area).

Natality data files

Micro-data files -- Natality micro-data files for data years 1968-2014 may be downloaded at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm. Natality micro-data files for data years 1968-2014 are also available on CD-ROM upon request. The general rules used to classify characteristics of live births are presented in several NCHS manuals [21,22,25,35]. These instructions are for states to use to collect and code the data items; they do not include NCHS edit recodes.

The 2003-2014 edits and natality micro-data files include data items common to both the 1989 and 2003 revisions of the U.S. Standard Certificate of Live Birth. The files also include items exclusive to the 2003 revision. Beginning with the 2007 public-use file, most non-comparable items exclusive to the 1989 revision are no longer included. See file layout in this User Guide [2]. Certain data items new to the 2003 revised certificate (e.g., maternal morbidity) are available beginning with data files 2009. See **Figure 1** for information on items included in the file.

Beginning with the 2005 data year, the public release micro-data natality file no longer includes geographic detail (e.g., state or county of birth). Information on the new data use policy is available at: http://www.cdc.gov/nchs/nvss/dvs_data_release.htm [4]. However, tabulations of birth data by state and for counties with populations of 100,000 or more may be made using the interactive data tool VitalStats, described below.

Reporting flags -- The natality public use micro-data files include extensive reporting flags to assist in the accurate exclusion of records for items not reported by all states when tabulating data by mother's place of residence. Reporting flags should be used to generate accurate numbers by residence for items which are not reported by all states. More information on the use of reporting flags can be found in the introduction to the 2014 file documentation in this User Guide [2]. Identification of individual state level data, however, is not possible with the public-use micro-data file for 2014 [4].

VitalStats -- VitalStats is an online data access tool which gives users access to a collection of interactive pre-built tables, and the ability to build their own tables choosing from over 100 public use birth variables for natality data files for 1990-2014. Interactive charting and

mapping tools are a key part of the system, and provide powerful options for visualizing and manipulating tabulated data at the national, state, and county level (for counties of 100,000 population or more). Additionally, users can export tabulated data to Excel for further analysis. VitalStats is available at: http://www.cdc.gov/nchs/VitalStats.htm.

Demographic characteristics

Hispanic origin and race

Hispanic origin--Information on Hispanic origin of mother and father is available for the entire United States. Hispanic origin and race are reported separately on the birth certificate. The following five categories are collected in a checkbox format (**Figure 1**):

- No, not Spanish/Hispanic/Latina
- Yes, Mexican, Mexican American, Chicana
- Yes, Puerto Rican
- Yes, Cuban
- Yes, other Spanish/Hispanic/Latina (Specify)

This information is recommended to be reported directly by the mother. See the "Mother's Worksheet for the Child's Birth Certificate" available at: http://www.cdc.gov/nchs/data/dvs/momswkstf_improv.pdf.

Data on the public use file and in NCHS reports for specified Hispanic groups are shown in most cases for five specified Hispanic groups: Mexican, Puerto Rican, Cuban, Central and South American, and "other and unknown Hispanic." In tabulations of birth data by race and Hispanic origin, data for persons of Hispanic origin are not further classified by race because the vast majority of births to Hispanic women are reported as white. In tabulations of birth data by race only, data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race. In tabulations that include Hispanic origin, data for non-Hispanic persons are classified according to the race of the mother, due to substantial differences in fertility and maternal and infant health characteristics between Hispanic and non-Hispanic white women.

Items asking for the Hispanic origin of the mother and the father have been included on the birth certificates of all states, D.C., Virgin Islands, and Guam since 1993, and on the birth certificate of Puerto Rico starting in 2005, and Northern Marianas starting in 2010 [28]. American Samoa does not collect this information.

The Hispanic origin question on the 2003 revision of the birth certificate asks respondents to select only one response. Occasionally, however, more than one Hispanic origin response is given, that is, a specified Hispanic group (Mexican, Puerto Rican, Cuban, or Central and South American) in combination with one or more other specified Hispanic group. From 2003 through 2012, respondents who selected more than one Hispanic origin on the birth certificate were classified as "other Hispanic". Beginning with the 2013 data year, respondents who select more than one Hispanic origin are randomly assigned to a single Hispanic origin. This change was implemented to be consistent with the coding methods of the American Community Survey [36], on which the rates for the specified Hispanic groups from 2010 on are based (see "Population estimates for the specific Hispanic groups"). (The Current Population Survey, on which the population denominators before 2010 are based, queried respondents who report more than one Hispanic origin to obtain a single origin only [37].) The Hispanic origin question on the 1989 revision of the birth certificate also offers the opportunity to report more than one origin; however, NCHS processing guidelines for unrevised data allow only for coding the first Hispanic origin listed.

Change in births to "other and unknown Hispanic" women—The number of births to "other and unknown Hispanic" women increased by 2.9 percent from 137,370 in 2013 to 141,390 in 2014. This number rose each year from 2005 through 2014. Factors that may have influenced this rise are not clear but may include less specificity in respondent reporting of Hispanic origin and increases in the populations of groups included in the "other Hispanic" category.

The 47 revised states, D.C., and Rhode Island accounted for 96 percent of Hispanic births in the United States in 2014. The percentage of records for which Hispanic origin of the parents was not reported in 2014 is shown by state in Table B.

Single, multiple, and "bridged" race of mother and father--Information on race of mother and father is available for the entire United States. Hispanic origin and race are reported separately on the birth certificate. The following fifteen race categories are collected in a checkbox format (**Figure 1**):

- White
- Black or African American
- American Indian or Alaska Native
- Asian Indian
- Chinese
- Filipino
- Japanese
- Korean
- Vietnamese
- Other Asian (Specify)
- Native Hawaiian
- Guamanian or Chamorro
- Samoan
- Other Pacific Islander (Specify)
- Other (Specify)

The instructions are to check one or more races to indicate what the mother/father considers her/himself to be. This information is recommended to be reported directly by the mother. See the "Mother's Worksheet for the Child's Birth Certificate" available at: http://www.cdc.gov/nchs/data/dvs/momswkstf_improv.pdf.

In 1997, the Office of Management and Budget (OMB) issued "Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity," which revised the "1977 Statistical Policy Directive 15, Race and Ethnic Standards for Federal Statistics and Administrative Reporting" [38,39]. These documents specify guidelines for collecting, tabulating, and presenting race and ethnicity data within the federal statistical system. The 1997 revised standards incorporated two major changes designed to reflect the changing racial and ethnic profile of the United States. First, the revision increased from four to five the minimum set of categories to be used by federal agencies for identification of race. The 1977 standards

required federal agencies to report race-specific tabulations using a minimum set of four single-race categories: American Indian or Alaska Native (AIAN), Asian or Pacific Islander (API), black, and white. The five categories for race specified in the 1997 standards are: AIAN, Asian, black or African American, Native Hawaiian or Other Pacific Islander (NHOPI), and white. The revised standards called for reporting Asian persons separately from NHOPI. The revised standards also require federal data collection programs to allow respondents to select one or more race categories.

Beginning with the 2000 decennial census, the U.S. Census Bureau collected race and ethnicity data in accordance with the 1997 revised standards; however, the National Vital Statistics System, which is based on data collected by the states, will not be fully compliant with the new standards until all of the states revise their birth certificates to reflect the new standards. Thus, beginning with the 2000 data year, the numerators (births) for birth rates are incompatible with the denominators (populations); see "Population denominators." To compute rates, it is necessary to "bridge" population data for multiple-race persons to single-race categories. This has been done for birth rates by race presented in this report. Once all states revise their birth registration systems to be compliant with the 1997 OMB standards, the use of bridged populations can be discontinued.

Forty-nine states and the District of Columbia, representing 99 percent of all U.S. resident births, reported multiple-race data in 2014 plus Guam and Northern Marianas, all of which used the 2003 revision of the U.S. Standard Certificate of Live Birth, as well as Rhode Island, which used the 1989 revision. Puerto Rico, which revised its birth certificate in 2005, reported race according to the 1989 certificate revision.

Slightly more than 2 percent of mothers in the states reported more than one race (**Documentation table** 1). Prior to 2014, the multiple-race reporting states varied; 6 states reported more than one race in 2003, 15 states in 2004, 19 states in 2005, 23 states in 2006, 27 states in 2007, 30 states in 2008, 33 states and D.C. in 2009, 38 states and D.C. in 2010, 40 states and D.C. in 2011, 41 states and D.C in 2012 and 44 states and D.C. in 2013. Data from the vital records of the non-multiple race reporting states and 2 territories followed the 1977 OMB standards in which only a single race is reported [39]. In addition, these areas also reported the minimum set of four races as stipulated in the 1977 standards compared with the minimum of five races for the 1997 standards.

To provide uniformity and comparability of data during the transition period before multiple-race data are available for all reporting areas, bridging the responses of those who reported more than one race to a single race is necessary. The bridging procedure for multiple-race mothers and fathers is based on the procedure used to bridge multiracial population estimates; see "Population denominators" [40]. Multiple race is imputed to a single race (AIAN, API, black, or white) according to the combination of races, Hispanic origin, sex, and age of the mother or father indicated on the birth certificate. The imputation procedure is described in detail elsewhere [41,42].

Where race of the mother is not reported, if the race of the father is known, the race of the father is assigned to the mother. When information is not available for either parent, the race of the mother is imputed according to the specific race of the mother on the preceding record with a known race of mother. In 2014, race of mother was imputed for 5.8% of births (by occurrence).

Beginning with the 1989 data year, NCHS started tabulating its birth data primarily by race of mother. In 1988 and prior years, births were tabulated by race of child, which was determined from the race of the parents as entered on the birth certificate.

Trend data by race shown in this report are by race of mother for all years beginning with the 1980 data year. Text references to white births and white mothers or black births and black mothers are used interchangeably for ease in writing.

Coding for <u>bridged</u>-race and Hispanic origin categories – Beginning with 2014, unique fields combining the *bridged* race and Hispanic categories for the mother and father are no longer included in the natality birth file. The SAS programming to combine Mother's Bridged Race (field 110) and Mother's Hispanic Origin Recode (field 115) as well as Father's Bridged Race (field 156) and Father's Hispanic Origin Recode (field 160), is shown below:

For mother's race and Hispanic origin recodes:

```
If mhisp_r='1' then mracehisp_old='1'; /*Mexican*/
If mhisp_r='2' then mracehisp_old='2'; /*Puerto Rican*/
If mhisp_r='3' then mracehisp_old='3'; /*Cuban*/
If mhisp_r='4' then mracehisp_old='4'; /*Central or South American*/
If mhisp_r='5' then mracehisp_old='5'; /*Other and Unknown Hispanic*/
If mhisp_r='0' and mbrace='1' then mracehisp_old='6'; /*Non-Hispanic white*/
If mhisp_r='0' and mbrace='2' then mracehisp_old='7'; /*Non-Hispanic black*/
If mhisp_r='0' and mbrace in ('3','4') then mracehisp_old='8'; /*Non-Hispanic other race*/
If mhisp_r='9' then mracehisp_old='9'; /*Origin unknown or not stated*/
```

For father's race and Hispanic origin recodes:

```
If fhisp_r='1' then fracehisp_old='1'; /*Mexican*/
If fhisp_r='2' then fracehisp_old='2'; /*Puerto Rican*/
If fhisp_r='3' then fracehisp_old='3'; /*Cuban*/
If fhisp_r='4' then fracehisp_old='4'; /*Central or South American*/
If fhisp_r='5' then fracehisp_old='5'; /*Other and Unknown Hispanic*/
If fhisp_r='0' and fbrace='1' then fracehisp_old='6'; /*Non-Hispanic white*/
If fhisp_r='0' and fbrace='2' then fracehisp_old='7'; /*Non-Hispanic black*/
If fhisp_r='0' and fbrace in ('3','4','9') then fracehisp_old='8'; /*Non-Hispanic other race*/
If fhisp_r='9' then fracehisp_old='9'; /*Origin unknown or not stated*/
```

Age of mother

Information on age of mother is available for the entire United States. Beginning with the 1989 U.S. Standard Certificate of Live Birth, a "Date of birth" item replaced the "Age (at time of this birth)" item. Not all states revised this item, and, therefore, the age of mother either is derived from the reported month and year of birth or coded as stated on the certificate. In 2014, age of mother was directly reported by American Samoa. This information is recommended to be reported directly by the mother. See the "Mother's Worksheet for the Child's Birth Certificate" available

at: http://www.cdc.gov/nchs/data/dvs/momswkstf_improv.pdf.

Imputation of age of mother-From 1964 to 1996, mother's age was edited for ages 10-49 years. Births reported as occurring to mothers under age 10 or over age 49 were assigned the mean age of mothers based on data from a previous year with the same race, Hispanic origin, and total birth order (total of live births and fetal deaths). Beginning in 1997, age of mother is imputed for ages 9 years or under and 55 years and over. This procedure was used through 2006 for births in states using the 1989 Revision of the U.S. Standard Certificate of Live birth (unrevised). Beginning in 2003 for births occurring in states using the 2003 revision of the birth certificate (revised), a slightly wider age range is used; age of mother is imputed for ages 8 years or under and 65 years and over (mother's age 9 years is recoded as 10 years and ages 55-64 years are recoded to an age from 50-54 years). Starting in 2007, the same procedures are used for states using the unrevised certificate. A review and verification of unedited data for several years including 2007 showed that the vast majority of births reported as occurring to women aged 50 years and older were to women aged 50-54 years. The numbers of births to women aged

50-54 years have been too small historically to compute age-specific birth rates. These births have been included with births to women aged 45-49 years for computing birth rates.

Extreme values of age-Data for single year of age of mother 9-11 and 55-64 years are not shown in the public use data files. Births to mothers 9-11 years are collapsed into the categories "12 years or under;" births to mothers 50-64 years into the category "50-54 years."

Populations for age-specific rates-Age-specific birth rates are based on populations of women by age, prepared by the U.S. Census Bureau. In census years the decennial census counts are used. In intercensal years, estimates of the population of women by age are published by the U.S. Census Bureau in Current Population Reports. The 2014 population estimates are from the 2010 Census as of July 1, 2014, from responses to questions on age at last birthday and month and year of birth, with the latter given preference. In the 1960, 1970, 1980, 1990, and 2000 Census of Population, age was also derived from month and year of birth. Age in completed years was asked in censuses before 1960. This was nearly the equivalent of the question of the pre-1989 birth certificates, which the 1950 test of matched birth and census records confirmed, by showing a high degree of consistency in reporting age in these two sources [20]. More recently, reporting of maternal age on the birth certificate was compared with reporting of age in a survey of women who had recently given birth. Reporting of age was very consistent between the two sources [43].

Median and mean age of mother -- Median age is the value that divides an age distribution into two equal parts, one-half of the values being less and one-half being greater. Median ages of mothers for 1960 to the present have been computed from birth rates for 5–year age groups rather than from birth frequencies. This method eliminates the effects of changes in the age composition of the childbearing population over time. Changes in the median ages from year to year can thus be attributed solely to changes in the age–specific birth rates. Trend data on the median age are shown in **Table 1-5** of "Vital Statistics of the United States, 2003, Volume 1, Natality" [44], which is available at: http://www.cdc.gov/nchs/products/vsus.htm#natab2003.

Trend data on the mean age of mother, derived directly from frequencies of births by age, are available at: http://www.cdc.gov/nchs/products/vsus.htm#natab2003, and for recent years, in **Table I-1**, available at http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_09_tables.pdf.

Not stated age or date of birth of mother -- In 2014, age of mother was not reported on 0.01 percent of the records. Beginning in 1964, birth records with date of birth of mother and/or

age of mother not stated have had age imputed according to the age of mother from the previous birth record of the same race and total-birth order (total of fetal deaths and live births). (See *NCHS Instruction Manuals*, Part 12) [45, 46].

Age of father

Information on age of father is available for the entire United States. It is derived from the father's date of birth and is recommended to be reported directly by the mother. See the "Mother's Worksheet for the Child's Birth Certificate"

at: http://www.cdc.gov/nchs/data/dvs/momswkstf_improv.pdf. Information on age of father is often missing for children born to unmarried mothers, greatly inflating the number in the "Not stated" category in all tabulations by age of father. If the age is under 10 years, it is considered not stated and grouped with those cases for which age is not stated on the certificate. The percent of records for which father's age is not stated is shown in **Table B**.

In computing birth rates by age of father, births tabulated as age of father not stated are distributed in the same proportions as births with known age within each 5-year-age classification of the mother. This procedure is followed because, while father's age is missing on 12.4 percent of all births in 2014, age of father is missing for one-third (31.8%) of births to teenaged (aged 15-19 years) mothers. This distribution procedure is done separately by race. The resulting distributions are summed to form a composite frequency distribution that is the basis for computing birth rates by age of father. This procedure avoids the distortion in rates that would result if the relationship between age of mother and age of father were disregarded. Births with age of father not stated are distributed only for rates, not for frequency tabulations.

Marital status

Information on marital status is available for the entire United States. It is recommended to be reported directly by the mother. See the "Mother's Worksheet for the Child's Birth Certificate" at: http://www.cdc.gov/nchs/data/dvs/momswkstf_improv.pdf. National estimates of births to unmarried women are based on two methods of determining marital status. For 1994 through 1996, birth certificates in 45 states and the District of Columbia included a question about the mother's marital status. For the other states, marital status is inferred from information on the birth certificate. Beginning in 1997, the marital status of women giving birth in California

and Nevada was determined by a direct question in the birth registration process. New York City also changed its procedures for inferring marital status in 1997 to the same procedures in effect in New York State, a separate registration area. Beginning June 15, 1998, Connecticut discontinued inferring the mother's marital status and added a direct question on mother's marital status to the state's birth certificate. Michigan added a direct question in 2005 to the birth registration process, but used inferential procedures to update information collected using the direct question. Beginning in 2007, Michigan added a direct question on mother's marital status to the state's birth certificate.

Inferential procedures-In 2014, inferential procedures were used to compile birth statistics by marital status in full or in part for New York. In New York, a birth is inferred as nonmarital if either of these factors, listed in priority-of-use order, is present: a paternity acknowledgment was received or the father's name is missing. In recent years, a number of states have extended their efforts to identify the fathers when the parents are not married in order to enforce child support obligations. The presence of a paternity acknowledgment, therefore, is the most reliable indicator that the birth is nonmarital in the states not reporting this information directly; this is now the key indicator in the nonreporting states. Details of the changes in reporting procedures and the impact of the procedures on the data are described in previous reports [47,48].

Imputation of marital status-The mother's marital status was not reported in 2014 on 0.08 percent of the birth records in the 49 states, the District of Columbia, and New York City where this information is obtained exclusively by a direct question. Marital status was imputed for these records. If status was unknown and the father's age was known, then the mother was considered married. If the status was unknown, and the father's age unknown, then the mother was considered unmarried. This represents a change from the procedures in effect for 2002 and previous years. Prior to 2003, marital status for all records with marital status not reported was imputed as "married." Because of the small number of records affected (3049 in 2014), the change in imputation procedures had essentially no impact on measures of nonmarital births.

When births to unmarried women are reported as second or higher order births, it is not known whether the mother was married or unmarried when the previous deliveries occurred because her marital status at the time of these earlier births is not available from the current birth record.

Educational attainment

Mother--Information on educational attainment of the mother is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. The following eight educational categories are collected in a checkbox format (**Figure 1**):

- 8th grade or less
- 9th-12th grade, no diploma
- High school graduate or GED completed
- Some college credit but no degree
- Associate degree
- Bachelor's degree
- Master's degree
- Doctorate

The instructions are to check the box that best describes the highest degree or level of school completed at the time of the delivery. This information is recommended to be reported directly by the mother. See the "Mother's Worksheet for the Child's Birth Certificate," available at: http://www.cdc.gov/nchs/data/dvs/momswkstf_improv.pdf. See the NCHS manual for detailed descriptions of editing and computation methods [46] and **Documentation Table 2** for 2014 data. Table B shows the percent of records for which mother's education is not stated.

Father--Information on educational attainment of the father is available for the revised reporting area, representing 96.4 percent of all U.S. births in 2014. The question is identical to that of the mother. From 1995-2008, NCHS did not collect information on the educational attainment of the father. Information on education of father is often missing on birth certificates of children born to unmarried mothers, greatly inflating the number in the "Not stated" category. While the overall percentage of "not stated" records was 15.1 percent for the reporting area (Table B), three areas (Delaware, District of Columbia, and Wisconsin) had close to 25 percent or more of records with missing data for this item.

Live-birth order and parity

Information on live-birth order and parity are available for the entire United States. Live-birth order and parity classifications refer to the total number of live births the mother has had including the 2014 birth. Fetal deaths are excluded.

Live-birth order indicates what number the present birth represents; for example, a baby born to a mother who has had two previous live births (even if one or both are not now living) has a live-birth order of three. Parity indicates how many live births a mother has had. Before delivery, a mother having her first baby has a parity of zero, and a mother having her third baby has a parity of two. After delivery the mother of a baby who is a first live birth has a parity of one, and the mother of a baby who is a third live birth has a parity of three.

Live-birth order and parity are determined from two items on the birth certificate, "Number of previous live births now living" and "Number of previous live births now dead." This information is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions for these items are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also the NCHS manual for detailed descriptions of editing and computation methods [46]. The percent of records for which live-birth order is not stated is shown in **Table B**.

In computing birth rates by live-birth order, births tabulated as birth order not stated are distributed in the same proportion as births of known live-birth order.

Birth interval

Information on birth interval is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Birth intervals are computed for all births of second or higher order. The interval is computed from the infant's date of birth (month and year) and the date of the last live birth (month and year). In a plural delivery, the 2nd and higher order birth within a set is classified at an interval of 0-3 months. This information is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See the NCHS manual for detailed descriptions of editing and computation methods [46]. The percent of records for which birth interval is not stated is show in **Table B**. See **Documentation Table 11** for 2014 data.

Medical and Public Services Utilization

Prenatal care

Information on the timing and number of prenatal care visits is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. This information is collected from the question "Date of first prenatal visit" (with a checkbox for "no prenatal care") and "Total number of prenatal visits for this pregnancy." The public use file includes the month of the first prenatal visit (ranging from months 1-10 of the pregnancy) as well as the trimester of the first prenatal visit (1st, 2nd, or 3rd).

Prenatal care information is recommended to be collected directly from the prenatal care record using the facility worksheet. Detailed instructions and definitions for these items are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also the NCHS manual for detailed descriptions of editing and computation methods [46]. The percent of records for which month prenatal care began and number of prenatal visits are not stated are shown in **Table B**. See **Documentation Table 8** for 2014 data on month prenatal care began.

In general, data on prenatal care utilization based on the 2003 revised birth certificate are substantially lower than those based on the 1989 birth certificate. For the first year revised certificates are implemented, the percentage of women reported to begin care in the first trimester typically falls in a jurisdiction by at least 10 percentage points (data not shown).

Did mother get WIC food for herself during this pregnancy?

Information on receipt of WIC (The Special Supplemental Nutrition Program for Women, Infants, and Children) food for the mother during this pregnancy is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. The WIC program, run by the U.S. Department of Agriculture, is intended to help low-income pregnant women, infants, and children through age 5 receive proper nutrition by providing vouchers for food, nutrition counseling, health care screenings and referrals [49]. This information is recommended to be reported directly by the mother. See the "Mother's Worksheet for the Child's Birth Certificate" for the wording of the question for the mother, available at: http://www.cdc.gov/nchs/data/dvs/momswkstf_improv.pdf. See the NCHS manual for

detailed descriptions of editing and computation methods [46] and **Documentation Table 5** for 2014 data. The percent of records for which WIC receipt is not stated is shown in **Table B**.

Obstetric procedures

Information on obstetric procedures is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Four obstetric procedures are separately identified on the revised 2003 certificate in a checkbox format (**Figure 1**):

- Successful external cephalic version
- Failed external cephalic version

Note that data on cervical cerclage and tocolysis are no longer available in the national natality file because of concerns with data quality.

The obstetric procedures item allows for the reporting of more than one procedure and includes a choice of "None of the above." If the item is not completed (i.e. none of the boxes are checked), it is classified as "not stated." The percent of records for which obstetric procedure items were not stated is shown in **Table B**.

Information on obstetric procedures is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also NCHS manuals for detailed descriptions of editing and computation methods [46]. See **Documentation Table 9** for 2014 data; see also Quality of Data section.

Characteristics of labor and delivery

Information on characteristics of labor and delivery is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Nine characteristics of labor and delivery are separately identified on the revised 2003 certificate in a checkbox format (**Figure 1**):

- Induction of labor
- Augmentation of labor
- Steroids received by the mother prior to delivery
- Antibiotics received by the mother during labor
- Clinical chorioamnionitis diagnosed during labor

• Epidural or spinal anesthesia during labor

Data on induction of labor are available for additional areas because these characteristics are on both the 1989 and 2003 revisions of the birth certificate. Data for 2014 on induction of labor are shown in **Table I-6**, available

at http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_09_tables.pdf.

The characteristics of labor and delivery item allows for the reporting of more than one characteristic and includes a choice of "None of the above." If the item is not completed (i.e. none of the boxes are checked), it is classified as "not stated." The percent of records for which characteristics of labor and delivery is not stated is shown in **Table B**.

Information on characteristics of labor and delivery is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions for the characteristics are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also NCHS manuals for detailed descriptions of editing and computation methods [46]; see also Quality of Data section. See **Documentation Table 12** for 2014 data. Due to concerns with data quality, non-vertex presentation, moderate/heavy meconium staining of the amniotic fluid and fetal intolerance of labor are no longer available in the public use file. A report on receipt of epidural and spinal anesthesia during labor for 2008 births has been published [50].

Place of birth

Information on place of birth is available for the entire United States. The following five places of birth are separately identified (**Figure 1**):

- Hospital
- Freestanding birthing center
- Home birth
- Clinic/Doctor's office
- Other

If the item is not completed (i.e. none of the boxes are checked), it is classified as "not stated." The percent of records for which place of birth is not stated is shown in **Table B**. Information on place of birth is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions are presented in the Guide to

Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also NCHS manuals for detailed descriptions of editing and computation methods [46].

Planned home births—Information on whether the home birth was planned is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. If the birth was a home birth (box checked) then the following question is asked in a checkbox format: Planned to deliver at home? Yes/ No. See also **Table I-12**. Additional information on births occurring outside of hospitals can be found in "Technical appendix. Vital statistics of the United States: 1999, vol I, natality [17].

Time of birth

Information on time of birth is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. The instructions are to enter the time of birth based on a 24-hour (military) clock. A recode of these data grouped into 6-hour time intervals is shown in **Documentation Table 15**. Information on time of birth is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions for time of birth are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also the NCHS manual for detailed descriptions of editing and computation methods [46]. The percent of records for which time of birth is not stated is shown in **Table B**.

Attendant at birth

Information on the attendant at birth is available for the entire United States. The following five attendants at birth are separately identified on the revised 2003 certificate in a checkbox format (**Figure 1**):

- MD
- DO
- CNM/CM
- Other midwife
- Other

If the item is not completed (i.e. none of the boxes are checked), it is classified as "not

stated." The percent of records for which attendant at birth is not stated is shown in **Table B**. Information on attendant at birth is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also NCHS manuals for detailed descriptions of editing and computation methods [46].

CNM-attended births- There is evidence that the number of live births attended by certified nurse midwives (CNM) is understated [51], largely due to difficulty in correctly identifying the birth attendant when more than one provider is present at the birth. (Anecdotal evidence suggests that some hospitals require that a physician be reported as the attendant even where no physician is physically present at midwife-attended births.) Additional information on birth attendants, can be found in "Technical appendix. Vital statistics of the United States: 1999, vol I, natality [17].

Method of delivery

Information on method of delivery is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Information on fetal presentation at birth and on the final route and method of delivery are collected in a checkbox format (**Figure 1**):

Fetal presentation at birth:

- Cephalic
- Breech
- Other

Final route and method of delivery:

- Vaginal/Spontaneous
- Vaginal/Forceps
- Vaginal/Vacuum
- Cesarean

If the items are not completed (i.e. none of the boxes are checked), they are classified as "not stated." The percent of records for which fetal presentation at birth and final route and method of delivery is not stated is shown in **Table B**. Information on method of delivery is recommended to be collected directly from the medical record using the facility worksheet.

Detailed instructions and definitions are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also NCHS manuals for detailed descriptions of editing and computation methods [46]. Due to concerns with data quality, items containing information on whether the delivery with forceps or vacuum extraction were unsuccessful are no longer included in the natality public use files.

Trial of labor- Information on whether a trial of labor is attempted for cesarean births is available for the revised reporting area, representing 96.2 percent of 2014 births. If the final route and method of delivery was cesarean (box checked) then the following question is asked in a checkbox format: If cesarean, was a trial of labor attempted? Yes/ No. See **Documentation Table 13** for 2014 data.

Total cesarean rate- The overall cesarean delivery rate or total cesarean rate is computed as the percent of all births delivered by cesarean. Data on the total cesarean rate are available for the entire U.S. because this item was also on the 1989 birth certificate and is comparable with the 2003 revision birth data. Data for 2014 on the total cesarean rate are shown in **Table I-7**, available at http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62 09 tables.pdf.

Primary cesarean and VBAC delivery rates-The primary cesarean and VBAC delivery rates are available for the revised reporting area, representing 96.2 percent of 2014 births. These rates are computed by using the information on vaginal and cesarean deliveries from the "method of delivery" item as well as information on whether the mother had a previous cesarean from the "risk factors in this pregnancy" item. The primary cesarean rate relates the number of women having a first cesarean delivery to all women giving birth who have never had a cesarean delivery. The denominator for the primary cesarean rate includes the sum of primary cesareans and vaginal births without previous cesarean. The rate of vaginal birth after previous cesarean (VBAC) delivery is computed by relating all VBAC deliveries to the sum of VBAC and repeat cesarean deliveries, that is, to women with a previous cesarean delivery. See **Documentation Table 13** for primary and VBAC rates for 2014 data.

Source of payment for the delivery

Information on the principal source of payment for the delivery is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. The instructions are to check the box that best describes the principal source of payment for this delivery. Data for the

following categories are available for all reporting areas (**Figure 1**):

- Private insurance
- Medicaid
- Self-pay
- Other (Specify)

In addition, more detailed information for the "other" category is available for 34 states, representing 57.9 percent of all U.S. births in 2014. For these states, the "other" category is further delineated into the following groups:

- Indian Health Service
- CHAMPUS/TRICARE
- Other government
- Other

Information on the source of payment for the delivery is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions for the source of payment for the delivery are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See the NCHS manual for detailed descriptions of editing and computation methods [46]. The percent of records for which source of payment for the delivery were not stated is shown in **Table B**. See **Documentation Table 10** for 2014 data. A report on 2010 data on source of payment has been published [9].

Maternal Lifestyle and Health Characteristics

Mother's pre-pregnancy body mass index (BMI)

BMI provides an indication of the mother's body fat based on her height and prepregnancy weight (see below), and is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Mother's height and pre-pregnancy weight are discussed in more detail below. Mother's pre-pregnancy BMI is calculated as:

[mother's pre-pregnancy weight (lb) / [mother's height (in)]²] x 703

See NCHS manuals for detailed descriptions of editing and computation of the BMI item [46]. The currently used categories for BMI were established by the National Health, Lung and Blood Institute (NHBL) in the late 1990s [52] and are shown in **Documentation Table 3** with 2014 data.

Weight gain during pregnancy

Information on weight gain during pregnancy for the 2003 certificate revision is derived from mother's pre-pregnancy weight and mother's weight at delivery (see below), and is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Mother's weight gain during pregnancy is calculated by subtracting the mother's pre-pregnancy weight from her weight at delivery. Weight gain during pregnancy is reported in pounds. A reported loss of weight is recorded as zero gain.

Data on weight gain during pregnancy is also available from the 1989 revision of the birth certificate, from a direct question. These data are comparable with the data from the 2003 revision and thus information on weight gain during pregnancy is available for the entire U.S. Data for 2014 are shown in **Table I-5**, available at http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_09_tables.pdf. See the NCHS manual for detailed descriptions of editing and computation of the weight gain item [46].

Mother's height

Information on the mother's height (in feet/inches) is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. This information is recommended to be reported directly by the mother. See the "Mother's Worksheet for the Child's Birth Certificate" for the wording of the question for the mother, available at: http://www.cdc.gov/nchs/data/dvs/momswkstf improv.pdf. Mother's height is one of the measurements used to compute mother's pre-pregnancy BMI (see above). The range of acceptable values for this item is 1-8 feet and 1-11 inches. See also the NCHS manual for detailed descriptions of editing and computation methods [46]. The percent of not stated records for mother's height is shown in **Table B**.

Mother's pre-pregnancy weight

Information on the mother's pre-pregnancy weight (in pounds) is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. This information is recommended to be reported directly by the mother. See the "Mother's Worksheet for the Child's Birth Certificate" for the wording of the question for the mother, available at: http://www.cdc.gov/nchs/data/dvs/momswkstf improv.pdf. Mother's pre-pregnancy weight is one of the measurements used to compute mother's pre-pregnancy BMI (see above). Mother's pre-pregnancy weight, along with mother's weight at delivery, is used to compute the mother's weight gain during delivery (see above). The range of values accepted for mother's pre-pregnancy weight is 50-400 pounds. All other values are edited to "not stated". See also the NCHS manual for detailed descriptions of editing and computation methods [46]. The percent of not stated records for mother's pre-pregnancy weight is shown in Table B.

Mother's weight at delivery

Information on the mother's weight at delivery (in pounds) is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Mother's weight at delivery, along with mother's pre-pregnancy weight, is used to compute the mother's weight gain during pregnancy (see above). The range of values accepted for mother's weight at delivery is 50-450 pounds. Information on mother's weight at delivery is recommended to be collected directly from the medical record using the facility worksheet. For detailed instructions and definitions for this item included on the revised 2003 certificate see: Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also the NCHS manual for detailed descriptions of editing and computation methods [46]. The percent of not stated records for mother's weight at delivery is shown in **Table B**.

Cigarette smoking before and during pregnancy

Information on smoking before and during pregnancy is available for the revised reporting area except for Hawaii representing 95.8 percent of all U.S. births in 2014.

Information on cigarette smoking before and during pregnancy is reported on the revised 2003 certificate (**Figure 1**) for:

Three months before pregnancy

- First three months of pregnancy
- Second three months of pregnancy
- Third trimester of pregnancy

This information is recommended to be reported directly by the mother. See the "Mother's Worksheet for the Child's Birth Certificate" for the wording of the question for the mother, available at: http://www.cdc.gov/nchs/data/dvs/momswkstf improv.pdf. The question asks for the number of cigarettes (or packs) smoked for each of these periods. All entries of packs of cigarettes are converted to number of cigarettes (1 pack = 20 cigarettes). If the mother reports smoking in any of the three trimesters of pregnancy she is classified as a smoker (smoked anytime during pregnancy).

See **Documentation Table 4** for 2014 data on cigarette smoking before and during pregnancy. This table also contains information on quitting smoking before and during pregnancy. Women who report smoking in the three months prior to pregnancy but report no smoking during *all* three trimesters are considered to have quit smoking *before* pregnancy. Women who smoked in the three months prior to pregnancy and during *any* trimester are considered to have *not* quit smoking *before* pregnancy. If a woman reported smoking in the three months prior to pregnancy, and reported *not* smoking during one or more trimesters, but smoking status was unknown for *any* of the other trimesters, quitting *before* pregnancy status is classified as "unknown."

Women who report smoking only in the first trimester and/or second trimesters, but not the third trimester, are considered to have quit smoking *during* pregnancy. If smoking status during the third trimester of pregnancy is unknown, quitting status is tabulated as "unknown." [46]. Women with unknown smoking status for any trimester who report *not* smoking in the remaining trimesters are classified as "unknown smoking status."

See also the NCHS manual for detailed descriptions of editing and computation methods. The percent of records for which cigarette smoking before and during pregnancy were not stated is shown in **Table B**.

Risk factors in this pregnancy

Information on each pregnancy risk factor is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Nine risk factors are separately identified on

the revised 2003 certificate in a checkbox format (**Figure 1**):

- Prepregnancy diabetes
- Gestational diabetes
- Prepregnancy (chronic) hypertension
- Gestational (PIH, preeclampsia) hypertension
- Eclampsia
- Previous preterm birth
- Pregnancy resulted from infertility treatment
- Previous cesarean delivery

Four of the pregnancy risk factors (diabetes (combined prepregancy and gestational), prepregnancy hypertension, gestational hypertension, and eclampsia) are available for unrevised reporting areas because they are on both the 1989 and 2003 revisions of the birth certificate. Information on "Other previous poor pregnancy outcome" is no longer available in the natality public use files because of concerns with data quality. Data for 2014 on these risk factors (excluding other previous poor pregnancy outcome) are shown in **Table I-6**, available at http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62 09 tables.pdf.

The checkbox format allows for the reporting of more than one risk factor and includes a choice of "None" (or "None of the above" in the case of the revised certificate). Accordingly, if the item is not completed (i.e. none of the boxes are checked), it is classified as not stated. The percent of records for which risk factors in this pregnancy is not stated is shown in **Table B**.

Information on risk factors in this pregnancy is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions for this item are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also the NCHS manual for detailed descriptions of editing and computation methods [46]. See **Documentation Table 6** for 2014 data. See also Quality of Data section.

Diabetes during pregnancy – The 2003 revision splits reporting of diabetes during pregnancy into prepregnancy (diagnosed prior to this pregnancy) and gestational (diagnosed in this pregnancy) diabetes. In comparison, the 1989 certificate captures information on maternal diabetes as a single item only. This change, along with more general enhancements to the collection of data under the 2003 revision, appears to have improved reporting of diabetes during

pregnancy in states adopting the 2003 certificate. Improved reporting of this item as states implemented the 2003 revised birth certificate contributed to the national increase between 2003 and 2014 (see **Tables 18 and 19 of** "Births: Final Data for 2014" and **Table I-6** for 2014 rates [1]) [53];

Pregnancy resulted from infertility treatment – There is a general checkbox question about whether the pregnancy resulted from infertility treatment. If the answer is "yes" (box checked) then the infertility treatments are grouped into two separate categories:

- Fertility enhancing drugs, artificial insemination, or intrauterine insemination
- Assisted reproductive technology (e.g. in vitro fertilization (IVF), gamete intrafallopian transfer (GIFT))

A subset of the revised state reporting area – 43 states and the District of Columbia, representing 88.9 percent of 2014 births – reported information on the type of infertility treatment used. The instructions are to check all that apply, meaning that one or both of these responses can be reported for the same birth. ART procedures are those in which both egg and sperm are handled in the laboratory, e.g. in vitro fertilization (IVF), gamete intra-fallopian transfer (GIFT).

Infections present and/or treated during this pregnancy

Information on infections present and/or treated during this pregnancy is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Five infections are separately identified on the revised 2003 certificate in a checkbox format (**Figure 1**):

- Gonorrhea
- Syphilis
- Chlamydia
- Hepatitis B
- Hepatitis C

This item allows for the reporting of more than one infection and includes a choice of "None of the above." If the item is not completed (i.e. none of the boxes are checked), it is classified as "not stated." The percent of records for which maternal infections items were not stated is shown in **Table B**.

Information on infections present and/or treated during this pregnancy is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions for the infections are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also NCHS manuals for detailed descriptions of editing and computation methods [46]. See **Documentation Table 7** for 2014 data.

Maternal morbidity

Information on maternal morbidity is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. The following six morbidities are separately identified on the revised certificate in a checkbox format (**Figure 1**):

- Maternal transfusion
- Third or fourth degree perineal laceration
- Ruptured uterus
- Unplanned hysterectomy
- Admission to intensive care unit

This item allows for the reporting of more than one morbidity and includes a choice of "None of the above." If the item is not completed (i.e. none of the boxes are checked), it is classified as "not stated." The percent of records for which maternal morbidity items were not stated is shown in **Table B**. Information on Unplanned operating room procedure" is no longer available in the national natality public use files because of concerns with data quality.

Information on maternal morbidity is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions for the maternal morbidities are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also the NCHS manual for detailed descriptions of editing and computation methods [46]. See **Documentation Table 15** for 2014 data; see also Quality of Data section.

Infant Health Characteristics

Period of gestation

Information on period of gestation is available for the entire United States. Beginning

with the 2014 data years, NCHS transitioned to a new standard for estimating the gestational age of the newborn. The new measure – the obstetric estimate of gestation at delivery (OE) replaces the measure based on the data of the last normal menses (LMP) [56]. Accordingly, gestational age data in standard reports are based on the OE. However, LMP-based data are also available. National data based on the OE are available only from data year 2007 forward. Gestational age estimates differ somewhat between the OE- and LMP-based measures. For example, the 2014 OE-based preterm birth rate is 9.57 compared with the LMP-based rate of 11.32%. Of note, both declines in the rate of preterm from 2007 to 2014. Information discussion of the reasons for the change, and a detailed comparison of the two measures, are presented elsewhere [56].

Births occurring before 37 completed weeks of gestation are considered to be preterm for purposes of classification consistent with the ICD-9 and ICD-10 definitions [14]. NCHS further categorizes births at less than 34 weeks as early preterm and births at 34-36 weeks as late preterm. Births occurring between 37 and 38 completed weeks are considered early term, between 39 and 40 completed weeks as full term, 41 completed weeks as late term, and at 42 completed weeks and over as post-term. These distinctions are consistent with the revised American College of Obstetrics and Gynecology revised term definitions [57].

The percent of records for which period of gestation is not stated is shown in **Table B**.

Birthweight

Information on birthweight is available for the entire United States. Birthweight is reported in some areas in pounds and ounces and in other areas as grams. However, the metric system is used to tabulate and present the statistics to facilitate comparison with data published by other groups. The categories for birthweight are consistent with the recommendations in the *International Statistical Classification of Diseases, Ninth Revision* (ICD–9) and the *International Statistical Classification of Diseases, Tenth Revision* (ICD–10) [14, 58]. The categories in gram intervals and their equivalents in pounds and ounces are as follows:

```
Less than 500 grams = 1 lb 1 oz or less

500–999 grams = 1 lb 2 oz–2 lb 3 oz

1,000–1,499 grams = 2 lb 4 oz–3 lb 4 oz

1,500–1,999 grams = 3 lb 5 oz–4 lb 6 oz

2,000–2,499 grams = 4 lb 7 oz–5 lb 8 oz

2,500–2,999 grams = 5 lb 9 oz–6 lb 9 oz
```

```
3,000–3,499 grams = 6 lb 10 oz–7 lb 11 oz
3,500–3,999 grams = 7 lb 12 oz–8 lb 13 oz
4,000–4,499 grams = 8 lb 14 oz–9 lb 14 oz
4,500–4,999 grams = 9 lb 15 oz–11 lb 0 oz
5,000 grams or more = 11 lb 1 oz or more
```

ICD-9 and ICD-10 define low birthweight as less than 2,500 grams. Very low birthweight is defined as less than 1,500 grams.

To establish the continuity of class intervals needed to convert pounds and ounces to grams, the end points of these intervals are assumed to be half an ounce less at the lower end and half an ounce more at the upper end. For example, 2 lb 4 oz–3 lb 4 oz is interpreted as 2 lb 3 ½ oz–3 lb 4 ½ oz. The percent of records for which birthweight is not stated is shown in **Table B**. Information on birthweight is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also the NCHS manual for detailed descriptions of editing and computation methods [46].

Apgar score

5-minute score--Information on 5-minute Apgar score is available for the entire United States. The Apgar score is a measure of the need for resuscitation and a predictor of the infant's chances of surviving the first year of life. It is a summary measure of the infant's condition based on heart rate, respiratory effort, muscle tone, reflex irritability, and color. Each of these factors is given a score of 0, 1, or 2; the sum of these 5 values is the Apgar score, which ranges from 0 to 10. A score of 0 to 3 indicates an infant in need of resuscitation; a score of 4 to 6 is considered intermediate; a score of 7 or greater indicates that the neonate is in good to excellent physical condition. The 5-minute score means that these factors were assessed at 5 minutes after delivery.

Information on 5-minute Apgar score is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision). See also the NCHS manual for detailed descriptions of editing and computation methods [46]. The percent of records for which 5-minute Apgar score is not

stated is shown in **Table B**. Tabular 2014 data for the 5-minute Apgar score are shown in **Tables 18 and 19** in "Births: Final data for 2014" [1].

10-minute score--The 10-minute score is available for the revised reporting area, representing 96.2 percent of U.S. births in 2014. The 2003 revised certificate asks for a 10-minute Apgar score if the 5-minute score is less than 6. Ten-minute Apgar score was reported for 1.2 percent (47,739) of births in the reporting area in 2014; an additional 0.7 percent (25,264) of births in the reporting area had "not stated" 10-minute Apgar score for infants whose 5-minute score was less than 6. Information on 10-minute Apgar score is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also the NCHS manual for detailed descriptions of editing and computation methods [46].

Abnormal conditions of the newborn

Information on abnormal conditions of the newborn is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Seven conditions are separately identified on the revised 2003 certificate in a checkbox format (**Figure 1**):

- Assisted ventilation required immediately following delivery
- Assisted ventilation required for more than six hours
- NICU admission
- Newborn given surfactant replacement therapy
- Antibiotics received by the newborn for suspected neonatal sepsis
- Seizure or serious neurological dysfunction

This item allows for the reporting of more than one condition and includes a choice of "None of the above". If the item is not completed (i.e. none of the boxes are checked), it is classified as "not stated." The checkbox item "Significant birth injury" is no longer included in the national natality file because of concerns with data quality. The percent of records for which abnormal conditions are not stated is shown in **Table B**.

Information on abnormal conditions is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions for the

infections are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also NCHS manuals for detailed descriptions of editing and computation methods [46]. See **Documentation Table 16** for 2014 data.

Congenital anomalies of the newborn

Information on congenital anomalies of the newborn is available for the revised reporting area, representing 96.2 percent of all U.S. births in 2014. Twelve anomalies are separately identified on the revised 2003 certificate in a checkbox format (**Figure 1**):

- Anencephaly
- Meningomyelocele/Spina bifida
- Cyanotic congenital heart disease
- Congenital diaphragmatic hernia
- Omphalocele
- Gastroschisis
- Limb reduction defect
- Cleft lip with or without cleft palate
- Cleft palate alone
- Down Syndrome
- Suspected chromosomal disorder
- Hypospadias

Six of these anomalies or anomaly groups: Anencephaly, Meningomyelocele/Spinda bifida, Congenital diaphragmatic hernia, Omphalocele/Gastroschisis, Cleft lip with or without Cleft palate, and Down Syndrome are available for additional areas because they are on both the 1989 and 2003 revisions of the birth certificate. Data for 2014 shown in **Table I-6**, available at http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_09_tables.pdf.

This item allows for the reporting of more than one anomaly and includes a choice of "None of the above". If the item is not completed (i.e. none of the boxes are checked), it is classified as "not stated." The percent of records for which congenital anomalies are not stated is shown in **Table B**.

Information on congenital anomalies is recommended to be collected directly from the

medical record using the facility worksheet. Detailed instructions and definitions are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. Data for the congenital anomaly "Hypospadias," are edited to exclude this condition where the infant is a female. See also the NCHS manual for detailed descriptions of editing and computation methods [46]. See Documentation **Table 17** for 2014 data. See also Quality of Data section.

Down Syndrome and suspected chromosomal disorder- The 2003 certificate includes a general checkbox question about whether Down Syndrome and suspected chromosomal disorder are present. If "yes" (box checked) then the following question is asked: karyotype pending karyotype confirmed. These responses are combined for a "yes" response.

Plurality

Information on plurality is available for the entire United States. Plurality is classified as single, twin, triplet, quadruplet, and quintuplet and higher order births. Each record in the public use natality file represents an individual birth. For example, a record coded as a twin represents one birth in a twin delivery. Pairs or sets of twins or higher order multiple births are not identified in this file. The Matched Multiple Birth File 1995-2000 [59] includes an item which identifies sets of twin, triplet and quadruplets, thus allowing for the analysis of maternal and infant characteristics of sets of births and fetal deaths in multiple deliveries.

Records for which plurality is unknown are imputed as singletons. This occurred for 0.004 percent (163) of all records for 2014. Information on plurality is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also NCHS manuals for detailed descriptions of editing and computation methods [46].

Infant breastfed

Information on whether the infant was being breastfed during the period from birth to discharge from the hospital is available for the revised reporting area except California and Michigan, representing 80.8 percent of all U.S. births in 2014. The item asks the question: Is the infant being breastfed at discharge? Yes/No. The intent to breastfeed, without having initiated it

by the time of hospital discharge, is <u>not</u> considered a "yes" response.

Information on infant breastfed is recommended to be collected directly from the medical record using the facility worksheet. Detailed instructions and definitions for this item are presented in the Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 Revision) [26]. See also NCHS manuals for detailed descriptions of editing and computation methods [46]. The percent of records for which infant breastfed at discharge are not stated is shown in **Table B**. See **Documentation Table 5** for 2014 data.

Definitions of medical terms

For definitions and discussion of the maternal and infant health characteristics, see "Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death" [26].

Quality of Data

Although vital statistics data are useful for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless various qualifying factors and methods of classification are taken into account. The factors to be considered depend on the specific purposes for which the data are to be used. It is not feasible to discuss all the pertinent factors in the use of vital statistics tabulations, but some of the more important ones should be mentioned.

Most of the factors limiting the use of data arise from imperfections (missing or misclassified) in the original records or from the impracticability of tabulating these data in very detailed categories. These limitations should not be ignored, but their existence does not lessen the value of the data for most general purposes.

Completeness of registration — It is estimated that more than 99 percent of all births occurring in the United States in 2014 were registered. This estimate is based on the results of a national 1964–68 test of birth-registration completeness according to place of delivery (in or out of hospital) and race (white and non-white) [60]. This test has not been conducted more recently.

Completeness of reporting — Interpretation of birth certificate data must include evaluation of item completeness. The "Not stated" percentage is one measure of the quality of

the data. Completeness of reporting varies among items and states. See **Table B** for the percentage of birth records on which specified items were not stated. In this table, there are items comparable to the 1989 and 2003 revisions, and items exclusive to the 2003 revision. Items exclusive to the 1989 revision are no longer included in the public-use file.

Data users should note that levels of incomplete or inaccurate reporting for some of the items are quite high in some states. See **Table B**.

Quality control procedures — As electronic files are received at NCHS, they are automatically checked for completeness, individual item code validity, and unacceptable inconsistencies between data items. The registration area is notified of any problems. In addition, NCHS staff review the files on an ongoing basis to detect problems in overall quality such as inadequate reporting for certain items, failure to follow NCHS coding rules, and systems and software errors. Traditionally, quality assurance procedures were limited to the review and analysis of differences between NCHS and registration area code assignments for a small sample of records. As electronic birth registration became prevalent, this procedure was augmented by analyses of year-to-year and area-to-area variations in the data. These analyses are based on preliminary tabulations of the data that are cumulated by state on a year-to-date basis. NCHS investigates all differences that are judged to have consequences for quality and completeness. In the review process, statistical tests are used to call initial attention to differences for possible follow-up. As necessary, registration areas are informed of differences encountered in the tables and asked to verify the counts or to determine the nature of the differences. Missing records (except those permanently voided) and other problems detected by NCHS are resolved, and corrections are transmitted to NCHS.

Comparison with medical records-Studies were undertaken in two states to assess the extent to which the data on the birth certificate accurately reflected what was in the medical record (considered to be the gold standard). This report showed that there were a number of items on the birth certificate that are collected in such a manner so that exact agreement with the medical records for non-check box items and sensitivity for checkbox items were high. However, some of the health and medical condition items on the birth certificate are likely underreported [10]. See the full results of the quality report available at

http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_02.pdf.

Rarely occurring events-There were not enough cases of some of the rarer conditions

listed on the birth certificate to assess data quality in the study above. An example of some of these are maternal morbidities, such as ruptured uterus and unplanned hysterectomy. These may be underreported on the birth certificate when compared with results from large multi-center studies and nationally representative survey data. For example, the rate of uterine rupture for women with a previous cesarean who delivered singletons at term (37 or more weeks of completed gestation) was 0.32% in 1999-2002 in a National Institute for Child Health and Development (NICHD) 19-institution cohort study [61] compared with 0.08 percent for comparable birth certificate data in 2014. Although there are other reasons for the differences in the rates, such as the differing time periods under study, these are examples which suggest that the birth certificate data are likely underreported.

It is well documented that congenital anomalies, except for the most visible and most severe, have historically been under-reported on birth certificates [62]. This has been attributable, at least in part, to the inclusion of anomalies on the 1989 U.S. Standard Certificate of Live Birth which may be difficult to detect within the short period between birth and completion of the child's birth certificate. The 2003 revision of the US Standard Certificate attempted to improve reporting of congenital anomalies by including only those diagnosable within 24 hours of birth using conventional, widely available diagnostic techniques [23,32]. However, it is not clear as to whether these efforts were successful because the instances of the anomalies were too few to be included in the quality study above and there have yet to be other quality studies assessing these data.

State-specific data quality issues of particular concern for 2014:

Georgia:

 Other pregnancy outcomes – The number of other pregnancy outcomes may be inaccurate due to underreporting. Data for this item as well as the derived items Total Birth Order and Interval Since Last Pregnancy should be used with caution.

Massachusetts:

• <u>Failed external cephalic version</u> – The level of successful and failed external cephalic version may be inaccurate due to underreporting of failed external cephalic version. Data for these items should be used with caution.

<u>Previous cesarean delivery</u> – The level of successful and failed external cephalic version may be
inaccurate due to underreporting of failed external cephalic version. Data for these items should
be used with caution.

Michigan:

- <u>Source of payment</u> Medicaid may be underreported and private insurance may be inflated due to inaccurate reporting. Data for this item should be used with caution.
- Breastfeeding Item wording is not consistent with that of the national standard certificate
 and data may not be comparable with those of other states and is not included in
 Documentation Table 5. Use of reporting flag will exclude these data.

Mississippi:

<u>APGAR 10</u> – The distribution of 10-minute Apgar scores may be inaccurate. Data for this item should be used with caution.

New Mexico:

- Numerous data items The following data items for New Mexico are considered to be inaccurate, due to underreporting, and should be used with caution.
 - Mother received WIC food during this pregnancy
 - Risk Factors Previous Cesarean and Previous Preterm Birth
 - Characteristics of Labor & Delivery Steroids
 - Characteristics of Labor & Delivery Antibiotics
 - Source of payment for the delivery

Virginia:

- <u>Numerous data items</u> The following data items for Virginia are considered to be inaccurate due to high unknowns (see Table B) and/or underreporting. These data should be used with caution:
 - o Prenatal care items Month prenatal care began, Number of prenatal care visits
 - o Mother's height, Mother's pre-pregnancy weight, Mother's weight at delivery
 - o Mother received WIC food during this pregnancy
 - o Tobacco use all
 - o Risk factors all except Eclampsia and Previous cesarean delivery
 - o Infections all
 - o Obstetric procedures Successful and Failed External cephalic version

- o Characteristics of labor and delivery all
- Method of Delivery Fetal presentation and Trial of labor
- Maternal morbidities all
- o Abnormal conditions all
- o Infant- breastfed at discharge

Data quality issues for Northern Marianas for 2014--Several data items for the Northern Marianas had high not stated values, and these data should be used with caution. See **Table B**.

Computation of Rates and Other Measures

Population denominators

2014 population estimates-Birth and fertility rates for 2014 shown in **Tables A, B, C, 1,** 3–5, 7–9, 12–14, and 17 of the 2014 Final Report [1] are based on populations estimated from the 2010 census as of July 1, 2014 These populations are shown in **Table 1**. The population estimates have been provided by the U.S. Census Bureau [63] and are based on the 2010 census counts by age, race, and sex, which have been modified to be consistent with OMB racial categories as of 1977 and historical categories for birth data. The modification procedures are described in detail elsewhere [40].

Birth and fertility rates by state shown in the 2014 Final Report [1] are based on state-level population counts based on the 2010 census provided by the U.S. Census Bureau [63]. Birth and fertility rates for the territories except Puerto Rico are based on population estimates provided by the U.S. Census Bureau's International Data Base [64] 4. Rates for Puerto Rico are based on population estimates from the 2010 census as of July 1, 2014, and are provided by the U.S. Census Bureau [65].

Rates by state and territory shown in this report may differ from rates computed on the basis of other population estimates; rates for smaller population subgroups such as those for teen mothers may be particularly affected by differences in population estimates. Birth and fertility rates by month shown in **Internet Table I–2** are based on monthly population estimates also based on the 2010 census estimates. Rates for unmarried women shown in **Tables 15 and 16** are based on distributions of the population by marital status averaged over a 2-year period for

2013–2014 as reported by the U.S. Census Bureau in the March Current Population Survey (CPS) for each year [66-67], which have been adjusted to July 1, 2014 (2010 census), population levels [63] by NCHS' Division of Vital Statistics [47].

As of the preparation of this report, data from the March CPS for 2015 were not available. Accordingly, the distributions of the population by marital status were based on a 2-year average of 2013 and 2014. For earlier years, rates for unmarried women are based on distributions of the population by marital status averaged over a 3-year period.

Population estimates for the specific Hispanic groups

Beginning in 2011, birth and fertility rates for the specific Hispanic population groups (Mexican, Puerto Rican, Cuban, Central and South America, and Other Hispanic populations), shown in **Tables 5, 7, 8, and 14** of the 2014 Final Report [1], are based on population estimates derived from the 1-year American Community Survey (ACS) [68] and adjusted to the U.S. resident population control totals by the U.S. Census Bureau. Rates for the specific Hispanic population groups prior to 2010 shown in the 2014 Final Report [1] were based on population estimates derived from the Current Population Survey (CPS) and adjusted to the U.S. resident population control totals by the U.S. Census Bureau and/or NCHS' Division of Vital Statistics. The change to the ACS-based rates was made because ACS estimates are more statistically reliable and represent the entire United States population. ACS estimates are based on an approximately 3 million annual sample of the U.S. population, including all households (civilian and military) and the institutionalized population (persons living in group quarters) [69]. CPS estimates are based on an approximate 200,000 sample of only the civilian, non-institutionalized U.S. population [70]. The larger ACS sample allows the possibility to show rates in more detail than in previous years, especially for Cuban and Puerto Rican women. The 2014 population estimates for the specific Hispanic population groups were not available as of the preparation of the 2014 final report. Accordingly, birth and fertility rates for these groups are not shown in this report. Birth and fertility rates for the specified Hispanic population groups will be available in forthcoming expanded report tables 5,7,8, and 14 of the 2014 Final Report [1], available from: http://www.cdc.gov/nchs/data/nvsr/nvsr64_13_expandedtables.pdf. The 2014 specific population estimates for Hispanic groups will be presented in an expanded Table 1, available from: http://www.cdc.gov/nchs/data/nvsr/nvsr64_13_expanded_tables.pdf. These estimates will

be derived from the 2014 1-year ACS and adjusted according to the (2010-based) postcensal estimates for July 1, 2014.

Revised population estimates

For information and discussion on the revised (intercensal) bridged-race population estimates and birthrates for 2000-2009, see the "2012 User's Guide.

Residential population base -- Birth rates for the United States and individual states are based on the total resident populations of the respective areas (**Table 2**). These populations exclude the Armed Forces abroad but include the Armed Forces stationed in each area. The residential population of the birth- and death-registration states for 1900–1932 and for the United States for 1900–2014 is shown in **Table 3**. In addition, the population including Armed Forces abroad is shown for the United States. **Table E** in these Notes shows the sources for these populations. A detailed discussion of historical population bases is presented elsewhere [17].

Small populations as denominators -- An asterisk (*) is shown in place of any derived rate in the following situations: 1) the rate is based on fewer than 20 births in the numerator 2) for the Hispanic subgroups, a relative standard error of 23 percent or more for the ACS-based rates of 2010-2014 or 3) there were fewer than 50 women for census years and 75,000 women for noncensus years in the denominator for the CPS-based rates for 1989-2009. Rates based on populations below these minimum levels lack sufficient reliability for analytic purposes. These guidelines follow the suggestions of the U.S. Census Bureau [71,72].

Net census undercounts and overcounts -- Studies conducted by the U.S. Census Bureau indicate that some age, race, and sex groups are more completely enumerated than others. Census miscounts can have consequences for vital statistics measures. For example, an adjustment to increase the population denominator would result in a smaller rate compared to the unadjusted population. A more detailed discussion of census undercounts and overcounts can be found in the "1999 Technical Appendix" [17]. Adjusted rates for 2014 can be computed by multiplying the reported rates by ratios from the 2014 census-level population adjusted for the estimated age-specific census over- and undercounts, which are shown in **Table F** of these

Notes.

Cohort fertility tables

Various fertility measures for cohorts of women are computed from births adjusted for underregistration and population estimates corrected for under enumeration and misstatement of age. Cohort fertility tables are available through 2009 and have recently been revised and updated to incorporate new rates for black women [73-76]. A detailed description of the methods used in deriving these measures is available in an earlier publication as well as detailed data for earlier years [77].

Total fertility rates

The total fertility rate is the sum of the birth rates by age of mother (in 5-year age groups) multiplied by 5. It is an age-adjusted rate because it is based on the assumption that there is the same number of women in each age group. The rate of 1,862.5 in 2014, for example, means that if a hypothetical group of 1,000 women were to have the same birth rates in each age group that were observed in the actual childbearing population in 2014, they would have a total of 1,862.5 children by the time they reached the end of the reproductive period (taken here to be age 50 years), assuming that all of the women survived to that age.

Seasonal adjustment of rates

The seasonally adjusted birth and fertility rates are computed from the X–11 variant of Census Method II [78]. This method, used since 1964, differs slightly from the U.S. Bureau of Labor Statistics (BLS) Seasonal Factor Method, which was used for *Vital Statistics of the United States*, 1964. The fundamental technique is the same in that it is an adaptation of the ratio-to-moving-average method. Before 1964, the method of seasonal adjustment was based on the X–9 variant and other variants of Census Method II. A comparison of the Census Method II with the BLS Seasonal Factor Method shows the differences in the seasonal patterns of births to be negligible.

Computation of percentages, percentage distributions, and means

Births for which a particular characteristic is unknown were subtracted from the figures

for total births that were used as denominators before percentages, percentage distributions, and means were computed. The percentage of records with missing information for each item is shown by state in **Table B**. The mean age of mother is the arithmetic average of the age of mothers at the time of birth, computed directly from the frequency of births by age of mother. An asterisk is shown in place of any derived statistic based on fewer than 20 births in the numerator or denominator.

Computation of Measures of Variability

Random variation and significance testing for natality data

For information and discussion on random variation and significance testing for natality data, with the exception of specified Hispanic groups (see below), see the 2010 User Guide [28].

Specified Hispanic population groups

Birth and fertility rates for Mexican, Puerto Rican, Cuban, Central and Other Hispanic populations are based on population estimates derived from the ACS [68,69] for 2014 and adjusted to resident population control totals. As a result, the rates are subject to sampling variability in the denominator as well as random variability in the numerator [79].

The standard error for birth and fertility rates (SE(R)) is calculated as:

1.
$$SE(R) = R\sqrt{\frac{1}{B} + \left(\frac{SE(P)}{P}\right)^2}$$

where R denotes the fertility or birth rate, B the number of births, SE(P) the standard errors of the ACS population estimates, P. The standard errors of ACS population estimates used in the 2014 Final Report are presented in Table 1 with the population estimates by Mexican, Puerto Rican, Cuban, and Other Hispanic.

When the number of births is large, a normal approximation may be used in calculating

56

confidence intervals and statistical tests. In general, for birth and fertility rates, the normal approximation performs well when the number of births is 100 or greater. Formula 2 is used to calculate 95 percent confidence limits for the birth or fertility rate when the normal approximation is appropriate:

2.
$$L(R) = R - 1.96(SE(R))$$
 and $U(R) = R + 1.96(SE(R))$

Or, substituting the relative standard error terms in formula 2,

3.
$$L(R) = R - 1.96 \left(R \sqrt{\frac{1}{B} + \left(\frac{SE(P)}{P} \right)^2} \right) \text{ and } U(R) = R + 1.96 \left(R \sqrt{\frac{1}{B} + \left(\frac{SE(P)}{P} \right)^2} \right)$$

where L(R) and U(R) are the lower and upper limits of the confidence interval, respectively. The resulting 95 percent confidence interval can be interpreted to mean that the chances are 95 in 100 that the "true" birth or fertility rate falls between L(R) and U(R).

For example, suppose that the general fertility rate for Mexican women is 76.8 per 1,000 women age 15-44 (based on 587,429 births and a population of 7,648,815 women). The standard error of the ACS population estimate is 293,528. Lower and upper 95 percent confidence limits using Formula 3 are calculated as:

$$L(76.8) = 76.8 - 1.96(2.949) = 71.0$$
 and $U(76.8) = 76.8 + 1.96(2.949) = 82.6$

Thus, the chances are 95 in 100 that the true fertility rate for Mexican women is between 71.0 and 82.6.

When testing the difference between two rates, R_1 and R_2 (each based on 100 or more births), the normal approximation may be used to calculate a test statistic, z, such that:

4.
$$z = \frac{R_1 - R_2}{\sqrt{SE(R_1)^2 + SE(R_2)^2}}$$

Or, substituting the relative standard error terms in formula 4,

5.
$$z = \frac{R_1 - R_2}{\sqrt{\left(R_1^2 \times \left(\frac{1}{B_1} + \left(\frac{SE(P_1)}{P_1}\right)^2\right)\right) + \left(R_2^2 \times \left(\frac{1}{B_2} + \left(\frac{SE(P_2)}{P_2}\right)^2\right)\right)}}$$

If $|z| \ge 1.96$, then the difference between the rates is statistically significant at the 0.05 level. If |z| < 1.96, then the difference is not statistically significant.

For example, suppose that the general fertility rate for Mexican women is 79.2 per 1,000 women age 15-44 (based on 599,417 births and a population of 7,568,396 women) in the previous data year (R_1) and 76.8 in the current data year (R_2) (based on 587,429 births and a population of 7,648,815 women). The standard errors of the ACS population estimates are 293,475 and 293,528, respectively. A test using Formula 5 can determine if the decrease in the general fertility rate is statistically significant:

$$z = \frac{79.2 - 76.8}{\sqrt{9.442 + 8.696}} = 0.56$$

Because z = 0.56 < 1.96, the change from the previous data year to the current data year in the general fertility rate for Mexican women is not statistically significant.

References

- 1. Hamilton BE, Martin JA, Osterman MJK, et al. Births: Final Data for 2014. National vital statistics reports; National Center for Health Statistics. Forthcoming.
- 2. National Center for Health Statistics. Natality 2014. Public use file. Hyattsville, Maryland: National Center for Health Statistics. Annual internet product. 2015. Available for downloading at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 3. National Center for Health Statistics. VitalStats. Available at: http://www.cdc.gov/nchs/VitalStats.htm
- 4. National Center for Health Statistics. NCHS Data Release and Access Policy for Microdata and Compressed Vital Statistics Files. Available at: http://www.cdc.gov/nchs/nvss/dvs_data_release.htm.
- 5. Osterman MJK, Martin JA, Curtin SC, et al. Newly released data from the revised U.S. birth certificate, 2011. National vital statistics report; vol 62 no 4. Hyattsville, MD: National Center for Health Statistics. 2013.
- 6. National Center for Health Statistics. Vital statistics data available. 2009 natality public use file. Hyattsville, MD: National Center for Health Statistics. (Re-released in 2013). Available from: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 7. National Center for Health Statistics. Vital statistics data available. 2010 natality public use file. Hyattsville, MD: National Center for Health Statistics. (Re-released in 2013). Available from: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 8. National Center for Health Statistics. Vital statistics data available. 2011 natality public use file. Hyattsville, MD: National Center for Health Statistics. (Re-released in 2013). Available from: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 9. Curtin SC, Osterman MJK, Uddin SF, et al. Source of payment for the delivery: Births in a 33-state reporting area, 2010. National vital statistics reports; vol 62 no 5. Hyattsville, MD: National Center for Health Statistics. 2013.
- 10. Martin JA, Wilson EC, Osterman MJK et al. Assessing the quality of medical and health data from the 2003 birth certificate revision: results from two states. National vital statistics reports; vol 62 no 2. Hyattsville, MD: National Center for Health Statistics. 2012. Available at: http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_02.pdf
- 11. United Nations. Handbook of vital statistics. Studies in methods series F. no. 7. New York: United Nations. 1955.
- 12. Centers for Disease Control and Prevention. Model State Vital Statistics Act and Regulations, 1992 Revision. Publication no. (PHS) 95–1115. Hyattsville, Maryland: National

- Center for Health Statistics. 1995.
- 13. American Academy of Pediatrics and American College of Obstetricians and Gynecologists. Guidelines for perinatal care, (2nd edition). Washington, DC. 308–24. 1988.
- 14. World Health Organization. Manual of the international statistical classification of diseases, injuries, and causes of death, based on the recommendations of the Tenth Revision Conference, 1987. Geneva: World Health Organization. 1992.
- 15. Kowaleski J. State definitions and reporting requirements for live births, fetal deaths, and induced terminations of pregnancy (1997 revision). Hyattsville, Maryland: National Center for Health Statistics. 1997.
- 16. National Center for Health Statistics. Detailed technical notes Fetal death 2013. Hyattsville, Maryland: National Center for Health Statistics Annual product, 2009. Available for downloading at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 17. National Center for Health Statistics. Technical appendix. Vital statistics of the United States: 1999, vol I, natality on CD-ROM from Hyattsville, Maryland: National Center for Health Statistics. 2001.
- 18. Hertzel, AM. U.S. Vital Statistics System. Major activities and developments, 1950-95. Hyattsville, Maryland: National Center for Health Statistics. 1997.
- 19. U.S. Department of Health, Education and Welfare, Public Health Service, Office of Vital Statistics. Birth registration completeness in the United States and geographic areas, 1950; vol 39 no 2. 1954.
- 20. Schachter J. Matched record comparison of birth certificate and census information in the United States, 1950. Vital statistics—Special Reports; vol 47 no 12. Washington: Public Health Service. 1962.
- 21. National Center for Health Statistics. Instruction manual, part 8. Vital records, geographic codes 2014. http://www.cdc.gov/nchs/IMP8_2014.pdf.
- 22. Country, county, and geographic code files available at: http://www.cdc.gov/nchs/nvss/instruction_manuals.htm
- 23. National Center for Health Statistics. Report of the Panel to Evaluate the U.S. Standard Certificates. Hyattsville, Maryland: National Center for Health Statistics. 2000.
- 24. National Center for Health Statistics. 2003 revision of the U.S. Standard Certificate of Live Birth. 2003.
- 25. National Center for Health Statistics. Birth edit specifications for the 2003 Revision of the U.S. Standard Certificate of Birth.

- 2005. http://www.cdc.gov/nchs/data/dvs/FinalBirthSpecs3-24-2005.pdf.
- 26. National Center for Health Statistics. Guide to completing the facility worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 revision). 2006 update. Hyattsville, Maryland: National Center for Health Statistics.
- 27. National Center for Health Statistics. User Guide to the 2013 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2014. Available for downloading at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 28. National Center for Health Statistics. User Guide to the 2010 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2012. Available for downloading at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 29. National Center for Health Statistics. User Guide to the 2009 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2011. Available for downloading at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 30. Osterman MJK, Martin JA, Mathews TJ, Hamilton BE. Expanded data from the new birth certificate, 2008. National vital statistics reports; vol 59 no 7. Hyattsville, MD: National Center for Health Statistics. 2011.
- 31. Osterman MJK, Martin JA, Menacker F. Expanded health data from the new birth certificate, 2006; vol 58 no 5. Hyattsville, Maryland: National Center for Health Statistics, 2009.
- 32. Menacker, F Martin, JA. Expanded health data from the new birth certificate, 2005. National statistics reports; vol 56 no 13. Hyattsville, Maryland: National Center for Health Statistics. 2008.
- 33. Martin, JA, Menacker, F. Expanded health data from the new birth certificate, 2004. National statistics reports; vol 55 no 12. Hyattsville, Maryland: National Center for Health Statistics. 2007.
- 34. National Center for Health Statistics. User Guide to the 2007 Natality Public Use File. Hyattsville, Maryland: National Center for Health Statistics. Annual product 2010. Available for downloading at: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.
- 35. Division of Vital Statistics. Instruction manual part 3a: Classification and coding instructions for birth records, 1999-2001. Hyattsville, Maryland: National Center for Health Statistics.
- 36. Ramirez RR, Ennis SR. Item nonresponse, allocation, and data editing of the question on Hispanic origin in the American Community Survey (ACS):2000 to 2007. U.S. Census Bureau: Population Division Working Paper No. 86. 2010.
- 37. Schmidley D, Cresce A. Tracking Hispanic ethnicity: Evaluation of Current Population Survey data quality for the question on Hispanic origin, 1971 to 2004. Washington, DC: U.S.

- Census Bureau, Population Division. 2007. Available from: http://www.census.gov/population/ www/documentation/twps0080/twps0080.pdf.
- 38. Office of Management and Budget. Revisions to the standards for the classification of federal data on race and ethnicity. Fed Regist 62FR58781–58790. October 30, 1997.
- 39. Office of Management and Budget. Race and ethnic standards for federal statistics and administrative reporting. Statistical Policy Directive 15. May 12, 1977.
- 40. Ingram DD, Parker JD, Schenker N, et al. United States Census 2000 population with bridged race categories. National Center for Health Statistics. Vital Health Stat 2(135). 2003.
- 41. Johnson D. Coding and editing multiple race. Presented at the 2004 Joint Meeting of NAPHSIS and VSCP. Portland, Oregon. June 6–10, 2004.
- 42. Weed JA. NCHS procedures for multiple-race and Hispanic origin data: Collection, coding, editing, and transmitting. Presented at the 2004 Joint Meeting of NAPHSIS and VSCP. Portland, Oregon. June 6–10, 2004.
- 43. Schoendorf KC, Parker JD, Batkhan LZ, Kiely JL. Comparability of the birth certificate and 1988 maternal and infant health survey. Vital Health Statistics 2 (116). Hyattsville, Maryland: National Center for Health Statistics. 1993.
- 44. National Center for Health Statistics. Vital statistics of the United States, 2003, vol I, natality. CD-ROM. Hyattsville, Maryland: National Center for Health Statistics. 2005.
- 45. Division of Vital Statistics. Instruction manual part 12: Computer edits for natality data, effective 1993. Vital statistics, data preparation. Hyattsville, Maryland: National Center for Health Statistics. 1995.
- 46. Division of Vital Statistics. Computer edits for natality data -- 2003 Revised Certificate. Hyattsville, Maryland: National Center for Health Statistics. Forthcoming on the Internet.
- 47. Ventura SJ, Bachrach CA. Nonmarital childbearing in the United States, 1940–99. National vital statistics reports; vol 48 no 16. Hyattsville, Maryland: National Center for Health Statistics. 2000.
- 48. Ventura SJ. Births to unmarried mothers: United States, 1980–92. National Center for Health Statistics. Vital Health Stat 21(53). 1995.
- 49. U.S. Department of Agriculture, Food and Nutrition Service (Web site). About WIC: WIC at a glance. Available at http://www.fns.usda.gov/wic/aboutwic/wicataglance.htm. Accessed 05/14/13.
- 50. Osterman MJK, Martin JA. Epidural and spinal anesthesia use during labor: 27-state reporting area, 2008. National vital statistics reports; vol 59 no 5. Hyattsville, MD: National

- Center for Health Statistics. 2011.
- 51. Walker D, Brooks-Schmunk S. Summers L. Do birth certificate data accurately reflect the number of CNM-attended births? An exploratory study. J Midwifery Women's Health, 49(5): 443-448. 2004.
- 52. National Heart, Lung and Blood Institute. Clinical Guidelines on the identification, evaluation and treatment of overweight and obesity in adults. NIH publication 98-4083. Washington DC: National Institutes of Health. 1998.
- 53. Martin JA, Ventura SJ. Braving the new world: Challenges and rewards of the revised birth data. Presented at Annual meeting of the National Association for Public Health Statistics and Information Systems. San Diego, CA. June 8, 2006.
- 54. Taffel S, Johnson D, Heuser R. A method for imputing length of gestation on birth certificates. National Center for Health Statistics. Vital Health Stat 2(93). Hyattsville, Maryland: National Center for Health Statistics. 1982.
- 55. Alexander GR, Allen MC. Conceptualization, measurement, and use of gestational age. I. Clinical and Public Health Practice. J Perinatol 16(1):53-9. 1996.
- 56. Martin JA, Osterman, MJK, Kirmeyer SE, Gregory, ECW. Measuring Gestational Age in Vital Statistics: Transitioning to the Obstetric Estimate. National Vital Statistics Reports; vol. 64, no. 5. Hyattsville, MD: National Center for Health Statistics. 2015.
- 57. ACOG Committee Opinion No 579: Definition of term pregnancy. Obstet Gynecol. 2013 Nov;122(5):1139-40.
- 58. World Health Organization. Manual of the international statistical classification of diseases, injuries and causes of death. Sixth revision. Geneva. 1949.
- 59. National Center for Health Statistics. Matched Multiple Birth file 1995-2000. Public use CD-ROM. Hyattsville, Maryland: National Center for Health Statistics. CD Rom series 21. no.17. 2005.
- 60. U.S. Census Bureau. Test of birth registration completeness, 1964 to 1968. 1970 census of population and housing; PHC (E)–2. Evaluation and Research Program. Washington: U.S. Department of Commerce. 1973.
- 61. Spong CY, Landon MB, Gilbert S, Rouse DJ, Leveno KJ, Varner MW, et al. Risk of uterine rupture and adverse perinatal outcome at term after cesarean delivery. Obstetrics & Gynecology 110(4):801-807. 2007.
- 62. Bateman BT, Mhyre JM, Callaghan WM, et al. Peripartum hysterectomy in the United States: nationwide 14 year experience. Am J Obstet Gynecol 206(63):e1-8. 2012.

- 63. National Center for Health Statistics. Vintage 2014 postcensal estimates of the resident population of the United States (April 1, 2010, July 1, 2010–July 1, 2014), by year, county, single-year of age (0, 1, 2, ..., 85 years and over), bridged race, Hispanic origin, and sex. Prepared under a collaborative arrangement with the U.S. Census Bureau. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of June 30, 2015, following release by the U.S. Census Bureau of the unbridged Vintage 2014 postcensal estimates by 5-year age group on June 25, 2015. Available from: http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#vintage2014.
- 64. U.S. Census Bureau. International data base. Population by single years of age and sex. 2014. Available from: http://www.census.gov/population/international/data/idb/informationGateway.php. Accessed 2015.
- 65. U.S. Census Bureau. Population estimates. Annual estimates of the resident population by single year of age and sex for the United States, states, and Puerto Rico Commonwealth: April 1, 2010 to July 1, 2014. 2015. Available from: http://factfinder2.census.gov/bkmk/table/1.0/en/PEP/2014/PEPSYASEX/0400000US72.
- 66. U.S. Census Bureau. DataFerrett. Washington, DC: U.S. Census Bureau. 2013.
- 67. U.S. Census Bureau. DataFerrett. Washington, DC: U.S. Census Bureau. 2014.
- 68. U.S. Census Bureau. American Community Survey (ACS), 2014 1-year estimates (st31001_2014_010_flags), by sex, age, nativity, and Hispanic origin. Population estimates for 2014 based on unpublished tabulations. Forthcoming.
- 69. U.S. Census Bureau. American Community Survey: Survey methodology. Available from: http://www.census.gov/acs/www/methodology/methodology_main/. [Accessed April 22, 2013.]
- 70. U.S. Census Bureau. Current Population Survey (CPS), Methodology. Available from: http://www.census.gov/cps/methodology/. [Accessed April 22, 2013.]
- 71. U.S. Census Bureau. Source and accuracy of the data for the March 2001 current population survey microdata file. 2001.
- 72. O'Connell M. Personal communication. Washington: U.S. Census Bureau. July 14, 2003.
- 73. Hamilton BE, Cosgrove CM. Cohort Fertility Tables: United States, 1960-2005. Available from: http://www.cdc.gov/nchs/nvss/cohort_fertility_tables.htm. Released: June 30, 2010.
- 74. Hamilton BE, Cosgrove CM. Technical appendix to the cohort fertility tables for all, white, and black women: United States, 1960-2005. Hyattsville, MD: National Center for Health

Statistics. Available from http://www.cdc.gov/nchs/data/nvss/cohort_fertility_tables_1960_2005_appendix.pdf. Released: June 30, 2010.

- 75. Hamilton BE, Cosgrove CM. Cohort Fertility Tables: United States, 2006–2009. Available from: http://www.cdc.gov/nchs/nvss/cohort_fertility_tables.htm. Released: August 20, 2012.
- 76. Hamilton BE, Cosgrove CM. Technical appendix to the cohort fertility tables for all, white, and black women: United States, 2006–2009. Hyattsville, MD: National Center for Health Statistics. Available from: http://www.cdc.gov/nchs/nvss/cohort_fertility_tables.htm. Released: August 20, 2012.
- 77. Heuser R. Fertility tables for birth cohorts by color: United States, 1917–73. National Center for Health Statistics. Hyattsville, Maryland. 1976. Available from: http://www.cdc.gov/nchs/data/misc/fertiltbacc.pdf.
- 78. Shiskin J, Young A, Musgrove J. The X–11 variant of the Census Method II Seasonal Adjustment Program. Technical paper; no 15, 1967 rev. Washington: U.S. Census Bureau. 1967.
- 79. U.S. Census Bureau. Instructions for Applying Statistical Testing to ACS 1-Year Data. 2013. Available

from: http://www.census.gov/acs/www/Downloads/data_documentation/Statistical_Testing/2 011StatisticalTesting1year.pdf.

Births in the United States, 2014

Joyce A. Martin, M.P.H.; Brady E. Hamilton, Ph.D.; and Michelle J.K. Osterman, M.H.S.

Key findings

- The number of births per 1,000 women aged 15–44 (the general fertility rate) in the United States increased slightly in 2014, to 62.9—the first increase since 2007. Rates rose for non-Hispanic white and Asian or Pacific Islander women, but historic lows were observed for Hispanic women and American Indian or Alaska Native women.
- Teen childbearing in the United States in 2014 fell to another historic low of 24.2 per 1,000 females. Record lows were seen for each race and Hispanic origin group.
- The cesarean delivery rate declined to 32.2% of births in 2014, down 2% from the 2009 peak of 32.9%. Declines in rates were seen for most race and Hispanic origin groups for 2013–2014.
- The preterm birth rate fell slightly in 2014 to 9.57% of births, down 8% from the 2007 high. Preterm rates declined among most race and Hispanic origin groups during 2007–2014.

This report presents several key demographic and maternal and infant health indicators by race and Hispanic origin, using 2014 final birth data. Trends in general fertility rates (GFRs), teen birth rates, and cesarean delivery and preterm birth rates are explored by race and Hispanic origin group (non-Hispanic white, non-Hispanic black, Hispanic, American Indian or Alaska Native [AIAN], and Asian or Pacific Islander [API]), with special focus on the most current period, 2013–2014. An earlier report presented 2014 preliminary data on selected topics (1). Data are from the annual national natality files, representing 100% of births to U.S. residents.

Keywords: general fertility rate • teen childbearing • cesarean delivery • preterm births

The number of births per 1,000 women aged 15–44 (the GFR) increased slightly in 2014—the first increase since 2007.

• The U.S. GFR increased less than 1% from 2013 to 2014, from 62.5 to 62.9 births per 1,000 women aged 15–44 (Figure 1).

120 15-44 105 Hispanic Rate per 1,000 women aged 90 All births Non-Hispanic black 75 60 Asian or Pacific Non-Hispanic Islander white 45 American Indian or Alaska Native 0 1995 2000 2010 2005 2014 1990

Figure 1. General fertility rates, by race and Hispanic origin of mother: United States, 1990–2014








- The GFR declined steadily from 2007 through 2013, with the pace of decline slowing from 2010 through 2013.
- Rates were up 1% from 2013 to 2014 for non-Hispanic white women (59.5 per 1,000 in 2014) and 3% for API women (60.7).
- Fertility rates declined to record lows for Hispanic women (down 1% to 72.1 per 1,000) and AIAN women (down 3% to 44.8). The rate for non-Hispanic black women was essentially unchanged at 64.5.

Birth rates for teenagers declined to historic lows in 2014 overall and for each race and Hispanic origin group.

- Birth rates for teenagers fell 9% from 2013 to 2014, to 24.2 births per 1,000 females aged 15–19, reaching yet another record low for the nation. The rate has declined 42% since 2007 (the most recent peak) and 61% since 1991 (Figure 2).
- Teen birth rates declined to record lows for all groups in 2014, down 7% for non-Hispanic white, 9% for Hispanic, 11% for non-Hispanic black and API, and 12% for AIAN females, compared with 2013.
- Birth rates among teenagers have declined for each race and Hispanic origin group over the last two decades, with declines ranging from 60% to 72% since 1991.
- In 2014, teen birth rates ranged from a low of 7.7 births per 1,000 for API females to a high of 38.0 for Hispanic females.

Figure 2. Birth rates for females aged 15–19, by race and Hispanic origin of mother: United States, 1991, 2007, 2013, and 2014



NOTE: Rates for 1991 for non-Hispanic white, non-Hispanic black, and Hispanic females exclude data for New Hampshire, which did not report Hispanic origin. SOURCE: CDC/NCHS, National Vital Statistics System.

The cesarean delivery rate declined in 2014 for most race and Hispanic origin groups.

- The cesarean delivery rate declined in 2014 to 32.2% of all births, from 32.7% in 2013. The rate is down 2% from the 2009 peak of 32.9% (Figure 3).
- Cesarean delivery rates declined for nearly all race and Hispanic origin groups (non-Hispanic white, non-Hispanic black, Hispanic, and API) in 2014. The rate for non-Hispanic white women fell for the fifth consecutive year, to 31.4% in 2014, down 4% from the 2009 peak of 32.8%.
- Cesarean delivery rates declined in 2014 for the first year since 1996 for non-Hispanic black, Hispanic, and API women. From 2013 to 2014, the rate declined 1% for non-Hispanic black (from 35.8% to 35.6%), Hispanic (32.2% to 31.9%), and API women (33.5% to 33.1%). The rate for AIAN women was essentially unchanged (28.5% for 2014).
- Despite the declining cesarean delivery rates for most groups, differences between groups continue to grow due to the larger declines for non-Hispanic white women.

2009 2013 2014 38 36 34 Percent 32 30 28 All births Non-Hispanic Hispanic Non-Hispanic American Indian Pacific Islander or Alaska Native white black

Figure 3. Cesarean delivery rates, by race and Hispanic origin of mother: United States, 2009, 2013, and 2014

SOURCE: CDC/NCHS, National Vital Statistics System.

Preterm birth rates declined for most race and Hispanic origin groups from 2007 to 2014.

- The U.S. preterm birth rate declined again in 2014, to 9.57% of all births, from 9.62% in 2013. The percentage of infants born before 37 completed weeks of gestation is down 8% since 2007 (from 10.44%)
- The preterm birth rate for API infants declined 3% from 2013 through 2014 (from 8.68% to 8.45%); changes in rates for non-Hispanic white, non-Hispanic black, Hispanic, and AIAN infants were not statistically significant for this time period.
- Since 2007 (the first year for which national data based on the obstetric estimate of gestation [2] are available), preterm rates are down 11% for non-Hispanic white and non-Hispanic black infants, 8% for API infants, and 4% for Hispanic infants; a non-statistically significant decline was reported among AIAN births over this period (Figure 4).
- Large differences in preterm risk persist among the race and Hispanic origin groups. In 2014, non-Hispanic black infants were about 50% more likely to be born preterm than non-Hispanic white, Hispanic, and API infants.




Figure 4. Preterm birth rates, by race and Hispanic origin of mother: United States, 2007-2014

SOURCE: CDC/NCHS, National Vital Statistics System.

Summary

For the first year since 2007, childbearing rose in the United States in 2014, albeit slightly. Trends differed by race and Hispanic origin, with the GFR up among non-Hispanic white and API women but down or unchanged among other groups for 2013–2014. Historical lows in teen childbearing were seen in the U.S. overall in 2014, and for each of the race and Hispanic origin groups. Following years of steady increases that totaled nearly 60% (3), the U.S. cesarean delivery rate declined for the second straight year. Cesarean delivery rates had been on the decline for several years for non-Hispanic white and API women, but 2014 marks the first year of decline in cesarean deliveries among non-Hispanic black and Hispanic women. Preterm birth rates continued to trend downward in 2014 (2), overall and among most race and Hispanic origin groups, but large differences among groups in the risk of preterm birth were observed. The forthcoming report, "Births: Final data for 2014" (4), will present more information on the topics addressed in this report and selected others.

Definitions

General fertility rate (GFR): Number of births per 1,000 women aged 15–44.

<u>Teen birth rate</u>: Number of births per 1,000 females aged 15–19.

Cesarean delivery rate: Number of births delivered by cesarean section per 100 births.

Preterm birth rate: Births delivered prior to 37 completed weeks of gestation per 100 births.

Data sources and methods

This report is based on data from the natality data file of the National Vital Statistics System, a collaboration among the vital statistics reporting areas and the Centers for Disease Control and Prevention's (CDC) National Center for Health Statistics (NCHS). The vital statistics natality file is based on information derived from birth certificates and includes information for all births occurring in the United States. This data brief accompanies the release of the 2014 natality public use file (5). More detailed analysis of the topics presented in this report, plus many other topics such as births to unmarried women, prenatal care, tobacco use during pregnancy, source of payment for the delivery, pregnancy risk factors, maternal morbidity, and breastfeeding, is possible using the annual natality files (5).

References to increases or decreases in rates indicate that differences are statistically significant at the 0.05 level. Computations exclude records for which information is unknown.

About the authors

Joyce A. Martin, Brady E. Hamilton, and Michelle J.K. Osterman are with CDC's National Center for Health Statistics, Division of Vital Statistics, Reproductive Statistics Branch.

References

- 1. Hamilton BE, Martin JA, Osterman MJK, Curtin SC. Births: Preliminary data for 2014. National vital statistics reports; vol 64 no 6. Hyattsville, MD: National Center for Health Statistics. 2015. Available from: http://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64_06.pdf.
- 2. Martin JA, Osterman MJK, Kirmeyer SE, Gregory ECW. Measuring gestational age in vital statistics data: Transitioning to the obstetric estimate. National vital statistics reports; vol 64 no 5. Hyattsville, MD: National Center for Health Statistics. 2015. Available from: http://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64 05.pdf.
- 3. Martin JA, Hamilton BE, Osterman MJK, et al. Births: Final data for 2013. National vital statistics reports; vol 64 no 1. Hyattsville, MD: National Center for Health Statistics. 2015. Available from: http://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64_01.pdf.
- 4. Martin JA, Hamilton BE, Osterman MJK, et al. Births: Final data for 2014. National vital statistics reports. Hyattsville, MD: National Center for Health Statistics [forthcoming].
- 5. National Center for Health Statistics. Vital statistics data available online: Natality public use file and CD–ROM. Hyattsville, MD: NCHS. Published annually. Available from: http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm.

U.S. DEPARTMENT OF **HEALTH & HUMAN SERVICES**

Centers for Disease Control and Prevention National Center for Health Statistics 3311 Toledo Road, Room 5419 Hyattsville, MD 20782-2064

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300

For more NCHS Data Briefs, visit: http://www.cdc.gov/nchs/products/databriefs.htm.



NCHS Data Brief ■ No. 216 ■ September 2015

Suggested citation

Martin JA, Hamilton BE, Osterman MJK. Births in the United States, 2014. NCHS data brief, no 216. Hyattsville, MD: National Center for Health Statistics. 2015.

FIRST CLASS MAIL

POSTAGE & FEES PAID CDC/NCHS

PERMIT NO. G-284

Copyright information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

National Center for Health Statistics

Charles J. Rothwell, M.S., M.B.A., Director Nathaniel Schenker, Ph.D., Deputy Director Jennifer H. Madans, Ph.D., Associate Director for Science

Division of Vital Statistics

Delton Atkinson, M.P.H., M.P.H., P.M.P., Director Hanyu Ni, Ph.D., M.P.H., Associate Director for Science

For e-mail updates on NCHS publication releases, subscribe online at: http://www.cdc.gov/nchs/govdelivery.htm.

For questions or general information about NCHS:

Tel: 1-800-CDC-INFO (1-800-232-4636) TTY: 1-888-232-6348

Internet: http://www.cdc.gov/nchs

Online request form: http://www.cdc.gov/info

ISSN 1941-4927 Print ed. ISSN 1941-4935 Online ed. DHHS Publication No. 2015-1209 CS259336

| | E NO | | U.s | S. STANDARD CERTIFICA | ATE OF L | IVE BIR | TH | | DIDTH NUMBE | ·n. |
|---------------|-------------------------|------|---|--|---|---|--|--|---|----------------------------|
| C F | | L | CHILD'S NAME (First, Middle, Last, Suffix) | | | | 2. TIME O | F BIRTH (24 hr) | 3. SEX 4. DATE | OF BIRTH (Mo/Day/Yr) |
| | | | 5. FACILITY NAME (if not institution, give street a | and number) | 6. CITY | , TOWN, C | OR LOCATION OF | . , | 7. COUNTY OF B | RTH |
| МО | TH | IEF | 8a. MOTHER'S CURRENT LEGAL NAME (Fir | rst, Middle, Last, Suffix) | | 8 | Bb. DATE OF BIR | TH (Mo/Day/ | Yr) | |
| | | | 8c. MOTHER'S NAME PRIOR TO FIRST MAR | RRIAGE (First, Middle, Last, Suffix) | | | 8d. BIRTHPLACE | (State, Ten | ritory, or Foreign Coun | try) |
| | | | 9a. RESIDENCE OF MOTHER-STATE | 9b. COUNTY | | | 9c. CITY, TOW | N, OR LOCA | ATION | |
| | | | 9d. STREET AND NUMBER | | | 9e. APT | . NO. 9f. ZIP | CODE | | 9g. INSIDE CITY LIMITS? |
| FΑ | ТН | EF | 10a. FATHER'S CURRENT LEGAL NAME (FI | rst, Middle, Last, Suffix) | 10b. D/ | ATE OF BIF | RTH (Mo/Day/Yr) | 10c. BIR | RTHPLACE (State, Terr | itory, or Foreign Country) |
| CEF | RTII | FIEF | 11. CERTIFIER'S NAME: TITLE: D MD D DO D HOSPITAL ADMI | IN. □ CNM/CM □ OTHER MIDW | /IFE | 12. DA | TE CERTIFIED / / / / / / / / Y | m | 13. DATE FILED B | Y REGISTRAR _/ YYYY |
| МО | TH | IEF | Street & Number: | | | | Apar | m, or Location | | Zip Code: |
| | | | MOTHER MARRIED? (At birth, conception, IF NO, HAS PATERNITY ACKNOWLEDGE MOTHER'S SOCIAL SECURITY NUMBER | MENT BEEN SIGNED IN THE HOS | SPITAL? - Y | 19. FAT | FOR CHILE HER'S SOCIAL S |)? 🗆 Y | JMBER REQUESTED /es = No IUMBER: | 17. FACILITY ID. (NPI) |
| МС | тн | ER | 20. MOTHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery) 8th grade or less 9th - 12th grade, no diploma High school graduate or GED completed Some college credit but no degree Associate degree (e.g., AA, AS) Bachelor's degree (e.g., BA, AB, BS) Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) | ORMATION FOR MEDICAL AND F 21. MOTHER OF HISPANI the box that best desor mother is Spanish/Hisp "No" box if mother is n No, not Spanish/Hispa Yes, Mexican, Mexican Yes, Puerto Rican Yes, Cuban Yes, other Spanish/His (Specify) | IC ORIGIN? ibes whether vanic/Latina. (ot Spanish/Hi unic/Latina n American, (| (Check the Check the ispanic/Lati Chicana | 22. MO1 what What What Mana Am Nai Chin Filip Japa Kore Viet Other Gau Sam Sam | t the mother inte | n or Alaska Native nrolled or principal tribe ecify) | be) |
| | | | Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD) | | | | □ Othe | er (Specify)_ | | |
| FA | | ER | degree or level of school completed at the time of delivery) 8th grade or less 9th - 12th grade, no diploma High school graduate or GED completed Some college credit but no degree | 24. FATHER OF HISPANII the box that best desor father is Spanish/Hispa "No" box if father is no No, not Spanish/Hispa Yes, Mexican, Mexican Yes, Puerto Rican Yes, Cuban Yes, other Spanish/His | ibes whether inic/Latino. C t Spanish/His inic/Latino n American, C | the heck the panic/Latin Chicano | whai | it the father of the ck or African Indian me of the er an Indian lesse ino anese | E (Check one or more considers himself to be a American n or Alaska Native nrolled or principal tribe | e) |
| Mother's Name | Mother's Medical Record | No. | Associate degree (e.g., AA, AS) Bachelor's degree (e.g., BA, AB, BS) Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) Doctorate (e.g., PD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD) | (Specify) | | | Othe | er Pacific Isla er (Specify)_ | Chamorro ander (Specify) | |
| | | | 26. PLACE WHERE BIRTH OCCURRED (Che Hospital Freestanding birthing center Home Birth: Planned to deliver at home? 9 \(\text{ Clinic/Doctor's office} \) Other (Specify) | NAME: | D = CNM/CN | NPI: | _ | DELIV IF YES | HER TRANSFERRED I CAL OR FETAL INDIC /ERY? Yes NS, ENTER NAME OF I ISFERRED FROM: | ATIONS FOR |

| MOT | HER | 29a. DATE OF FI | RST PRENATAL CA | | 29b. DATE O | F LAST PRENA | ATAL CARE VISIT | MBER OF PRENATAL VISITS FOR THIS PREGNANCY | | | | |
|---------------|-----------------|------------------------------------|--|-------------------------------|--|-------------------|---|--|---|---|--|--|
| | | MM ' DD | _/ _ | No Prenatal Care | M M | DD 1 | MYY . | | | (If none, enter A0".) | | |
| | | 24 MOTUEDIO III | FIGUE | 22 MOTUEDIO D | DEDDECMANOV | WEIGHT ISS | MOTUEDIO MEIOU | T AT DELIVED | las DID MOTUE | R GET WIC FOOD FOR HERSELF | | |
| | | 31. MOTHER'S HE | | | (pounds) | WEIGHT 33. | (pound | | DURING THIS PREGNANCY? Yes No | | | |
| | | 35. NUMBER OF | PREVIOUS | 36. NUMBER OF | OTHER | 37. CIGARET | TE SMOKING BEFO | ORE AND DURIN | DURING PREGNANCY 38. PRINCIPAL SOURCE OF | | | |
| | | | (Do not include | | OUTCOMES | For each | time period, enter ei | ther the number of | imber of cigarettes or the PAYMENT FOR THIS | | | |
| | | this child) | | (spontaneous losses or ect | or induced opic pregnancies) | number of | f packs of cigarettes | smoked. IF NO | NE, ENTER AU. | DELIVERY | | |
| | | 35a. Now Living | 35b. Now Dead | 36a. Other Outco | | Average nur | mber of cigarettes or | | | | | |
| | | Number | Number | Number | # of cigaret Imber Three Months Before Pregnancy | | | | | Li Medicald | | |
| | | Number | rumber | Number | | First Three | Months of Pregnand | cv | OR | □ Self-pay □ Other | | |
| | | □ None | □ None | □ None | | | ee Months of Pregnater of Pregnater | ancy | OR | (Specify) | | |
| | | | | | | 111110 | sici oi i regitatoj | | | | | |
| | | 35c. DATE OF LA | AST LIVE BIRTH | 36b. DATE OF L | AST OTHER | 39. DATE LA | AST NORMAL MEN | SES BEGAN | 40. MOTHER'S | MEDICAL RECORD NUMBER | | |
| | | //// | YYY | PREGNANO | CY OUTCOME | - M M | DD YYYY | <u></u> | | | | |
| | | MIM 1 | | MM Y | YYYY | IVI IVI | 00 1111 | • | | | | |
| 8.41 | EDICAL | 41. RISK FACTOR | RS IN THIS PREGNA | ANCY | 43. OBSTET | RIC PROCEDI | URES (Check all tha | at apply) | 146. METHOD OF | DELIVERY | | |
| | EDICAL | (Check a | all that apply) | | | | | | | | | |
| | AND | Diabetes | ncy (Diagnosis prior | to this programmy | Cervical | | | | A. Was delivery unsuccessful | with forceps attempted but | | |
| H | EALTH | | I (Diagnosis in thi | | □ Tocolysis | • | | | □ Yes □ | | | |
| | RMATION | il . | (| | | halic version: | | | D Was delivery | with very una outraction attenuated | | |
| INFO | KIMATION | Hypertension □ Prepregnar | nov (Chronio) | | □ Succes □ Failed | sful | | | but unsucces | with vacuum extraction attempted isful? | | |
| | | | l (PIH, preeclampsi | a) | □ Falled | | | | □ Yes □ | □ No | | |
| | | □ Eclampsia | | | □ None of t | he above | | | C. Fetal present | ation at birth | | |
| | | Previous prete | and blade | | 44 00057 | OF LABOR (0) | | | □ Cephalic | | | |
| | | Previous prete | rm birth | | 44. ONSET | OF LABOR (Ch | neck all that apply) | | □ Breech | | | |
| | | | poor pregnancy out | | □ Premature | Rupture of the | e Membranes (prolo | nged, ∃12 hrs.) | □ Other | | | |
| | | perinatal death growth restrict | n, small-for-gestation ed birth) | ial age/intrauterine | 1 | s Labor (<3 hrs | | | | d method of delivery (Check one) | | |
| | | | • | | Li Frecipitou | s Labor (~ nis | 5.) | | | pontaneous | | |
| | | □ Pregnancy res check all that: | sulted from infertility | treatment-If yes, | □ Prolonged | l Labor (∃ 20 hr | rs.) | | □ Vaginal/F □ Vaginal/V | | | |
| | | | appry. hancing drugs, Artifi | icial insemination o | r □ None of th | aunde ar | | | □ Cesarear | | | |
| | | Intrauterin | e insemination | | L None or a | ie above | | | If cesarea | n, was a trial of labor attempted? | | |
| | | | productive technological (IVF), gamete intrafa | | 40. CHARACTERISTICS OF EABOR AND DELIVERY | | | | | | | |
| | | transfer (G | (IFT)) | aliopian | (Check all that apply) | | | | | L MORBIDITY (Check all that apply) | | |
| | | Mathechad a | previous cesarean d | alisans | □ Induction (| of labor | | | | ns associated with labor and | | |
| | | | many | elivery | □ Augmentation of labor □ Non-vertex presentation □ Steroids (glucocorticoids) for fetal lung maturation | | | | | | | |
| | | | | | | | | | | ransfusion urth degree perineal laceration | | |
| | | None of the at 42 INFECTIONS | bove S PRESENT AND/O | R TREATED | | | rior to delivery | □ Ruptured uterus | | | | |
| | | | IS PREGNANCY (C | | pply) | | | | | i hysterectomy | | |
| | | □ Gonorrhea | | | | | diagnosed during lai 38°C (100.4°F) | | to intensive care unit | | | |
| | | □ Syphilis | | | | | ım staining of the an | Unplanned following d | l operating room procedure Jelivery | | | |
| | | □ Chlamydia | | | | | such that one or mo | □ None of th | | | | |
| | | □ Hepatitis B | | | | | ken: in-utero resuso assessment, or oper | | | | | |
| | | ☐ Hepatitis C☐ None of the | ahoue | | □ Epidural o | r spinal anesth | esia during labor | | | | | |
| | | □ None of the | above | | □ None of th | e above | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | NEWBORN | NECONATI | 201 | | | | | |
| | | 40 NEWBORN M | EDICAL RECORD N | IIIMDED 5 | NEWBORN I | | THE NEWBORN | 55 CO | NGENITAL ANOM | ALIES OF THE NEWBORN | | |
| NE | WBORN | 40. NEWBORN MI | EDICAL RECORD I | OMBER 5 | | neck all that ap | | 33. 00 | (Check all | | | |
| | | 49. BIRTHWEIGH | T (grams preferred, | specify unit) | | | | | encephaly | | | |
| | | - | Assisted ventila following deliver | | nmediately | I | ningomyelocele/Sp | | | | | |
| | | | Tonorning denie | , | | | anotic congenital h ngenital diaphragm | | | | | |
| | | | | | Assisted ventila | tion required fo | r more than | | nphalocele | aco nema | | |
| | | 50. OBSTETRICE | STIMATE OF GEST | TATION: | six hours | | | I | stroschisis | | | |
| | | | (completed w | eeks) | NICU admission | 1 | | | nb reduction defect aputation and dwarf | (excluding congenital | | |
| | | | | | Newborn given: | curfootant conta | acomont. | | eft Lip with or withou | | | |
| | | 51. APGAR SCOR | DE- | | therapy | surraciant repla | acement | | eft Palate alone | | | |
| | 1 | Score at 5 minutes | 5: | | | | | I . | wn Syndrome | | | |
| | _ | If 5 minute score | e is less than 6, | | Antibiotics recei suspected neor | | born for | | Karyotype confirm Karyotype pendin | | | |
| | 8 | Score at 10 minute | es: | | | | | | spected chromoso | | | |
| | စ္ထိ | L | | | Seizure or serio | us neurologic d | dysfunction | | Karyotype confirm | ned | | |
| 1 | ď | 52. PLURALITY - S | Single, Twin, Triplet, | etc. | Significant birth | injury (skeletal | fracture(s), peripher | | Karyotype pendin | 9 | | |
| _ | <u>77</u> | (Specify) | | | nerve injury, ar | nd/or soft tissue | solid organ hemorr | thans I III | pospadias one of the anomalie | s listed above | | |
| au l | Medical Record | | LE BIRTH - Born Fir | st, Second, | which requires | intervention) | | - IN | or aroundle | | | |
| ā | Je J | | ecify) | | | | | | | | | |
| 8 | S | rimu, etc. (Sp | ,cony) | 9 | None of the abov | /e | | | | | | |
| - E | , L | | | | | | | | | | | |
| Nother's Name | Mother's No. | | TRANSFERRED W OF FACILITY INFA | | | Yes 9 No | 57. IS INFANT LIV | | | 8. IS THE INFANT BEING BREASTFED AT DISCHARGE? | | |

Table A. Births by place of occurrence and residence for births occurring in the 50 states, the District of Columbia, and U.S. territories, 2014

| | Number | live births |
|----------------------|-------------------------|--------------------------|
| Area | Occurrence ¹ | Residence ^{1,2} |
| United States | 3,998,175 | 3,988,076 |
| Alabama | 57,798 | 59,422 |
| Alaska | 11,246 | 11,392 |
| Arizona | 88,028 | 86,887 |
| Arkansas | 37,788 | 38,511 |
| California | 503,889 | 502,879 |
| Colorado | 66,379 | 65,830 |
| Connecticut | 37,649 | 36,285 |
| Delaware | 11,486 | 10,972 |
| District of Columbia | 14,500 | 9,509 |
| Florida | 220,148 | 219,991 |
| Georgia | 132,078 | 130,946 |
| Hawaii | 18,573 | 18,550 |
| Idaho | 22,489 | 22,876 |
| Illinois | 154,806 | 158,556 |
| Indiana | 84,876 | 84,080 |
| Iowa | 39,466 | 39,687 |
| Kansas | 40,145 | 39,223 |
| Kentucky | 53,796 | 56,170 |
| Louisiana | 64,518 | 64,497 |
| Maine | 12,533 | 12,698 |
| Maryland | 70,916 | 73,921 |
| Massachusetts | 72,510 | 71,908 |
| Michigan | 113,436 | 114,375 |
| Minnesota | 69,166 | 69,904 |
| Mississippi | 37,955 | 38,736 |
| Missouri | 76,725 | 75,360 |
| Montana | 12,397 | 12,432 |
| Nebraska | 27,113 | 26,794 |
| Nevada | 35,509 | 35,861 |
| New Hampshire | 12,313 | 12,302 |
| New Jersey | 101,282 | 103,305 |
| New Mexico | 24,990 | 26,052 |

| New York | 239,435 | 238,773 |
|----------------|---------|---------|
| North Carolina | 122,542 | 120,975 |
| North Dakota | 12,839 | 11,359 |
| Ohio | 140,514 | 139,467 |
| Oklahoma | 51,926 | 53,339 |
| Oregon | 46,098 | 45,556 |
| Pennsylvania | 141,394 | 142,268 |
| Rhode Island | 11,358 | 10,823 |
| | | |
| South Carolina | 54,503 | 57,627 |
| South Dakota | 12,956 | 12,283 |
| Tennessee | 87,174 | 81,602 |
| Texas | 408,213 | 399,766 |
| Utah | 52,162 | 51,154 |
| Vermont | 5,846 | 6,130 |
| Virginia | 101,867 | 103,300 |
| Washington | 88,420 | 88,585 |
| West Virginia | 20,548 | 20,301 |
| Wisconsin | 66,884 | 67,161 |
| Wyoming | 6,993 | 7,696 |
| | | |

| Births occurring to US territorial i | residents | |
|--------------------------------------|-----------|--------|
| Puerto Rico | | 34,434 |
| Virgin Islands | | |
| Guam | | 3,395 |
| American Samoa | | 1,077 |
| Northern Marianas | | 517 |
| | | |

⁻⁻⁻ Data not available.

Excludes data for the territories.
 Excludes data for foreign residents.

Table B. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, 2014 [By place of residence]

| Reporting areas | | | | Mother's | | | Hispanic Origin | | |
|-------------------------------|------------|----------------|--------------------|------------------------|--------------|-----------------|-----------------|--------|--|
| Reporting areas | All births | Place of birth | Attendant at birth | Mother's birthplace | Father's age | Father's race — | Mother | Father | |
| otal of reporting areas 2 | 3,988,076 | 0.0 | 0.0 | 0.2 | 12.4 | 18.6 | 0.8 | 13.6 | |
| labama | 59,422 | 0.0 | - | 0.0 | 18.5 | 21.0 | 0.0 | 18.5 | |
| laska | 11,392 | 0.0 | 0.3 | 0.4 | 12.7 | 17.4 | 1.5 | 16.1 | |
| rizona | 86,887 | - | 0.0 | 0.1 | 13.3 | 15.6 | 0.3 | 14.1 | |
| rkansas | 38,511 | _ | | 0.2 | 21.2 | 25.3 | 0.2 | 21.5 | |
| alifornia | 502,879 | 0.0 | | 0.1 | 7.1 | 11.2 | 2.2 | 8.4 | |
| olorado | 65,830 | | | 0.1 | 6.9 | 12.4 | 1.3 | 8.1 | |
| onnecticut | 36,285 | _ | 0.1 | 0.2 | 9.8 | 12.0 | 0.2 | 10.0 | |
| elaware | 10,972 | _ | 0.1 | 1.2 | 23.5 | 27.4 | 0.2 | 31.6 | |
| istrict of Columbia | 9,509 | _ | 0.0 | 1.0 | 22.8 | 34.0 | 0.6 | 26.6 | |
| lorida | 219,991 | 0.0 | | 0.4 | 13.8 | 23.5 | 0.3 | 15.3 | |
| eorgia | 130,946 | 0.0 | | 0.4 | 15.7 | 24.1 | 1.9 | 17.6 | |
| awaii | 18,550 | 0.0 | | 0.2 | 8.3 | 8.7 | 0.0 | 8.2 | |
| daho | | 0.0 | | 0.2 | 9.3 | 16.8 | 0.0 | 11.4 | |
| | 22,876 | | | | | | | | |
| llinois | 158,556 | 0.0 | | 0.1 | 12.5 | 15.6 | 0.8 | 13.4 | |
| ndiana | 84,080 | 0.0 | | 0.4 | 11.8 | 16.0 | 0.1 | 13.4 | |
| owa | 39,687 | = | 0.0 | 1.2 | 13.9 | 17.7 | 0.0 | 14.8 | |
| ansas | 39,223 | - | = | 0.2 | 10.1 | 14.0 | 0.1 | 9.6 | |
| entucky | 56,170 | 0.0 | | 0.2 | 17.9 | 21.5 | 0.1 | 17.7 | |
| ouisiana | 64,497 | = | 0.1 | 0.0 | 15.1 | 20.5 | 0.1 | 15.3 | |
| aine | 12,698 | - | 0.0 | 0.1 | 8.5 | 8.8 | 0.0 | 7.4 | |
| aryland | 73,921 | 0.0 | 0.2 | 0.4 | 11.7 | 23.5 | 0.3 | 16.2 | |
| assachusetts | 71,908 | 0.0 | 0.1 | 0.1 | 7.8 | 10.4 | 1.3 | 3.9 | |
| ichigan | 114,375 | 0.0 | 0.0 | 0.1 | 14.4 | 17.0 | 0.1 | 14.6 | |
| innesota | 69,904 | - | 0.4 | 0.1 | 7.5 | 15.6 | 0.5 | 8.0 | |
| ississippi | 38,736 | - | 0.0 | 0.1 | 18.1 | 21.7 | 0.0 | 18.8 | |
| issouri | 75,360 | 0.0 | 0.0 | 0.6 | 15.8 | 18.3 | 0.5 | 18.8 | |
| ontana | 12,432 | _ | _ | 0.0 | 9.3 | 11.3 | 0.4 | 9.4 | |
| ebraska | 26,794 | = | _ | 0.1 | 11.2 | 21.6 | 0.1 | 12.7 | |
| evada | 35,861 | = | 0.0 | 0.2 | 13.1 | 17.4 | 0.3 | 13.5 | |
| ew Hampshire | 12,302 | _ | = | 0.1 | 6.6 | 11.0 | 0.7 | 6.5 | |
| ew Jersey | 103,305 | 0.0 | 0.0 | 0.1 | 7.3 | 12.6 | 0.5 | 8.0 | |
| ew Mexico | 26,052 | 0.0 | | 0.3 | 18.2 | 25.5 | 1.7 | 21.8 | |
| ew York (excluding NYC) | 121,166 | 0.0 | | 0.1 | 10.0 | 16.6 | 0.9 | 11.0 | |
| ew York City | 117,607 | - | | 0.3 | 10.1 | 20.0 | 2.4 | 14.0 | |
| orth Carolina | 120,975 | _ | 0.1 | 0.4 | 15.5 | 25.7 | 0.1 | 15.4 | |
| orth Dakota | 11,359 | 0.1 | | 0.4 | 6.9 | 11.6 | 1.3 | 10.3 | |
| nio | 139,467 | 0.1 | 0.0 | 0.9 | 17.1 | 20.5 | 0.4 | 17.6 | |
| clahoma | 53,339 | = | | 0.9 | 12.4 | 19.8 | 0.4 | 15.3 | |
| | | | 0.0 | | | | | | |
| regon | 45,556 | - | - | 0.1 | 8.7 | 14.0 | 0.4 | 9.7 | |
| ennsylvania | 142,268 | 0.0 | | 0.5 | 11.5 | 20.6 | 1.2 | 13.4 | |
| hode Island | 10,823 | = | | 0.5 | 10.6 | 28.5 | 1.8 | 11.7 | |
| outh Carolina | 57,627 | 0.0 | | 0.2 | 23.2 | 27.4 | 0.4 | 23.4 | |
| outh Dakota | 12,283 | - | 0.0 | 0.1 | 10.7 | 13.0 | 0.2 | 10.7 | |
| ennessee | 81,602 | 0.0 | | 0.3 | 15.9 | 22.6 | 0.1 | 16.0 | |
| exas | 399,766 | 0.0 | | 0.1 | 13.7 | 22.4 | 0.1 | 13.8 | |
| tah | 51,154 | - | 0.0 | 0.2 | 7.3 | 15.5 | 2.3 | 9.5 | |
| ermont | 6,130 | 0.0 | _ | 0.0 | 6.5 | 9.2 | 0.4 | 8.7 | |
| rginia | 103,300 | = | 0.0 | 0.3 | 10.2 | 16.6 | 0.1 | 11.2 | |
| shington | 88,585 | = | 0.0 | 0.6 | 9.3 | 18.6 | 1.1 | 11.6 | |
| st Virginia | 20,301 | - | 0.5 | 0.3 | 1.1 | 15.5 | 0.5 | 14.8 | |
| isconsin | 67,161 | = | 0.0 | 0.0 | 31.6 | 38.3 | 0.3 | 37.5 | |
| yoming | 7,696 | - | 0.1 | 0.1 | 16.2 | 20.0 | 1.3 | 17.3 | |
| uerto Rico | 34,434 | = | 0.1 | 0.0 | 4.2 | 5.4 | 0.0 | 4.3 | |
| irgin Islands | | | | | | | | | |
| uam | 3,395 | 0.2 | 0.3 | 0.2 | 21.6 | 26.4 | 1.4 | 23.4 | |
| merican Samoa | 1,077 | - | - | 2.9 | 37.7 | 37.8 | | | |
| orthern Marianas ³ | 517 | _ | _ | | 8.7 | 9.9 | 1.0 | 9.7 | |

Table B. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, United States--Con. [By place of residence]

| | Items for which data are available for all reporting areas 1 | | | | | | | | | |
|---------------------------------------|--|---------------------------|-------------|---------------------------------|-------------|-------------------------|--|--|--|--|
| Reporting areas | Live-birth order | Number of prenatal visits | Weight gain | Obstetric estimate of gestation | Birthweight | 5-minute Agpar score | | | | |
| Total of reporting areas ² | 0.5 | 2.8 | 4.4 | 0.1 | 0.1 | 0.4 | | | | |
| Alabama | 0.1 | 0.7 | 4.2 | 0.0 | 0.1 | 0.2 | | | | |
| Alaska | 2.4 | 8.1 | 5.1 | 0.2 | 0.1 | 0.8 | | | | |
| Arizona | 0.1 | 1.4 | 0.9 | 0.1 | 0.1 | 0.1 | | | | |
| Arkansas | 0.1 | 12.5 | 4.3 | 0.1 | 0.0 | 0.3 | | | | |
| California | 0.1 | 1.5 | 4.9 | 0.1 | 0.0 | 0.6 | | | | |
| Colorado | 0.1 | 1.3 | 3.0 | 0.0 | 0.1 | 0.3 | | | | |
| Connecticut | 0.0 | 0.8 | 0.8 | 0.0 | 0.0 | 0.2 | | | | |
| Delaware | 0.0 | 0.7 | 3.3 | 0.1 | 0.0 | 0.3 | | | | |
| District of Columbia | 0.2 | 6.4 | 5.0 | 0.0 | 0.1 | 0.3 | | | | |
| Florida | 0.8 | 2.5 | 7.6 | 0.0 | 0.0 | 0.3 | | | | |
| Georgia | 3.9 | | 12.0 | 0.1 | 0.2 | 0.4 | | | | |
| Hawaii | 1.5 | | 4.1 | 0.1 | 0.1 | 0.4 | | | | |
| Idaho | 0.1 | | 0.4 | 0.0 | 0.0 | 0.5 | | | | |
| Illinois | 1.4 | | 4.0 | 0.0 | 0.0 | 0.2 | | | | |
| Indiana | 0.0 | | 0.6 | 0.0 | 0.0 | 0.2 | | | | |
| Iowa | 0.0 | | 1.1 | 0.0 | 0.1 | 0.4 | | | | |
| Kansas | 0.0 | | 1.8 | 0.0 | 0.0 | 0.4 | | | | |
| Kentucky | 0.0 | | 1.4 | 0.0 | 0.0 | 0.3 | | | | |
| - | | | | | | | | | | |
| Louisiana | 2.2 | | 4.0 | 0.0 | 0.0 | 0.2 | | | | |
| Maine | 0.2 | | 0.7 | 0.0 | 0.0 | 0.2 | | | | |
| Maryland | 0.9 | | 4.4 | 0.1 | 0.1 | 0.3 | | | | |
| Massachusetts | 0.4 | | 5.3 | 0.3 | 0.4 | 0.5 | | | | |
| Michigan | 0.1 | | 4.1 | 0.0 | 0.1 | 0.3 | | | | |
| Minnesota | 0.1 | | 1.9 | 0.1 | 0.1 | 0.3 | | | | |
| Mississippi | 0.0 | 1.0 | 1.1 | 0.0 | 0.0 | 0.6 | | | | |
| Missouri | 0.6 | | 4.5 | 0.1 | 0.1 | 0.6 | | | | |
| Montana | 0.1 | 0.8 | 1.6 | 0.1 | 0.0 | 0.3 | | | | |
| Nebraska | 0.3 | | 2.1 | 0.1 | 0.0 | 0.2 | | | | |
| Nevada | 0.2 | 2.4 | 2.2 | 0.0 | 0.0 | 0.1 | | | | |
| New Hampshire | 0.5 | 1.1 | 5.4 | 0.1 | 0.2 | 0.2 | | | | |
| New Jersey | 0.1 | 0.2 | 0.6 | 0.0 | 0.0 | 0.1 | | | | |
| New Mexico | 2.4 | 4.0 | 6.5 | 0.1 | 0.4 | 0.2 | | | | |
| New York (excluding NYC) | 1.0 | 3.9 | 6.3 | 0.2 | 0.3 | 0.7 | | | | |
| New York City | 0.2 | 1.3 | 0.6 | 0.0 | 0.0 | 0.3 | | | | |
| North Carolina | 0.0 | 0.7 | 3.1 | 0.1 | 0.1 | 0.3 | | | | |
| North Dakota | 0.2 | 2.5 | 2.4 | 0.1 | - | 0.2 | | | | |
| Ohio | 0.4 | 2.4 | 4.4 | 0.1 | 0.1 | 0.2 | | | | |
| Oklahoma | 0.3 | 4.0 | 3.0 | 0.1 | 0.1 | 0.3 | | | | |
| Oregon | 0.2 | 1.7 | 2.5 | 0.0 | 0.0 | 0.2 | | | | |
| Pennsylvania | 0.6 | 3.7 | 9.0 | 0.2 | 0.4 | 0.6 | | | | |
| Rhode Island | 2.2 | 3.2 | 16.7 | 0.1 | 0.1 | 0.4 | | | | |
| South Carolina | 0.1 | 0.3 | 1.7 | 0.0 | 0.0 | 0.2 | | | | |
| South Dakota | 0.1 | 1.5 | 2.0 | 0.1 | 0.0 | 0.3 | | | | |
| Tennessee | 0.4 | | 5.8 | 0.1 | 0.2 | 0.6 | | | | |
| Texas | 0.0 | 1.1 | 0.9 | 0.0 | 0.0 | 0.9 | | | | |
| Utah | 0.1 | | 1.5 | - | 0.0 | 0.3 | | | | |
| Vermont | 0.1 | | 1.3 | 0.1 | 0.1 | 0.2 | | | | |
| Virginia | 0.2 | | 21.2 | 0.0 | 0.0 | 0.2 | | | | |
| Washington | 0.9 | | 5.7 | 0.1 | 0.1 | 0.3 | | | | |
| West Virginia | 1.7 | | 4.3 | 0.0 | 0.1 | 0.3 | | | | |
| Wisconsin | 0.1 | 3.9 | 2.9 | 0.2 | 0.1 | 0.4 | | | | |
| Wyoming | 0.0 | | 3.1 | 0.1 | 0.1 | 0.1 | | | | |
| Puerto Rico | 0.0 | 0.2 | 0.5 | 0.1 | 0.1 | 0.4 | | | | |
| Virgin Islands | | | | | | | | | | |
| Guam | 4.7 | 6.0 | 3.8 | 0.6 | 1.0 | 1.5 | | | | |
| American Samoa | - | | | | - | | | | | |
| Northern Marianas 3 | = | 3.1 | 3.9 | _ | 0.2 | 1.2 | | | | |

Table B. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, United States--Con. [By place of residence]

| | Risk Factors in | this Pregnancy | Characteristics of labor and delivery | | | | |
|---------------------------------------|-------------------------|-----------------------------|---------------------------------------|-----------------------------|--|--|--|
| Reporting areas | All reporting areas 1,4 | Revised area ^{5,6} | All reporting areas 1,7 | Revised area ^{5,8} | | | |
| Total of reporting areas ² | 0.2 | 0.3 | 0.0 | 0.0 | | | |
| Alabama | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| Alaska | 1.4 | 1.4 | 0.0 | 0.0 | | | |
| Arizona | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| Arkansas | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| California | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| Colorado | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| Connecticut | 0.1 | | 0.0 | 0.0 | | | |
| Delaware | _ | 0.2 | 0.0 | 0.0 | | | |
| District of Columbia | 1.5 | 1.6 | 0.0 | 0.0 | | | |
| Florida | 0.2 | 0.2 | 0.0 | 0.0 | | | |
| Georgia | 2.4 | 2.4 | 0.0 | 0.0 | | | |
| Hawaii | | 0.0 | 0.0 | 0.0 | | | |
| Idaho | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| | | | | | | | |
| Illinois | 0.5 | 0.5 | 0.0 | 0.0 | | | |
| Indiana | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| Iowa | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| Kansas | - | 0.0 | 0.0 | 0.0 | | | |
| Kentucky | 0.2 | 0.2 | 0.0 | 0. | | | |
| Louisiana | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| Maine | - | 0.0 | 0.0 | 0.0 | | | |
| Maryland | 0.1 | 0.1 | 0.0 | 0.0 | | | |
| Massachusetts | 0.3 | 1.5 | 0.0 | 0.0 | | | |
| Michigan | 0.3 | 0.3 | 0.0 | 0.0 | | | |
| Minnesota | 0.1 | 0.1 | 0.0 | 0.0 | | | |
| Mississippi | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| Missouri | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| Montana | 0.0 | 0.0 | 0.0 | 0. | | | |
| Nebraska | 0.3 | 0.3 | 0.0 | 0. | | | |
| Nevada | - | 0.0 | 0.0 | 0. | | | |
| New Hampshire | 0.2 | 0.3 | 0.0 | 0. | | | |
| New Jersey | 0.2 | | 0.0 | 0. | | | |
| - | 0.2 | === | 0.0 | 0.1 | | | |
| New Mexico | | | | | | | |
| New York (excluding NYC) | 0.5 | 2.6 | 0.0 | 0.0 | | | |
| New York City | 0.2 | 0.7 | 0.0 | 0.0 | | | |
| North Carolina | 0.0 | 0.0 | 0.0 | 0. | | | |
| North Dakota | 0.0 | 0.0 | 0.0 | 0. | | | |
| Ohio 9 | 0.1 | 0.1 | 0.0 | 0. | | | |
| Oklahoma | - | 0.0 | 0.0 | 0. | | | |
| Oregon | 0.0 | 0.0 | 0.0 | 0. | | | |
| Pennsylvania | 0.0 | 1.0 | 0.0 | 0.0 | | | |
| Rhode Island | 2.2 | | 0.0 | 0. | | | |
| South Carolina | 0.0 | 0.0 | 0.0 | 0. | | | |
| South Dakota | 0.3 | 0.3 | 0.0 | 0.1 | | | |
| Tennessee | 0.0 | 0.0 | 0.0 | 0.1 | | | |
| rennessee Texas | 0.0 | 0.0 | 0.0 | 0.1 | | | |
| rexas Jtah | 0.0 | 0.0 | 0.0 | 0.1 | | | |
| | | | | | | | |
| /ermont | 0.1 | 0.2 | 0.0 | 0. | | | |
| /irginia | 0.0 | 0.0 | 0.0 | 0. | | | |
| Washington | 0.1 | 0.1 | 0.0 | 0.0 | | | |
| West Virginia | 0.4 | 0.4 | 0.0 | 0. | | | |
| Visconsin | 0.3 | 0.3 | 0.0 | 0. | | | |
| Wyoming | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| Puerto Rico | 0.2 | 0.2 | 0.0 | 0.0 | | | |
| Virgin Islands | | | | | | | |
| Guam | 1.4 | 1.4 | 0.0 | 0.0 | | | |
| American Samoa | | | 0.0 | 0.0 | | | |
| Northern Marianas ³ | 2.7 | 2.7 | 0.0 | 0. | | | |

Table B. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, United States--Con. [By place of residence]

| | | Method of | Congenital anomalies of the newborn | | | | |
|------------------------------|--|-------------------------------|-------------------------------------|------------------------------------|-----------------------------|-------------------|--|
| Reporting areas | All reporti | ng areas 1,9 | Revised | area ^{5,10} | | | |
| Reporting aroun | Method of Delivery: vaginal/cesarean | Breech and other presentation | Fetal presentation | Final route and method of delivery | All reporting areas 1,11 | Revised area 5,12 | |
| Total of reporting areas 2 | 0.1 | 2.2 | 2.5 | 0.2 | 0.3 | 0.4 | |
| Alabama | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | |
| Alaska | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | |
| Arizona | - | 0.1 | 0.1 | = | = | = | |
| Arkansas | - | 0.1 | 0.1 | 0.0 | = | 0.0 | |
| California | 0.0 | 2.0 | 2.0 | 0.0 | 0.0 | 0.0 | |
| Colorado | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Connecticut | 0.6 | 0.1 | === | === | 0.1 | | |
| Delaware | = | 0.0 | 0.2 | 0.2 | 0.0 | 0.2 | |
| District of Columbia | 0.0 | 2.6 | 2.6 | 0.1 | 6.0 | 6.1 | |
| Florida | 0.0 | 0.7 | 0.7 | 0.0 | 0.2 | 0.3 | |
| Georgia | 0.2 | 3.6 | 3.6 | 0.2 | 2.8 | 2.8 | |
| Hawaii | 0.3 | 3.7 | 3.7 | 0.3 | - | 0.0 | |
| Idaho | 0.0 | 0.1 | 0.1 | 0.0 | 0.2 | 0.2 | |
| Illinois | 0.1 | 0.6 | 0.6 | 0.1 | 0.7 | 0.7 | |
| Indiana | 0.0 | 0.3 | 0.3 | 0.0 | 0.0 | 0.0 | |
| Iowa | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Kansas | = | 0.0 | 0.0 | 0.0 | = | 0.0 | |
| Kentucky | 0.1 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | |
| Louisiana | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Maine | 0.0 | 0.8 | 0.9 | 0.1 | 0.4 | 0.5 | |
| Maryland | 0.2 | 1.7 | 1.8 | 0.2 | 0.3 | 0.3 | |
| Massachusetts | 0.3 | 9.5 | 10.7 | 1.6 | 0.4 | 1.6 | |
| Michigan | 0.0 | 0.4 | 0.4 | 0.0 | 0.4 | 0.4 | |
| Minnesota | 0.0 | 0.2 | 0.2 | 0.0 | 0.1 | 0.1 | |
| Mississippi | = | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | |
| Missouri | 0.3 | 1.7 | 1.7 | 0.3 | 0.0 | 0.0 | |
| Montana | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | |
| Nebraska | = | 0.0 | 0.0 | | 0.1 | 0.1 | |
| Nevada | - | 0.0 | 0.0 | 0.0 | - | 0.0 | |
| New Hampshire | 0.0 | 0.8 | 0.9 | 0.1 | 4.1 | 4.2 | |
| New Jersey | 0.8 | 0.1 | | | 0.1 | | |
| New Mexico | _ | 0.4 | 0.4 | | | | |
| New York (excluding NYC) | 0.8 | 0.8 | 2.9 | 2.9 | 1.5 | 3.6 | |
| New York City | 0.0 | 0.1 | 0.6 | 0.5 | 1.1 | 1.6 | |
| North Carolina | 0.0 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | |
| North Dakota | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Ohio | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | |
| Oklahoma | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Oregon | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | |
| Pennsylvania Rhode Island | 0.0 | 0.0 | 1.0 | 1.0 | 5.0 | 1.0 | |
| South Carolina | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| South Dakota | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | |
| Tennessee | - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Texas | 0.0 | 2.1 | 2.1 | 0.0 | 0.0 | 0.0 | |
| Utah | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Vermont | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Virginia | 0.0 | 46.9 | 46.9 | 0.0 | 0.2 | 0.0 | |
| Washington | 0.0 | 0.5 | 0.5 | 0.0 | 0.0 | 0.1 | |
| West Virginia | 0.2 | 5.2 | 5.2 | 0.0 | 0.1 | 0.0 | |
| Wisconsin | 0.1 | 0.5 | 0.5 | 0.2 | 0.5 | 0.5 | |
| Wyoming | 0.0 | 0.0 | 0.0 | 0.0 | - | - | |
| Puerto Rico | 1.8 | 4.1 | 4.1 | 1.8 | 0.4 | 0.4 | |
| Virgin Islands | | | | | | | |
| Guam | 1.3 | 50.5 | 50.5 | 1.3 | 1.9 | 1.9 | |
| American Samoa | | | | | | | |
| Northern Marianas 3 | 1.0 | 1.7 | 1.7 | 1.0 | 1.7 | 1.7 | |

Table B. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, United States--Con. [By place of residence]

| | Items | exclusive to the re | vised reporting are | a, 47 states and the | e District of Columb | oia - | |
|--|---------------|---------------------|---------------------|----------------------|-----------------------------------|--|---|
| Reporting areas | Time of birth | Education of mother | Education of father | Mother's height | Mother's pre- pregnancy weight | Did mother get WIC food for herself during this pregnancy | Cigarette smoking before and during pregnancy |
| Total of reporting areas ² | 0.2 | 1.3 | 15.1 | 1.8 | 3.3 | 2.6 | 1.7 |
| Alabama | 0.0 | 0.3 | 18.8 | 0.5 | 2.9 | 1.3 | 0.5 |
| Alaska | - | 1.8 | 15.4 | 0.7 | 2.3 | 1.8 | 3.1 |
| Arizona | - | 0.4 | 14.1 | 0.3 | 0.5 | 1.7 | 0.1 |
| Arkansas | 0.0 | 0.5 | 23.2 | 0.9 | 2.2 | 1.9 | 0.9 |
| California | 0.0 | 4.2 | 11.5 | 2.1 | 3.6 | 0.6 | 0.6 |
| Colorado | 0.0 | 1.0 | 8.8 | 1.1 | 2.2 | 2.5 | 0.3 |
| Connecticut | | | | | | | |
| Delaware | 0.2 | 0.7 | 34.3 | 0.5 | 0.9 | 2.0 | 0.3 |
| District of Columbia | 0.0 | 1.1 | 24.5 | 4.0 | 2.9 | 3.1 | 3.2 |
| Florida | 0.0 | 0.8 | 15.9 | 0.8 | 5.5 | 0.8 | 0.9 |
| Georgia | 0.0 | 2.8 | 21.0 | 6.4 | 9.1 | 6.3 | 7.4 |
| Hawaii | 0.0 | 0.6 | 9.4 | 2.4 | 3.6 | 8.8 | |
| Idaho | 0.0 | 0.5 | 11.8 | 0.1 | 0.2 | 0.8 | 0.2 |
| Illinois | 0.3 | 1.2 | 15.0 | 0.8 | 3.1 | 1.9 | 0.4 |
| Indiana | 0.0 | 0.2 | 13.3 | 0.1 | 0.3 | 0.2 | 0.0 |
| Iowa | 0.0 | 0.0 | 14.8 | 0.1 | 0.4 | 0.6 | |
| Kansas | 0.0 | 0.2 | 10.4 | 0.1 | 1.4 | 0.2 | |
| Kentucky | 0.0 | 0.4 | 19.3 | 0.5 | 0.6 | 0.5 | 0.3 |
| Louisiana | 0.0 | 0.4 | 16.2 | 0.4 | 3.0 | 5.6 | 1.9 |
| Maine | 0.1 | 0.2 | 8.5 | 0.5 | 0.4 | 0.5 | 0.2 |
| Maryland | 0.0 | 0.5 | 16.9 | 1.9 | 2.1 | 1.7 | |
| Massachusetts | 1.3 | 3.1 | 10.1 | 3.1 | 4.2 | 3.7 | |
| Michigan | 0.0 | 0.6 | 15.1 | 1.1 | 3.4 | 1.0 | |
| Minnesota | 0.0 | 1.0 | 13.0 | 0.7 | 1.5 | 0.6 | |
| Mississippi | 0.0 | 0.2 | 18.6 | 0.1 | 0.4 | 0.2 | |
| Missouri | 0.0 | 0.3 | 16.6 | 0.6 | 1.0 | 1.8 | 0.8 |
| Montana | - | 0.7 | 11.4 | 0.5 | 1.2 | 2.3 | |
| Nebraska | 0.0 | 0.1 | 12.8 | 0.2 | 0.8 | 0.4 | 0.1 |
| Nevada | 0.0 | 1.9 | 15.2 | 0.2 | 1.5 | 0.6 | |
| | 0.1 | 0.6 | 8.2 | 1.2 | | 2.5 | |
| New Hampshire New Jersey | 0.1 | 0.6 | 0.2 | 1.2 | 4.4 | 2.5 | 2.0 |
| - | | 1.3 | 19.0 | 1.7 | | 6.7 | |
| New Mexico New York (excluding NYC) | 2.1 | 2.9 | 13.6 | 3.8 | 4.8 | 4.1 | 1.4 |
| | 0.5 | 0.8 | 12.5 | 0.7 | 1.0 | 1.0 | |
| New York City North Carolina | 0.5 | 0.8 | 12.5 | 0.7 | 1.0 | 0.3 | |
| North Dakota | 0.0 | 1.1 | 10.4 | 0.5 | 2.0 | 3.5 | |
| Ohio | 0.0 | 0.6 | 18.2 | 0.2 | 2.7 | 0.7 | 0.3 |
| Oklahoma | 0.0 | 0.3 | 15.5 | 0.7 | 1.6 | 1.1 | 0.3 |
| Oregon | 0.0 | 0.5 | 10.0 | 0.5 | 1.8 | 1.3 | |
| Pennsylvania | 1.0 | 1.6 | 16.0 | 1.8 | 6.0 | 2.9 | 2.5 |
| Rhode Island | | 1.0 | | 1.0 | | 2.9 | 2.5 |
| South Carolina | 0.0 | 0.2 | 23.5 | 0.3 | 1.0 | 1.5 | 0.2 |
| South Dakota | 0.0 | 0.2 | 13.1 | 0.3 | 1.0 | 0.8 | |
| Tennessee | 0.0 | 0.3 | 16.4 | 1.1 | 2.3 | 0.8 | 0.6 |
| | | | | | | | |
| Texas | 0.0 | 0.1 | 13.9 | 0.2 | 0.6 | 0.1 | 0.0 |
| Utah Vermont | 0.0 | 2.5 | 9.7 9.6 | 0.6 | 1.0 | 9.2 | 0.3 |
| Virginia | 0.0 | 1.0 | 12.5 | 22.1 | 20.7 | 34.3 | |
| Virginia Washington | 0.0 | 0.9 | 12.5 | 22.1 | 4.1 | 34.3 | |
| West Virginia | 0.0 | 0.9 | 15.0 | 2.1 | 1.2 | 2.6 | |
| Wisconsin | 0.0 | 0.5 | 37.7 | 0.5 | 1.2 | 1.1 | 0.7 |
| Wyoming | - | 0.9 | 17.5 | 0.6 | 0.7 | 0.5 | |
| Puerto Rico | 0.0 | 0.1 | 5.4 | 0.2 | 0.3 | 0.1 | 0.0 |
| Virgin Islands | | | | | | | |
| Guam | 0.1 | 1.6 | 23.6 | 1.9 | 2.5 | 7.4 | 2.6 |
| American Samoa | | | | | | | |
| Northern Marianas 3 | 0.2 | 1.2 | 9.3 | 0.6 | 1.4 | 1.7 | 0.4 |

Table B. Percent of birth records on which specified items were not stated: United States and each state and territory, New York City, and the District of Columbia, United States--Con. [By place of residence]

| | | Items | exclusive to the | revised reporting area | , 47 states and th | ne District of Columbia | a ⁵ | |
|----------------------------|-------------------|----------------|---------------------------|------------------------|-------------------------|-------------------------|---------------------|------------------|
| Reporting areas | Source of payment | Birth interval | Month prenatal care began | Infections present | Obstetric Procedures | Maternal morbidity | Abnormal conditions | Infant breastfed |
| Total of reporting areas 2 | 1.1 | 4.1 | 4.1 | 0.5 | 0.4 | 0.4 | 0.4 | 2.7 |
| Alabama | 0.1 | 1.7 | 1.7 | 0.1 | 0.1 | 0.0 | 0.0 | 1.8 |
| Alaska | 2.3 | 6.1 | 6.1 | | 1.5 | | 2.8 | 1.7 |
| Arizona | 0.2 | 0.6 | 0.6 | 0.0 | - | _ | - | 1.9 |
| Arkansas | 4.2 | 3.3 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 10.8 |
| California 14 | 0.1 | 0.5 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Colorado | 0.3 | 5.5 | 5.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Connecticut | | | | | | | | |
| Delaware | 0.3 | 4.4 | 4.4 | | 0.2 | | 0.2 | 2.0 |
| District of Columbia | 2.2 | 16.6 | 16.6 | 1.3 | 6.7 | 6.4 | 3.4 | 3.8 |
| Florida | 0.2 | 1.9 | 1.9 | 1.2 | 0.1 | 0.1 | 0.1 | 0.4 |
| Georgia | 0.8 | 9.0 | 9.0 | | 3.9 | | 1.8 | 8.3 |
| Hawaii | 1.6 | 4.4 | 4.4 | | 0.0 | | 0.0 | 5.6 |
| Idaho | 0.2 | 0.7 | 0.7 | | 0.1 | | 0.1 | 0.4 |
| Illinois | 0.4 | 4.3 | 4.3 | | 0.7 | | 0.6 | 0.7 |
| Indiana | 0.2 | 2.3 | 2.3 | | 0.0 | | 0.0 | 0.1 |
| Iowa Kansas | 0.1 | 0.7 | 0.7 | | 0.0 | | 0.0 | 3.2 |
| Kentucky | 0.4 | 1.7 | 1.7 | | 0.0 | | 0.0 | 0.4 |
| Louisiana | 0.0 | 5.6 | 5.6 | | 0.2 | | 0.0 | 5.5 |
| Maine | 0.6 | 0.8 | 0.8 | | 0.2 | | 0.9 | 1.6 |
| Maryland | 2.5 | 11.3 | 11.3 | | 0.4 | | 0.2 | 2.5 |
| Massachusetts | 9.4 | 4.8 | 4.8 | | 1.5 | | 1.5 | 1.8 |
| Michigan | 0.3 | 1.8 | 1.8 | | 0.1 | | 0.1 | 0.9 |
| Minnesota | 0.3 | 1.6 | 1.6 | | 0.1 | | 0.0 | 0.5 |
| Mississippi | 0.2 | 0.3 | 0.3 | | 0.0 | | 0.0 | 0.6 |
| Missouri | 1.0 | 5.2 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 |
| Montana | 0.8 | 1.8 | 1.8 | 0.3 | 0.1 | 0.1 | 0.1 | 1.1 |
| Nebraska | 2.7 | 5.2 | 5.2 | 0.3 | 0.2 | 0.1 | 0.0 | 0.3 |
| Nevada | 0.5 | 2.4 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 3.4 |
| New Hampshire | 1.8 | 1.3 | 1.3 | 1.3 | 1.1 | 2.6 | 4.0 | 0.7 |
| New Jersey | | | | | | | | |
| New Mexico | 17.5 | 6.6 | 6.6 | | 0.0 | | - | 1.9 |
| New York (excluding NYC) | 2.5 | 10.9 | 10.9 | | 3.2 | | 3.1 | 3.2 |
| New York City | 0.7 | 12.0 | 12.0 | | 0.8 | | 0.6 | 0.8 |
| North Carolina | 0.1 | 2.0 | 2.0 | | 0.0 | | 2.4 | 0.1 |
| North Dakota | 2.8 | 5.4 | 5.4 | | 0.0 | | 0.0 | 2.0 |
| Ohio | 0.8 | 3.6 | 3.6 | | 0.0 | | 0.0 | 2.9 |
| Oklahoma | 1.0 | 5.3 2.5 | 5.3 2.5 | | 0.0 | | 0.0 | 2.3 |
| Oregon Pennsylvania | 3.4 | 10.8 | 10.8 | | 1.0 | | 1.0 | 4.2 |
| Rhode Island | 3.4 | 10.6 | | | | | | 4.2 |
| South Carolina | 0.6 | 5.4 | 5.4 | | 0.1 | | 0.1 | 0.4 |
| South Dakota | 0.5 | 3.8 | 3.8 | | 0.3 | | 0.0 | 0.4 |
| Tennessee | 1.9 | 7.4 | 7.4 | | 0.0 | | 0.0 | 3.7 |
| Texas | 0.2 | 3.9 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| Utah | 5.7 | 0.6 | 0.6 | | _ | | 0.0 | 0.1 |
| Vermont | 0.4 | 3.2 | 3.2 | | 0.1 | 0.1 | 0.1 | 0.7 |
| Virginia | 0.1 | 2.1 | 2.1 | 0.0 | 0.1 | 0.1 | 0.1 | 24.1 |
| Washington | 1.6 | 5.4 | 5.4 | | 0.1 | | 0.1 | 1.3 |
| West Virginia | 1.5 | 7.0 | 7.0 | | 0.7 | | 0.5 | 5.5 |
| Wisconsin | 0.9 | 2.7 | 2.7 | | 0.2 | | 0.2 | 6.2 |
| Wyoming | 1.0 | 3.2 | 3.2 | 0.0 | - | 0.0 | - | 0.4 |
| Puerto Rico | 0.1 | 0.3 | 0.3 | | 0.7 | | 0.4 | 0.3 |
| Virgin Islands | | | | | 16.7 | | | |
| Guam | 3.3 | 4.4 | 4.4 | | 2.4 | | 1.8 | 5.8 |
| American Samoa | | | | | | | | |
| Northern Marianas 3 | 1.9 | 1.4 | 1.4 | 7.7 | 4.8 | 8.3 | 1.5 | 1.0 |

^{0.0} Quantity more than zero but less than 0.05.
---Data not available.
- Quantity zero.

- 1 Items common to both the 2003 and 1989 Standard Certificates of Live Birth.
- ² Excludes data for Puerto Rico, Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Marianas.
- 3 Several items for the Northern Marianas have high percents "not stated"; these data should be used with caution (see "Technical notes").
- ⁴ Items included: diabetes (combined prepregancy and gestational), prepregnancy hypertension, gestational hypertension, and eclampsia. Eclampsia not reported by Pennsylvania, South Carolina, and Tennessee.
- 5 Items exclusive to the 2003 Standard Certificate of Live Birth.
- ⁶ Items included: Prepregnancy and gestational diabetes, previous preterm birth, pregnancy resulted from infertility treatment, mother had a previous cesarean. The type of infertility treatment was not reported by New Hampshire, Pennsylvania, South Carolina, and Tennessee.
- ⁷ Item included: Induction of labor. Induction of labor included in the "Obstetric Procedures" item for the 1989 Standard Certificate of Live Birth.
- ⁸ Items included: Augmentation of labor, steroids for fetal lung maturation, antobiotics received by the mother during labor, clinical chorioamnionitis, epidural or spinal anesthesia during labor.
- 9 Breech/malpresentation included in the "Complications of Labor and/or Delivery" item for the 1989 Standard Certificate of Live Birth.
- 10 Items included: Fetal presentation at birth: cephalic; Final route and method of delivery: Vaginal/spontaneous, vaginal/forceps, vaginal/vacuum, and if cesarean, was a trial of labor attempted.
- 11 Items included: Amencephaly, spina bifida, congenital diaphragmatic hernia, omphalocele/gastroschisis, cleft lip/palate, and down syndrome.
- 12 Items included: Cyanotic congenital heart disease, limb reduction defect, suspected chromosomal disorder, hypospadias.
- 13 Expanded source of payment categories reported by 34 states; see "Technical notes".
- ¹⁴ California does not report infant breastfed. See "Technical notes."

Table C. Implementation of the 2003 U.S. Standard Certificate of Live Birth: Each state and territory, New York City, and the District of Columbia, 2003-2014

Revised reporting area

| Revised reporting area | | | | | | | | | | | | |
|--|-----------------------|-----------------------|--------------|--------------------------|--------------------------|------------------------|------------------------|--------------------------|-------------------------|-------------------------|-------------------------|-----------------------|
| Year | 2014 | 2013 | 2012 | 2011 | 2010 | 2009 | 2008 | 2007 | 2006 | 2005 | 2004 | 2003 |
| | 47 1 | 41 1 | 20 | 26 1 | 22 | | | | | | | |
| m . 1 | 47 states and | 41 states and | | | | | | 1.2 | 12 | 12 | _ 12 | . 1 |
| Total | | the District of | the District | the District | the District | 28 states ¹ | 27 states ¹ | 22 states ^{1 2} | 19 states ¹² | 12 states ¹² | 7 states ^{1 2} | 2 states ¹ |
| | Columbia ¹ | Columbia ¹ | of Columbia | of Columbia ¹ | of Columbia ¹ | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Alabama | X | | | | | | | | | | | |
| | X | X | | | | | | | | | | |
| | | Λ | | | | | | | | | | |
| | X X | | | | | | | | | | | |
| | | v | N/ | V | 37 | X/ | V | 37 | 37A | | | |
| | X | X | X | X | X | X | X | X | Χ^ | | | |
| | X | X | X | X | X | X | X | Χ^ | | | | |
| Connecticut | | | | | | | | | | | | |
| | X | X | X | X | X | X | X | X | X^ | | | |
| | X | X | X | X | X | X* | | | | | | |
| Florida | X | X | X | X | X | X | X | X | X | X | X* | |
| Ü | X | X | X | X | X | X | X | X* | | | | |
| | X | | | | | | | | | | | |
| | X | X | X | X | X | X | X | X | X | X | X^ | |
| Illinois | X | X | X | X | X^ | | | | | | | |
| Indiana | X | X | X | X | X | X | X | X^ | | | | |
| Iowa | X | X | X | X | X | X | X | X^ | | | | |
| Kansas | X | X | X | X | X | X | X | X | X | Χ^ | | |
| | X | X | X | X | X | X | X | X | X | X | Χ^ | |
| | X | X | X | X | X* | | | | | | | |
| | X | X* | | | | | | | | | | |
| | X | X | X | X | Χ^ | | | | | | | |
| | X | X | X | X* | | | | | | | | |
| | X | X | X | X | X | X | X | X* | | | | |
| | X | X | X | X* | Λ | Α | Λ | Α | | | | |
| | X | X | Λ | Α. | | | | | | | | |
| Mississippi Missouri | X | X | X | X | X^ | | | | | | | |
| | | | | | | X/ | X/A | | | | | |
| | X | X | X | X | X | X | X^ | | ** | | | |
| | X | X | X | X | X | X | X | X | X | Χ^ | | |
| Nevada | X | X | | X | X | X* | | | | | | |
| | X | X | X | X | X | X | X | X | X | X | X* | |
| | X* | | | | | | | | | | | |
| | X | X | X | X | X | X | X^ | | | | | |
| | X | X | X | X | X | X | X | X | X | X | X^ | |
| · | X | X | X | X | X | X | X^ | | | | | |
| North Carolina | X | X | X | X | X* | | | | | | | |
| North Dakota | X | X | X | X | X | X | X | X | X^ | | | |
| Ohio | X | X | X | X | X | X | X | X | Χ^ | | | |
| Oklahoma | X | X | X | X | X | X* | | | | | | |
| Oregon | X | X | X | X | X | X | X^ | | | | | |
| Pennsylvania | X | X | X | X | X | X | X | X | X | X | X | X^ |
| Rhode Island | X* | | | | | | | | | | | |
| | X | X | X | X | X | X | X | X | X | X | Χ^ | |
| | X | X | X | X | X | X | X | X | Χ^ | | | |
| | X | X | X | X | X | X | X | X | X | X | Χ^ | |
| Texas | X | X | X | X | X | X | X | | X | Χ^ | | |
| | X | X | X | X | X | X^ | | | | | | |
| | X | X | X | X | X | X | X | X | X | X* | | |
| | X | X | X* | | 23 | 28 | 2.k | 28 | 4.1 | 2.h | | |
| | X | X | X | X | X | X | X | X | X | X | X | Χ^ |
| | X | /X | Λ | /X | A . | A. | /A | Δ. | /1 | Δ. | /1 | /A |
| | | v | v | VA. | | | - | | | | | - |
| | X | X | X | X^ | v | v | v | v | VΛ | | | - |
| Wyoming | X | X | X | X | X | X | X | X | Χ^ | | | |
| | | | ** | | | | | | ** | | | |
| | ** | | X | X | X | X | X | X | X | X^ | | |
| | X | X | Λ | | | | | | | | | |
| Virgin Islands | X | | | | | | | | | | | |
| Virgin Islands Guam | | X | X | X* | | | | | | | | |
| Virgin Islands Guam American Samoa | X | | | | X^ | | | | | | | |

 $^{^{\}wedge}$ First year using 2003 U.S. Standard Certificate of Live Birth; revised as of January 1.

^{*} Revised after January 1.

¹ Excludes reporting areas that revised after January 1.

² Excludes New York City

Table D. Live births by selected demographic and health characteristics: United States and total of 47 revised states and the District of Columbia, 2014

| Characteristic of mother | Revis | ed 1 | United | | |
|--------------------------------------|-----------|---------|-----------|---------|-----|
| | N | Percent | N | Percent | |
| Race/Hispanic origin of mother | | | | | |
| All races and origins 2 | 3,837,663 | 100.00 | 3,988,076 | 100.00 | |
| Non-Hispanic | 2,931,839 | 76.99 | 3,043,519 | 76.90 | ** |
| White 3 | 2,073,600 | 54.45 | 2,149,302 | 54.49 | |
| Black 3 | 567,897 | 14.91 | 588,891 | 15.09 | * * |
| American Indian or Alaska Native 3,4 | 37,006 | 0.97 | 37,472 | 0.91 | * * |
| Asian or Pacific Islander 3 | 253,336 | 6.65 | 267,854 | 6.29 | ** |
| Hispanic 5 | 876,084 | 23.01 | 914,065 | 23.10 | * * |
| Mexican | 540,131 | 14.18 | 545,977 | 13.80 | ** |
| Puerto Rican | 58,546 | 1.54 | 69,879 | 1.77 | * * |
| Cuban | 19,304 | 0.51 | 20,163 | 0.51 | |
| Central or South American | 119,513 | 3.14 | 136,656 | 3.45 | * 1 |
| Other and Unknown Hispanic | 138,590 | 3.64 | 141,390 | 3.57 | * 1 |
| Age of Mother | | | | | |
| <20 years | 246,088 | 6.41 | 251,847 | 6.32 | * * |
| 20-24 years | 859,549 | 22.40 | 882,567 | 22.13 | * 1 |
| 25-29 years | 1,106,455 | 28.83 | 1,145,392 | 28.72 | * 1 |
| 30-34 years | 1,031,233 | 26.87 | 1,081,058 | 27.11 | * 1 |
| 35-39 years | 482,335 | 12.57 | 508,748 | 12.76 | * 1 |
| 10-54 years | 112,003 | 2.92 | 118,464 | 2.97 | * |
| Inmarried Women | 1,549,829 | 40.38 | 1,604,870 | 40.24 | *: |
| Characteristic of Infant/Delivery | | | | | |
| Very preterm 6 | 61,189 | 1.60 | 63,565 | 1.60 | |
| Preterm 7 | 367,157 | 9.58 | 381,321 | 9.57 | |
| Very low birthweight 8 | 53,779 | 1.40 | 55,947 | 1.40 | |
| Low birthweight 9 | 307,004 | 8.01 | 318,847 | 8.00 | |
| 4,000 grams or more 10 | 308,535 | 8.05 | 320,691 | 8.05 | |
| Multiple births 11,12 | 133,422 | 34.77 | 139,862 | 35.07 | * |

^{**} Difference significant at p = 0.05.

¹ Excludes Connecticut, New Jersey, and Rhode Island.

² Includes Hispanic origin not stated.

³ Race and Hispanic origin are reported separately on birth certificates. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. All states in the 47-state and District of Columbia reporting area reported multiple-race data for 2014. The multiple-race data for these were bridged to the single-race categories of the 1977 OMB standards for comparability with other states; see "Technical Notes."

⁴ Includes births to Aleuts and Eskimos.

⁵ Includes persons of Hispanic origin of any race.

⁶ Born prior to 32 completed weeks of gestation based on the obstetric estimate.

⁷ Born prior to 37 completed weeks of gestation based on the obstetric estimate.

⁸ Birthweight of less than 1,500 grams (3 lb 4 oz)

⁹ Birthweight of less than 2,500 grams (5 1b 8 oz).

¹⁰ Equivalent to 8 lb 14 oz.

¹¹ Includes births in twin, triplet, and higher order multiple deliveries.

¹² The number of live births in multiple deliveries per 1,000 live births.

Table E. Sources for the resident population and population including Armed Forces abroad: Birth and death-registration states, 1900-1932, and United States, 1900-2014

[2014] National Center for Health Statistics. Vintage 2014 postcensal estimates of the resident population of the United States (April 1, 2010, July 1, 2010–July 1, 2014), by year, county, single-year of age (0, 1, 2, ..., 85 years and over), bridged race, Hispanic origin, and sex. Prepared under a collaborative arrangement with the U.S. Census Bureau. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of June 30, 2015, following release by the U.S. Census Bureau of the unbridged Vintage 2014 postcensal estimates by 5-year age group on June 25, 2015.

[2013] National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2010-July 1, 2013), by year, county, single-year of age (0, 1, 2, ..., 85 years and over), bridged race, Hispanic origin, and sex (Vintage 2013). Prepared under a collaborative arrangement with the U.S. Census Bureau. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of June 26, 2014, following release by the U.S. Census Bureau of the unbridged Vintage 2013 postcensal estimates by 5-year age group on June 26, 2014.

[2012] National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2010–July 1, 2012, by year, county, single-year of age (0, 1, 2, ..., 85 years and over), bridged race, Hispanic origin, and sex (Vintage 2012). Prepared under a collaborative arrangement with the U.S. Census Bureau. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of June 13, 2013, following release by the U.S. Census Bureau of the unbridged Vintage 2012 postcensal estimates by 5-year age group on June 13, 2013.

[2011] National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2010–July 1, 2011, by year, county, single-year of age (0, 1, 2, ..., 85 years and over), bridged race, Hispanic origin, and sex (Vintage 2011). Prepared under a collaborative arrangement with the U.S. Census Bureau. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of July 18, 2012, following release by the U.S. Census Bureau of the unbridged Vintage 2011 postcensal estimates by 5-year age group on May 17, 2012.

[2010] National Center for Health Statistics. Estimates of the April 1, 2010 resident population of the United States, by county, single-year of age (0, 1, 2, ..., 85 years and over), bridged race, Hispanic origin, and sex. Prepared under a collaborative arrangement with the U.S. Census Bureau. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 17, 2011, following release by the U.S. Census Bureau of the unbridged April 1, 2010 census counts on November 3, 2011.

[2010] U.S. Census Bureau. Unpublished tables. Intercensal estimates of the resident population by single year of age and sex for the United States: April 1, 2000 December 1, 2010 (Vintage 2011 Population Estimates). Population Division. 2012.

[2001-2009] National Center for Health Statistics. Intercensal estimates of the resident population of the United States for July 1, 2000-July 1, 2009, by year, county, single-year of age (0, 1, 2, ..., 85 years and over), bridged race, Hispanic origin, and sex. Prepared under a collaborative arrangement with the U.S. Census Bureau. Available from:

http://www.cdc.gov/nchs/nvss/bridged_race.htm as of October 26, 2012, following release by the U.S. Census Bureau of the revised unbridged intercensal estimates by 5-year age group on October 9, 2012.

[2001-2009] U.S. Census Bureau. Unpublished tables. Intercensal estimates of the resident population by single year of age and sex for the United States: April 1, 2000 to April 1, 2010. Population Division. 2011.

[2000] National Center for Health Statistics. Estimates of the April 1, 2000, United States resident population by age, sex, race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. Available on the Internet at: http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm#april2000. 2003.

[1999] National Center for Health Statistics. Intercensal estimates of the July 1, 1999, United States resident population by state and county, age, sex, bridged race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. File icen1999.txt. Internet released, April 15, 2003. Available at: http://www.cdc.gov/nchs/nvss/bridged_race.htm.

[1998] National Center for Health Statistics. Intercensal estimates of the July 1, 1998, United States resident population by state and county, age, sex, bridged race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. File icen1998.txt. Internet released, April 15, 2003. Available at: http://www.cdc.gov/nchs/nvss/bridged_race.htm.

[1997] National Center for Health Statistics. Intercensal estimates of the July 1, 1997, United States resident population by state and county, age, sex, bridged race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. File icen1997.txt. Internet released, April 15, 2003. Available at: http://www.cdc.gov/nchs/nvss/bridged_race.htm.

[1996] National Center for Health Statistics. Intercensal estimates of the July 1, 1996, United States resident population by state and county, age, sex, bridged race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. File icen1996.txt. Internet released, April 15, 2003. Available at: http://www.cdc.gov/nchs/nvss/bridged_race.htm.

[1995] National Center for Health Statistics. Intercensal estimates of the July 1, 1995, United States resident population by state and county, age, sex, bridged race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. File icen1995.txt. Internet released, April 15, 2003. Available at: http://www.cdc.gov/nchs/nvss/bridged_race.htm.

[1994] National Center for Health Statistics. Intercensal estimates of the July 1, 1994, United States resident population by state and county, age, sex, bridged

race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. File icen1994.txt. Internet released, April 15, 2003. Available at: http://www.cdc.gov/nchs/nvss/bridged_race.htm.

[1993] National Center for Health Statistics. Intercensal estimates of the July 1, 1993, United States resident population state and county, by age, sex, bridged race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. File icen1993.txt. Internet released, April 15, 2003. Available at: http://www.cdc.gov/nchs/nvss/bridged_race.htm.

[1992] National Center for Health Statistics. Intercensal estimates of the July 1, 1992, United States resident population by state and county, age, sex, bridged race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. File icen1992.txt. Internet released, April 15, 2003. Available at: http://www.cdc.gov/nchs/nvss/bridged_race.htm.

[1991] National Center for Health Statistics. Intercensal estimates of the July 1, 1991, United States resident population by state and county, age, sex, bridged race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. File icen1991.txt. Internet released, April 15, 2003. Available at: http://www.cdc.gov/nchs/nvss/bridged_race.htm.

| Table F. Percentage net population under/over count, by age, sex, and race/Hispanic origin: United States, April 1, 2010 | |
|---|---|
| Characteristic | Estimate (%) |
| Total | -0.01 |
| Age/sex 10–17 Male and female 18–29 Male 18–29 Female 30–49 Male 30–49 Female 50 years and over male 50 years and over female | -0.97 1.21 -0.28 3.57 -0.42 -0.32 -2.35 |
| Race/Hispanic origin | |
| Non-Hispanic white | -0.84 |
| Non-Hispanic black | 2.07 |
| Hispanic | 1.54 |

SOURCE: Mule T. Census Coverage Measurement Estimation Report: Summary of Estimates of Coverage for Persons in the United States. DSSD 2010 Census Coverage Measurement Memorandum Series #2010-G-01. Washington: U.S. Census Bureau. May 22, 2012. Available from https://www.census.gov/coverage_measurement/pdfs/g01.pdf.

Table 1. Estimated total population, by race and Hispanic origin and specified Hispanic origin group and estimated female population, by age and race and Hispanic origin and specified Hispanic origin group: United States, 2014

[Populations estimated as of July 1]

| | | | | | Female population | | | | | | | | | |
|-------------------------------------|-----------------------------|---------------------|-------------|-------------|-------------------|----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|
| Race and Hispanic or | igin | Total population | 15-44 years | 10-14 years | Total | 15-19 years 15-17 years | 18-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years | |
| All races and origin | ıs | 318,857,056 | 63,356,565 | 10,120,287 | 10,283,624 | 6,117,492 | 4,166,132 | 11,172,747 | 10,826,549 | 10,719,741 | 9,981,814 | 10,372,090 | 10,540,579 | |
| White | Total ¹ | 250,630,467 | 47,777,524 | 7,662,909 | 7,789,929 | 4,639,950 | 3,149,979 | 8,339,219 | 8,125,018 | 8,079,293 | 7,530,519 | 7,913,546 | 8,214,527 | |
| | Non-Hispanic ² | 201,048,793 | 36,470,157 | 5,547,527 | 5,775,060 | 3,430,094 | 2,344,966 | 6,307,935 | 6,264,882 | 6,195,268 | 5,731,690 | 6,195,322 | 6,707,094 | |
| Black | Total ¹ | 44,309,394 | 9,919,015 | 1,659,163 | 1,709,342 | 1,015,092 | 694,250 | 1,920,477 | 1,697,596 | 1,607,318 | 1,484,229 | 1,500,053 | 1,483,876 | |
| | Non-Hispanic ² | 41,316,519 | 9,204,062 | 1,521,105 | 1,581,645 | 937,861 | 643,784 | 1,785,941 | 1,571,068 | 1,484,560 | 1,374,316 | 1,406,532 | 1,402,364 | |
| American Indian or Alaska Native | Total ¹ | 4,518,981 | 1,002,104 | 185,864 | 183,109 | 110,129 | 72,980 | 192,626 | 171,101 | 164,194 | 148,160 | 142,914 | 136,866 | |
| Asian or Pacific Islander | Total ¹ | 19,398,214 | 4,657,922 | 612,351 | 601,244 | 352,321 | 248,923 | 720,425 | 832,834 | 868,936 | 818,906 | 815,577 | 705,310 | |
| Hispanic ³ | Total | 55,387,539 | 12,676,281 | 2,382,212 | 2,263,053 | 1,359,749 | 903,304 | 2,287,907 | 2,098,261 | 2,116,849 | 2,008,866 | 1,901,345 | 1,665,560 | |
| | Mexican | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | Puerto Rican | | | | | | | | | | | | | |
| | Cuban | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | Other Hispanic ⁴ | | | | | | | | | | | | | |

⁻⁻⁻ Data not available.

NOTES: Population count estimates are based on the 2010 census; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards.

Multiple-race population estimates were bridged to the single race categories of the 1977 OMB standards for comparability with the birth data; see "Technical Notes." Population estimates for Mexican, Puerto Rican, Cuban, Central and Other Hispanic, which includes includes Central and South American and other and unknown Hispanic, are based on the American Community Survey adjusted to resident population control totals (the 2010-based population estimates for the United States for July 1, 2014). Population estimates for Hispanic total are based on the 2010 census, as of Juy 1, 2014. Population estimates by specified Hispanic origin in this table may not add to population estimates for total Hispanic. Standard errors are shown in parentheses below each population estimate.

SOURCE: U.S. Census Bureau. See references 63 and 68.

¹ Persons of Hispanic origin are included for this race group.

² Persons of non-Hispanic origin may be of any race.

³ Includes all persons of Hispanic origin of any race.

⁴ Includes Central and South American and other and unknown Hispanic.

| | ble 2. Estimated total population, female population aged 15-44 years, and age-specific female population: United States, each state, and territory: July 1, 2014 | | | | | | | | | | | | |
|-------------------------|---|----------------------|--------------------|---------------------|--------------------------|--------------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-----------------|--|
| Coographia Area | Total population | | | | 45 40 | | Female population | 1 | | 1 | 1 | | |
| Geographic Area | lotal population | 15-44 years | 10-14 years | 15-19 years | | | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years | |
| United States | 318.857.056 | 63.356.565 | 10.120.287 | Total 10.283.624 | 15-17 years 6.117.492 | 18-19 years 4.166.132 | 11.172.747 | 10.826.549 | 10.719.741 | 9.981.814 | 10.372.090 | 10.540.57 | |
| Jilled States | 318,837,036 | 63,336,363 | 10,120,287 | 10,263,624 | 6,117,492 | 4,100,132 | 11,172,747 | 10,826,549 | 10,719,741 | 9,961,614 | 10,372,090 | 10,540,57 | |
| Alabama | 4,849,377 | 961,109 | 154,189 | 156,422 | 93,924 | 62,498 | 175,941 | 160,346 | 157,775 | 150,784 | 159,841 | 159,78 | |
| Alaska | 736,732 | 147,302 | 24,060 | 23,169 | 14,688 | 8,481 | 26,354 | 28,394 | 26,263 | 21,701 | 21,421 | 21,67 | |
| Arizona | 6,731,484 | 1,308,000 | 224,409 | 221,215 | 133,155 | 88,060 | 235,990 | 217,557 | 217,398 | 205,988 | 209,852 | 203,13 | |
| Arkansas | 2,966,369 | 574,772 | 96,359 | 95,650 | 58,171 | 37,479 | 102,982 | 96,353 | 96,315 | 90,385 | 93,087 | 91,85 | |
| California | 38,802,500 | 8,061,479 | 1,237,652 | 1,279,437 | 761,539 | 517,898 | 1,414,529 | 1,411,909 | 1,374,548 | 1,275,082 | 1,305,974 | 1,289,88 | |
| Colorado | 5,355,866 | 1,084,623 | 173,078 | 166,099 | 99,217 | 66,882 | 182,387 | 192,317 | 192,098 | 175,877 | 175,845 | 169,78 | |
| Connecticut | 3,596,677 | 684,158 | 112,102 | 123,357 | 71,118 | 52,239 | 117,108 | 108,561 | 110,542 | 106,157 | 118,433 | 134,87 | |
| Delaware | 935,614 | 180,400 | 27,974 | 29,783 | 16,886 | 12,897 | 31,452 | 32,559 | 29,969 | 27,418 | 29,219 | 32,16 | |
| District of Columbia | 658,893 | 177,568 | 12,878 | 19,870 | 7,796 | 12,074 | 31,298 | 42,258 | 37,494 | 25,750 | 20,898 | 18,67 | |
| Florida | 19,893,297 | 3,687,140 | 557,978 | 568,358 | 343,696 | 224,662 | 643,700 | 636,197 | 616,998 | 585,719 | 636,168 | 662,03 | |
| Georgia | 10,097,343 | 2,104,573 | 348,802 | 340,036 | 204,325 | 135,711 | 361,759 | 347,498 | 351,514 | 340,277 | 363,489 | 353,65 | |
| Hawaii | 1,419,561 | 267,712 | 40,177 | 38,723 | 23,518 | 15,205 | 46,098 | 49,613 | 48,209 | 42,559 | 42,510 | 43,01 | |
| Idaho | 1,634,464 | 314,852 | 59,865 | 56,075 | 34,410 | 21,665 | 53,575 | 53,266 | 53,403 | 50,123 | 48,410 | 47,09 | |
| Illinois | 12,880,580 | 2,596,483 | 417,517 | 420,404 | 253,172 | 167,232 | 446,793 | 439,158 | 447,563 | 416,051 | 426,514 | 429,16 | |
| Indiana | 6,596,855 | 1,295,431 | 219,963 | 222,281 | 133,127 | 89,154 | 239,641 | 209,963 | 211,686 | 201,835 | 210,025 | 211,87 | |
| lowa | 3,107,126 | 585,645 | 99,210 | 103,555 | 59,510 | 44,045 | 111,645 | 93,204 | 98,300 | 89,731 | 89,210 | 93,53 | |
| Kansas | 2,904,021 | 560,331 | 97,622 | 96,916 | 57,687 | 39,229 | 104,088 | 92,697 | 96,403 | 85,879 | 84,348 | 84,91 | |
| Kentucky | 4,413,457 | 853,601 | 138,288 | 138,266 | 83,508 | 54,758 | 154,124 | 138,698 | 142,383 | 137,065 | 143,065 | 146,86 | |
| Louisiana | 4,649,676 | 942,656 | 150,628 | 147,118 | 89,865 | 57,253 | 173,693 | 169,763 | 165,607 | 144,365 | 142,110 | 147,82 | |
| Maine | 1,330,089 | 233,832 | 36,475 | 39,711 | 23,388 | 16,323 | 38,557 | 38,829 | 37,805 | 36,837 | 42,093 | 47,10 | |
| Maryland | 5,976,407 | 1,201,916 | 184,471 | 189,451 | 112,373 | 77,078 | 198,304 | 210,087 | 208,266 | 192,269 | 203,539 | 219,36 | |
| Massachusetts | 6,745,408 | 1,369,202 | 194,908 | 227,268 | 122,406 | 104,862 | 245,340 | 242,373 | 226,091 | 206,180 | 221,950 | 243,44 | |
| Michigan | 9,909,877 | 1,887,778 | 315,116 | 330,141 | 197,270 | 132,871 | 359,542 | 301,115 | 296,897 | 285,171 | 314,912 | 332,44 | |
| Minnesota | 5,457,173 2,994,079 | 1,053,340 601,260 | 174,821 | 174,926 101,478 | 104,455 | 70,471 41,620 | 179,191 111,991 | 179,845 98,831 | 188,795 | 165,558 93,395 | 165,025 96,167 | 176,08 95,39 | |
| Mississippi Missouri | 6,063,589 | 1,176,158 | 100,106 191,383 | 192,292 | 59,858 115,322 | 76,970 | 214,632 | 200,298 | 99,398 201,291 | 181,269 | 186,376 | 191,70 | |
| Montana | 1,023,579 | 1,176,156 | 30,448 | 30,564 | 18,239 | 12,325 | 35,563 | 30,938 | 31,990 | 28,521 | 28,085 | 29,27 | |
| Nebraska | 1,881,503 | 364,075 | 63,081 | 62,522 | 36,415 | 26,107 | 67,314 | 60,108 | 63,447 | 56,052 | 54,632 | 54,54 | |
| Nevada | 2,839,099 | 566,250 | 90,796 | 85,892 | 54,377 | 31,515 | 92,933 | 100,186 | 98,826 | 92,681 | 95,732 | 92,58 | |
| New Hampshire | 1,326,813 | 243,625 | 38,895 | 43,899 | 24,786 | 19,113 | 44,202 | 37,772 | 37,771 | 36,694 | 43,287 | 49,36 | |
| New Jersey | 8,938,175 | 1,723,218 | 280,936 | 280,004 | 173,183 | 106,821 | 280,261 | 278,322 | 289,931 | 286,390 | 308,310 | 332,83 | |
| New Mexico | 2,085,572 | 397,580 | 68,875 | 67,350 | 40,444 | 26,906 | 73,035 | 68,373 | 67,397 | 60,585 | 60,840 | 61,95 | |
| New York | 19,746,227 | 4,045,782 | 573,640 | 620,062 | 357,564 | 262,498 | 717,400 | 737,410 | 694,017 | 629,619 | 647,274 | 690,96 | |
| North Carolina | 9,943,964 | 1,982,894 | 319,593 | 319,296 | 187,982 | 131,314 | 342,212 | 330,353 | 325,266 | 319,560 | 346,207 | 340,55 | |
| North Dakota | 739,482 | 144,130 | 20,981 | 23,604 | 12,835 | 10,769 | 32,473 | 25,199 | 24,160 | 19,929 | 18,765 | 19,75 | |
| Ohio | 11,594,163 | 2,211,573 | 369,079 | 377,210 | 226,577 | 150,633 | 391,444 | 371,797 | 362,807 | 341,728 | 366,587 | 381,21 | |
| Oklahoma | 3,878,051 | 762,653 | 128,138 | 124,723 | 75,590 | 49,133 | 140,400 | 130,596 | 132,399 | 117,583 | 116,952 | 113,96 | |
| Oregon | 3,970,239 | 776,108 | 117,697 | 119,227 | 71,905 | 47,322 | 132,117 | 131,774 | 137,981 | 128,734 | 126,275 | 121,96 | |
| Pennsylvania | 12,787,209 | 2,407,045 | 375,949 | 409,336 | 232,297 | 177,039 | 427,580 | 417,940 | 392,959 | 363,634 | 395,596 | 432,39 | |
| Rhode Island | 1,055,173 | 210,111 | 29,770 | 37,324 | 18,994 | 18,330 | 40,413 | 35,820 | 32,758 | 30,473 | 33,323 | 37,62 | |
| South Carolina | 4,832,482 | 943,512 | 150,045 | 150,928 | 88,811 | 62,117 | 171,322 | 161,359 | 156,088 | 146,668 | 157,147 | 160,10 | |
| South Dakota | 853,175 | 157,896 | 27,129 | 28,017 | 16,383 | 11,634 | 29,514 | 26,702 | 27,163 | 23,662 | 22,838 | 23,73 | |
| Tennessee | 6,549,352 | 1,295,676 | 207,055 | 204,949 | 124,210 | 80,739 | 231,180 | 218,088 | 215,791 | 205,650 | 220,018 | 219,38 | |
| Texas | 26,956,958 | 5,654,684 | 977,193 | 927,068 | 566,615 | 360,453 | 968,365 | 964,505 | 970,141 | 905,532 | 919,073 | 855,64 | |
| Utah | 2,942,902 | 639,388 | 121,505 | 111,233 | 68,333 | 42,900 | 121,791 | 105,769 | 111,345 | 102,990 | 86,260 | 74,37 | |
| Vermont | 626,562 | 115,981 | 17,151 | 21,552 | 11,188 | 10,364 | 22,388 | 17,533 | 18,240 | 17,364 | 18,904 | 21,39 | |
| Virginia | 8,326,289 | 1,684,103 | 256,202 | 263,695 | 152,796 | 110,899 | 292,324 | 290,002 | 289,555 | 268,103 | 280,424 | 289,63 | |
| Washington | 7,061,530 | 1,398,464 | 214,321 | 213,843 | 130,597 | 83,246 | 236,411 | 247,550 | 247,847 | 225,802 | 227,011 | 224,88 | |
| West Virginia | 1,850,326 | 336,741 | 52,521 | 53,922 | 32,022 | 21,900 | 61,440 | 52,573 | 54,782 | 55,265 | 58,759 | 59,50 | |
| Wisconsin | 5,757,564 | 1,087,273 110.821 | 181,320 17.936 | 187,299 18.104 | 109,936 11.029 | 77,363 | 199,999 19.952 | 174,564 19.627 | 184,375 19.694 | 167,853 17.317 | 173,183 | 189,63 | |
| Wyoming | 584,153 | 110,821 | 17,936 | 18,104 | 11,029 | 7,075 | 19,952 | 19,627 | 19,694 | 17,317 | 16,127 | 15,96 | |
| Puerto Rico | 3,548,397 | 714,960 | 110,163 | 121.457 | 71,862 | 49,595 | 128,351 | 114,092 | 115,779 | 117,397 | 117.884 | 120,82 | |
| Virgin Islands | 104,170 | 19,500 | 3,176 | 2,903 | 1,779 | 1,124 | 2,898 | 2,795 | 3,292 | 3,418 | 4,194 | 4,18 | |
| Guam | 161,001 | 34,258 | 7,024 | 6,673 | 3,962 | 2,711 | 6,491 | 5,792 | 5,292 5,091 | 3,418 4,849 | 5,362 | 5,09 | |
| American Samoa | 54,517 | 12,645 | 2,292 | 2,521 | 1,281 | 1,240 | 3,044 | 1,927 | 1,654 | 1,639 | 1,860 | 2,09 | |
| Northern Marianas | 51,483 | 12,645 | 1,648 | 1,529 | 913 | 616 | 1,819 | 2.176 | 3,466 | 2.262 | 1,000 | 2,08 | |

SOURCE: U.S. Census Bureau. See reference _____

Table 3. Population of birth- and death-registration states, 1900–1932, and United States, 1900-2014

[Population enumerated as of April 1 for 1940, 1950, 1960, 1970, 1980, 1990, 2000, and 2010 and estimated as of July 1 for all other years]

| [Population | | States 1/ | 1950, 1960, | 50, 1970, 1980, 1990, 2000, and 2010 and United States 1/ | | Birth-r | egistration | | rs] registration |
|--------------|--|-----------------------------|--------------|--|-----------------------------|---------------------------|-----------------------------------|---------------------------|-----------------------------------|
| | | 1 | | | | S | tates | S | tates |
| Year | Population including Armed Forces abroad | Population residing in area | Year | Population including Armed Forces abroad | Population residing in area | Number of States 2/ | Population residing in area | Number of States 2/ | Population residing in area |
| 2014 | 319,133,003 | 318,857,056 | 1956 | 168,221,000 | 167,306,000 | | | | |
| 2013 | 316,432,767 | | 1955 | 165,275,000 | | | | | |
| 2012 | 314,250,437 | 313,914,040 | 1954 | 162,391,000 | | | | | |
| 2011 | 312,008,762 | 311,591,917 | 1953 | 159,565,000 | 158,242,000 | | | | |
| 2010 | 309,178,489 | | 1952 | 156,954,000 | | | | | |
| 2009 | 307,204,385 | 306,771,529 | 1951 | 154,287,000 | 153,310,000 | | | | |
| 2008 | 304,516,881 | | 1950 | 151,132,000 | | | | | |
| 2007 | 301,655,229 | | | 149,188,000 | | | | | |
| 2006 | 298,782,525 | | 1948 | 146,631,000 | | | | | |
| 2005 | 295,854,681 | | 1947 | 144,126,000 | 143,446,000 | | | | |
| 2004 | 293,056,411 | · | | 141,389,000 | | • • | • • • | | |
| 2003 | 290,325,300 | | 1945 | 139,928,000 | 132,481,000 | | • • • | | |
| 2002 | 287,856,691 | | | 138,397,000 | | • • | | | |
| 2001 | 285,196,068 | | 1943 | 136,739,000 | | • • | | | |
| 2000 | 281,652,000 | | 1942 | 134,860,000 | | • • | | • • • | |
| 1999 1998 | 279,294,713 276,115,288 | | 1941 1940 | 133,402,000 131,820,000 | | • • | • • • | | |
| 1998 | 270,113,288 | | | 131,028,000 | | | | | • • • |
| 1996 | 269,667,391 | | | 129,969,000 | | • • | | | |
| 1995 | 266,557,091 | | 1937 | 128,961,000 | | • • • | | | |
| 1994 | 263,435,673 | | 1936 | 128,361,000 | | • • | | | |
| 1993 | 260,255,352 | | 1935 | 127,362,000 | | | | | |
| 1992 | 256,894,189 | | | 126,485,000 | | | | | |
| 1991 | 253,492,503 | | 1933 | 125,690,000 | | | | | |
| 1990 | 249,225,000 | | 1932 | 124,949,000 | | 47 | 118,903,899 | 47 | 118,903,899 |
| 1989 | 247,342,000 | | 1931 | 124,149,000 | 124,039,648 | | 117,455,229 | 47 | 118,148,987 |
| 1988 | 245,021,000 | 244,499,000 | | 123,188,000 | 123,076,741 | | 116,544,946 | 47 | 117,238,278 |
| 1987 | 242,804,000 | 242,289,000 | 1929 | | 121,769,939 | 1 | 115,317,450 | 46 | 115,317,450 |
| 1986 | 240,651,000 | 240,133,000 | 1928 | | 120,501,115 | 44 | 113,636,160 | 44 | 113,636,160 |
| 1985 | 238,466,000 | 237,924,000 | 1927 | | 119,038,062 | 40 | 104,320,830 | 42 | 107,084,532 |
| 1984 | 236,348,000 | 235,825,000 | 1926 | | 117,399,225 | 35 | 90,400,590 | 41 | 103,822,683 |
| 1983 | 234,307,000 | 233,792,000 | 1925 | | 115,831,963 | 33 | 88,294,564 | 40 | 102,031,555 |
| 1982 | 232,188,000 | 231,664,000 | 1924 | | 114,113,463 | 33 | 87,000,295 | 39 | 99,318,098 |
| 1981 | 229,966,000 | | 1923 | | 111,949,945 | 30 | 81,072,123 | 38 | 96,788,197 |
| 1980 | 227,061,000 | | 1922 | | 110,054,778 | | | 37 | 92,702,901 |
| 1979 | 225,055,000 | | 1921 | | 108,541,489 | 27 | | 34 | 87,814,447 |
| 1978 | 222,585,000 | | 1920 | | 106,466,420 | 23 | 63,597,307 | 34 | 86,079,263 |
| 1977 | 220,239,000 | | | 105,063,000 | 104,512,110 | 22 | 61,212,076 | 33 | 83,157,982 |
| 1976 | 218,035,000 | | 1918 | 104,550,000 | | 20 | | 30 | 79,008,412 |
| 1975 | 215,973,000 | | 1917 | 103,414,000 | 103,265,913 | 20 | | 27 | 70,234,775 |
| 1974 | 213,854,000 | | | | 101,965,984 | 11 | 32,944,013 | 26 | 66,971,177 |
| 1973 | 211,909,000 | | | | 100,549,013 | 10 | 31,096,697 | 24 | 61,894,847 |
| 1972 | 209,896,000 | | | | 99,117,567 | • • | | 24 | 60,963,309 |
| 1971 1970 | 207,661,000 204,270,000 | | 1913 | | 97,226,814 | • • • | | 23 22 | 58,156,740 54,847,700 |
| 1970 | 204,270,000 | | 1912 1911 | | 95,331,300 93,867,814 | • • | | 22 | 54,847,700 53,929,644 |
| 1969 | 202,677,000 | | | | 92,406,536 | | | 20 | 47,470,437 |
| 1967 | 198,712,000 | | | | 90,491,525 | | | 18 | 44,223,513 |
| 1966 | 196,560,000 | | 1908 | | 88,708,976 | | | 17 | 38,634,759 |
| 1965 | 194,303,000 | | 1907 | | 87,000,271 | | | 15 | 34,552,837 |
| 1964 | 191,889,000 | | | | 85,436,556 | | | 15 | 33,782,288 |
| 1963 | 189,242,000 | | | | 83,819,666 | | | | 21,767,980 |
| • | | | | 1 | , , , , , , , , , | . 1 | | | |

| 1962 | 186,538,000 | 185,771,000 | 1904 | 82,164,974 | | 10 | 21,332,076 |
|------|-------------|-------------|------|------------|------|----|------------|
| 1961 | 183,691,000 | 182,992,000 | 1903 | 80,632,152 | | 10 | 20,943,222 |
| 1960 | 179,933,000 | 179,323,175 | 1902 | 79,160,196 | | 10 | 20,582,907 |
| 1959 | 177,264,000 | 176,513,000 | 1901 | 77,585,128 | | 10 | 20,237,453 |
| 1958 | 174,141,000 | 173,320,000 | 1900 | 76,094,134 | | 10 | 19,965,446 |
| 1957 | 171,274,000 | 170,371,000 | | | | | |

⁻⁻⁻ Data not available.

2/The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

SOURCE: Published and unpublished data from the U.S. Census Bureau; see reference _____

by single year of age, sex, race, and $\,$ Hispanic origin for the United States: April 1, 2010 to July 1, 2014

(Vintage 2014). June 2015. Available from: http://www.census.gov/popest/data/national/asrh/2014/2014-nat-detail.html.

^{...} Category not applicable.

^{1/} Alaska included beginning 1959 and Hawaii, 1960.

U.S. Census Bureau provides monthly population estimates of resident population plus armed forces overseas,

Table I-1. Mean age of mother, by live-birth order and race and Hispanic origin of mother: United States, 1980-2014

[Mean age at birth is the arithmetic average of the age of mothers at time of birth, computed directly from the frequency of births by age of mother and live-birth order. Live-birth order refers to number of children born alive to mother)

| Year | and race and Hispanic | | | | | Live-birth | order | | | |
|---|-----------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------------------|
| | origin of mother | Total | 1 | 2 | 3 | 4 | 5 | 6 and 7 | 8 and over | Unknown or not stated |
| | All races 1 | | | | | | | | | |
| 2014 | All races 1 | 28.3 | 26.3 | 28.7 | 30.0 | 31.1 | 32.0 | 33.4 | 35.7 | 28.7 |
| 2013 | | 28.2 | 26.0 | 28.6 | 29.9 | 31.0 | 32.0 | 33.3 | 35.7 | 28.3 |
| 2012 | | 28.0 | 25.8 | 28.4 | 29.8 | 30.9 | 31.9 | 33.2 | 35.7 | 27.9 |
| 2011 | | 27.9 | 25.6 | 28.3 | 29.7 | 30.8 | 31.8 | 33.1 | 35.5 | 28.2 |
| 2010 | | 27.7 | 25.4 | 28.2 | 29.6 | 30.7 | 31.7 | 33.0 | 35.7 | 27.7 |
| 2009 | | 27.5 | 25.2 | 28.0 | 29.5 | 30.6 | 31.6 | 32.9 | 35.7 | 27.6 |
| 2008 | | 27.4 | 25.1 | 27.9 | 29.4 | 30.5 | 31.5 | 32.9 | 35.7 | 27.7 |
| | | 27.4 | 25.0 | 27.9 | 29.3 | 30.4 | 31.5 | 32.9 | 35.7 | 27.9 |
| 2006 2005 | | 27.4 27.4 | 25.0 25.2 | 27.9 28.0 | 29.3 29.4 | 30.4 30.4 | 31.4 31.4 | 33.0 32.9 | 35.8 35.9 | 28.0 28.0 |
| 2005 | | 27.4 | 25.2 | 28.0 | 29.4 | 30.4 | 31.4 | 32.9 | 35.9 | 27.6 |
| 2003 | | 27.4 | 25.2 | 28.0 | 29.3 | 30.4 | 31.4 | 33.0 | 35.8 | 27.9 |
| 2002 | | 27.3 | 25.1 | 27.9 | 29.2 | 30.3 | 31.4 | 32.9 | 35.9 | 27.7 |
| 2001 | | 27.3 | 25.0 | 27.8 | 29.2 | 30.3 | 31.4 | 32.9 | 35.9 | 27.0 |
| 2000 | | 27.2 | 24.9 | 27.7 | 29.2 | 30.3 | 31.4 | 32.9 | 35.8 | 27.4 |
| 1995 | | 26.9 | 24.5 | 27.5 | 29.1 | 30.1 | 31.2 | 32.6 | 35.4 | 27.1 |
| 1990 | | 26.4 | 24.2 | 26.9 | 28.3 | 29.4 | 30.6 | 32.1 | 35.1 | 27.4 |
| 1985 | | 25.8 | 23.7 | 26.3 | 27.9 | 29.3 | 30.6 | 32.5 | 35.7 | 26.1 |
| 1980 | 2 | 25.0 | 22.7 | 25.4 | 27.3 | 29.0 | 30.6 | 32.7 | 36.0 | 23.9 |
| | on-Hispanic White 3 | | | | | | | | | |
| 2014 | | 28.8 | 27.0 | 29.2 | 30.4 | 31.3 | 32.3 | 33.8 | 36.6 | 29.3 |
| 2013 | | 28.6 | 26.8 | 29.1 | 30.3 | 31.3 | 32.3 | 33.7 | 36.6 | 29.0 |
| 2012 | | 28.5 | 26.6 | 29.0 | 30.2 | 31.2 | 32.2 | 33.7 | 36.5 | 28.6 |
| 2011 | | 28.4 | 26.5 | 29.0 | 30.2 | 31.2 | 32.2 | 33.7 | 36.4 36.6 | 29.0 |
| 2010 | | 28.3 28.1 | 26.3 | 28.9 | 30.2 | 31.1 31.1 | 32.2 32.1 | 33.6 | 36.6 36.7 | 28.6 |
| 2009 | | 28.1 | 26.1 | 28.8 | 30.1 | 31.1 | 32.1 | 33.6 | 36.7 | 28.5 |
| 2008 | | 28.1 | 26.0 | 28.7 | 30.1 | 31.1 | 32.1 | 33.6 | 36.7 | 28.8 |
| 2006 | | 28.1 | 26.0 | 28.8 | 30.1 | 31.1 | 32.1 | 33.7 | 36.7 | 29.1 |
| 2005 | | 28.2 | 26.2 | 28.8 | 30.1 | 31.2 | 32.2 | 33.8 | 36.9 | 29.1 |
| 2004 | | 28.2 | 26.2 | 28.8 | 30.2 | 31.2 | 32.2 | 33.8 | 36.9 | 28.7 |
| 2003 | | 28.2 | 26.2 | 28.8 | 30.1 | 31.2 | 32.3 | 33.9 | 37.0 | 28.8 |
| 2002 | | 28.2 | 26.1 | 28.7 | 30.1 | 31.2 | 32.3 | 33.9 | 37.1 | 28.6 |
| 2001 | | 28.1 | 26.0 | 28.6 | 30.1 | 31.3 | 32.4 | 33.9 | 37.0 | 28.2 |
| 2000 | | 28.0 | 25.9 | 28.6 | 30.0 | 31.3 | 32.4 | 34.0 | 37.0 | 28.9 |
| 1995 1990 4 | | 27.6 27.1 | 25.4 25.0 | 28.3 | 29.9 29.1 | 31.2 30.3 | 32.4 31.6 | 33.9 33.2 | 36.7 36.2 | 28.5 |
| 1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | 27.1 | 25.0 | 27.0 | 27.2 | 30.3 | 31.0 | 33.2 | 30.2 | 20 |
| 2014 | on-Hispanic Black 3 | 26.9 | 24.2 | 27.0 | 28.6 | 29.8 | 30.7 | 32.1 | 34.3 | 27.7 |
| 2014 | | 26.9 26.6 | 24.2 | 27.0 | 28.5 | 29.8 29.6 | 30.7 | 32.1 | 34.3 34.4 | 27.1 |
| 2013 | | 26.3 | 23.9 | 26.6 | 28.3 | 29.5 | 30.5 | 31.9 | 34.2 | 26.5 |
| 2012 | | 26.3 | 23.4 | 26.4 | 28.2 | 29.5 | 30.5 | 31.9 | 34.2 | 26.6 |
| 2010 | | 25.9 | 23.1 | 26.3 | 28.0 | 29.3 | 30.3 | 31.7 | 34.2 | 26.5 |
| 2009 | | 25.7 | 22.9 | 26.1 | 27.9 | 29.1 | 30.2 | 31.5 | 34.3 | 26.2 |
| 2008 | | 25.6 | 22.8 | 26.0 | 27.8 | 29.0 | 30.0 | 31.5 | 34.2 | 26.2 |
| 2007 | | 25.6 | 22.7 | 26.0 | 27.7 | 28.9 | 30.0 | 31.4 | 34.2 | 26.1 |
| 2006 | | 25.6 | 22.7 | 26.0 | 27.7 | 28.8 | 29.9 | 31.4 | 34.1 | 25.9 |
| 2005 | | 25.6 | 22.7 | 26.0 | 27.6 | 28.8 | 29.8 | 31.3 | 34.2 | 25.8 |
| 2004 | | 25.6 | 22.7 | 25.9 | 27.5 | 28.6 | 29.8 | 31.2 | 34.1 | 25.7 |
| 2003 | | 25.6 25.4 | 22.7 | 25.9 | 27.5 | 28.6 | 29.7 29.6 | 31.3 | 34.0 | 26.3 |
| 2002 | | | | 25.8 | 27.3 | | | 31.2 | | 26.5 26.4 |
| 2001 | | 25.3 25.2 | 22.4 | 25.7 25.5 | 27.2 27.1 | 28.3 28.2 | 29.6 29.5 | 31.2 31.0 | 34.1 33.9 | 26.4 |
| 1995 | | 24.8 | 21.9 | 25.3 | 27.1 | 28.0 | 29.3 | 30.8 | 33.2 | 25.4 |
| 1990 4 | | 24.4 | 21.7 | 24.6 | 26.3 | 27.4 | 28.7 | 30.3 | 33.3 | 26.0 |
| | Hispanic 5 | | | | | | | | | |
| 2014 | "Tobalite 2 | 27.5 | 24.3 | 27.3 | 29.5 | 31.2 | 32.4 | 33.7 | 35.2 | 28.1 |
| 2013 | | 27.3 | 24.3 | 27.2 | 29.4 | 31.1 | 32.4 | 33.6 | 35.2 | 27.9 |
| 2013 | | 27.1 | 23.8 | 27.2 | 29.4 | 31.0 | 32.3 | 33.5 | 35.2 | 27.6 |
| 2011 | | 27.0 | 23.7 | 26.9 | 29.2 | 30.9 | 32.1 | 33.3 | 35.0 | 28.0 |
| 2010 | | 26.8 | 23.4 | 26.7 | 29.0 | 30.7 | 32.0 | 33.3 | 35.3 | 27.2 |
| 2009 | | 26.5 | 23.3 | 26.5 | 28.9 | 30.5 | 31.8 | 33.1 | 35.3 | 26.8 |
| 2008 | | 26.4 | 23.1 | 26.4 | 28.7 | 30.4 | 31.6 | 33.2 | 35.3 | 26.7 |
| 2007 | | 26.3 | 23.1 | 26.3 | 28.6 | 30.3 | 31.6 | 33.1 | 35.3 | 26.7 |
| 2006 | | 26.2 | 23.1 | 26.2 | 28.6 | 30.2 | 31.5 | 33.2 | 35.5 | 26.6 |
| 2005 | | 26.2 | 23.1 | 26.2 | 28.5 | 30.1 | 31.4 | 33.2 | 35.6 | 26.5 |
| 2004 | | 26.2 | 23.1 | 26.2 | 28.5 | 30.1 | 31.5 | 33.1 | 35.5 | 25.8 |
| 2003 | | 26.1 | 23.1 | 26.1 | 28.4 | 30.0 | 31.4 | 33.1 | 35.4 | 25.8 |
| 2002 | | 26.0 | 23.0 | 26.0 | 28.3 | 29.9 | 31.4 | 33.1 | 35.7 | 25.7 |
| 2001 | | 25.9 | 22.8 | 25.9 | 28.2 | 29.9 | 31.4 | 33.1 | 35.7 | 24.4 |
| 2000 | | 25.7 | 22.7 | 25.8 | 28.1 | 29.8 | 31.3 | 33.0 | 35.5 | 24.2 |
| 1995 | | 25.4 | 22.4 | 25.5 | 27.8 | 29.6 | 31.1 | 32.8 | 35.5 | 24.2 |

¹ Includes races other than white and black and origin not stated.

² Based on 100 percent of births in selected states and on a 50-percent sample of births in all other states; see "User Guide" (reference

⁴ Excludes data for New Hampshire and Oklahoma, which did not report Hispanic origin. 5 Includes all persons of Hispanic origin of any race.

Table I-2. Births, and seasonally adjusted birth rates, by month: United States, 2014

[Rates on an annual basis per 1,000 population for specified month. Birth rates are births per 1,000 total population. Fertility rates are births per 1,000 women aged 15-44 years. Monthly populations estimated as of the first of each month]

| | | Obse: | rved | Seasonally | adjusted 1 |
|-----------|-----------|------------|----------------|------------|-------------------|
| Month | Number | Birth rate | Fertility rate | Birth rate | Fertility rate |
| Total | 3,988,076 | 12.5 | 62.9 | | |
| January | 326,366 | 12.1 | 60.8 | 13.6 | 66.1 |
| February | 298,404 | 12.2 | 61.5 | 13.5 | 66.0 |
| March | 323,572 | 12.0 | 60.2 | 13.5 | 65.8 |
| April | 318,990 | 12.2 | 61.3 | 13.4 | 65.8 |
| May | 334,613 | 12.4 | 62.2 | 13.5 | 66.0 |
| June | 325,981 | 12.4 | 62.6 | 13.5 | 66.1 |
| July | 355,524 | 13.1 | 66.1 | 13.5 | 66.0 |
| August | 354,257 | 13.1 | 65.8 | 13.4 | 65.7 |
| September | 348,424 | 13.3 | 66.9 | 13.4 | 65.6 |
| October | 343,356 | 12.7 | 63.8 | 13.4 | 65.7 |
| November | 317,998 | 12.1 | 61.0 | 13.4 | 65.4 |
| December | 340,591 | 12.5 | 63.2 | 13.4 | 65.6 |
| | | | | | |

^{...} Category not applicable.

NOTE: Monthly population estimates for 2014 were provided by the U.S. Census Bureau (U.S. Census Bureau. Monthly postcensal resident population, by single year of age, sex, race, and Hispanic origin: Population division. 2015. Available from: https://www.census.gov/popest/data/national/asrh/2014/2014-nat-res.html.

¹ Method of seasonal adjustment developed by the U.S. Census Bureau (Shiskin J, Young AH, Musgrave JC. The X11 variant of the census method II seasonal adjustment program. Technical Paper no. 15. U.S. Census Bureau: Washington, DC. 1967. Available from: http://www.census.gov/ts/papers/ShiskinYoungMusgrave1967.pdf).

Table I-3. Births, by day of week and method of delivery: United States, 2014

| | Average | Index | of occurrence | ce 1 |
|-------------|-----------|-----------|---------------|----------|
| Day of week | number | Total 2 - | Method of | delivery |
| | of births | 10001 2 = | Vaginal | Cesarean |
| Total | 10,926 | 100.0 | 100.0 | 100.0 |
| Sunday | 7,371 | 67.5 | 76.6 | 48.3 |
| Monday | 11,805 | 108.0 | 101.9 | 121.1 |
| Tuesday | 12,630 | 115.6 | 112.0 | 123.3 |
| Wednesday | 12,155 | 111.2 | 109.4 | 115.2 |
| Thursday | 12,112 | 110.9 | 109.0 | 114.7 |
| Friday | 12,042 | 110.2 | 105.6 | 119.9 |
| Saturday | 8,344 | 76.4 | 85.5 | 57.2 |

¹ Ratio of the average number of births by a specified method of delivery on a given day of the week to the average daily number of births by a specified method of delivery for the year, multiplied by 100.

² Includes method of delivery not stated.

Table I-4. Births to unmarried women, by race and Hispanic origin of mother: United States, each state and territory, 2014

[By place of residence]

| | | irths to un | | | | Percent u | | |
|------------------------------|-----------------|--------------------|-------------------|----------------|----------------|-------------------|-------------------|---------------|
| State | All races 1 | Non-His White 2 | spanic Black 2 | Hispanic 3 | All races 1 | Non-Hi White 2 | spanic Black 2 | Hispanic 3 |
| United States 4 | 1,604,870 | 628,078 | 417,518 | 483,807 | 40.2 | 29.2 | 70.9 | 52.9 |
| Alabama | 25,721 | 10,456 | 13,848 | 1,196 | 43.3 | 29.1 | 76.0 | 29.8 |
| Alaska | 4,061 | 1,532 | 13,040 | 287 | 35.6 | 23.4 | 41.9 | 34.1 |
| Arizona | 39,224 | 11,926 | 2,913 | 19,807 | 45.1 | 30.9 | 62.3 | 56.5 |
| Arkansas | 16,925 | 8,809 | 5,735 | 1,881 | 43.9 | 34.0 | 79.1 | 49.0 |
| California | 194,960 | 34,263 | 18,899 | 125,459 | 38.8 | 23.7 | 66.8 | 52.8 |
| Colorado | 14,748 | 6,825 | 1,321 | 5,885 | 22.4 | 16.8 | 39.4 | 33.3 |
| Connecticut | 13,477 | 4,955 | 3,068 | 5,203 | 37.1 | 23.7 | 66.5 | 64.0 |
| Delaware | 5,116 | 2,122 | 1,985 | 937 | 46.6 | 35.9 | 69.7 | 60.8 |
| District of Columbia | 4,771 | 186 | 3,748 | 770 | 50.2 | 6.3 | 78.5 | 60.1 |
| Florida | 105,422 | 38,084 | 34,116 | 31,620 | 47.9 | 37.8 | 69.2 | 51.1 |
| Georgia | 59,415 | 17,183 | 31,646 | 8,773 | 45.4 | 28.6 | 70.3 | 50.9 |
| Hawaii | 6,886 | 1,122 | 129 | 1,291 | 37.1 | 23.0 | 23.1 | 46.7 |
| Idaho | 6,367 | 4,379 | 66 | 1,624 | 27.8 | 24.1 | 31.9 | 44.5 |
| Illinois | 63,555 | 22,757 | 21,599 | 17,775 | 40.1 | 26.4 | 79.4 | 52.6 |
| Indiana | 36,409 | 23,821 | 8,217 | 4,041 | 43.3 | 37.2 | 79.4 | 55.8 |
| Iowa | 13,949 | 10,127 | 1,650 | 1,742 | 35.1 | 31.2 | 69.9 | 52.5 |
| Kansas | 14,298 | 8,651 | 2,081 | 3,156 | 36.5 | 30.4 | 70.8 | 51.5 |
| Kentucky | 23,545 | 17,795 | 4,009 | 1,514 | 41.9 | 38.1 | 74.9 | 53.7 |
| Louisiana | 34,006 | 11,915 | 19,194 | 2,389 | 52.7 | 34.8 | 79.2 | 56.2 |
| Maine | 5,236 | 4,805 | 157 | 89 | 41.2 | 41.2 | 35.5 | 44.5 |
| Maryland | 29,372 | 8,337 | 14,591 | 5,930 | 39.7 | 25.1 | 60.9 | 54.0 |
| Massachusetts | 23,872 | 11,259 | 3,873 | 7,628 | 33.2 | 25.3 | 54.1 | 60.0 |
| Michigan | 47,817 | 25,909 | 17,301 | 3,726 | 41.8 | 32.3 | 79.9 | 50.7 |
| Minnesota | 22,610 | 12,615 | 4,269 | 2,505 | 32.3 | 25.1 | 55.1 | 53.5 |
| Mississippi | 20,935 | 6,469 | 13,369 | 841 | 54.0 | 32.6 | 80.4 | 54.4 |
| Missouri | 30,292 | 18,748 | 8,795 | 2,022 | 40.2 | 32.8 | 76.8 | 51.1 |
| Montana | 4,586 | 3,089 | 50 | 238 | 36.9 | 30.4 | 55.6 | 48.2 |
| Nebraska | 8,840 | 5,126 | 1,227 | 2,032 | 33.0 | 26.3 | 66.3 | 49.0 |
| Nevada | 16,431 | 5,216 | 3,078 | 7,018 | 45.8 | 34.4 | 72.3 | 54.0 |
| New Hampshire | 4,147 | 3,706 | 87 | 268 | 33.7 | 33.9 | 46.0 | 45.3 |
| New Jersey | 36,646 | 9,231 | 10,493 | 16,181 | 35.5 | 19.2 | 67.6 | 59.3 |
| New Mexico | 13,358 | 2,077 | 251 | 8,411 | 51.3 | 28.8 | 53.6 | 58.2 |
| New York | 94,658 | 29,497 | 25,026 | 35,238 | 39.6 | 25.4 | 67.7 | 63.7 |
| North Carolina | 49,574 | 18,143 | 20,645 | 9,080 | 41.0 | 26.9 | 71.1 | 51.1 |
| North Dakota | 3,680 | 2,392 | 191 | 223 | 32.4 | 26.5 | 41.5 | 46.5 |
| Ohio | 60,620 | 37,108 | 18,508 | 4,185 | 43.5 | 35.6 | 78.2 | 60.8 |
| Oklahoma | 22,512 | 11,765 | 3,746 | 3,535 | 42.2 | 35.0 | 74.3 | 49.0 |
| Oregon | 16,459 | 10,488 31,583 | 687 15,536 | 4,318 9,487 | 36.1 41.0 | 32.4 31.8 | 56.4 77.0 | 50.7 65.4 |
| Pennsylvania Rhode Island | 58,383 4,918 | 2,419 | 529 | 1,657 | 45.4 | 36.8 | 62.2 | 64.1 |
| South Carolina | 27,261 | 10,571 | 13,860 | 2,438 | 47.3 | 31.4 | 77.5 | 52.5 |
| South Dakota | 4,632 | 2,441 | 169 | 331 | 37.7 | 26.8 | 49.7 | 54.9 |
| Tennessee | 35,911 | 18,818 | 13,252 | 3,492 | 44.0 | 33.9 | 78.0 | 50.0 |
| Texas | 166,754 | 38,063 | 30,463 | 95,943 | 41.7 | 27.0 | 63.5 | 50.6 |
| Utah | 9,497 | 5,313 | 217 | 3,166 | 18.6 | 13.5 | 37.9 | 40.8 |
| Vermont | 2,421 | 2,303 | 45 | 36 | 39.5 | 40.2 | 38.8 | 39.1 |
| Virginia | 35,066 | 13,963 | 13,910 | 6,499 | 33.9 | 23.3 | 64.3 | 48.2 |
| Washington | 28,450 | 15,202 | 2,232 | 7,806 | 32.1 | 27.2 | 47.9 | 49.5 |
| West Virginia | 9,111 | 8,280 | 572 | 168 | 44.9 | 43.9 | 75.1 | 48.0 |
| Wisconsin | 25,411 | 14,401 | 5,943 | 3,526 | 37.8 | 29.1 | 84.1 | 55.3 |
| Wyoming | 2,555 | 1,833 | 35 | 440 | 33.2 | 29.3 | 41.2 | 49.2 |
| Puerto Rico | 23,142 | 1,595 | 189 | 21,345 | 67.2 | 64.8 | 75.0 | 67.3 |
| Virgin Islands | | | | | | | | |
| Guam | 2,068 | 30 | 5 | 14 | 60.9 | 14.6 | * | * |
| American Samoa | 372 | | | | 34.5 | | | |
| Northern Marianas | 373 | - | _ | 1 | 72.1 | * | * | * |

 $[\]star$ Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

⁻ Quantity zero.

⁻⁻⁻ Data not available.

¹ Includes races other than white and black and origin not stated.
2 Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with the 1977 Office of Management and Budget standards. Fortynine states and the District of Columbia reported multiple-race data for 2014 that were bridged to single-race categories for comparability with other states; see "Technical Notes."

Includes all persons of Hispanic origin of any race.

⁴ Excludes data for the territories.

Table I-5. Births, by weight gain of mother during pregnancy, by plurality, gestational age, and race and Hispanic origin of mother: United States, 2014

| Plurality, period of gestation and race | All births | | | | ing pregnancy | | |
|--|-------------------|------------------------|------------------|------------------|------------------|------------------|---------------|
| and Hispanic origin of mother | All births | Less than 11 pounds | 11-20 pounds | 21-30 pounds | 31-40 pounds | 41-98 pounds | Not stated |
| All pluralities | | | | Number | | | |
| All gestational ages ² | | | | | | | |
| All races ³ | 3,988,076 | 333,525 | 625,309 | 1,077,724 | 953,971 | 821,542 | 176,00 |
| Non-Hispanic white | 2,149,302 | 148,782 | 282,206 | 570,534 | 562,523 | 502,600 | 82,65 |
| Non-Hispanic black4 | 588,891 | 72,375 | 103,321 | 139,224 | 114,805 | 121,221 | 37,94 |
| Hispanic total | 914,065 | 88,445 | 182,651 | 263,932 | 194,444 | 147,424 | 37,16 |
| Under 37 weeks | 201 201 | 40.000 | 55 450 | 07.010 | | | |
| All races ³ Non-Hispanic white ⁴ | 381,321 | 48,893 | 77,458 | 97,012 | 69,557 | 65,093 | 23,30 |
| Non-Hispanic White | 191,311 77,860 | 20,025 13,436 | 34,315 16,758 | 49,068 17,363 | 38,916 11,707 | 38,666 12,092 | 10,32 6,50 |
| Hispanic total ⁵ | 82,459 | 12,046 | 19,892 | 21,995 | 13,597 | 10,558 | 4,37 |
| 37 weeks and over | , | , | , | / | , | , | -, |
| All races ³ | 3,603,509 | 284,236 | 547,555 | 980,319 | 884,171 | 756,212 | 151,01 |
| Non-Hispanic white4 | 1,956,803 | 128,592 | 247,760 | 521,295 | 523,490 | 463,817 | 71,84 |
| Non-Hispanic black4 | 510,519 | 58,844 | 86,510 | 121,796 | 103,065 | 109,088 | 31,21 |
| Hispanic total ⁵ | 830,970 | 76,309 | 162,681 | 241,821 | 180,783 | 136,807 | 32,56 |
| live births in singleton deliveries | | | | | | | |
| All gestational ages ² | | | | | | | |
| All races ³ | 3,848,214 | 324,953 | 610,703 | 1,051,621 | 921,931 | 770,206 | 168,80 |
| Non-Hispanic white | 2,067,486 | 144,896 | 275,196 | 556,471 | 543,151 | 468,844 | 78,92 |
| Non-Hispanic black ⁴ | 564,817 | 69,788 | 99,979 | 134,577 | 110,248 | 114,031 | 36,19 |
| Hispanic total ⁵ Under 37 weeks | 891,426 | 86,874 | 179,618 | 258,955 | 189,163 | 140,651 | 36,16 |
| All races ³ | 297,460 | 42,734 | 67,099 | 79,839 | 50,635 | 38,578 | 18,57 |
| Non-Hispanic white | 142,627 | 17,235 | 29,282 | 39,706 | 27,442 | 21,089 | 7,87 |
| Non-Hispanic black ⁴ | 62,741 | 11,583 | 14,339 | 14,292 | 8,905 | 8,302 | 5,32 |
| Hispanic total ⁵ | 68,806 | 10,877 | 17,799 | 18,801 | 10,475 | 7,136 | 3,71 |
| 37 weeks and over | , | .,. | , | ,,,, | , | , | - , |
| All races ³ | 3,547,586 | 42,734 | 67,099 | 79,839 | 50,635 | 38,578 | 18,57 |
| Non-Hispanic white4 | 1,923,697 | 17,235 | 29,282 | 39,706 | 27,442 | 21,089 | 7,87 |
| Non-Hispanic black4 | 501,584 | 11,583 | 14,339 | 14,292 | 8,905 | 8,302 | 5,32 |
| Hispanic total ⁵ | 822,002 | 10,877 | 17,799 | 18,801 | 10,475 | 7,136 | 3,71 |
| | | | Perce | nt distribut | ion | | |
| all pluralities | | | | | | | |
| All gestational ages ² | | | | | 05.0 | 01.6 | |
| All races ³ | 100.0 | 8.7 7.2 | 16.4 13.7 | 28.3 27.6 | 25.0 27.2 | 21.6 24.3 | |
| Non-Hispanic white ⁴ Non-Hispanic black ⁴ | 100.0 | 13.1 | 18.8 | 27.6 | 27.2 | 24.3 | |
| Hispanic total ⁵ | 100.0 | 10.1 | 20.8 | 30.1 | 22.2 | 16.8 | |
| Under 37 weeks | 100.0 | 10.1 | 20.0 | 30.1 | 22.2 | 10.0 | |
| All races ³ | 100.0 | 13.7 | 21.6 | 27.1 | 19.4 | 18.2 | |
| Non-Hispanic white | 100.0 | 11.1 | 19.0 | 27.1 | 21.5 | 21.4 | |
| Non-Hispanic black4 | 100.0 | 18.8 | 23.5 | 24.3 | 16.4 | 16.9 | |
| Hispanic total ⁵ | 100.0 | 15.4 | 25.5 | 28.2 | 17.4 | 13.5 | |
| 37 weeks and over | | | | | | | |
| All races ³ | 100.0 | 8.2 | 15.9 | 28.4 | 25.6 | 21.9 | |
| Non-Hispanic white | 100.0 | 6.8 | 13.1 | 27.7 | 27.8 | 24.6 | |
| Non-Hispanic black4 | 100.0 | 12.3 | 18.0 | 25.4 | 21.5 | 22.8 | |
| Hispanic total ⁵ | 100.0 | 9.6 | 20.4 | 30.3 | 22.6 | 17.1 | |
| ive births in singleton deliveries | | | | | | | |
| All gestational ages ² | | | | | | | |
| All races ³ | 100.0 | 8.8 | 16.6 | 28.6 | 25.1 | 20.9 | |
| Non-Hispanic white | 100.0 | 7.3 | 13.8 | 28.0 | 27.3 | 23.6 | |
| Non-Hispanic black ⁴ Hispanic total ⁵ | 100.0 | 13.2 | 18.9 | 25.5 | 20.9 | 21.6 | |
| Under 37 weeks | 100.0 | 10.2 | 21.0 | 30.3 | 22.1 | 16.4 | |
| All races ³ | 100.0 | 15.3 | 24.1 | 28.6 | 18.2 | 13.8 | |
| Non-Hispanic white | 100.0 | 12.8 | 24.1 | 29.5 | 20.4 | 15.6 | |
| Non-Hispanic black | 100.0 | 20.2 | 25.0 | 24.9 | 15.5 | 14.5 | |
| Hispanic total ⁵ | 100.0 | 16.7 | 27.3 | 28.9 | 16.1 | 11.0 | |
| 37 weeks and over | 200.0 | 20.7 | 27.5 | 20.5 | 10.1 | 11.0 | |
| All races ³ | 100.0 | 8.3 | 16.0 | 28.6 | 25.6 | 21.5 | |
| Non-Hispanic white | 100.0 | 6.9 | 13.3 | 27.9 | 27.8 | 24.2 | |
| Non-Hispanic black ⁴ | 100.0 | 12.3 | 18.2 | 25.5 | 21.5 | 22.4 | |
| Hispanic total ⁵ | 100.0 | 9.6 | 20.5 | 30.4 | 22.6 | 16.9 | |
| | | | | | | | |

⁻⁻⁻ Category not applicable

¹Shown in completed weeks based on obstetric estimate of gestation.

 $^{^2\}mbox{Includes}$ births with period of gestation not stated.

³Includes races other than white and black and origin not stated.

^{*}Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with the 1977 Office of Management and Budget standards. Forty-nine states and the District of Columbia reported multiple-race data for 2014 that were bridged to the single-race categories for comparability with other states; see "Technical Notes."

 $^{^{5}\}mbox{Includes}$ all persons of Hispanic origin of any race.

Table I-6. Selected risk factors, obstetric procedures, characteristics of labor and delivery, and congenital anomalies, by age and race and Hispanic origin of mother: United States, 2014

[Rates are number of live births with specified risk factors, procedures or anomaly per 1,000 live births in specified group; congenital anomalies are per 100,000 live births]

| Risk factor, characteristic, procedure and anomaly | All births 1 | Factor reported | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years | Not stated ² |
|---|-----------------|--------------------|-------------|-------------------|----------------|----------------|----------------|----------------|----------------|----------------------------|
| All Races ³ | | | | | | | | | | |
| Risk factors in this pregnancy | | | | | | | | | | |
| Diabetes | 3,988,076 | 249,506 | 62.7 | 22.2 | 34.9 | 54.5 | 75.4 | 104.7 | 137.8 | 7,385 |
| Hypertension, pregnancy-associated | 3,988,076 | 201,994 | 50.7 | 54.2 | 49.1 | 49.1 | 49.1 | 54.7 | 70.0 | 7,385 |
| Hypertension, chronic | 3,988,076 | 63,044 | 15.8 | 5.6 | 9.0 | 13.2 | 18.4 | 27.1 | 42.0 | 7,385 |
| Obstetric procedures and characteristics of labor or delivery | | | | | | | | | | |
| Induction of labor | 3,988,076 | 926,070 | 232.4 | 269.7 | 252.0 | 236.6 | 217.0 | 207.0 | 217.7 | 4,091 |
| Breech/Malpresentation | 3,988,076 | 222,044 | 57.0 | 45.0 | 47.4 | 53.0 | 61.4 | 71.6 | 88.9 | 89,680 |
| Congenital Anomalies | | | | | | | | | | |
| Anencephaly | 3,988,076 | 441 | 11.1 | 13.9 | 13.1 | 9.9 | 9.9 | 11.0 | * | 12,159 |
| Meningomyelocele/Spina bifida | 3,988,076 | 554 | 13.9 | 13.5 | 14.5 | 14.8 | 14.0 | 10.8 | * | 12,159 |
| Omphalocele/Gastroschisis | 3,988,076 | 1,495 | 37.6 | 106.3 | 70.4 | 28.3 | 17.3 | 17.0 | * | 12,159 |
| Cleft lip/palate | 3,988,076 | 2,888 | 72.6 | 75.7 | 82.1 | 70.5 | 66.5 | 68.8 | 89.0 | 12,159 |
| Down syndrome | 3,988,076 | 1,978 | 49.7 | 28.3 | 27.6 | 24.6 | 37.8 | 114.2 | 336.5 | 12,159 |
| Non-Hispanic white 4 | | | | | | | | | | |
| Risk factors in this pregnancy | | | | | | | | | | |
| Diabetes | 2,149,302 | 120,379 | 56.1 | 25.6 | 36.1 | 49.3 | 63.1 | 84.5 | 112.2 | 3,032 |
| Hypertension, pregnancy-associated | 2,149,302 | 116,924 | 54.5 | 60.1 | 54.2 | 54.4 | 51.8 | 55.8 | 70.0 | 3,032 |
| Hypertension, chronic | 2,149,302 | 32,105 | 15.0 | 6.0 | 8.9 | 12.8 | 16.8 | 23.6 | 36.0 | 3,032 |
| Obstetric procedures and characteristics of labor or delivery | | | | | | | | | | |
| Induction of labor | 2,149,302 | 562,932 | 262.1 | 333.0 | 297.6 | 267.2 | 238.9 | 228.8 | 244.8 | 1,531 |
| Breech/Malpresentation | 2,149,302 | 116,954 | 55.5 | 42.0 | 44.9 | 51.7 | 60.0 | 68.9 | 85.5 | 43,882 |
| Congenital Anomalies | | | | | | | | | | |
| Anencephaly | 2,149,302 | 243 | 11.3 | * | 11.4 | 11.0 | 10.1 | 13.6 | * | 5,044 |
| Meningomyelocele/Spina bifida | 2,149,302 | 362 | 16.9 | * | 19.8 | 18.1 | 15.6 | 11.8 | * | 5,044 |
| Omphalocele/Gastroschisis | 2,149,302 | 898 | 41.9 | 123.4 | 89.0 | 34.9 | 18.1 | 17.9 | * | 5,044 |
| Cleft lip/palate | 2,149,302 | 1,858 | 86.7 | 100.3 | 105.4 | 83.1 | 78.2 | 78.9 | 96.8 | 5,044 |
| Down syndrome | 2,149,302 | 1,208 | 56.3 | 29.1 | 32.4 | 28.4 | 43.1 | 123.5 | 397.4 | 5,044 |

See footnotes at end of table.

Table I-6. Selected risk factors, obstetric procedures, characteristics of labor and delivery, and congenital anomalies, by age and race and Hispanic origin of mother: United States, 2014--Con.

[Rates are number of live births with specified risk factors, procedures or anomaly per 1,000 live births in specified group; congenital anomalies are per 100,000 live Risk factor, Factor All Under 20 20-24 25-29 30-34 35-39 40-54 characteristic, births 1 stated 2 reported years years years years years years ages procedure and anomaly Non-Hispanic black 4 Risk factors in this pregnancy 142.0 Diabetes 588,891 32,581 55.5 18.0 29.4 52.5 80.6 108.9 1,859 Hypertension, pregnancy-associated 588,891 36,335 61.9 62.5 56.6 58.5 65.7 72.8 88.5 1,859 588,891 18 631 31 7 97 5 8 9 15 4 28 0 45 8 70 0 1 859 Hypertension, chronic Obstetric procedures and characteristics of labor or delivery Induction of labor 588,891 131,483 223.7 258.3 230.7 219.3 211.6 208.3 212.6 1,255 588.891 33.326 58.2 45.0 50.3 56.1 65.1 79.0 94.6 16,580 Breech/Malpresentation Congenital Anomalies Anencephaly 588,891 62 10.6 12.7 3,318 Meningomyelocele/Spina bifida 588,891 60 10.2 3,318 Omphalocele/Gastroschisis 77 5 3,318 588,891 182 31 1 38 0 18 7 22 4 Cleft lip/palate 588,891 241 41.2 43.3 44.6 36.2 38.7 47.1 3,318 Down syndrome 588,891 202 34.5 24.2 17.5 31.0 75.1 219.1 3.318 Hispanic 5 Risk factors in this pregnancy Diabetes 914.065 62,970 69.0 19.9 34.4 59.6 93.1 135.1 175.0 1.581 1,581 Hypertension, pregnancy-associated 914,065 37 164 40.7 42.7 36.7 36.5 41.3 50.4 66.4 914,065 9,034 9.9 20.0 33.0 1,581 Hypertension, chronic 5.0 Obstetric procedures and characteristics of labor or delivery Induction of labor 914,065 170,312 186.5 210.2 196.9 182.7 175.2 174.4 186.0 792 Breech/Malpresentation 914,065 51,294 57.5 48.1 49.1 54.0 73.2 86.7 21,232 63.2 Congenital Anomalies Anencephalv 914,065 105 11.5 14.7 9.3 10.3 2,329 Meningomyelocele/Spina bifida 914,065 107 11.7 9.2 12.9 11.3 2,329 Omphalocele/Gastroschisis 914,065 322 35.3 101.4 57.0 20.5 2,329 14.2 Cleft lip/palate 914,065 547 60.0 68.0 67.5 56.0 45.7 60.6 111.1 2,329

914,065

455

Down syndrome

49.9

23.5

22.5

32.9

138.9

385.3

2,329

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

¹ Total number of births to residents of areas reporting risk factors, procedure or anomaly.

 $^{^{2}}$ No response reported for specific item.

³ Includes races not shown.

⁴ Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with the 1977 Office of Management and Budget standards. Forty-nine states and the District of Columbia reported mulitple-race data for 2014 that were bridged to the single-race categories for comparability with other states; see "Technical Notes."

 $^{^{\}rm 5}$ Includes all persons of Hispanic origin of any race.

Table I-7. Total cesarean delivery and low-risk cesarean delivery, by race and Hispanic origin of mother: United States, each state and territory, 2014

[By place of residence]

| State | Tota All | l cesarean Non-His | delivery rat | ie" | Low-ri | sk cesarean | | rate* |
|-------------------------------|--------------------|-----------------------|--------------------|--------------|--------------------|--------------------|--------------------|------------|
| beace | races ³ | White ⁴ | Black ⁴ | Mispanic 5 | races ³ | White ⁴ | Black ⁴ | Hispanic |
| United States 6 | 32.2 | 31.4 | 35.6 | 31.9 | 26.0 | 25.0 | 29.9 | 25. |
| Alabama | 35.4 | 35.4 | 37.0 | 28.3 | 29.7 | 29.1 | 32.4 | 23. |
| Alaska | 23.7 | 25.3 | 33.3 | 28.7 | 20.8 | 21.9 | 31.3 | 26. |
| Arizona | 27.8 | 28.9 | 33.1 | 26.2 | 22.1 | 22.7 | 28.1 | 20. |
| Arkansas | 32.0 | 32.0 | 33.4 | 29.9 | 24.2 | 24.0 | 24.9 | 23. |
| California | 32.7 | 31.5 | 37.8 | 32.2 | 25.5 | 25.0 | 29.8 | 24. |
| Colorado | 25.6 | 26.1 | 27.7 | 23.5 | 20.4 | 20.5 | 23.6 | 18. |
| Connecticut | 34.2 | 34.3 | 36.8 | 32.3 | 28.2 | 28.0 | 30.4 | 26. |
| Delaware | 31.5 | 31.6 | 32.7 | 28.7 | 25.5 | 24.8 | 28.0 | 22. |
| District of Columbia | 32.8 | 31.3 | 34.7 | 28.9 | 27.9 | 26.2 | 29.8 | 24. |
| Florida | 37.2 | 34.2 | 38.3 | 41.0 | 31.0 | 27.7 | 31.9 | 36. |
| Georgia | 33.8 | 33.9 | 35.7 | 29.0 | 27.4 | 26.9 | 29.2 | |
| Hawaii | 24.6 | 22.6 | 30.9 | 25.5 | 17.9 | 16.4 | 23.2 | |
| Idaho | 24.2 | 23.7 | 27.5 | 25.9 | 19.3 | 18.8 | * | 22. |
| Illinois | 31.2 | 31.7 | 31.9 | 28.6 | 24.6 | 24.5 | 25.5 | 23. |
| Indiana | 30.3 | 30.1 | 32.4 | 28.7 | 24.0 | 23.6 | 25.8 | 23. |
| Iowa | 30.0 | 29.7 | 32.0 | 31.1 | 23.7 | 23.2 | 26.7 | 24. |
| Kansas | 29.8 | 30.0 | 31.8 | 27.6 | 23.5 | 23.5 | 25.4 | 22. |
| Kentucky | 35.1 | 35.0 | 37.3 | 32.2 | 28.8 | 28.4 | 31.9 | 27. |
| Louisiana | 38.3 | 39.1 | 38.0 | 34.5 | 30.9 | 31.2 | 30.7 | 29. |
| Maine | 29.8 | 29.8 | 29.6 | 28.0 | 22.4 | 22.1 | 28.7 | |
| Maryland | 34.9 | 32.8 | 39.3 | 31.3 | 29.8 | 27.4 | 34.2 | |
| Massachusetts | 31.6 | 31.8 | 34.7 | 30.0 | 23.8 | 23.9 | 28.5 | 20. |
| Michigan | 32.8 | 32.7 | 33.2 | 31.1 | 27.0 | 26.4 | 28.5 | 27. |
| Minnesota | 26.5 | 27.2 | 26.8 | 24.5 | 21.1 | 20.9 | 24.3 | 19. |
| Mississippi | 37.7 | 37.9 | 38.3 | 30.6 | 31.5 | 31.2 | 32.3 | 26. |
| Missouri | 30.1 | 29.8 | 31.3 | 29.6 | 23.6 | 22.8 | 27.0 | 23. |
| Montana | 31.4 | 30.8 | 24.4 | 32.2 | 26.4 | 25.8 | | 27. |
| Nebraska Nevada | 30.8 34.4 | 31.4 34.1 | 29.9 41.4 | 28.7 32.1 | 23.6 28.7 | 23.4 27.9 | 25.6 37.1 | 22. 25. |
| New Hampshire | 29.9 | 29.8 | 25.4 | 31.3 | 23.5 | 23.2 | 37.1 | 23. |
| New Jersey | 37.4 | 36.0 | 39.9 | 37.4 | 31.6 | 30.5 | 33.9 | 31. |
| New Mexico | 23.8 | 23.9 | 30.6 | 24.1 | 17.0 | 18.2 | 21.7 | 16. |
| New York | 33.9 | 32.2 | 38.4 | 34.5 | 28.4 | 27.0 | 33.4 | 28. |
| North Carolina | 29.5 | 30.0 | 32.0 | 23.8 | 22.7 | 22.0 | 26.2 | 18. |
| North Dakota | 27.6 | 27.1 | 26.5 | 28.3 | 21.2 | 20.3 | 28.7 | 23. |
| Ohio | 30.5 | 30.3 | 32.1 | 29.4 | 24.3 | 23.6 | 27.3 | 25. |
| Oklahoma | 33.1 | 33.7 | 35.1 | 30.1 | 25.1 | 25.5 | 28.8 | 22. |
| Oregon | 27.4 | 27.2 | 33.0 | 26.6 | 21.9 | 21.6 | 23.8 | 21. |
| Pennsylvania | 30.4 | 30.3 | 31.2 | 30.5 | 25.1 | 24.7 | 27.7 | 24. |
| Rhode Island | 30.7 | 31.6 | 30.6 | 29.5 | 25.8 | 27.0 | 27.9 | 22. |
| South Carolina | 34.3 | 33.8 | 36.8 | 28.6 | 27.7 | 26.7 | 30.6 | 24. |
| South Dakota | 24.8 | 24.0 | 27.4 | 26.5 | 19.3 | 18.9 | * | 22. |
| Tennessee | 33.7 | 33.6 | 35.5 | 29.5 | 28.2 | 27.5 | 31.1 | 24. |
| Texas | 34.9 | 34.7 | 38.6 | 34.0 | 28.0 | 27.6 | 32.4 | 27. |
| Jtah | 22.3 | 21.6 | 25.5 | 23.3 | 17.6 | 16.9 | 25.3 | 18. |
| /ermont | 25.8 | 25.6 | 28.4 | 27.2 | 20.1 | 19.8 | * | |
| /irginia | 33.1 | 31.8 | 36.0 | 31.4 | 25.9 | 23.4 | 30.1 | 26. |
| Washington | 27.6 | 26.6 | 32.2 | 26.7 | 22.7 | 21.3 | 27.6 | 22. |
| West Virginia | 35.4 | 35.5 | 34.5 | 32.1 | 25.4 | 25.4 | 27.5 | 20. |
| Visconsin Vyoming | 26.1 27.8 | 26.6 26.8 | 25.6 35.3 | 25.7 32.8 | 21.2 21.4 | 21.0 21.0 | 23.2 | 20. 25. |
| | | | | | | | | |
| Puerto Rico Virgin Islands | 48.0 | 46.7 | 42.1 | 48.2 | 42.2 | 40.3 | 35.2 | 42. |
| Guam | 23.2 | 17.7 | * | * | 8.5 | * | * | |
| American Samoa | | | | | | | | |
| Northern Marianas | 23.0 | * | * | * | 19.9 | * | * | |

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

⁻ Quantity is zero.

⁻⁻⁻ Data not available.

¹ Percent of all live births by cesarean delivery.

Low-risk cesarean is defined as singleton, term (37 ore more weeks of gestation), vertex (not breech) cesarean deliveries to women having a first birth per 100 women delivering singleton, term, vertex first births.

Includes races other than white and black and origin not stated.

Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with the 1977 Office of Management and Budget standards. Forty-nine states and the District of Columbia reported multiple-race data for 2014. Multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other states; see "Technical Notes."

Includes all persons of Hispanic origin of any race.

Excludes data for the territories.

Table I-8. Preterm births, by race and Hispanic origin of mother: United States, each state and territory, 2014

[By place of residence. Preterm is less than 37 completed weeks of gestation based on the obstetric estimate.]

| United States 4 Alabama Alaska Arizona Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Newada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon | 81,321 6,926 967 7,819 3,845 41,594 5,517 3,347 1,019 915 21,846 14,058 1,862 1,863 16,016 8,142 3,677 3,473 6,033 7,925 1,060 7,455 6,177 11,154 6,054 6,000 7,346 | Non-Hi White 2 191,311 3,705 485 3,293 2,401 10,837 3,223 1,779 508 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 5,111 | 81ack 2 77,860 2,764 36 564 960 3,411 3600 561 329 563 6,546 6,081 73 14 3,8011 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | ### ################################## | 9.57 11.66 8.51 9.01 9.99 8.28 8.38 9.23 9.29 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | Non-Hi White 2 8.91 10.31 7.43 8.54 9.26 7.52 7.93 8.50 8.61 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 2.0.69 10.63 8.35 | Black 2 13.23 15.17 8.09 12.08 13.25 12.07 10.74 12.16 11.57 11.80 13.28 13.99 13.43 11.63 12.70 12.75 15.43 6.80 | 9.00 8.66 7.44 9.22 8.4 8.3 8.77 9.99 7.66 8.66 8.99 9.22 9.88 8.4' 8.87 8.61 8.77 8.66 8.31 |
|---|---|--|---|---|--|--|--|--|
| United States 4 Alabama Alaska Arizona Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 81,321 6,926 967 7,819 3,845 41,594 5,517 3,347 1,019 915 21,846 14,058 1,862 1,863 16,016 8,142 3,677 3,473 6,033 7,925 1,060 7,455 6,177 11,154 6,054 6,000 7,346 | 191,311 3,705 485 3,293 2,401 10,837 3,223 1,779 508 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 77,860 2,764 36 564 960 3,411 3600 561 329 563 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 349 62 3,239 325 19,724 1,536 807 117 111 5,545 1,587 273 309 2,993 630 238 500 236 374 15 1,052 1,134 659 385 | 9.57 11.66 8.51 9.01 9.99 8.28 8.38 9.23 9.29 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 8.91 10.31 7.43 8.54 9.26 7.52 7.93 8.50 8.61 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | 13.23 15.17 8.09 12.08 13.25 12.07 10.74 12.16 11.57 11.80 13.28 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 | 8.64 7.44 9.29 8.4' 8.33 8.7' 9.93 7.66 8.61 8.9' 9.22 9.81 8.4' 8.84 8.77 8.66 8.77 8.66 8.77 |
| Alabama Alaska Arizona Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska New Hampshire New Jersey New Hampshire New York North Carolina North Dakota Ohio Oblahoma Oregon Pennsylvania | 6,926 967 7,819 3,845 41,594 5,517 3,347 1,019 915 21,846 14,058 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 3,705 485 3,293 2,401 10,837 3,223 1,779 508 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 2,764 36 564 960 3,411 360 561 329 563 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 349 62 3,239 325 19,724 1,536 807 117 111 5,545 1,587 273 309 2,993 630 238 500 236 374 15 1,052 1,134 659 385 | 11.66 8.51 9.01 9.99 8.28 8.38 9.23 9.29 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 10.31 7.43 8.54 9.26 7.52 7.93 8.50 8.61 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | 15.17 8.09 12.08 13.25 12.07 10.74 12.16 11.57 11.80 13.28 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 | 8.6. 7.44 9.2: 8.4' 8.3: 8.7' 9.9: 9.2: 9.2: 9.2: 8.4' 8.8: 8.7' 8.6. 8.1' 8.3: |
| Alaska Arizona Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Mississippi Mississippi Montana Nebraska Nevada Nevada Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oblahoma Oregon Pennsylvania | 967 7,819 3,845 41,594 45,517 3,347 1,019 915 21,846 14,058 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 485 3,293 2,401 10,837 3,223 1,779 508 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 36 564 960 3,411 360 561 329 563 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 72,951 688 2,548 | 62 3,239 325 19,724 1,536 807 117 111 5,545 1,587 273 309 2,993 630 288 500 236 374 15 1,052 1,134 659 385 | 8.51 9.01 9.99 8.28 8.38 9.23 9.29 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 10.09 8.61 9.76 | 7.43 8.54 9.26 7.52 7.93 8.50 8.61 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 210.69 10.63 8.35 | 8.09 12.08 13.25 12.07 10.74 12.16 11.57 11.80 13.28 13.53 13.08 12.70 12.75 15.43 6.80 | 7.4(9.2) 8.4' 8.3; 8.7(9.9) 7.6(8.6(8.9' 9.2; 9.8(8.4' 8.8(8.7' 8.6(8.3) 8.6(8.3) |
| Arizona Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho IIllinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Mississippi Mississippi Montana Nebraska New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oblahoma Oregon Pennsylvania | 7,819 3,845 41,594 5,517 3,347 1,019 915 21,846 14,058 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 3,293 2,401 10,837 3,223 1,779 508 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,707 9,304 2,239 | 564 960 3,411 360 561 329 563 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,734 1717 2,951 688 2,548 | 3,239 325 19,724 1,536 807 117 111 5,545 1,587 273 309 2,993 288 500 236 374 15 1,052 1,134 659 385 | 9.01 9.99 8.28 8.38 9.23 9.29 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 8.54 9.26 7.52 7.93 8.50 8.61 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 8.73 8.42 | 12.08 13.25 12.07 10.74 12.16 11.57 11.80 13.28 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 | 9.25 8.4' 8.3' 8.7' 9.9' 7.6' 8.66 8.9' 9.2' 9.8' 8.4' 8.8' 8.7' 8.6' 8.1' 8.3' 8.3' |
| Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Newada New Hampshire New Jersey New Mexico New York North Dakota Ohio Oblahoma Oregon Pennsylvania | 3,845 41,594 5,517 3,347 1,019 915 21,846 14,058 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 2,401 10,837 3,223 1,779 508 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 960 3,411 360 561 329 563 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 325 19,724 1,536 807 117 111 5,545 1,587 273 309 2,993 630 238 500 236 374 15 | 9.99 8.28 8.38 9.23 9.29 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 9.26 7.52 7.93 8.50 8.61 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | 13.25 12.07 10.74 12.16 11.57 11.80 13.28 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 | 8.4' 8.3' 8.7' 9.9' 7.6(8.66' 8.9' 9.2' 9.81 8.4' 8.81 8.7' 8.66' 8.16' 8.33 8.81 |
| California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska New Hampshire New Hampshire New York North Carolina North Dakota Ohio Oblahoma Dregon Pennsylvania | 41,594 5,517 3,347 1,019 915 21,846 14,058 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 10,837 3,223 1,779 508 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 3,411 360 561 329 563 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 19,724 1,536 807 117 111 5,545 1,587 273 309 2,993 630 288 500 236 374 15 1,052 1,134 659 385 | 8.28 8.38 9.23 9.29 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 7.52 7.93 8.50 8.61 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | 12.07 10.74 12.16 11.57 11.80 13.28 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 | 8.3: 8.7(9.9) 7.6(8.6(8.9' 9.2: 9.8(8.4' 8.8(8.7') 8.6(8.1(8.3(8.3(8.3() |
| Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Waryland Massachusetts Michigan Winnesota Mississippi Mississippi Montana Nebraska Newada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Doklahoma Dregon Pennsylvania | 5,517 3,347 1,019 915 21,846 14,058 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 3,223 1,779 508 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 360 561 329 563 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 72,951 688 2,548 | 1,536 807 117 111 5,545 1,587 273 309 2,993 630 288 500 236 374 15 1,052 1,134 659 385 | 8.38 9.23 9.29 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 7.93 8.50 8.61 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | 10.74 12.16 11.57 11.80 13.28 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 12.57 10.01 | 8.76 9.93 7.66 8.66 8.97 9.22 9.81 8.44 8.86 8.77 8.65 8.16 |
| Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Mississippi Mississippi Montana Nebraska New dampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 3,347 1,019 915 21,846 14,058 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 6,050 7,346 | 1,779 508 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 561 329 563 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 807 117 111 5,545 1,587 273 309 2,993 630 288 500 236 374 15 | 9.23 9.29 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 8.50 8.61 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | 12.16 11.57 11.80 13.28 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 12.57 10.01 | 9.93 7.66 8.66 8.97 9.22 9.88 8.4' 8.86 8.77 8.66 8.16 8.34 |
| Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Michigan Michigan Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Dakota Ohio Oklahoma Oregon Pennsylvania | 1,019 915 21,846 14,058 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 508 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,707 9,304 2,239 | 329 563 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 117 111 5,545 1,587 273 309 2,993 288 500 236 374 15 1,052 1,134 659 385 | 9.29 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 8.61 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | 11.57 11.80 13.28 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 | 7.66 8.66 8.9 9.22 9.88 8.4' 8.87 8.66 8.16 8.33 8.86 |
| District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Ooklahoma Oregon Pennsylvania | 915 21,846 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 202 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 563 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 111 5,545 1,587 273 309 2,993 630 288 500 236 374 15 1,052 1,134 659 385 | 9.63 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 6.81 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | 11.80 13.28 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 | 8.66 8.97 9.22 9.81 8.44 8.87 8.66 8.16 8.33 8.81 |
| Florida Georgia Hawaii Idaho Illinois Indiana Lowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Newada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oblahoma Oregon Pennsylvania | 21,846 14,058 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 9,014 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 6,546 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 5,545 1,587 273 309 2,993 630 288 500 236 374 15 1,052 1,134 659 385 | 9.93 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 10.09 8.61 9.76 | 8.94 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 8.73 8.42 | 13.28 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 12.57 10.01 | 9.22 9.88 8.44 8.88 8.77 8.69 8.14 8.38 9.59 |
| Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Mississippi Montana Nebraska New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Ooklahoma Oregon Pennsylvania | 14,058 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 5,587 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 6,081 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 1,587 273 309 2,993 630 288 500 236 374 15 1,052 1,134 659 385 | 10.75 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 9.31 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | 13.53 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 12.57 | 9.22 9.81 8.44 8.86 8.77 8.69 8.11 8.31 8.80 |
| Hawaii Idaho Illinois Ilndiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minesota Mississippi Missouri Montana Nebraska New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oblahoma Oregon Pennsylvania | 1,862 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 403 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 73 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 273 309 2,993 630 288 500 236 374 15 1,052 1,134 659 385 | 10.04 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 | 8.26 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | 13.08 * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 12.57 10.01 | 9.84 8.44 8.86 8.77 8.66 8.16 8.30 |
| Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Newada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Ooklahoma Oregon Pennsylvania | 1,863 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 1,471 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 14 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 309 2,993 630 288 500 236 374 15 1,052 1,134 659 385 | 8.15 10.11 9.69 9.27 8.73 10.74 12.29 8.35 10.09 8.61 9.76 | 8.09 9.47 9.23 9.12 8.42 10.69 10.63 8.35 | * 13.99 13.43 11.63 12.70 12.75 15.43 6.80 | 8.4' 8.86 8.77 8.66 8.16 8.38 |
| Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Mississippi Montana Nebraska Newada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 16,016 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 8,162 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 3,801 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 2,993 630 288 500 236 374 15 1,052 1,134 659 385 | 10.11 9.69 9.27 8.73 10.74 12.29 8.35 10.09 8.61 9.76 | 9.47 9.23 9.12 8.42 10.69 10.63 8.35 8.73 | 13.99 13.43 11.63 12.70 12.75 15.43 6.80 | 8.88 8.77 8.69 8.10 8.38 8.80 |
| Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 8,142 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 5,914 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 1,389 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 630 288 500 236 374 15 1,052 1,134 659 385 | 9.69 9.27 8.73 10.74 12.29 8.35 10.09 8.61 9.76 | 9.23 9.12 8.42 10.69 10.63 8.35 8.73 | 13.43 11.63 12.70 12.75 15.43 6.80 12.57 | 8.73 8.69 8.16 8.38 8.80 |
| Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Ooklahoma Oregon Pennsylvania | 3,677 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 2,956 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 274 373 682 3,734 30 3,011 717 2,951 688 2,548 | 288 500 236 374 15 1,052 1,134 659 385 | 9.27 8.73 10.74 12.29 8.35 10.09 8.61 9.76 | 9.12 8.42 10.69 10.63 8.35 8.73 8.42 | 11.63 12.70 12.75 15.43 6.80 12.57 | 8.69 8.16 8.36 8.80 |
| Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Ooklahoma Oregon Pennsylvania | 3,423 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 2,398 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 373 682 3,734 30 3,011 717 2,951 688 2,548 | 500 236 374 15 1,052 1,134 659 385 | 8.73 10.74 12.29 8.35 10.09 8.61 9.76 | 8.42 10.69 10.63 8.35 8.73 8.42 | 12.70 12.75 15.43 6.80 12.57 | 8.16 8.38 8.80 |
| Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Newada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 6,033 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 4,990 3,642 973 2,895 3,748 7,079 4,304 2,239 | 682 3,734 30 3,011 717 2,951 688 2,548 | 236 374 15 1,052 1,134 659 385 | 10.74 12.29 8.35 10.09 8.61 9.76 | 10.69 10.63 8.35 8.73 8.42 | 12.75 15.43 6.80 12.57 10.01 | 8.38 8.80 9.55 |
| Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Mississippi Missouri Montana Nebraska Newada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 7,925 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 3,642 973 2,895 3,748 7,079 4,304 2,239 | 3,734 30 3,011 717 2,951 688 2,548 | 374 15 1,052 1,134 659 385 | 12.29 8.35 10.09 8.61 9.76 | 10.63 8.35 8.73 8.42 | 15.43 6.80 12.57 10.01 | 9.59 |
| Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 1,060 7,455 6,177 11,154 6,054 5,000 7,346 | 973 2,895 3,748 7,079 4,304 2,239 | 3,011 717 2,951 688 2,548 | 1,052 1,134 659 385 | 8.35 10.09 8.61 9.76 | 8.35 8.73 8.42 | 6.80 12.57 10.01 | 9.59 |
| Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohloo Oklahoma Oregon Pennsylvania | 7,455 6,177 11,154 6,054 5,000 7,346 | 2,895 3,748 7,079 4,304 2,239 | 3,011 717 2,951 688 2,548 | 1,052 1,134 659 385 | 10.09 8.61 9.76 | 8.73 8.42 | 12.57 10.01 | 9.59 |
| Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 6,177 11,154 6,054 5,000 7,346 | 3,748 7,079 4,304 2,239 | 717 2,951 688 2,548 | 1,134 659 385 | 8.61 9.76 | 8.42 | 10.01 | |
| Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 11,154 6,054 5,000 7,346 | 7,079 4,304 2,239 | 2,951 688 2,548 | 659 385 | 9.76 | | | |
| Minnesota Mississippi Missouri Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 6,054 5,000 7,346 | 4,304 2,239 | 688 2,548 | 385 | | 8.82 | 12 64 | 8.92 |
| Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 5,000 7,346 | 2,239 | 2,548 | | | | 13.64 | 8.9 |
| Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 7,346 | | | | 8.67 | 8.56 | 8.89 | 8.2 |
| Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | | 5,111 | | 130 | 12.91 | 11.29 | 15.33 | 8.43 |
| Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 1 100 | | 1,612 | 347 | 9.76 | 8.95 | 14.09 | 8.7 |
| Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 1,157 | 873 | 12 | 40 | 9.31 | 8.60 | * | 8.10 |
| New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 2,439 | 1,710 | 231 | 363 | 9.11 | 8.79 | 12.48 | 8.7 |
| New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 3,623 | 1,385 | 609 | 1,261 | 10.11 | 9.14 | 14.30 | 9.70 |
| New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 1,013 | 908 | 12 | 45 | 8.24 | 8.32 | * | 7.64 |
| New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 9,885 | 4,222 | 2,064 | 2,563 | 9.57 | 8.76 | 13.30 | 9.40 |
| North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania | 2,387 | 668 | 59 | 1,331 | 9.17 | 9.25 | 12.63 | 9.2 |
| North Dakota Ohio Oklahoma Oregon Pennsylvania | 21,114 | 9,194 | 4,503 | 4,980 | 8.85 | 7.93 | 12.19 | 9.00 |
| Ohio Oklahoma Oregon Pennsylvania | 11,781 | 5,947 | 3,843 | 1,435 | 9.74 | 8.81 | 13.25 | 8.0 |
| Oklahoma Oregon Pennsylvania | 948 | 733 | 39 | 33 | 8.35 | 8.11 | 8.48 | 6.88 |
| Oregon Pennsylvania | 14,302 | 9,910 | 3,251 | 699 | 10.26 | 9.53 | 13.75 | 10.16 |
| Pennsylvania | 5,492 | 3,369 | 675 | 706 | 10.31 | 10.04 | 13.39 | 9.79 |
| - | 3,510 | 2,467 | 117 | 652 | 7.71 | 7.63 | 9.60 | 7.69 |
| Rhode Island | 13,291 | 8,587 | 2,567 | 1,431 | 9.36 | 8.66 | 12.74 | 9.88 |
| | 932 | 529 | 81 | 238 | 8.62 | 8.05 | 9.52 | 9.2 |
| South Carolina | 6,212 | 3,189 | 2,476 | 413 | 10.78 | 9.48 | 13.85 | 8.89 |
| South Dakota | 1,040 | 706 | 31 | 48 | 8.48 | 7.74 | 9.12 | 7.96 |
| Tennessee | 8,780 | 5,634 | 2,342 | 624 | 10.77 | 10.16 | 13.80 | 8.9 |
| Texas | 41,345 | 13,638 | 6,631 | 19,057 | 10.35 | 9.68 | 13.83 | 10.00 |
| Utah | 4,678 | 3,503 | 62 | 720 | 9.14 | 8.88 | 10.82 | 9.2 |
| Vermont | 486 | 456 | 12 | 3 | 7.93 | 7.97 | * | • |
| Virginia | 9,517 | 5,007 | 2,714 | 1,128 | 9.22 | 8.36 | 12.56 | 8.36 |
| Washington | 7,125 | 4,272 | 440 | 1,287 | 8.05 | 7.65 | 9.45 | 8.1 |
| West Virginia | 2,198 | 2,035 | 95 | 37 | 10.83 | 10.79 | 12.48 | 10.5 |
| Wisconsin Wyoming | 6,163 863 | 4,373 677 | 913 9 | 519 119 | 9.19 11.22 | 8.85 10.82 | 12.99 | 8.18 |
| ···· | 505 | 0.7 | , | 117 | 11.22 | 10.02 | | 23.3 |
| Puerto Rico | 4,066 | 302 | 38 | 3,724 | 11.82 | 12.27 | 15.08 | 11.76 |
| Virgin Islands | | | | | 0.66 | * | * | |
| Guam American Samoa | 200 | 8 | 1 | 2 | 9.66 | | | |
| American Samoa Northern Marianas | 326 | | _ | _ | 9.28 | * | * | , |

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

⁻ Quantity zero.

⁻⁻⁻ Data not available.

Includes races other than white and black and origin not stated.
Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with the 1977 Office of Management and Budget standards. Fortynine states and the District of Columbia reported multiple-race data for 2014 that were bridged to single-race categories for comparability with other states; see "Technical Notes."

³ Includes all persons of Hispanic origin of any race.
4 Excludes data for the territories.

Table I-9. Low birthweight births, by race and Hispanic origin of mother: United States, each state and territory, 2014

[By place of residence, Low birthweight is birthweight of less than 2.500 grams (5 lb 8 oz)]

| | | Numb | | | | Perc | | |
|---------------------------------|-----------------|--------------------|--------------|--------------|----------------|--------------------|--------------|------------|
| Area | All races 1 | Non-His White 2 | Black 2 | Hispanic 3 | All races 1 | Non-His White 2 | Black 2 | Hispanic 3 |
| | | mirce 2 | Didon 1 | | | mirce 2 | Didon 2 | |
| United States 4 | 318,847 | 149,574 | 77,455 | 64,424 | 8.0 | 7.0 | 13.2 | 7.1 |
| Alabama | 5,989 | 2,851 | 2,740 | 292 | 10.1 | 7.9 | 15.0 | 7.3 |
| Alaska | 672 | 350 | 41 | 37 | 5.9 | 5.4 | 9.2 | 4.4 |
| Arizona | 6,086 | 2,577 | 555 | 2,345 | 7.0 | 6.7 | 11.9 | 6.7 |
| Arkansas | 3,432 | 1,998 | 1,041 | 261 | 8.9 | 7.7 | 14.4 | 6.8 |
| California | 33,586 | 8,338 | 3,250 | 15,008 | 6.7 | 5.8 | 11.5 | 6.3 |
| Colorado | 5,769 | 3,363 | 426 | 1,511 | 8.8 | 8.3 | 12.7 | 8.6 |
| Connecticut | 2,763 | 1,384 | 544 | 649 | 7.6 | 6.6 | 11.8 | 8.0 |
| Delaware | 908 | 395 | 349 | 105 | 8.3 | 6.7 | 12.3 | 6.8 |
| District of Columbia Florida | 934 19,065 | 173 7,224 | 617 6,546 | 103 4,585 | 9.8 8.7 | 5.8 7.2 | 12.9 13.3 | 8.0 7.4 |
| Georgia | 12,385 | 4,228 | 6,206 | 1,180 | 9.5 | 7.0 | 13.8 | 6.9 |
| Hawaii | 1,462 | 293 | 57 | 199 | 7.9 | 6.0 | 10.2 | 7.2 |
| Idaho | 1,471 | 1,140 | 18 | 260 | 6.4 | 6.3 | * | 7.1 |
| Illinois | 12,929 | 6,004 | 3,726 | 2,204 | 8.2 | 7.0 | 13.7 | 6.5 |
| Indiana | 6,715 | 4,688 | 1,382 | 459 | 8.0 | 7.3 | 13.4 | 6.3 |
| Iowa | 2,675 | 2,032 | 275 | 226 | 6.7 | 6.3 | 11.7 | 6.8 |
| Kansas | 2,759 | 1,837 | 381 | 396 | 7.0 | 6.4 | 13.0 | 6.5 |
| Kentucky | 4,922 | 3,916 | 708 | 178 | 8.8 | 8.4 | 13.2 | 6.3 |
| Louisiana | 6,786 | 2,737 | 3,626 | 276 | 10.5 | 8.0 | 15.0 | 6.5 |
| Maine | 960 | 849 | 49 | 19 | 7.6 | 7.3 | 11.1 | , |
| Maryland | 6,345 | 2,182 | 2,887 | 800 | 8.6 | 6.6 | 12.1 | 7.3 |
| Massachusetts | 5,351 | 3,018 | 719 | 1,035 | 7.5 | 6.8 | 10.1 | 8.2 |
| Michigan | 9,545 | 5,602 | 2,992 | 488 | 8.4 | 7.0 | 13.8 | 6.6 |
| Minnesota | 4,595 | 3,072 | 685 | 299 | 6.6 | 6.1 | 8.9 | 6.4 |
| Mississippi | 4,374 | 1,623 | 2,590 | 106 | 11.3 | 8.2 | 15.6 | 6.9 |
| Missouri | 6,163 | 4,038 | 1,624 | 267 | 8.2 | 7.1 | 14.2 | 6.7 |
| Montana | 920 | 701 | 14 | 45 | 7.4 | 6.9 | * | 9.1 |
| Nebraska | 1,775 | 1,191 | 203 | 261 | 6.6 | 6.1 | 11.0 | 6.3 |
| Nevada | 2,972 | 1,140 | 579 | 943 | 8.3 | 7.5 | 13.6 | 7.3 |
| New Hampshire | 852 | 752 | 13 | 43 | 6.9 | 6.9 | * | 7.3 |
| New Jersey | 8,315 | 3,298 | 1,932 | 2,005 | 8.1 | 6.8 | 12.5 | 7.4 |
| New Mexico | 2,282 | 584 | 77 | 1,277 | 8.8 | 8.1 | 16.5 | 8.9 |
| New York | 18,722 | 7,621 | 4,397 | 4,244 | 7.9 | 6.6 | 11.9 | 7.3 |
| North Carolina | 10,720 | 5,022 | 3,950 | 1,165 | 8.9 | 7.4 | 13.6 | 6.6 |
| North Dakota | 704 | 549 | 39 | 19 | 6.2 | 6.1 | 8.5 | |
| Ohio | 11,800 | 7,609 | 3,204 | 537 | 8.5 | 7.3 | 13.6 | 7.8 |
| Oklahoma | 4,238 | 2,506 | 665 | 515 522 | 8.0 | 7.5 6.0 | 13.2 9.8 | 7.1 |
| Oregon Pennsylvania | 2,842 11,713 | 1,949 7,080 | 120 2,598 | 1,323 | 6.2 8.3 | 7.2 | 13.0 | 6.1 9.1 |
| Rhode Island | 765 | 410 | 77 | 203 | 7.1 | 6.2 | 9.1 | 7.9 |
| South Carolina | 5,435 | 2,432 | 2,563 | 319 | 9.4 | 7.2 | 14.3 | 6.9 |
| South Dakota | 804 | 570 | 35 | 44 | 6.5 | 6.2 | 10.3 | 7.3 |
| Tennessee | 7,297 | 4,344 | 2,351 | 428 | 9.0 | 7.8 | 13.9 | 6.1 |
| Texas | 32,744 | 10,172 | 6,360 | 14,268 | 8.2 | 7.2 | 13.3 | 7.5 |
| Utah | 3,572 | 2,641 | 59 | 568 | 7.0 | 6.7 | 10.3 | 7.3 |
| Vermont | 432 | 398 | 12 | 7 | 7.1 | 7.0 | * | |
| Virginia | 8,130 | 3,874 | 2,665 | 892 | 7.9 | 6.5 | 12.3 | 6.6 |
| Washington | 5,705 | 3,341 | 450 | 955 | 6.4 | 6.0 | 9.7 | 6.1 |
| West Virginia | 1,852 | 1,702 | 90 | 36 | 9.1 | 9.0 | 11.8 | 10.3 |
| Wisconsin | 4,911 | 3,223 | 959 | 423 | 7.3 | 6.5 | 13.6 | 6.6 |
| Wyoming | 704 | 553 | 9 | 94 | 9.2 | 8.8 | * | 10.5 |
| Puerto Rico | 3,713 | 246 | 36 | 3,431 | 10.8 | 10.0 | 14.3 | 10.8 |
| Virgin Islands | | | | === | === | | | |
| Guam | 261 | 4 | 1 | - | 7.8 | * | * | |
| American Samoa | 49 | | | | 4.5 | | | |
| Northern Marianas | 39 | - | - | - | 7.6 | * | * | |

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

⁻ Quantity zero.

⁻⁻⁻ Data not available.

Includes races other than white and black and origin not stated.

Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with the 1977 Office of Management and Budget standards. Forty-nine states and the District of Columbia reported multiple-race data for 2014 that were bridged to single-race categories for comparability with other states; see "Technical Notes."

³ Includes all persons of Hispanic origin of any race.

⁴ Excludes data for the territories.

Table I-10. Very low birthweight births, by race and Hispanic origin of mother: United States, each state and territory, 2014

[By place of residence. Very low birthweight is birthweight of less than 1,500 grams (3 lb 4 oz)]

| Area. | | Non Ui | mania | | | Perc Non-His | nonia | |
|-------------------------------|----------------|--------------------|---------|------------|----------------|-----------------|---------|------------|
| Area | All races 1 | Non-His White 2 | Black 2 | Hispanic 3 | All races 1 | White 2 | Black 2 | Hispanic 3 |
| | | | | | | | | |
| United States 4 | 55,947 | 23,632 | 16,869 | 11,237 | 1.4 | 1.1 | 2.9 | 1.2 |
| Alabama | 1,135 | 441 | 647 | 34 | 1.9 | 1.2 | 3.6 | 0.8 |
| Alaska | 101 | 55 | 11 | 7 | 0.9 | 0.8 | * | * |
| Arizona | 1,004 | 420 | 116 | 373 | 1.2 | 1.1 | 2.5 | 1.1 |
| Arkansas | 558 | 291 | 201 | 45 | 1.4 | 1.1 | 2.8 | 1.2 |
| California | 5,727 | 1,274 | 749 | 2,598 | 1.1 | 0.9 | 2.6 | 1.1 |
| Colorado | 799 | 426 | 84 | 228 | 1.2 | 1.0 | 2.5 | 1.3 |
| Connecticut | 499 | 195 | 136 | 134 | 1.4 | 0.9 | 2.9 | 1.6 |
| Delaware | 194 | 69 | 90 | 24 | 1.8 | 1.2 | 3.2 | 1.6 |
| District of Columbia | 198 | 26 | 144 | 20 | 2.1 | 0.9 | 3.0 | 1.6 |
| Florida | 3,501 | 1,092 | 1,448 | 843 | 1.6 | 1.1 | 2.9 | 1.4 |
| Georgia | 2,321 | 657 | 1,337 | 210 | 1.8 | 1.1 | 3.0 | 1.2 |
| Hawaii | 243 | 37 | 12 | 36 | 1.3 | 0.8 | * | 1.3 |
| Idaho | 227 | 175 | 1 | 41 | 1.0 | 1.0 | * | 1.1 |
| Illinois | 2,409 | 1,052 | 808 | 401 | 1.5 | 1.2 | 3.0 | 1.2 |
| Indiana | 1,146 | 745 | 287 | 86 | 1.4 | 1.2 | 2.8 | 1.2 |
| Iowa | 460 | 342 | 52 | 42 | 1.2 | 1.1 | 2.2 | 1.3 |
| Kansas | 493 | 320 | 75 | 80 | 1.3 | 1.1 | 2.6 | 1.3 |
| Kentucky | 819 | 598 | 162 | 42 | 1.5 | 1.3 | 3.0 | 1.5 |
| Louisiana | 1,230 | 419 | 742 | 52 | 1.9 | 1.2 | 3.1 | 1.2 |
| Maine | 157 | 140 | 8 | 3 | 1.2 | 1.2 | * | * |
| Maryland | 1,186 | 351 | 634 | 139 | 1.6 | 1.1 | 2.6 | 1.3 |
| Massachusetts | 860 | 459 | 145 | 178 | 1.2 | 1.0 | 2.0 | 1.4 |
| Michigan | 1,688 | 906 | 622 | 93 | 1.5 | 1.1 | 2.9 | 1.3 |
| Minnesota | 790 | 498 | 143 | 62 | 1.1 | 1.0 | 1.8 | 1.3 |
| Mississippi | 804 | 256 | 522 | 18 | 2.1 | 1.3 | 3.1 | * |
| Missouri | 1,022 | 627 | 318 | 48 | 1.4 | 1.1 | 2.8 | 1.2 |
| Montana | 152 | 115 | 2 | 8 | 1.2 | 1.1 | * | * |
| Nebraska | 312 | 208 | 33 | 52 | 1.2 | 1.1 | 1.8 | 1.3 |
| Nevada | 509 | 171 | 129 | 158 | 1.4 | 1.1 | 3.0 | 1.2 |
| New Hampshire | 130 | 109 | 4 | 8 | 1.1 | 1.0 | * | * |
| New Jersey | 1,519 | 524 | 466 | 382 | 1.5 | 1.1 | 3.0 | 1.4 |
| New Mexico | 349 | 75 | 17 | 199 | 1.3 | 1.0 | * | 1.4 |
| New York | 3,298 | 1,156 | 1,010 | 796 | 1.4 | 1.0 | 2.7 | 1.4 |
| North Carolina | 1,997 | 826 | 882 | 211 | 1.7 | 1.2 | 3.0 | 1.2 |
| North Dakota | 116 | 90 | 8 | 2 | 1.0 | 1.0 | * | *** |
| Ohio | 2,185 | 1,287 | 722 | 98 | 1.6 | 1.2 | 3.1 | 1.4 |
| Oklahoma | 766 | 461 | 139 | 76 | 1.4 | 1.4 | 2.8 | 1.1 |
| Oregon | 455 | 306 | 17 | 101 | 1.0 | 0.9 | * | 1.2 |
| Pennsylvania | 2,006 | 1,072 | 559 | 242 | 1.4 | 1.1 | 2.8 | 1.7 |
| Rhode Island | 150 | 81 | 16 | 36 | 1.4 | 1.2 | * | 1.4 |
| South Carolina | 1,016 | 382 | 549 | 61 | 1.8 | 1.1 | 3.1 | 1.3 |
| South Dakota | 125 | 84 | 8 | 8 | 1.0 | 0.9 | * | *** |
| Pennessee | 1,260 | 681 | 474 | 80 | 1.5 | 1.2 | 2.8 | 1.1 |
| rennessee Pexas | 5,722 | 1,662 | 1,385 | 2,376 | 1.4 | 1.2 | 2.8 | 1.3 |
| Utah | 552 | 406 | 9 | 90 | 1.1 | 1.0 | * | 1.2 |
| Vermont | 65 | 60 | 3 | _ | 1.1 | 1.0 | * | |
| Virginia | 1,547 | 660 | 626 | 147 | 1.5 | 1.1 | 2.9 | 1.1 |
| Washington | 888 | 469 | 94 | 178 | 1.0 | 0.8 | 2.0 | 1.1 |
| West Virginia | 278 | 243 | 25 | 6 | 1.4 | 1.3 | 3.3 | ** |
| Wisconsin | 876 | 556 | 195 | 75 | 1.3 | 1.1 | 2.8 | 1.2 |
| Wyoming | 103 | 77 | 3 | 10 | 1.3 | 1.2 | * | * |
| Dunanta Dina | F.A.A. | 4- | | 45. | | | * | |
| Puerto Rico Virgin Islands | 502 | 41 | 10 | 451 | 1.5 | 1.7 | * | 1.4 |
| Guam | 33 | 1 | - | = | 1.0 | * | * | * |
| American Samoa | 8 | | | | * | | | |
| Northern Marianas | 7 | | | | * | * | * | * |

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

⁻ Quantity zero.

⁻⁻⁻ Data not available.

Includes races other than white and black and origin not stated.

Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with the 1977 Office of Management and Budget standards. Forty-nine states and the District of Columbia reported multiple-race data for 2014 that were bridged to single-race categories for comparability with other states; see "Technical Notes."

³ Includes all persons of Hispanic origin of any race.

⁴ Excludes data for the territories.

Table I-11. Twin and triplet or higher order multiple births, by state: United States and each state, 2012-2014

| | Tw | in | | Triplet or h | igher order |
|--------------------------------|----------------|----------------------------------|----------------------------|--------------|------------------------------------|
| State | Number | Rate per 1,000 live births | State | Number | Rate per 100,000 live births |
| United States | 398,684 | 33.6 | United States | 14,145 | 119.1 |
| Alabama | 5,867 | 33.3 | Alabama | 243 | 138.0 |
| Alaska | 1,004 | 29.5 | Alaska | 6 | * |
| Arizona | 7,370 | 28.5 | Arizona | 252 | 97.3 |
| Arkansas | 3,299 | 28.8 | Arkansas | 110 | 95.9 |
| California | 46,559 | 31.0 | California | 1,489 | 99.2 |
| Colorado | 6,277 | 32.0 | Colorado | 177 | 90.3 |
| Connecticut | 4,410 | 40.5 | Connecticut | 162 | 148.7 |
| Delaware | 983 | 29.9 | Delaware | 17 | * |
| District of Columbia | 990 | 35.1 | District of Columbia | 28 | 99.3 |
| Florida | 20,693 | 31.9 | Florida | 713 | 109.9 |
| Georgia | 12,913 | 33.1 | Georgia | 459 | 117.7 |
| Hawaii | 1,784 | 31.6 | Hawaii | 69 | 122.1 |
| Idaho | 2,079 | 30.5 | Idaho | 68 | 99.7 |
| Illinois | 18,027 | 38.0 | Illinois | 612 | 128.9 |
| Indiana | 8,194 | 32.7 | Indiana | 311 | 124.2 |
| Iowa | 3,994 | 34.0 | Iowa | 153 | 130.2 |
| Kansas | 3,822 | 32.3 | Kansas | 162 | 136.8 |
| Kentucky | 5,370 | 32.0 | Kentucky | 222 | 132.4 |
| Louisiana | 6,629 | 34.8 | Louisiana | 269 | 141.3 |
| Maine | 1,321 | 34.5 | Maine | 45 | 117.6 |
| Maryland | 8,091 | 37.0 | Maryland | 251 | 114.7 |
| Massachusetts | 9,249 | 42.8 | Massachusetts | 267 | 123.5 |
| Michigan | 12,124 | 35.6 | Michigan | 471 | 138.1 |
| Minnesota | 7,358 | 35.4 | Minnesota | 197 | 94.8 |
| Mississippi | 3,862 | 33.3 | Mississippi | 100 | 86.2 |
| Missouri | 7,765 | 34.3 | Missouri | 248 | 109.7 |
| Montana | 1,158 | 31.4 | Montana | 36 | 97.5 |
| Nebraska | 2,615 | 33.2 | Nebraska | 151 | 191.5 |
| Nevada New Hampshire | 3,229 1,427 | 30.5 38.5 | Nevada New Hampshire | 104 30 | 98.3 81.0 |
| | | | | | |
| New Jersey | 13,364 | 43.1 | New Jersey | 456 | 147.0 |
| New Mexico | 1,911 | 24.0 | New Mexico | 68 | 85.6 |
| New York | 26,996 | 37.7 33.9 | New York North Carolina | 1,042 | 145.4 |
| North Carolina North Dakota | 12,211 984 | 30.7 | North Dakota | 352 50 | 97.8 155.9 |
| Ohio | 14,405 | 34.6 | Ohio | 707 | |
| Oklahoma | 4,741 | 29.7 | Oklahoma | 195 | |
| Oregon | 4,505 | 33.2 | Oregon | 103 | |
| Pennsylvania | 14,900 | 35.0 | Pennsylvania | 500 | |
| Rhode Island | 1,154 | 35.4 | Rhode Island | 42 | |
| South Carolina | 5,956 | 34.7 | South Carolina | 179 | 104.3 |
| South Dakota | 1,088 | 29.7 | South Dakota | 37 | |
| Tennessee | 7,492 | 31.0 | Tennessee | 257 | |
| Texas | 36,543 | 31.2 | Texas | 1,488 | |
| Utah | 5,043 | 32.8 | Utah | 222 | |
| Vermont | 599 | 33.1 | Vermont | 14 | |
| Virginia | 10,958 | 35.5 | Virginia | 441 | |
| Washington | 8,059 | 30.7 | Washington | 276 | |
| West Virginia | 1,832 | 29.6 | West Virginia | 64 | |
| Wisconsin | 6,758 | 33.6 | Wisconsin | 218 | 108.4 |
| Wyoming | 722 | 31.5 | Wyoming | 12 | |

 $[\]star$ Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

 $^{^{\}mbox{\scriptsize 1}}$ Includes triplet and quadruplet and other higher order multiple births.

Table I-12. Births occuring at home, by state: United States and each state, 2014

[By place of residence]

| State | Number | Percent |
|----------------------|-----------|---------|
| United States | 38,094 | 1.0 |
| Alabama | 171 | 0.3 |
| Alaska | 197 | 1.7 |
| Arizona | 702 | 0.8 |
| Arkansas | 381 | 1.0 |
| California | 3,624 | 0.7 |
| Colorado | 1,025 | 1.6 |
| Connecticut | 213 | 0.6 |
| Delaware | 67 | 0.6 |
| District of Columbia | 13 | 0.1 |
| Florida | 1,891 | 0.9 |
| Georgia | 662 | 0.5 |
| Hawaii | 323 | 1.7 |
| Idaho | 488 | 2.1 |
| Illinois | 899 | 0.6 |
| Indiana | 1,385 | 1.6 |
| Iowa | 542 | 1.4 |
| Kansas | 430 | 1.1 |
| Kentucky | 649 | 1.2 |
| Louisiana | 162 | 0.3 |
| Maine | 213 | 1.7 |
| Maryland | 375 | 0.5 |
| Massachusetts | 386 | 0.5 |
| Michigan | 1,231 | 1.1 |
| Minnesota | 751 | 1.1 |
| Mississippi | 152 | 0.4 |
| Missouri | 1,143 | 1.5 |
| Montana Nebraska | 276 82 | 0.3 |
| Neoraska Nevada | 503 | 1.4 |
| New Hampshire | 111 | 0.9 |
| New Jersey | 381 | 0.4 |
| New Mexico | 329 | 1.3 |
| New York | 2,325 | 1.0 |
| North Carolina | 624 | 0.5 |
| North Dakota | 125 | 1.1 |
| Ohio | 1,487 | 1.1 |
| Oklahoma | 532 | 1.0 |
| Oregon | 1,120 | 2.5 |
| Pennsylvania | 2,472 | 1.7 |
| Rhode Island | 41 | 0.4 |
| South Carolina | 340 | 0.6 |
| South Dakota | 72 | 0.6 |
| Tennessee | 850 | 1.0 |
| Texas | 2,424 | 0.6 |
| Utah | 1,160 | 2.3 |
| Vermont | 152 | 2.5 |
| Virginia | 892 | 0.9 |
| Washington | 2,049 | 2.3 |
| West Virginia | 137 | 0.7 |
| Wisconsin | 1,391 | 2.1 |
| Wyoming | 144 | 1.9 |

Table I-13. Births, by birthweight and gestational age and by race and Hispanic origin of mother: United States, 2014

| - | | Ī | | | | Period of | gestation 2 | | | | | |
|--|-------------------|------------------|------------|-----------------|------------------|------------------|----------------------|-------------------|-------------------|-----------------|----------------------|-----------|
| | | | | Preterm | | | | Te | rm | | Postterm | |
| Birthweight 1 and race and | All births | | | | | | | Early | Full | Late | | Not |
| Hispanic origin of mother | All Dirths | Total under | Under 28 | 28-31 | 32-33 | 34-36 | | | | | 40 1 | stated |
| | | 37 weeks | weeks | weeks | weeks | 34-36 weeks | Total 37-41 weeks | 37-38 weeks | 39-40 weeks | 41 weeks | 42 weeks and over | |
| | | | | | | Mun | ber | | | | | |
| LMP All races 3 | 3,988,076 | 451,084 | 28,645 | 46,868 | 58,318 | 317,253 | 3,316,007 | 982,661 | 1,988,814 | 344,532 | 217,735 | 3,250 |
| All laces 3 | 3,988,070 | 451,004 | 20,045 | 40,000 | 30,310 | 317,233 | 3,310,007 | 982,001 | 1,900,014 | 344,332 | 217,733 | 3,230 |
| Less than 500 grams | 5,936 | 5,867 | 5,664 | 180 | 10 | 13 | 16 | 4 | 9 | 3 | 3 | 50 |
| 500-999 grams | 20,721 | 20,569 | 15,494 | 4,694 | 300 | 81 | 106 | 54 | 41 | 11 | 11 | 35 |
| 1,000-1,499 grams | 29,290 | | 3,994 | 15,690 | 4,909 | 2,793 | 1,598 | 744 | 676 | 178 | 279 | 27 |
| 1,500-1,999 grams 2,000-2,499 grams | 61,992 200,908 | | 728 614 | 11,330 3,741 | 17,949 16,251 | 21,917 80,873 | 9,171 94,436 | 6,165 62,734 | 2,491 27,610 | 515 4,092 | 837 4,785 | 60 208 |
| 2,500-2,999 grams | 727,987 | | 1,167 | 3,954 | 7,920 | 107,195 | 577,288 | 271,048 | 271,822 | 34,418 | 29,883 | 580 |
| 3,000-3,499 grams | 1,546,274 | | - | 4,588 | 6,955 | 71,187 | 1,377,082 | | 843,829 | 127,366 | 85,573 | 889 |
| 3,500-3,999 grams | 1,071,007 | | - | 2,549 | 3,291 | 26,341 | 967,146 | | 648,624 | 128,362 | 71,142 | 538 |
| 4,000-4,499 grams | 276,592 | | _ | - | 520 | 5,566 | 248,959 | 38,594 | 168,188 | 42,177 | 21,418 | 129 |
| 4,500-4,999 grams 5,000 grams or more | 39,353 4,746 | 992 199 | - | _ | 81 19 | 911 180 | 34,995 4,150 | 5,867 1,104 | 22,541 | 6,587 677 | 3,347 | 19 10 |
| Not stated | 3,270 | | 984 | 142 | 113 | 196 | 1,060 | 300 | 614 | 146 | 70 | 705 |
| | -, | -, | | | | | _, | | | | | |
| | | | | | | Per | cent | | | | | |
| Very low birthweight 4 | 1.4 | 12.0 | 90.9 | 44.0 | 9.0 | 0.9 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 4.4 |
| Low birthweight 5 | 8.0 | | 95.8 | 76.3 | 67.7 | 33.3 | 3.2 | | 1.6 | 1.4 | 2.7 | 14.9 |
| | | | | | | | | | | | | |
| | | | | | | Nun | iber | | | | | |
| Non-Hispanic white 6 | 2,149,302 | 217,865 | 11,272 | 21,457 | 27,990 | 157,146 | 1,805,800 | 495,134 | 1,106,542 | 204,124 | 124,447 | 1,190 |
| Less than 500 grams | 2,118 | 2,092 | 2,010 | 68 | 9 | 5 | 7 | 2 | 4 | 1 | 3 | 16 |
| 500-999 grams | 8,206 | | 5,999 | 1,963 | 136 | 40 | 56 | | 22 | 7 | 3 | 9 |
| 1,000-1,499 grams | 13,308 | | 1,757 | 7,088 | 2,253 | 1,328 | 746 | | 315 | 90 | 124 | 12 |
| 1,500-1,999 grams | 29,947 | | 313 281 | 5,532 | 8,914 | 10,363 | 4,381 | 2,972 | 1,165 | 244 | 421 | 23 97 |
| 2,000-2,499 grams 2,500-2,999 grams | 95,995 340,534 | 50,419 59,412 | 281 540 | 1,654 1,645 | 8,338 3,407 | 40,146 53,820 | 43,223 266,448 | 28,946 124,759 | 12,399 125,200 | 1,878 16,489 | 2,256 14,443 | 231 |
| 3,000-3,499 grams | 807,151 | | 540 | 2,117 | 2,977 | 34,790 | 720,698 | | 445,941 | 69,955 | 46,210 | 359 |
| 3,500-3,999 grams | 641,453 | | - | 1,307 | 1,556 | 13,088 | 581,386 | | 393,845 | 81,008 | 43,865 | 251 |
| 4,000-4,499 grams | 180,378 | | - | - | 266 | 2,899 | 162,707 | | 110,821 | 29,218 | 14,439 | 67 |
| 4,500-4,999 grams | 25,897 | | - | - | 51 | 470 | 22,974 | 3,327 | 14,980 | 4,667 | 2,388 | 14 |
| 5,000 grams or more | 2,859 | 97 | - | - | 9 | 88 | 2,505 | 567 | 1,460 | 478 | 253 | 4 |
| Not stated | 1,456 | 638 | 372 | 83 | 74 | 109 | 669 | 190 | 390 | 89 | 42 | 107 |
| | | | | | | Per | cent | | | | | |
| Very low birthweight 4 | 1.1 | | 89.6 | 42.7 | 8.6 | 0.9 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 3.4 |
| Low birthweight 5 | 7.0 | 45.2 | 95.0 | 76.3 | 70.4 | 33.0 | 2.7 | 6.5 | 1.3 | 1.1 | 2.3 | 14.5 |
| | | | | | | Nun | ber | | | | | |
| Non-Hispanic black 6 | 588,891 | 95,876 | 9,444 | 12,001 | 12,909 | 61,522 | 461,425 | 160,143 | 260,759 | 40,523 | 31,077 | 513 |
| Less than 500 grams | 2,187 | 2,171 | 2,102 | 64 | _ | 5 | 4 | 1 | 3 | | | 12 |
| 500-999 grams | 6.837 | 6,792 | 5,154 | 1.527 | 88 | 23 | 26 | 11 | 14 | 1 | 6 | 13 |
| 1,000-1,499 grams | 7,845 | 7,330 | 1,075 | 4,301 | 1,271 | 683 | 425 | 199 | 174 | 52 | 81 | 9 |
| 1,500-1,999 grams | 14,742 | 12,223 | 234 | 2,524 | 4,125 | 5,340 | 2,292 | 1,545 | 620 | 127 | 210 | 17 |
| 2,000-2,499 grams | 45,844 | 21,941 | 187 | 1,009 | 3,198 | 17,547 | 22,577 | 14,762 | 6,766 | 1,049 | 1,282 | 44 |
| 2,500-2,999 grams | 145,566 | | 303 | 1,079 | 1,924 | 20,178 | 115,219 | 54,277 | 54,259 | 6,683 | 6,744 | 119 |
| 3,000-3,499 grams | 227,376 | | - | 1,016 | 1,568 | 12,719 | 198,542 | | 119,460 | 17,194 | 13,367 | 164 57 |
| 3,500-3,999 grams 4,000-4,499 grams | 111,315 22,778 | | _ | 449 | 610 85 | 4,068 771 | 98,711 20,201 | 22,451 4,129 | 64,340 13,064 | 11,920 3,008 | 7,420 1,712 | 57 9 |
| 4,500-4,499 grams 4,500-4,999 grams | 3,209 | | _ | _ | 13 | 121 | 2,869 | 684 | 1,762 | 423 | 206 | - |
| 5,000 grams or more | 465 | 24 | = | _ | 4 | 20 | 403 | 139 | 215 | 49 | 37 | 1 |
| Not stated | 727 | 491 | 389 | 32 | 23 | 47 | 156 | 57 | 82 | 17 | 12 | 68 |
| | | | | | | Per | cent | | | | | |
| Very low birthweight 4 | 2.9 | 17.1 | 92.0 | 49.2 | 10.5 | 1.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 7.6 |
| Low birthweight 5 | 13.2 | | 96.7 | 78.7 | 67.4 | 38.4 | 5.5 | | 2.9 | 3.0 | 5.1 | 21.3 |
| | | | | | | | | | | | | |

See footnotes at end of table.

Table I-13. Births, by birthweight and gestational age and by race and Hispanic origin of mother: United States, 2014--Con.

| | | | | | | Period of | gestation 2 | | | | | |
|----------------------------|------------|-------------------------|-------------------|----------------|----------------|----------------|----------------------|----------------|-------------|----------|-------------------------|--------|
| | | | | Preterm | | | | Te | rm | | Postterm | |
| Birthweight 1 and race and | All births | | | | | | | Early | Full | Late | | Not |
| Hispanic origin of mother | AII DIICHS | Total under 37 weeks | Under 28 weeks | 28-31 weeks | 32-33 weeks | 34-36 weeks | Total 37-41 weeks | 37-38 weeks | 39-40 weeks | 41 weeks | 42 weeks and over | stated |
| | | | | | | Num | ber | | | | | |
| Hispanic 7 | 914,065 | 102,543 | 5,959 | 9,986 | 12,968 | 73,630 | 763,663 | 239,636 | 451,408 | 72,619 | 47,222 | 637 |
| Less than 500 grams | 1,152 | 1,129 | 1,087 | 38 | 1 | 3 | 5 | 1 | 2 | 2 | - | 18 |
| 500-999 grams | 4,311 | 4,280 | 3,333 | 880 | 53 | 14 | 21 | 15 | 5 | 1 | 2 | 8 |
| 1,000-1,499 grams | 5,774 | 5,405 | 871 | 3,051 | 941 | 542 | 316 | 148 | 138 | 30 | 50 | 3 |
| 1,500-1,999 grams | 12,332 | 10,414 | 156 | 2,482 | 3,531 | 4,245 | 1,762 | 1,136 | 517 | 109 | 145 | 11 |
| 2,000-2,499 grams | 40,855 | 20,861 | 109 | 821 | 3,502 | 16,429 | 19,073 | 12,600 | 5,641 | 832 | 884 | 37 |
| 2,500-2,999 grams | 167,417 | 27,827 | 254 | 948 | 1,994 | 24,631 | 133,211 | 63,500 | 61,987 | 7,724 | 6,258 | 121 |
| 3,000-3,499 grams | 373,521 | 21,449 | - | 1,111 | 1,903 | 18,435 | 332,125 | 103,328 | 200,153 | 28,644 | 19,718 | 229 |
| 3,500-3,999 grams | 242,122 | 8,950 | - | 643 | 885 | 7,422 | 217,670 | 47,680 | 143,522 | 26,468 | 15,377 | 125 |
| 4,000-4,499 grams | 57,020 | 1,692 | - | - | 132 | 1,560 | 51,177 | 9,393 | 34,257 | 7,527 | 4,119 | 32 |
| 4,500-4,999 grams | 8,058 | 284 | - | - | 13 | 271 | 7,185 | 1,485 | 4,564 | 1,136 | 586 | 3 |
| 5,000 grams or more | 1,097 | 56 | - | - | #VALUE! | 52 | 963 | 317 | 529 | 117 | 75 | 3 |
| Not stated | 406 | 196 | 149 | 12 | 9 | 26 | 155 | 33 | 93 | 29 | 8 | 47 |
| | | | | | | Per | cent | | | | | |
| Very low birthweight 4 | 1.2 | 10.6 | 91.1 | 39.8 | 7.7 | 0.8 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 4.9 |
| Low birthweight 5 | 7.1 | 41.1 | 95.6 | 72.9 | 61.9 | 28.8 | 2.8 | 5.8 | 1.4 | 1.3 | 2.3 | 13.1 |

Quantity zero.

^{0.0} Quantity more than zero but less than 0.05.

Expressed in completed weeks based on the mother's last normal menses.

Includes races other than white and black and origin not stated.

Includes races other than white and black and origin not stated.

Birthweight of less than 1,500 grams (3 lb 4 oz).

Birthweight of less than 2,500 grams (5 lb 8 oz).

Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with 1977 Office of Management and Budget standards. Forty-eight states and the District of Columbia reported multiple-race data for 2014 that were bridged to single-race categories for comparability with other states; see "Technical Notes."

⁷ Includes all persons of Hispanic origin of any race.

Table I-14. Very preterm and preterm births, and very low birthweight and low birthweight births, by race and Hispanic origin of mother: United States, 1989-2014

| | | | | eterm 1 | | | | | |
|------|----|---------|--------------|------------|--------------|---------|----------|-----------|------------|
| Ye | ar | All | Non-His | spanic | | All | Non-His | spanic | |
| | | races 3 | White 4 | Black 4 | Hispanic 5 | races 3 | White 4 | Black 4 | Hispanic 5 |
| | | | | | Per | cent | | | |
| LMP | | | | | | | | | |
| 2014 | | 1.90 | 1.52 | 3.64 | 1.75 | 11.32 | 10.14 | 16.29 | 11.2 |
| 2013 | | 1.92 | 1.55 | 3.71 | 1.73 | 11.39 | 10.17 | 16.27 | 11.3 |
| 2012 | | 1.93 | 1.55 | 3.71 | 1.77 | 11.55 | 10.29 | 16.53 | 11. |
| 2011 | | 1.93 | 1.54 | 3.76 | 1.76 | 11.73 | 10.50 | 16.77 | 11. |
| 2010 | | 1.96 | 1.58 | 3.79 | 1.78 | 11.99 | 10.77 | 17.12 | 11. |
| 2009 | | 1.97 | 1.57 | 3.87 | 1.77 | 12.18 | 10.92 | 17.47 | 11. |
| 2008 | | 1.99 | 1.60 | 3.84 | 1.80 | 12.33 | 11.14 | 17.54 | 12. |
| 2007 | | 2.04 | 1.64 | 4.08 | 1.82 | 12.68 | 11.50 | 18.29 | 12. |
| | | | Very low bir | thweight (| 5 | | Low birt | hweight 7 | |
| | | All | Non-His | spanic | | All - | Non-His | spanic | |
| | | races 3 | White 4 | Black 4 | Hispanic 5 | races 3 | White 4 | Black 4 | Hispanic 5 |
| | | | | | Per | cent | | | |
| 014 | | 1.40 | 1.10 | 2.90 | 1.20 | 8.00 | 7.00 | 13.20 | 7. |
| 2013 | | 1.41 | 1.11 | 2.90 | 1.21 | 8.02 | 6.98 | 13.08 | 7. |
| 2012 | | 1.42 | 1.13 | 2.94 | 1.22 | 7.99 | 6.97 | 13.18 | 6. |
| 2011 | | 1.44 | 1.14 | 2.99 | 1.20 | 8.10 | 7.09 | 13.33 | 7. |
| 2010 | | 1.45 | 1.16 | 2.98 | 1.20 | 8.15 | 7.14 | 13.53 | 6. |
| 2009 | | 1.45 | 1.16 | 3.06 | 1.19 | 8.16 | 7.19 | 13.61 | 6. |
| 8008 | | 1.46 | 1.18 | 3.01 | 1.20 | 8.18 | 7.22 | 13.71 | 6. |
| 2007 | | 1.49 | 1.19 | 3.20 | 1.21 | 8.22 | 7.28 | 13.90 | 6. |
| 2006 | | 1.49 | 1.20 | 3.15 | 1.19 | 8.26 | 7.32 | 13.97 | 6. |
| 2005 | | 1.49 | 1.21 | 3.27 | 1.20 | 8.19 | 7.29 | 14.02 | 6. |
| 2004 | | 1.48 | 1.20 | 3.15 | 1.20 | 8.08 | 7.20 | 13.74 | 6. |
| 2003 | | 1.45 | 1.18 | 3.12 | 1.16 | 7.93 | 7.04 | 13.55 | 6. |
| 2002 | | 1.46 | 1.17 | 3.15 | 1.17 | 7.82 | 6.91 | 13.39 | 6. |
| 2001 | | 1.44 | 1.17 | 3.08 | 1.14 | 7.68 | 6.76 | 13.07 | 6. |
| 2000 | | 1.43 | 1.14 | 3.10 | 1.14 | 7.57 | 6.60 | 13.13 | 6. |
| 1999 | | 1.45 | 1.15 | 3.18 | 1.14 | 7.62 | 6.64 | 13.23 | 6. |
| 998 | | 1.45 | 1.15 | 3.11 | 1.15 | 7.57 | 6.55 | 13.17 | 6. |
| .997 | | 1.42 | 1.12 | 3.05 | 1.13 | 7.51 | 6.47 | 13.11 | 6. |
| .996 | | 1.37 | 1.08 | 3.02 | 1.12 | 7.39 | 6.36 | 13.12 | 6. |
| 995 | | 1.35 | 1.04 | 2.98 | 1.11 | 7.32 | 6.20 | 13.21 | 6. |
| 994 | | 1.33 | 1.01 | 2.99 | 1.08 | 7.28 | 6.06 | 13.34 | 6. |
| .993 | | 1.33 | 1.00 | 2.99 | 1.06 | 7.22 | 5.92 | 13.43 | 6. |
| 1992 | 8 | 1.29 | | 2.97 | 1.04 | 7.08 | 5.73 | 13.40 | 6. |
| 1991 | 8 | 1.29 | 0.94 | 2.97 | 1.02 | 7.12 | 5.73 | 13.62 | 6. |
| | 9 | 1.27 | 0.93 | 2.93 | 1.03 | 6.97 | 5.61 | 13.32 | 6. |
| L990 | | | | | ±. 00 | 0.01 | J.∪⊥ | 10.00 | 0. |

- 1 Births of less than 32 completed weeks of gestation based on date of the mother's last normal menses.
- 2 Births of less than 37 completed weeks of gestation based on the mother's last normal menses.
- 3 Includes races other than white and black and origin not stated.
- A Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with 1977 Office of Management and Budget standards. Forty-eight states and the District of Columbia reported multiple-race data for 2014 that were bridged to single-race categories for comparability with other states; see "Technical Notes."

 Multiple-race reporting areas vary for 2003-2014; see "Technical Notes."
- 5 Includes all persons of Hispanic origin of any race.
- 6 Less than 1,500 grams (3 lb. 4 oz.).
- 7 Less than 2,500 grams (5 lb. 8 oz.).
- 8 Data by Hispanic origin exclude New Hampshire, which did not report Hispanic origin.
- 9 Data by Hispanic origin exclude New Hampshire and Oklahoma, which did not report Hispanic origin.
- 10 Data by Hispanic origin exclude New Hampshire, Oklahoma, and Louisiana, which did not report Hispanic origin.

Table I-15. Preterm and low birthweight births, by age and race and Hispanic origin of mother: United States, 2014

| Age and race and | | | | Preterm 1 | | | | | | | / birthweight | | | |
|--------------------------|----------------|--------------|----------------|----------------|------------|--------------|-----------|----------------|--------------|--------------|---------------|------------|--------------|---------|
| Hispanic origin | | Percent | | | Numb | er | | | Percent | | | Nur | mber | |
| of mother | Total | Early 3 | Late 4 | Total | Early 3 | Late 4 | Unknown | Total | Very 5 | Moderately 6 | Total | Very 5 | Moderately 6 | Unknown |
| all races 7 | LMP | | | | | | | | | | | | | |
| all ages | 11.32 | 3.36 | 7.96 | 451,084 | 133,831 | 317,253 | 5,917 | 8.00 | 1.40 | 6.60 | 318,847 | 55,947 | 262,900 | 3,27 |
| nder 15 years | 20.57 | 7.91 | 12.66 | 567 | 218 | 349 | 16 | 11.16 | 2.93 | 8.24 | 309 | 81 | 228 | |
| 5-19 years | 12.97 | 4.23 | 8.74 | 32,271 | 10,517 | 21,754 | 451 | 9.30 | 1.66 | 7.64 | 23,146 | 4,138 | 19,008 | 19 |
| 5 years | 17.57 | 6.68 | 10.89 | 1,418 | 539 | 879 | 29 | 10.70 | 2.18 | 8.52 | 864 | 176 | 688 | : |
| .6 years | 15.00 | 5.36 | 9.64 | 3,019 | 1,078 | 1,941 | 46 | 9.54 | 1.82 | 7.73 | 1,922 | 366 | 1,556 | |
| 7 years | 13.87 | 4.48 | 9.39 | 5,341 | 1,725 | 3,616 | 82 | 9.40 | 1.71 | | 3,622 | 657 | | : |
| .8 years | 12.96 | 4.14 | 8.82 | 8,985 | 2,872 | 6,113 | 117 | 9.31 | 1.72 | | 6,455 | 1,189 | | ! |
| .9 years | 11.97 | 3.81 | 8.16 | 13,508 | 4,303 | 9,205 | 177 | 9.11 | 1.55 | | 10,283 | 1,750 | | 8 |
| 10-24 years | 11.26 | 3.40 | 7.86 | 99,261 | 29,953 | 69,308 | 1,367 | 8.25 | 1.39 | | 72,780 | 12,272 | | 71 |
| 15-29 years | 10.43 | 3.04 | 7.39 | 119,309 | 34,783 | 84,526 | 1,526 | 7.36 | 1.27 | | 84,262 | 14,524 | | 93 |
| 0-34 years | 10.73 | 3.10 | 7.63 | 115,944 | 33,515 | 82,429 | 1,469 | 7.45 | 1.30 | | 80,524 | 14,089 | | 85 |
| 5-39 years | 12.66 | 3.72 | 8.94 | 64,355 | 18,890 | 45,465 | 827 | 8.67 | 1.61 | | 44,086 | 8,180 | | 43 |
| 0-44 years | 15.69 | 4.75 | 10.94 | 17,243 | 5,222 | 12,021 | 240 | 10.94 | 2.13 | | 12,021 | 2,342 | | 12 |
| 5-54 years | 25.31 | 8.70 | 16.62 | 2,134 | 733 | 1,401 | 21 | 20.38 | 3.81 | 16.58 | 1,719 | 321 | 1,398 | |
| Mon-Hispanic white 8 | | | | | | | | | | | | | | |
| all ages | 10.14 | 2.83 | 7.32 | 217,865 | 60,719 | 157,146 | 2,516 | 6.96 | 1.10 | 5.86 | 149,574 | 23,632 | 125,942 | 1,45 |
| Inder 15 years | 17.70 | 6.78 | 10.91 | 120 | 46 | 74 | 8 | 10.16 | 2.95 | 7.22 | 69 | 20 | 49 | |
| .5-19 years | 11.76 | 3.74 | 8.02 | 11,659 | 3,704 | 7,955 | 154 | 8.18 | 1.48 | 6.70 | 8,112 | 1,467 | 6,645 | 6 |
| 5 years | 16.09 | 5.47 | 10.63 | 365 | 124 | 241 | 12 | 9.07 | 1.98 | 7.09 | 206 | 45 | 161 | |
| .6 years | 13.93 | 5.28 | 8.65 | 897 | 340 | 557 | 17 | 8.45 | 1.59 | 6.87 | 544 | 102 | 442 | 1 |
| .7 years | 12.77 | 3.95 | 8.81 | 1,766 | 547 | 1,219 | 26 | 8.02 | 1.54 | 6.48 | 1,110 | 213 | 897 | 1 |
| .8 years | 11.88 | 3.84 | 8.04 | 3,309 | 1,069 | 2,240 | 41 | 8.35 | 1.59 | 6.76 | 2,326 | 444 | 1,882 | |
| .9 years | 10.92 | 3.33 | 7.59 | 5,322 | 1,624 | 3,698 | 58 | 8.05 | 1.36 | 6.69 | 3,926 | 663 | 3,263 | : |
| 0-24 years | 10.06 | 2.88 | 7.18 | 42,261 | 12,112 | 30,149 | 524 | 7.11 | 1.09 | | 29,855 | 4,587 | | 26 |
| 15-29 years | 9.35 | 2.57 | 6.78 | 60,357 | 16,600 | 43,757 | 700 | 6.46 | 1.00 | | 41,701 | 6,485 | | 42 |
| 0-34 years | 9.73 | 2.65 | 7.07 | 62,436 | 17,036 | 45,400 | 667 | 6.57 | 1.02 | | 42,169 | 6,559 | | 47 |
| 5-39 years | 11.40 | 3.09 | 8.31 | 32,003 | 8,674 | 23,329 | 346 | 7.60 | 1.22 | | 21,337 | 3,428 | | 17 |
| 0-44 years 5-54 years | 14.32 24.07 | 3.97 7.69 | 10.35 16.38 | 7,956 1,073 | 2,204 | 5,752 730 | 104 13 | 9.84 19.38 | 1.71 | | 5,467 864 | 948 138 | | 3 |
| Jon-Hispanic black 8 | | | | 2,010 | | | | | | | | | | |
| ill ages | 16.29 | 5.84 | 10.46 | 95,876 | 34,354 | 61,522 | 1,751 | 13.17 | 2.87 | 10.30 | 77,455 | 16,869 | 60,586 | 72 |
| | | | | | | | , . | | | | | | | |
| nder 15 years | 23.29 | 8.85 | 14.44 | 221 | 84 | 137 | 7 | 12.88 | 3.04 | | 123 | 29 | | |
| 5-19 years | 16.47 | 6.12 | 10.35 | 9,020 | 3,352 | 5,668 | 157 | 13.62 | 2.67 | | 7,457 | 1,462 | | |
| 5 years 6 years | 21.70 | 9.79 | 11.92 | 479 872 | 216 341 | 263 | 13 | 14.92 | 3.17 | | 329 615 | 70 | | |
| b years 7 years | 18.35 17.26 | 7.17 6.51 | 11.17 10.75 | 1,468 | 554 | 531 914 | 17 26 | 12.92 13.81 | 2.67 2.89 | | 1,175 | 127 246 | | |
| 7 years 8 years | 16.09 | 5.70 | 10.75 | 2,392 | 847 | 1,545 | 44 | 13.60 | 2.89 | | 2,023 | 397 | | : |
| 9 years | 15.60 | 5.70 | 9.89 | 3,809 | 1,394 | 2,415 | 57 | 13.58 | 2.55 | | 3,315 | 622 | | |
| 0-24 years | 15.48 | 5.42 | 10.06 | 28,212 | 9,877 | 18,335 | 504 | 13.04 | 2.57 | | 23,769 | 4,690 | | 19 |
| 5-29 years | 15.58 | 5.48 | 10.10 | 25,050 | 8,814 | 16,236 | 433 | 12.39 | 2.69 | | 19,913 | 4,325 | | 20 |
| 0-34 years | 16.41 | 5.91 | 10.50 | 19,171 | 6,904 | 12,267 | 367 | 13.00 | 3.09 | | 15,185 | 3,608 | | 1: |
| 5-39 years | 18.89 | 7.12 | 11.77 | 10,878 | 4,098 | 6,780 | 222 | 14.64 | 3.70 | | 8,426 | 2,132 | | 1 |
| 0-44 years | 21.55 | 7.93 | 13.62 | 3,014 | 1,109 | 1,905 | 57 | 16.63 | 3.98 | | 2,325 | 556 | | 2 |
| | | 10.01 | 16.74 | 310 | 116 | 194 | | 22.16 | 5.78 | | 257 | 67 | | |

Table I-15. Preterm and low birthweight births, by age and race and Hispanic origin of mother: United States, 2014 -- Con.

| | | | | Preterm 1 | | | | | | Lov | w birthweight | 2 | | |
|-------------------------------------|-------|---------|--------|-----------|---------|--------|---------|-------|---------|--------------|---------------|--------|--------------|---------|
| Age and race and Hispanic origin | | Percent | | | Numb | er | | | Percent | | | Nur | mber | |
| of mother | Total | Early 3 | Late 4 | Total | Early 3 | Late 4 | Unknown | Total | Very 5 | Moderately 6 | Total | Very 5 | Moderately 6 | Unknown |
| | | | | | | | | | | | | | | |
| Hispanic 9 | | | | | | | | | | | | | | |
| All ages | 11.23 | 3.17 | 8.06 | 102,543 | 28,913 | 73,630 | 637 | 7.05 | 1.23 | 5.82 | 64,424 | 11,237 | 53,187 | 406 |
| Under 15 years | 19.75 | 7.45 | 12.29 | 204 | 77 | 127 | 4 | 10.33 | 2.51 | 7.82 | 107 | 26 | 81 | 1 |
| 15-19 years | 11.93 | 3.49 | 8.44 | 10,244 | 2,996 | 7,248 | 84 | 7.85 | 1.24 | | 6,745 | 1,066 | | 30 |
| 15 years | 15.55 | 5.51 | 10.04 | 514 | 182 | 332 | 3 | 9.19 | 1.72 | | 304 | 57 | | _ |
| 16 years | 13.27 | 4.22 | 9.05 | 1,088 | 346 | 742 | 14 | 8.26 | 1.52 | 6.74 | 678 | 125 | 553 | 6 |
| 17 years | 12.71 | 3.64 | 9.07 | 1,875 | 537 | 1,338 | 21 | 8.08 | 1.18 | 6.90 | 1,193 | 174 | 1,019 | 8 |
| 18 years | 12.19 | 3.43 | 8.76 | 2,933 | 826 | 2,107 | 20 | 7.85 | 1.28 | 6.57 | 1,891 | 309 | 1,582 | 8 |
| 19 years | 10.78 | 3.11 | 7.67 | 3,834 | 1,105 | 2,729 | 26 | 7.53 | 1.13 | 6.40 | 2,679 | 401 | 2,278 | 8 |
| 20-24 years | 10.17 | 2.78 | 7.39 | 24,313 | 6,654 | 17,659 | 159 | 6.68 | 1.06 | 5.62 | 15,975 | 2,534 | 13,441 | 118 |
| 25-29 years | 10.37 | 2.86 | 7.51 | 25,799 | 7,118 | 18,681 | 184 | 6.44 | 1.11 | 5.33 | 16,033 | 2,758 | 13,275 | 94 |
| 30-34 years | 11.35 | 3.21 | 8.14 | 23,171 | 6,550 | 16,621 | 118 | 6.87 | 1.26 | 5.61 | 14,027 | 2,574 | 11,453 | 85 |
| 35-39 years | 13.38 | 3.84 | 9.55 | 14,398 | 4,128 | 10,270 | 69 | 8.13 | 1.58 | 6.55 | 8,752 | 1,703 | 7,049 | 54 |
| 40-44 years | 15.84 | 4.92 | 10.92 | 4,058 | 1,261 | 2,797 | 16 | 9.77 | 2.05 | 7.72 | 2,502 | 524 | 1,978 | 23 |
| 45-54 years | 24.53 | 8.89 | 15.64 | 356 | 129 | 227 | 3 | 19.48 | 3.58 | 15.90 | 283 | 52 | 231 | 1 |

⁻ Quantity zero.

¹ Less than 37 completed weeks of gestation based on the mother's last normal menses.

² Less than 2,500 grams.

³ Less than 34 completed weeks of gestation based on the mother's last normal menses.

^{4 34-36} completed weeks of gestation.

⁵ Less than 1,500 grams.

^{6 1,500-2,499} grams.

⁷ Includes races other than white and black and origin not stated.

Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with 1977 Office of Management and Budget standards. Forty-eight states and the District of Columbia reported multiple-race data for 2014 that were bridged to single-race categories for comparability with other states; see "Technical Notes."

⁹ Includes all persons of Hispanic origin of any race.

Table I-16. Preterm births, by race and Hispanic origin of mother: United States, each state and territory, 2014

[By place of residence. Preterm is less than 37 completed weeks of gestation based on the mother's last normal menses.]

| | | Num | ber | | | Pero | cent | |
|------------------------------|-----------------|--------------|--------------|-----------------|----------------|---------------|----------------|----------------|
| Area | All | Non-Hi | spanic | Hispanic 3 | All | Non-Hi | spanic | Hispanic 3 |
| | races 1 | White 2 | Black 2 | · III Spailie 5 | races 1 | White 2 | Black 2 | · mispanic : |
| LMP | | | | | | | | |
| United States 4 | 451,084 | 217,865 | 95,876 | 102,543 | 11.32 | 10.14 | 16.29 | 11.23 |
| 22-2 | 9,051 | 4 666 | 2 500 | 622 | 15.04 | 10.00 | 10.70 | 15.76 |
| Alabama Alaska | 1,148 | 4,666 559 | 3,592 51 | 633 78 | 15.24 10.10 | 12.99 8.57 | 19.72 11.46 | 15.76 9.31 |
| Arizona | 1,148 | 4,063 | 729 | 4,254 | 11.64 | 10.53 | 15.61 | 12.15 |
| Arkansas | 4,857 | 2,893 | 1,249 | 489 | 12.62 | 11.16 | 17.24 | 12.13 |
| California | 42,672 | 10,952 | 3,553 | 20,440 | 8.50 | 7.60 | 12.57 | 8.62 |
| Colorado | 6,627 | 3,735 | 467 | 1,953 | 10.07 | 9.19 | 13.93 | 11.06 |
| Connecticut | 3,410 | 1,780 | 586 | 844 | 9.40 | 8.51 | 12.71 | 10.39 |
| Delaware | 1,389 | 640 | 454 | 210 | 12.67 | 10.84 | 15.97 | 13.64 |
| District of Columbia | 1,269 | 263 | 784 | 174 | 13.35 | 8.87 | 16.43 | 13.57 |
| Florida | 28,724 | 11,038 | 8,553 | 8,206 | 13.06 | 10.95 | 17.35 | 13.27 |
| Georgia | 16,504 | 6,166 | 7,261 | 2,079 | 12.62 | 10.27 | 16.16 | 12.08 |
| Hawaii | 2,236 | 439 | 87 | 336 | 12.06 | 9.00 | 15.59 | 12.17 |
| Idaho | 2,239 | 1,706 | 23 | 428 | 9.79 | 9.38 | 11.11 | 11.73 |
| Illinois | 18,760 | 9,072 | 4,617 | 3,863 | 11.84 | 10.52 | 17.00 | 11.43 |
| Indiana | 9,233 | 6,621 | 1,585 | 768 | 10.98 | 10.34 | 15.33 | 10.61 |
| Iowa | 4,471 | 3,486 | 386 | 399 | 11.27 | 10.75 | 16.38 | 12.04 |
| Kansas | 4,279 | 2,903 | 478 | 689 | 10.91 | 10.19 | 16.28 | 11.24 |
| Kentucky | 7,079 | 5,695 | 852 | 359 | 12.61 | 12.20 | 15.93 | 12.74 |
| Louisiana | 9,793 | 4,285 | 4,770 | 519 | 15.19 | 12.51 | 19.71 | 12.22 |
| Maine | 1,151 | 1,043 | 40 | 18 | 9.07 | 8.95 | 9.07 | * |
| Maryland | 9,051 | 3,294 | 3,733 | 1,436 | 12.25 | 9.94 | 15.58 | 13.10 |
| Massachusetts | 7,033 | 4,131 | 876 | 1,387 | 9.81 | 9.28 | 12.23 | 10.91 |
| Michigan | 13,547 | 8,452 | 3,653 | 861 | 11.85 | 10.53 | 16.89 | 11.71 |
| Minnesota | 7,000 | 4,751 | 911 | 513 | 10.02 | 9.44 | 11.77 | 10.97 |
| Mississippi | 6,193 | 2,550 | 3,321 | 207 | 15.99 | 12.85 | 19.99 | 13.39 |
| Missouri | 8,836 | 6,010 | 1,983 | 478 | 11.74 | 10.53 | 17.34 | 12.08 |
| Montana | 1,426 | 1,086 | 11 | 47 | 11.48 | 10.70 | * | 9.51 |
| Nebraska | 2,852 | 1,897 | 297 | 474 | 10.65 | 9.75 | 16.05 | 11.45 |
| Nevada | 4,678 | 1,707 | 760 | 1,747 | 13.05 | 11.27 | 17.84 | 13.44 |
| New Hampshire | 1,116 | 995 | 24 | 50 | 9.08 | 9.12 | 12.77 | 8.49 |
| New Jersey | 11,718 | 4,756 | 2,449 | 3,308 | 11.35 | 9.87 | 15.78 | 12.13 |
| New Mexico | 2,975 | 748 | 79 | 1,680 | 11.43 | 10.36 | 16.92 | 11.65 |
| New York | 25,398 | 10,687 | 5,394 | 6,404 | 10.65 | 9.21 | 14.60 | 11.58 |
| North Carolina | 14,550 | 6,987 | 4,809 | 2,010 | 12.03 | 10.35 | 16.59 | 11.31 |
| North Dakota | 1,126 | 848 | 53 | 33 | 9.92 | 9.39 | 11.52 | 6.88 |
| Ohio | 16,755 | 11,222 | 4,077 | 897 | 12.02 | 10.79 | 17.25 | 13.04 |
| Oklahoma | 6,881 | 4,005 | 899 | 1,013 | 12.91 | 11.94 | 17.83 | 14.05 |
| Oregon | 4,228 | 2,875 | 153 | 859 | 9.28 | 8.89 | 12.55 | 10.08 |
| Pennsylvania Rhode Island | 15,015 1,107 | 9,448 573 | 3,008 109 | 1,732 321 | 10.57 10.24 | 9.53 8.72 | 14.93 12.81 | 11.96 12.42 |
| | 1,10, | | | | | 0.72 | 12.01 | |
| South Carolina | 7,765 | 3,719 | 3,272 | 592 | 13.48 | 11.06 | 18.31 | 12.74 |
| South Dakota | 1,346 | 869 | 52 | 66 | 10.97 | 9.53 | 15.29 | 10.95 |
| Tennessee | 10,221 | 6,225 | 2,939 | 815 | 12.54 | 11.23 | 17.32 | 11.67 |
| Texas | 49,527 | 15,438 | 7,761 | 24,022 | 12.39 | 10.95 | 16.19 | 12.68 |
| Utah | 5,196 | 3,782 | 75 | 870 | 10.16 | 9.59 | 13.09 | 11.21 |
| Vermont Virginia | 527 11,098 | 488 5,597 | 17 3,221 | 5 1,487 | 8.60 10.75 | 8.53 9.35 | 14.90 | 11.03 |
| Washington | 8,505 | 4,924 | 556 | 1,467 | 9.61 | 8.82 | 11.94 | 10.62 |
| West Virginia | 2,683 | 2,468 | 130 | 45 | 13.22 | 13.09 | 17.08 | 12.86 |
| Wisconsin | 6,854 | 4,655 | 1,122 | | 10.22 | 9.42 | 15.97 | 10.15 |
| Wyoming | 885 | 673 | 15 | 128 | 11.51 | 10.76 | * | 14.30 |
| Puerto Rico | 5,223 | 366 | 45 | 4,808 | 15.18 | 14.87 | 17.86 | 15.19 |
| Virgin Islands | | | | | | | | |
| Guam | 537 | 8 | 2 | 7 | 15.91 | * | * | * |
| American Samoa | | | | | | | | |
| Northern Marianas | 67 | 1 | - | - | 12.96 | * | * | * |

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

⁻ Quantity zero.

⁻⁻⁻ Data not available.

Includes races other than white and black and origin not stated.
Race and Hispanic origin are reported separately on birth certificates. Persons of Hispanic origin may be of any race. Race categories are consistent with the 1977 Office of Management and Budget standards. Fortyeight states and the District of Columbia reported multiple-race data for 2014 that were bridged to single-race categories for comparability with other states; see "Technical Notes."

Includes all persons of Hispanic origin of any race.Excludes data for the territories.

Excludes data for the territories.

Documentation Table 1. Number and percentage of live births by race of mother: 48 states and the District of Columbia, 2014

| Race | Number | Percentage |
|--|-----------|------------|
| All races ¹ | 3,848,486 | 100.0 |
| One race | 3,753,788 | 97.7 |
| White | 2,874,023 | 74.8 |
| Black | 587,705 | 15.3 |
| American Indian and Alaska Native (AIAN) | 39,017 | 1.0 |
| Asian | 241,291 | 6.3 |
| Native Hawaiian and Other Pacific Islander (NHOPI) | 11,752 | 0.3 |
| More than one race | 89,658 | 2.3 |
| Two races | 80,498 | 2.1 |
| Black and White | 31,508 | 0.8 |
| Black and AIAN | 3,041 | 0.1 |
| Black and Asian | 2,202 | 0.1 |
| Black and NHOPI | 514 | 0.0 |
| AIAN and White | 18,661 | 0.5 |
| AIAN and Asian | 384 | 0.0 |
| AIAN and NHOPI | 106 | 0.0 |
| Asian and White | 19,011 | 0.5 |
| Asian and NHOPI | 2,173 | 0.1 |
| NHOPI and White | 2,898 | 0.1 |
| Three races | 8,688 | 0.2 |
| Black, AIAN and White | 3,088 | 0.1 |
| Black AIAN and Asian | 133 | 0.0 |
| Black, AIAN and NHOPI | 24 | 0.0 |
| Black, Asian and White | 796 | 0.0 |
| Black, Asian and NHOPI | 112 | 0.0 |
| Black, NHOPI, and White | 168 | 0.0 |
| AIAN, Asian and White | 621 | 0.0 |
| AIAN, NHOPI and White | 152 | 0.0 |
| AIAN, Asian and NHOPI | 58 | 0.0 |
| Asian, NHOPI and White | 3,536 | 0.1 |
| Four races | 452 | 0.0 |
| Black, AIAN, Asian and White | 117 | 0.0 |
| Black, AIAN, Asian, and NHOPI | 8 | * |
| Black, AIAN, NHOPI and White | 37 | 0.0 |
| Black, Asian, NHOPI and White | 67 | 0.0 |
| AIAN, Asian, NHOPI and White | 223 | 0.0 |
| Five races | | |
| Black, AIAN, Asian, NHOPI and White | 20 | 0.0 |

^{0.0} Quantity more than zero but less than 0.5.

NOTES: Race and Hispanic origin are reported separately on birth certificates. Race categories are consistent with the 1997 Office of Management and Budget standards. Forty-eight states and the District of Columbia reported multiple race data for 2014. This table excludes data for New Jersey, which reported multiple-race data in 2014 but after January 1 and only for selected facilities. In this table all women, including Hispanic women, are classified only according to their race.

 $[\]star$ Figure does not meet standards of reliability or precision: based on fewer than 20 births in the numerator.

¹ Includes all births to residents of the states that reported multiple-race for the entire year. Percentages are based on the number of births occurring in the states that reported multiple-race for the entire year to residents of the states. Births that occurred in states that did not report multiple race to residents of the multiple-race reporting states are not shown separately but are included in the total.

Documentation Table 2. Educational attainment of mother, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

| Educational attainment and race and Hispanic origin of mother | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years |
|---|------------------|-------------------|------------------|------------------|----------------|----------------|----------------|
| All races 1 | | | | | | | |
| _ | | | | Percent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100. |
| 12th grade or less with no diploma | 15.1 | 49.1 | 18.3 | 12.1 | 9.6 | 11.2 | 13. |
| 8th grade or less | 3.6 | 4.2 | 2.8 | 3.2 | 3.6 | 5.2 | 7. |
| 9th-12th grade with no diploma | 11.5 | 44.9 | 15.5 | 8.9 | 6.0 | 6.0 | 6. |
| High school graduate 2 | 25.2 | 39.6 | 40.9 | 24.3 | 15.6 | 14.4 | 15. |
| Some college credit, but no degree | 21.5 | 10.9 | 30.1 | 24.4 | 17.1 | 15.3 | 14. |
| Associate's degree 3 | 8.1 | 0.4 | 5.6 | 10.3 | 9.4 | 8.6 | 8. |
| Bachelor's degree 4 | 19.1 | 0.0 | 4.7 | 21.4 | 28.7 | 27.7 | 25. |
| Master's degree 5 Doctorate or professional degree 6 | 8.5 2.5 | * | 0.3 | 6.4 1.2 | 15.2 4.3 | 16.7 6.1 | 15. 6. |
| boctorate or professional degree 6 | 2.5 | | 0.0 | Number | 4.3 | 0.1 | 0. |
| All births | 3,837,663 | 246,088 | 859,549 | 1,106,455 | 1,031,233 | 482,335 | 112,00 |
| Not stated 7 | 49,837 | 2,622 | 8,088 | 12,643 | 14,607 | 8,894 | 2,98 |
| White 8 | | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | Percent 100.0 | 100.0 | 100.0 | 100. |
| IOCAI | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100. |
| 12th grade or less with no diploma | 8.0 | 42.9 | 13.7 | 6.1 | 3.2 | 3.1 | 3. |
| 8th grade or less | 1.3 | 2.9 | 1.9 | 1.2 | 0.8 | 1.1 | 1. |
| 9th-12th grade with no diploma | 6.7 | 40.0 | 11.8 | 4.9 | 2.4 | 2.1 | 2. |
| High school graduate 2 | 21.6 | 43.8 | 40.4 | 20.7 | 12.0 | 10.9 | 11. |
| Some college credit, but no degree | 21.5 | 12.9 | 31.9 | 24.3 | 16.4 | 15.2 | 15. |
| Associate's degree 3 Bachelor's degree 4 | 9.7 | 0.4 | 7.2 | 12.2 27.3 | 10.4 34.5 | 9.3 33.5 | 9. 32. |
| | 24.9 11.2 | 0.0 | 6.3 | 27.3 7.9 | 34.5 18.5 | 20.9 | 32. 19. |
| Master's degree 5 Doctorate or professional degree 6 | 3.1 | * | 0.4 | 1.5 | 18.5 5.0 | 7.1 | 7. |
| boctorate or professional degree 6 | 3.1 | | 0.0 | Number | 5.0 | /.1 | /. |
| All births | 2,034,846 | 95,073 | 402,035 | 617,017 | 604,033 | 261,211 | 55,47 |
| Not stated 7 | 10,431 | 494 | 1,711 | 2,855 | 3,048 | 1,790 | 53 |
| Black 8 | | | | Percent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100. |
| | | | | | | | |
| 12th grade or less with no diploma | 16.6 | 49.1 | 16.6 | 12.7 | 10.7 | 10.2 | 11. |
| 8th grade or less 9th-12th grade with no diploma | 1.6 15.0 | 3.1 46.0 | 0.9 15.7 | 1.4 | 1.8 | 2.3 | 3. |
| High school graduate 2 | 33.5 | 39.1 | 43.5 | 31.6 | 24.4 | 22.5 | 22. |
| Some college credit, but no degree | 27.5 | 11.4 | 32.7 | 31.1 | 25.3 | 22.3 | 19. |
| Associate's degree 3 | 7.0 | 0.3 | 3.9 | 8.6 | 10.5 | 10.6 | 9. |
| Bachelor's degree 4 | 10.2 | * | 3.2 | 12.1 | 17.9 | 18.9 | 19. |
| Master's degree 5 | 4.3 | * | 0.2 | 3.4 | 9.3 | 12.2 | 13. |
| Doctorate or professional degree 6 | 0.9 | * | 0.0 | 0.5 | 1.9 | 3.4 | 4. |
| | | | | Number | | | |
| All births Not stated 7 | 545,021 4,903 | 50,884 463 | 169,165 1,231 | 149,585 1,317 | 108,337 | 53,093 626 | 13,95 23 |
| Hispanic 9 | , | | , - | , - | , | | |
| nispanie 3 | | | | Percent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100. |
| 12th grade or less with no diploma | 32.6 | 55.8 | 27.7 | 28.3 | 30.7 | 35.7 | 40. |
| 8th grade or less | 10.9 | 6.5 | 5.9 | 10.0 | 14.2 | 19.0 | 22. |
| 9th-12th grade with no diploma | 21.6 | 49.3 | 21.9 | 18.3 | 16.5 | 16.8 | 17. |
| High school graduate 2 | 31.0 | 35.5 | 40.8 | 30.9 | 24.1 | 21.6 | 20. |
| Some college credit, but no degree | 19.4 | 8.3 | 24.9 | 22.3 | 17.6 | 14.4 | 12. |
| Associate's degree 3 | 5.5 | 0.3 | 4.2 | 7.0 | 7.1 | 6.3 | 5. |
| Bachelor's degree 4 | 8.2 | * | 2.2 | 9.4 | 13.9 | 13.6 | 12. |
| Master's degree 5 | 2.6 | * | 0.1 | 1.8 | 5.2 | 6.4 | 5. |
| Doctorate or professional degree 6 | 0.7 | * | 0.0 | 0.4 Number | 1.4 | 2.0 | 2. |
| All births | 876,084 | 84,137 | 230,130 | 238,499 | 194,929 | 102,617 | 25,77 |
| | 10,944 | 909 | 2,198 | 2,821 | 2.748 | 1,753 | 51 |

^{0.0} Quantity more than zero but less than 0.5.

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

¹ Includes other races not shown and origin not stated.

² Includes General Educational Development (GED).

³ Includes Associate in Arts and Associate in Science. 4 Includes Bachelor in Arts and Bachelor in Science.

⁵ Includes Master in Arts, Master in Science, Master of Engineering, Master of Education, Master of Social Work, and Master of Business Administration.

⁶ Includes Doctor of Philosophy, Doctor of Education, Doctor of Medicine, Doctor of Dental Surgery, Doctor of Veterinary Medicine, Doctor of Laws, and Juris Doctor.

⁷ No response reported for education attainment of mother item; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes."

⁸ Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.
9 Includes all persons of Hispanic origin of any race.

Documentation Table 3. Maternal pre-pregnancy body mass index (BMI), by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

| BMI category ¹ and race and Hispanic origin of mother | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years |
|--|-------------------|-------------------|------------------|------------------|------------------|-----------------|----------------|
| All races 2 | | | | Percent | | | |
| Underweight (BMI less than 18.5) | 3.8 | 7.7 | 5.2 | 3.5 | 2.8 | 2.4 | 2.0 |
| Normal weight (BMI of 18.5 to less than 25.0) | 45.9 | 53.1 | 44.7 | 44.7 | 47.1 | 45.0 | 42.5 |
| Overweight (BMI of 25.0 to less than 30.0) | 25.6 | 22.6 | 24.9 | 25.7 | 25.9 | 26.8 | 28.5 |
| Obese (BMI = 30.0 and over) | 24.8 | 16.6 | 25.2 | 26.1 Number | 24.3 | 25.9 | 27.0 |
| Total 3 | 3,837,663 | 246,088 | 859,549 | 1,106,455 | 1,031,233 | 482,335 | 112,003 |
| Not stated 4 | 150,976 | 9,172 | 31,394 | 41,370 | 41,500 | 21,839 | 5,701 |
| White 5 | | | | Percent | | | |
| Underweight (BMI less than 18.5) | 3.8 | 9.2 | 5.8 | 3.5 | 2.7 | 2.3 | 2.1 |
| Normal weight (BMI of 18.5 to less than 25.0) | 49.4 | 53.7 | 47.0 | 48.6 | 51.3 | 49.5 | 47.3 |
| Overweight (BMI of 25.0 to less than 30.0) | 24.1 | 20.9 | 23.4 | 24.3 | 24.3 | 24.9 | 26.2 |
| Obese (BMI = 30.0 and over) | 22.7 | 16.2 | 23.8 | 23.7 Number | 21.7 | 23.3 | 24.4 |
| | | | | | | | |
| Total 3 | 2,034,846 | 95,073 | 402,035 | 617,017 | 604,033 | 261,211 | 55,477 |
| Not stated 4 | 63,104 | 2,653 | 11,363 | 18,135 | 19,282 | 9,411 | 2,260 |
| Black 5 | | | | Percent | | | |
| Underweight (BMI less than 18.5) | 3.3 | 6.4 | 4.6 | 2.9 | 1.9 | 1.2 | 0.9 |
| Normal weight (BMI of 18.5 to less than 25.0) | 34.9 | 51.1 | 40.1 | 32.3 | 28.5 | 25.9 | 24.0 |
| Overweight (BMI of 25.0 to less than 30.0) | 26.9 | 23.2 | 25.2 | 27.1 | 29.1 | 29.9 | 31.8 |
| Obese (BMI = 30.0 and over) | 34.8 | 19.3 | 30.1 | 37.7 Number | 40.5 | 43.0 | 43.3 |
| Total 3 | F.45 001 | 50.004 | 160 165 | 140 505 | 100 225 | F2 002 | 12.055 |
| Not stated 4 | 545,021 29,693 | 50,884 2,731 | 169,165 8,897 | 149,585 8,014 | 108,337 5,958 | 53,093 3,206 | 13,957 887 |
| Hispanic 6 | | | | Percent | | | |
| Underweight (BMI less than 18.5) | 2.8 | 6.7 | 4.0 | 2.2 | 1.5 | 1.1 | 0.8 |
| Normal weight (BMI of 18.5 to less than 25.0) | 40.2 | 53.6 | 43.3 | 38.8 | 36.8 | 33.8 | 31.5 |
| Overweight (BMI of 25.0 to less than 30.0) | 29.7 | 24.3 | 27.7 | 30.1 | 31.6 | 33.3 | 35.0 |
| Obese (BMI = 30.0 and over) | 27.3 | 15.4 | 25.0 | 29.0 | 30.1 | 31.8 | 32.7 |
| - | | | | Number | | | |
| Total 3 | 876,084 | 84,137 | 230,130 | 238,499 | 194,929 | 102,617 | 25,772 |
| Not stated 4 | 35,191 | 3,051 | 8,137 | 9,320 | 8,591 | 4,817 | 1,275 |

¹ For calculation of BMI, see "Technical Notes".

² Includes other races not shown and origin not stated.

 $^{3\,}$ Total number of births to residents of areas reporting pre-pregnancy BMI.

⁴ No response reported for component measures for pre-pregnancy BMI; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes."

5 Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

⁶ Includes all persons of Hispanic origin of any race.

Documentation Table 4. Mothers who smoked for the three months before pregnancy and anytime during pregnancy and those who quit before and during pregnancy, by age and race and Hispanic origin of mother: Total of 46 reporting states and the District of Columbia, 2014

| Tobacco use and race and Hispanic origin | All births | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years |
|--|----------------|-------------------|----------------|---------------|---------------|--------------|--------------|
| All races 1 | | | | Percent | | | |
| Three months before | 10.9 | 13.5 | 16.8 | 11.6 | 7.5 | 5.9 | 5.0 |
| First trimester | 8.2 | 9.8 | 12.7 | 8.8 | 5.6 | 4.5 | 3.9 |
| Second trimester | 7.0 | 7.9 | 10.7 | 7.6 | 4.8 | 3.9 | 3.4 |
| Third trimester | 6.6 | 7.4 | 10.1 | 7.3 | 4.6 | 3.7 | 3.2 |
| Smoked anytime during pregnancy | 8.4 | 10.1 | 13.0 | 9.0 | 5.7 | 4.6 | 4.0 |
| Quit before pregnancy 2 Quit during pregnancy 3 | 24.2 20.6 | 26.4 27.2 | 23.8 21.9 | 23.4 19.3 | 25.4 18.8 | | 21.3 18.9 |
| White 4 | 20.0 | 27.2 | 21.7 | 17.3 | 10.0 | 10.0 | 10.5 |
| WIIILLE 4 | | | | | | | |
| Three months before | 15.5 | 26.6 | 27.1 | 15.8 | 9.7 | 8.1 | 7.3 |
| First trimester | 11.9 | 19.9 | 21.1 | 12.2 | 7.2 | 6.1 | 5.8 |
| Second trimester | 10.3 | 16.4 | 18.2 | 10.7 | 6.3 | 5.4 | 5.1 |
| Third trimester | 9.8 | 15.4 | 17.2 | 10.2 | 6.1 | 5.1 | 4.9 |
| Smoked anytime during pregnancy | 12.2 | 20.5 | 21.5 | 12.5 | 7.4 | 6.3 | 5.9 |
| Quit before pregnancy 2 | 22.6 | 23.9 | 21.4 | 21.9 | 24.8 | 24.0 | 20.7 |
| Quit during pregnancy 3 | 18.9 | 24.9 | 19.8 | 17.6 | 17.6 | 17.6 | 17.1 |
| Black 4 | | | | | | | |
| Three months before | 8.8 | 5.2 | 9.6 | 10.3 | 8.7 | 7.1 | 5.2 |
| First trimester | 6.5 | 3.6 | 6.8 | 7.7 | 6.6 | 5.8 | 4.3 |
| Second trimester | 5.4 | 2.7 | 5.5 | 6.4 | 5.7 | 5.0 | 3.6 |
| Third trimester | 5.1 | 2.5 | 5.1 | 6.0 | 5.4 | 4.8 | 3.5 |
| Smoked anytime during pregnancy | 6.8 | 3.7 | 7.1 | 7.9 | 6.9 | 5.9 | 4.4 |
| Quit before pregnancy 2 | 25.4 | 31.9 | 28.2 | 25.2 | 22.6 | | 17.9 |
| Quit during pregnancy 3 | 24.6 | 33.2 | 27.5 | 24.0 | 21.3 | 19.0 | 20.8 |
| Hispanic 5 | | | | | | | |
| Three months before | 3.1 | 3.2 | 4.3 | 3.3 | 2.4 | 1.7 | 1.5 |
| First trimester | 1.9 | 1.8 | 2.5 | 2.0 | 1.5 | 1.1 | 1.0 |
| Second trimester | 1.4 | 1.2 | 1.8 | 1.6 | 1.2 | 0.9 | 0.8 |
| Third trimester | 1.3 | 1.1 | 1.7 | 1.5 | 1.2 | 0.8 | 0.7 |
| Smoked anytime during pregnancy | 2.0 | 1.9 | 2.6 | 2.1 | 1.6 | 1.1 | 1.0 |
| Quit before pregnancy 2 | 39.4 | 43.8 | 40.7 | | | | |
| Quit during pregnancy 3 | 32.3 | 44.0 | 35.9 | 29.6 | 25.7 | 26.8 | 32.1 |
| All races 1 | | | | Number | | | |
| Total | 3,819,113 | 245,189 | 855,674 | 1,101,265 | 1,026,153 | 479,626 | 111,206 |
| Not stated three months before 6 | 63,200 | 3,797 | 13,777 | 17,409 | 17,474 | 8,717 | 2,026 |
| Not stated during pregnancy 6 | 63,260 | 3,751 | 13,726 | 17,433 | 17,581 | 8,736 | 2,033 |
| Quit before pregnancy 2 Smokers | 408,558 | 32,534 | 141,128 | 125,470 | 76,003 | 27,982 | 5,441 |
| Unknown if quit | 1,424 | 115 | 468 | 420 | 296 | 105 | 20 |
| Quit during pregnancy 3 | | | | | | | |
| Smokers Unknown if quit | 314,949 882 | 24,449 64 | 109,321 310 | 97,680 278 | 57,563 153 | 21,549 62 | 4,387 15 |
| White 4 | | | | | | | |
| Total | 2,031,002 | 95,006 | 401,336 | 615,838 | 602,880 | 260,622 | 55,320 |
| Not stated three months before 6 | 29,723 | 1,458 | 5,872 | 8,563 | 8,820 | 4,126 | 884 |
| Not stated during pregnancy 6 | 29,743 | 1,433 | 5,815 | 8,593 | 8,878 | 4,143 | 881 |
| Quit before pregnancy 2 | | | | | | | |
| Smokers | 310,146 | 24,866 | 107,065 | 95,715 | 57,669 | 20,832 | 3,999 |

| Unknown if quit | 905 | 80 | 281 | 286 | 176 | 73 | 9 |
|----------------------------------|---------|--------|---------|---------|---------|---------|--------|
| Quit during pregnancy 3 | | | | | | | |
| Smokers | 243,239 | 19,221 | 85,173 | 75,687 | 43,886 | 16,037 | 3,235 |
| Unknown if quit | 589 | 43 | 211 | 180 | 104 | 41 | 10 |
| Black 4 | | | | | | | |
| Didon 4 | | | | | | | |
| Total | 544,628 | 50,871 | 169,062 | 149,450 | 108,236 | 53,066 | 13,943 |
| Not stated three months before 6 | 13,282 | 1,131 | 4,153 | 3,693 | 2,676 | 1,295 | 334 |
| Not stated during pregnancy 6 | 13,417 | 1,128 | 4,213 | 3,725 | 2,718 | 1,294 | 339 |
| Quit before pregnancy 2 | | | | | | | |
| Smokers | 46,914 | 2,598 | 15,788 | 15,002 | 9,140 | 3,680 | 706 |
| Unknown if quit | 338 | 15 | 133 | 93 | 72 | 19 | 6 |
| Quit during pregnancy 3 | | | | | | | |
| Smokers | 36,049 | 1,865 | 11,679 | 11,571 | 7,258 | 3,072 | 604 |
| Unknown if quit | 157 | 6 | 55 | 55 | 24 | 15 | 2 |
| Hispanic 5 | | | | | | | |
| Total | 873,320 | 83,904 | 229,383 | 237,679 | 194,310 | 102,343 | 25,701 |
| Not stated three months before 6 | 9,508 | 801 | 2,249 | 2,511 | 2,303 | 1,325 | 319 |
| Not stated during pregnancy 6 | 9,462 | 796 | 2,217 | 2,492 | 2,311 | 1,324 | 322 |
| Quit before pregnancy 2 | | | | | | | |
| Smokers | 26,869 | 2,676 | 9,699 | 7,662 | 4,703 | 1,739 | 390 |
| Unknown if quit | 100 | 11 | 28 | 25 | 28 | 6 | 2 |
| Quit during pregnancy 3 | | | | | | | |
| Smokers | 16,939 | 1,573 | 5,964 | 4,972 | 3,021 | 1,144 | 265 |
| Unknown if quit | 64 | 6 | 21 | 23 | 13 | 1 | - |
| | | | | | | | |

¹ Includes other races not shown and origin not stated.

 ${\tt NOTE:}$ Excludes Connecticut, Hawaii, New Jersey, and Rhode Island.

² Quit in the three months before pregnancy: births to women not reporting smoking during pregnancy per 100 women who smoked in the three months before pregnancy. See "Technical Notes."

³ Quit during pregnancy: births to women not reporting smoking in the third trimester of pregnancy per 100 women who smoked in either the first or second trimester. See "Technical Notes."

⁴ Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

⁵ Includes all persons of Hispanic origin of any race.

⁶ No response reported for maternal smoking item; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes."

Documentation Table 5. Mother received WIC food for herself during this pregnancy and infant was being breastfed at discharge, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

| Selected characteristic and race and Hispanic origin of mother | All births 1 | Characteristic reported | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years | Not stated 2 |
|--|--------------|----------------------------|-------------|-------------------|----------------|----------------|----------------|----------------|----------------|-----------------|
| All races 3 | | - | | | | Percent | | | | |
| Mother received WIC food for herself during this pregnancy | 3,837,663 | 1,632,514 | 43.7 | 77.8 | 64.5 | 41.9 | 28.8 | 28.3 | 29.8 | 100,955 |
| Infant was being breastfed at discharge 4 | 3,220,409 | 2,538,017 | 81.0 | 70.1 | 74.7 | 81.8 | 85.9 | 85.6 | 84.7 | 87,867 |
| White 5 | | | | | | | | | | |
| Mother received WIC food for herself during this pregnancy | 2,034,846 | 594,750 | 30.0 | 73.4 | 55.1 | 28.3 | 16.2 | 14.4 | 15.0 | 49,448 |
| Infant was being breastfed at discharge 4 | 1,817,101 | 1,464,380 | 82.6 | 68.8 | 75.5 | 83.4 | 87.2 | 86.3 | 85.4 | 45,023 |
| Black 5 | | | | | | | | | | |
| Mother received WIC food for herself during this pregnancy | 545,021 | 341,069 | 64.6 | 79.6 | 73.5 | 64.0 | 54.2 | 49.5 | 45.9 | 16,839 |
| Infant was being breastfed at discharge 4 | 498,751 | 319,281 | 66.7 | 55.3 | 60.8 | 67.7 | 73.6 | 76.1 | 77.7 | 19,795 |
| Hispanic 6 | | | | | | | | | | |
| Mother received WIC food for herself during this pregnancy Infant was being breastfed at | 876,084 | 569,693 | 66.2 | 82.0 | 74.8 | 64.3 | 57.3 | 57.4 | 58.5 | 15,916 |
| discharge 4 | 631,193 | 532,152 | 85.8 | 82.0 | 84.4 | 86.2 | 87.6 | 87.8 | 86.9 | 11,085 |

¹ Total number of births to residents of areas reporting specified items.

² No response reported for selected characteristic; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes."

³ Includes other races not shown and origin not stated.

⁴ Excludes data for California which did not report infant was being breastfed at discharge. Also excludes Michigan, for which item wording for Michigan is not consistent with national standard.

⁵ Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

 $[\]ensuremath{\text{6}}$ Includes all persons of Hispanic origin of any race.

Documentation Table 6. Pregnancy risk factors, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

[Rates are number of live births with specified risk factor per 1,000 live births in specified group]

| Risk factor and race and Hispanic origin of mother | All births 1 | Factor reported | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years | Not stated 2 |
|--|-----------------|--------------------|-------------|-------------------|----------------|----------------|----------------|----------------|----------------|-----------------|
| All races 3 | | _ | | | | per 1,000 |) | | | |
| Diabetes | | | | | | | | | | |
| Prepregnancy (Diagnosis prior to this pregnancy) | 3,837,663 | 30,037 | 7.9 | 3.4 | 4.8 | 6.5 | 8.9 | 13.6 | 19.1 | 12,57 |
| Gestational (Diagnosis in this pregnancy) | 3,837,663 | 208,739 | 54.6 | 18.8 | 30.2 | 47.9 | 66.3 | 91.6 | 119.2 | 12,57 |
| Hypertension | | | | | | | | | | |
| Prepregnancy (Chronic) | 3,837,663 | 60,547 | 15.8 | 5.7 | 9.1 | 13.3 | 18.5 | 27.2 | 41.8 | 12,57 |
| Gestational (PIH, preeclampsia) | 3,837,663 | 197,002 | 51.5 | 54.6 | 49.5 | 49.8 | 50.1 | 55.8 | 71.7 | 12,57 |
| Eclampsia 4 | 3,556,166 | 9,633 | 2.7 | 3.5 | 2.8 | 2.4 | 2.5 | 3.0 | 3.9 | 11,16 |
| Previous preterm birth | 3,837,663 | 106,309 | 27.8 | 7.2 | 22.7 | 28.7 | 30.8 | 36.5 34.8 | 37.0 79.2 | 12,57 |
| Pregnancy resulted from infertility treatment | 3,837,663 | 58,484 | 15.3 | | | 9.0 | | | | 12,57 |
| Mother had a previous cesarean delivery 5 | 2,550,903 | 556,599 | 218.7 | 110.3 | 172.5 | 207.8 | 234.6 | 266.2 | 280.2 | 6,09 |
| White 6 | | | | | | | | | | |
| Diabetes | | | | | | | | | | |
| Prepregnancy (Diagnosis prior to this pregnancy) | 2,034,846 | 13,537 | 6.7 | 4.1 | 5.0 | 5.9 | 7.0 | 9.7 | 13.5 | 3,42 |
| Gestational (Diagnosis in this pregnancy) | 2,034,846 | 100,309 | 49.4 | 21.8 | 31.4 | 43.5 | 56.0 | 75.1 | 99.0 | 3,42 |
| Hypertension | | | | | | | | | | |
| Prepregnancy (Chronic) | 2,034,846 | 30,460 | 15.0 | 6.1 | 8.9 | 12.8 | 16.9 | 23.8 | 36.2 | 3,42 |
| Gestational (PIH, preeclampsia) | 2,034,846 | 112,380 | 55.3 | 60.2 | 54.9 | 55.0 | 52.9 | 57.1 | 72.0 | 3,42 |
| Eclampsia 4 | 1,850,243 | 4,954 | 2.7 | 3.6 | 2.7 | 2.5 | 2.4 | 2.9 | 4.1 | 3,41 |
| Previous preterm birth | 2,034,846 | 56,511 | 27.8 | 7.2 | 22.5 | 27.4 | 30.1 | 37.0 | 38.7 | 3,42 |
| Pregnancy resulted from infertility treatment | 2,034,846 | 43,813 | 21.6 | 0.3 | 2.9 | 13.0 | 27.7 | 46.0 | 106.6 | 3,42 |
| Mother had a previous cesarean delivery ⁵ | 1,327,665 | 278,054 | 209.7 | 98.8 | 163.4 | 194.4 | 223.7 | 254.3 | 268.4 | 1,40 |
| Black 6 | | | | | | | | | | |
| Diabetes | | | | | | | | | | |
| Prepregnancy (Diagnosis prior to this pregnancy) | 545,021 | 5,766 | 10.6 | 3.7 | 5.5 | 9.1 | 15.1 | 23.2 | 31.7 | 1,77 |
| Gestational (Diagnosis in this pregnancy) | 545,021 | 24,271 | 44.7 | 14.0 | 23.9 | 43.0 | 65.3 | 86.0 | 108.9 | 1,77 |
| Hypertension | | | | | | | | | | |
| Prepregnancy (Chronic) Gestational (PIH, preeclampsia) | 545,021 | 17,408 | 32.0 | 8.9 | 15.6 | 28.4 | 46.2 | 70.8 | 96.9 | 1,77 |
| | 545,021 | 34,208 | 63.0 | 63.1 | 57.6 | 59.4 | 67.1 | 74.7 | 89.9 | |
| Eclampsia 4 | 492,377 | 2,269 | 4.6 | 4.8 | 4.3 | 4.1 | 5.0 | 5.5 | 6.7 | 1,77 |
| Previous preterm birth | 545,021 | 21,378 | 39.4 | 8.5 | 30.1 | 45.4 | 50.2 | 55.9 | 52.6 | 1,77 |
| Pregnancy resulted from infertility treatment | 545,021 | 2,581 | 4.8 | * | 0.5 | 2.3 | 7.5 | 14.9 | 38.8 | 1,77 |
| Mother had a previous cesarean delivery ⁵ | 371,403 | 84,095 | 226.8 | 119.1 | 184.6 | 229.6 | 253.0 | 279.5 | 285.8 | 67 |
| Hispanic 7 | | | | | | | | | | |
| Diabetes | | | | | | | | | | |
| Prepregnancy (Diagnosis prior to this pregnancy) | 876,084 | 7,522 | 8.6 | 2.4 | 4.1 | 6.8 | 11.4 | 18.4 | 25.5 | 2,12 |
| Gestational (Diagnosis in this pregnancy) | 876,084 | 52,587 | 60.2 | 17.4 | 30.2 | 52.6 | 81.5 | 116.9 | 150.1 | 2,12 |
| Hypertension | | | | | | | | | | |
| Prepregnancy (Chronic) | 876,084 | 8,523 | 9.8 | 3.2 | 4.9 | 7.5 | 12.8 | 19.8 | 32.5 | 2,12 |
| Gestational (PIH, preeclampsia) | 876,084 | 36,118 | 41.3 | 43.0 | 37.0 | 37.0 | 42.2 | 51.2 | 68.2 | 2,12 |
| Eclampsia 4 | 849,956 | 1,678 | 2.0 | 2.6 | 1.9 | 1.6 | 1.8 | 2.6 | 3.2 | 2,03 |
| Previous preterm birth | 876,084 | 20,114 | 23.0 | 6.3 | 18.2 | 24.9 | 27.9 | 32.0 | 30.5 | 2,12 |
| Pregnancy resulted from infertility treatment | 876,084 | 4,295 | 4.9 | | 0.7 | 2.9 | 7.0 | 12.8 | 29.2 | 2,12 |
| Mother had a previous cesarean delivery 5 | 612,910 | 140,519 | 229.6 | 118.7 | 182.0 | 226.3 | 251.4 | 279.6 | 290.6 | 97 |

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

^{*} rigure does not meet standards or relability or precision, based on fewer than 40 Dirths in the numerator.

Total number of births to residents of areas reporting specified pregnancy risk factor.

No response reported for pregnancy risk factor item; includes births to residents of states using the 2003 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes".

³ Includes other races not shown and origin not stated.

⁴ Excludes data for Pennsylvania, South Carolina, and Tennessee.

Excludes women who have not had a previous pregnancy and for whom total birth order is unknown.

Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

⁷ Includes all persons of Hispanic origin of any race.

Documentation Table 7. Infections present and/or treated during this pregnancy, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

| Infection and race and Hispanic origin of mother | All births 1 | Infection reported | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years | Not stated |
|--|-----------------|--------------------|-------------|-------------------|----------------|----------------|----------------|----------------|----------------|---------------|
| All races 3 | | _ | | | p | er 100,000 | | | | |
| norrhea | 3,837,663 | 9,946 | 260.6 | 817.5 | 516.6 | 197.7 | 93.7 | 66.2 | 62.1 | 20,6 |
| philis | 3,837,663 | 2,899 | 75.9 | 90.2 | 108.7 | 72.0 | 51.0 | 65.7 | 105.3 | 20,6 |
| lamydia | 3,837,663 | 70,844 | 1,856.0 | 6,357.0 | 3,792.8 | 1,325.5 | 578.2 | 400.7 | 345.5 | 20,6 |
| patitis B | 3,837,663 | 8,338 | 218.4 | 73.1 | 133.9 | 208.6 | 259.2 | 336.9 | 400.4 | 20,6 |
| patitis C | 3,837,663 | 12,926 | 338.6 | 130.2 | 373.5 | 422.6 | 311.5 | 260.9 | 283.4 | 20,6 |
| White 4 | | | | | | | | | | |
| norrhea | 2,034,846 | 2,628 | 129.6 | 384.2 | 271.6 | 110.2 | 60.1 | 42.3 | 47.0 | 6,5 |
| philis | 2,034,846 | 600 | 29.6 | 32.7 | 45.4 | 27.8 | 21.3 | 26.5 | * | 6,5 |
| lamydia | 2,034,846 | 24,130 | 1,189.7 | 4,803.6 | 2,809.1 | 867.7 | 360.7 | 262.0 | 240.7 | 6,5 |
| patitis B | 2,034,846 | 1,533 | 75.6 | 42.2 | 77.9 | 74.1 | 74.7 | 86.0 | 92.3 | 6,5 |
| patitis C | 2,034,846 | 9,978 | 491.9 | 217.4 | 625.0 | 606.1 | 409.4 | 336.9 | 356.5 | 6,5 |
| Black 4 | | | | | | | | | | |
| norrhea | 545,021 | 5,179 | 956.6 | 2,316.2 | 1,465.7 | 689.5 | 344.8 | 223.8 | 224.0 | 3,6 |
| philis | 545,021 | 1,468 | 271.1 | 229.4 | 306.5 | 277.2 | 205.4 | 278.8 | 411.8 | 3,6 |
| lamydia | 545,021 | 24,571 | 4,538.3 | 11,464.5 | 6,986.9 | 3,185.3 | 1,591.0 | 929.5 | 700.8 | 3,6 |
| patitis B | 545,021 | 1,929 | 356.3 | 106.8 | 173.8 | 363.9 | 558.5 | 629.8 | 787.5 | 3,6 |
| patitis C | 545,021 | 757 | 139.8 | 55.4 | 114.3 | 167.5 | 147.8 | 165.0 | 303.4 | 3,6 |
| Hispanic 5 | | | | | | | | | | |
| norrhea | 876,084 | 1,440 | 165.2 | 372.2 | 254.8 | 136.1 | 82.6 | 52.0 | * | 4,5 |
| philis | 876,084 | 642 | 73.7 | 75.2 | 79.9 | 65.3 | 66.1 | 81.4 | 117.3 | 4,5 |
| lamydia | 876,084 | 16,606 | 1,905.3 | 4,758.0 | 3,155.9 | 1,390.3 | 745.2 | 527.8 | 410.5 | 4,5 |
| patitis B | 876,084 | 713 | 81.8 | 59.7 | 84.7 | 83.9 | 84.6 | 77.5 | 105.6 | 4,5 |
| patitis C | 876,084 | 1,238 | 142.0 | 72.8 | 135.3 | 152.1 | 159.5 | 150.1 | 172.0 | 4,5 |

 $[\]star$ Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

¹ Total number of births to residents of areas reporting specified infection.

² No response reported for infections treated and/or present during this pregnancy item; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes".

³ Includes other races not shown and origin not stated.

⁴ Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

⁵ Includes all persons of Hispanic origin of any race.

Documentation Table 8. Month prenatal care began, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

| Month care began and race and Hispanic origin of mother | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years |
|---|-------------------|-------------------|-------------------|------------------|------------------|-----------------|----------------|
| All races 1 | | | | Percent | | | |
| 1st trimester | 76.7 | 61.4 | 69.5 | 78.0 | 82.2 | 81.7 | 78.8 |
| 2nd trimester | 17.4 | 28.1 | 22.6 | 16.4 | 13.3 | 13.7 | 15.9 |
| Late or no care | 6.0 | 10.5 | 7.8 | 5.6 | 4.5 | 4.6 | 5.3 |
| 3rd trimester | 4.4 | 7.8 | 5.8 | 4.1 | 3.3 | 3.4 | 3.9 |
| No care | 1.6 | 2.7 | 2.1 | 1.5 | 1.1 | 1.2 | 1.4 |
| | | | | Number | | | |
| Total | 3,837,663 | 246,088 | 859,549 | 1,106,455 | 1,031,233 | 482,335 | 112,003 |
| Not stated 2 | 153,016 | 10,470 | 35,705 | 42,831 | 39,928 | 19,288 | 4,794 |
| White 3 | | | | Percent | | | |
| 1st trimester | 81.6 | 67.9 | 74.1 | 82.3 | 86.2 | 85.7 | 82.9 |
| 2nd trimester | 14.1 | 24.6 | 19.9 | 13.5 | 10.7 | 11.1 | 13.1 |
| Late or no care | 4.3 | 7.5 | 6.0 | 4.1 | 3.1 | 3.3 | 4.0 |
| 3rd trimester | 3.3 | 5.9 | 4.7 | 3.1 | 2.4 | 2.5 | 3.0 |
| No care | 1.0 | 1.6 | 1.4 | 1.0 | 0.8 | 0.8 | 1.1 |
| | | | | Number | | | |
| Total | 2,034,846 | 95,073 | 402,035 | 617,017 | 604,033 | 261,211 | 55,477 |
| Not stated 2 | 68,497 | 3,264 | 13,699 | 20,366 | 19,988 | 9,070 | 2,110 |
| Black 3 | | | | Percent | | | |
| 1st trimester | 65.8 | 53.9 | 62.1 | 67.9 | 71.1 | 71.4 | 69.4 |
| 2nd trimester | 24.4 | 32.8 | 27.5 | 23.0 | 20.1 | 19.8 | 21.6 |
| Late or no care | 9.8 | 13.2 | 10.4 | 9.0 | 8.7 | 8.8 | 9.1 |
| 3rd trimester No care | 6.8 3.0 | 9.3 4.0 | 7.1 3.4 | 6.3 2.8 | 6.3 2.4 | 6.2 2.6 | 6.6 2.5 |
| | | | | Number | | | |
| | | | | | | | |
| Total Not stated 2 | 545,021 34,903 | 50,884 3,346 | 169,165 11,084 | 149,585 9,477 | 108,337 6,782 | 53,093 3,308 | 13,957 906 |
| Hispanic 4 | | | | Percent | | | |
| 1st trimester | 71 7 | F0 0 | 60.0 | 72.0 | 76.4 | 76 1 | 72.7 |
| 2nd trimester | 71.7 20.8 | 59.2 28.8 | 68.0 23.2 | 73.9 19.4 | 76.4 17.6 | 76.1 18.2 | 73.7 19.9 |
| Late or no care | 7.5 | 12.1 | 8.8 | 6.8 | 5.9 | 5.7 | 6.3 |
| 3rd trimester | 5.3 | 8.7 | 6.3 | 4.7 | 4.2 | 4.0 | 4.4 |
| No care | 2.2 | 3.3 | 2.5 | 2.0 | 1.8 | 1.7 | 2.0 |
| | | | | Number | | | |
| Total | 876,084 | 84,137 | 230,130 | 238,499 | 194,929 | 102,617 | 25,772 |
| Not stated 2 | 31,056 | 3,217 | 8,195 | 8,253 | 6,936 | 3,579 | 876 |

¹ Includes other races not shown and origin not stated.

² No response reported for timing of prenatal care; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes."

³ Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

 $^{4\,\,}$ Includes all persons of Hispanic origin of any race.

Documentation Table 9. Obstetric procedures, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

[Rates are number of live births with specified obstetric procedure per 1,000 live births in specified group]

| Obstetric procedure and race and Hispanic origin of mother | All births 1 | Procedure reported | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years | Not stated 2 |
|--|-----------------|-----------------------|-------------|-------------------|----------------|----------------|----------------|----------------|----------------|-----------------|
| All races 3 | | _ | | | | per 1,000 | | | | |
| External cephalic version | 3,837,663 | 10,171 | 2.7 | 2.2 | 2.2 | 2.6 | 2.9 | 3.2 | 3.2 | 16,268 |
| Percent successful 4 | 3,837,663 | 5,942 | 58.4 | 65.7 | 62.6 | 57.9 | 55.1 | 57.5 | 61.0 | 16,268 |
| White 5 | | | | | | | | | | |
| External cephalic version | 2,034,846 | 6,250 | 3.1 | 2.4 | 2.6 | 3.0 | 3.3 | 3.6 | 3.7 | 4,690 |
| Percent successful 4 | 2,034,846 | 3,343 | 53.5 | 60.9 | 56.2 | 52.5 | 50.7 | 55.0 | 61.0 | 4,690 |
| Black 5 | | | | | | | | | | |
| External cephalic version | 545,021 | 1,218 | 2.2 | 2.4 | 2.2 | 2.0 | 2.5 | 2.5 | 2.5 | 3,118 |
| Percent successful 4 | 545,021 | 923 | 75.8 | 80.5 | 79.6 | 75.1 | 73.8 | 70.2 | 61.8 | 3,118 |
| Hispanic 6 | | | | | | | | | | |
| External cephalic version | 876,084 | 1,704 | 2.0 | 1.6 | 1.6 | 2.0 | 2.1 | 2.6 | 2.6 | 2,747 |
| Percent successful 4 | 876,084 | 1,097 | 64.4 | 61.7 | 64.6 | 66.8 | 63.3 | 63.3 | 62.7 | 2,747 |

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

Total number of births to residents of areas reporting specified obstetric procedure.

No response reported for obstetric procedure item; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes".

³ Includes other races not shown and origin not stated.

⁴ Percent successful external cephalic version (ECV) is the number of successful ECVs per 100 live births to women with an attempted ECV in specified group.

⁵ Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

⁶ Includes all persons of Hispanic origin of any race.

Documentation Table 10. Principal source of payment for the delivery, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

[Percents are number of live births with specified source of payment per 100 live births in specified group]

| Source of payment and race and Hispanic origin of mother | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years |
|--|---------------------|-------------------|------------------|------------------|----------------|------------------|----------------|
| All races 1 | | | | Percent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Medicaid | 43.8 | 76.4 | 64.6 | 43.3 | 28.6 | 27.1 | 28.7 |
| Private insurance | 47.7 | 15.9 | 26.4 | 47.8 | 63.5 | 64.7 | 62.6 |
| Self-pay Other | 4.1 4.4 | 3.5 4.3 | 3.6 5.3 | 4.1 4.8 | 4.2 | 4.8 | 5.3 3.4 |
| | | | | Number | | | |
| Total 2 | 3,837,663 | 246,088 | 859,549 | 1,106,455 | 1,031,233 | 482,335 | 112,003 |
| Not stated 3 | 40,854 | 2,340 | 8,368 | 11,410 | 11,554 | 5,777 | 1,405 |
| White 4 | | | | Percent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Medicaid | 31.7 | 71.3 | 55.5 | 31.5 | 17.9 | 15.9 | 17.0 |
| Private insurance | 61.5 | 23.1 | 36.3 | 61.1 | 76.2 | 78.2 | 76.5 |
| Self-pay Other | 2.9 | 2.0 | 3.0 | 3.0 | 2.8 | 3.2 | 4.0 |
| Other | 3.9 | 3.6 | 5.2 | 4.4 | 3.1 | 2.7 | 2.5 |
| | | | | Number | | | |
| Total 2 Not stated 3 | 2,034,846 18,864 | 95,073 874 | 402,035 | 617,017 5,647 | 604,033 | 261,211 2,494 | 55,477 604 |
| | 18,804 | 8/4 | 3,675 | | 5,570 | 2,494 | 604 |
| Black 4 | | | | Percent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Medicaid | 67.4 | 83.5 | 78.3 | 68.4 | 54.3 | 47.1 | 42.7 |
| Private insurance | 25.7 | 11.2 | 15.5 | 24.7 | 37.7 | 44.6 | 48.2 |
| Self-pay Other | 2.9 4.1 | 2.1 | 2.1 4.1 | 2.8 4.2 | 3.8 4.2 | 4.1 4.2 | 4.6 4.6 |
| other | 4.1 | 3.2 | 4.1 | Number | 4.2 | 4.2 | 4.0 |
| | | | | Number | | | |
| Total 2 Not stated 3 | 545,021 4,312 | 50,884 362 | 169,165 1,189 | 149,585 1,186 | 108,337 940 | 53,093 519 | 13,957 116 |
| Hispanic 5 | 7,312 | 302 | 1,109 | | 940 | 319 | 110 |
| HISPANIC 5 | - | | | Percent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Medicaid | 61.0 | 78.2 | 71.0 | 59.6 | 50.7 | 49.7 | 50.9 |
| Private insurance | 26.8 | 10.6 | 17.1 | 28.0 | 36.8 | 37.9 | 36.8 |
| Self-pay Other | 6.8 5.4 | 6.1 5.2 | 5.9 5.9 | 6.8 5.6 | 7.4 5.0 | 7.5 4.9 | 7.4 5.0 |
| | | | | Number | | ,- | ,,, |
| | | | | | | | |
| Total 2 | 876,084 | 84,137 | 230,130 | 238,499 | 194,929 | 102,617 | 25,772 |
| Not stated 3 | 8,918 | 860 | 2,300 | 2,384 | 2,048 | 1,071 | 255 |

 $^{1\,\,}$ Includes other races not shown and origin not stated.

² Total number of births to residents of areas reporting principal source of payment for the delivery.
3 No response reported for principal source of payment for the delivery; includes births to residents of states using the 2003

Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical notes".

⁴ Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

⁵ Includes all persons of Hispanic origin of any race.

Documentation Table 11. Live births by interval since last live birth, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

| Interval since last live birth and race and Hispanic origin of mother | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years |
|---|--------------|-------------------|----------------|-------------------|----------------|----------------|----------------|
| All races 1 | | | | Percent | | | |
| 0-3 months (plural deliveries) | 2.4 | 3.9 | 2.0 | 2.1 | 2.5 | 2.8 | 4.0 |
| 4-11 months | 1.4 | 6.9 | 2.9 | 1.3 | 0.8 | 0.6 | 0.4 |
| 12-17 months | 8.3 | 27.0 | 15.1 | 8.3 | 5.6 | 4.6 | 3.4 |
| 18-23 months | 12.4 | 22.1 | 16.7 | 12.8 | 11.4 | 9.1 | 6.5 |
| 24-35 months | 22.6 | 24.4 | 25.1 | 22.5 | 23.7 | 19.7 | 14.3 |
| 36-47 months | 15.0 | 10.7 | 16.4 | 15.0 | 15.3 | 13.9 | 10.9 |
| 48-59 months | 10.4 | 3.9 | 11.0 | 11.3 | 10.0 | 9.7 | 8.5 |
| 60-71 months 72 months and over | 7.6 | 0.9 | 6.1 | 9.1 | 7.4 | 7.5 | 7.0 |
| 72 months and over | 19.9 | 0.2 | 4.6 | 17.5 | 23.2 | 32.2 | 45.3 |
| All births 2 | 2,351,085 | 42,559 | 427,280 | Number 695,756 | 723,909 | 374,255 | 87,326 |
| Not stated 3 | 157,215 | 3,394 | 26,030 | 43,281 | 48,507 | 28,389 | 7,614 |
| Median between 1st and 2nd births (months) | 37 | 21 | 29 | 38 | 40 | 47 | 63 |
| White 4 | | | | Percent | | | |
| 0-3 months (plural deliveries) | 2.7 | 4.1 | 1.9 | 2.3 | 2.8 | 3.2 | 4.8 |
| 4-11 months | 1.1 | 6.5 | 2.5 | 1.1 | 0.7 | 0.5 | 0.4 |
| 12-17 months | 7.8 | 29.1 | 15.2 | 8.1 | 5.4 | 4.5 | 3.6 |
| 18-23 months | 13.9 | 22.6 | 18.3 | 14.8 | 13.1 | 10.6 | 7.8 |
| 24-35 months | 26.4 | 23.8 | 27.1 | 26.5 | 28.4 | 23.7 | 17.5 |
| 36-47 months | 16.0 | 9.9 | 16.3 | 15.5 | 17.0 | 15.9 | 12.6 |
| 48-59 months 60-71 months | 9.8 | 3.0 | 10.1 | 10.3 | 9.5 | 10.0 | 9.0 |
| 72 months and over | 6.5 15.6 | 0.6 0.2 | 5.1 3.4 | 7.7 13.6 | 6.2 17.0 | 6.8 24.7 | 6.5 37.6 |
| 72 MORLINS and Over | 15.0 | 0.2 | 3.4 | | 17.0 | 24.7 | 37.6 |
| All births 2 | 1,205,144 | 13,823 | 186,005 | Number 360,442 | 407,334 | 196,144 | 41,396 |
| Not stated 3 | 70,127 | 1,056 | 10,109 | 19,406 | 23,223 | 13,041 | 3,292 |
| Median between 1st and 2nd births (months) | 34 | 20 | 28 | 34 | 35 | 40 | 52 |
| Black 4 | | | | Percent | | | |
| 0-3 months (plural deliveries) | 2.7 | 4.9 | 2.8 | 2.5 | 2.7 | 2.7 | 3.1 |
| 4-11 months | 2.3 | 8.0 | 3.9 | 2.0 | 1.3 | 0.9 | 0.5 |
| 12-17 months | 10.7 | 25.9 | 16.7 | 9.8 | 7.2 | 5.6 | 3.5 |
| 18-23 months 24-35 months | 11.3 17.8 | 20.3 | 15.9 23.1 | 10.4 16.9 | 9.1 | 7.5 14.1 | 5.7 |
| 36-47 months | 17.8 | 11.0 | 23.1 15.6 | 16.9 | 15.2 11.9 | 14.1 | 11.2 |
| 48-59 months | 10.3 | 4.5 | 10.7 | 11.7 | 9.8 | 8.6 | 9.: |
| 60-71 months | 8.2 | 1.4 | 6.2 | 10.7 | 8.5 | 7.7 | 7.3 |
| 72 months and over | 23.4 | 0.3 | 5.1 | 22.3 | 34.4 | 42.3 | 51.2 |
| | | | | Number | | | |
| All births 2 | 346,477 | 9,697 | 90,152 | 107,612 | 84,391 | 43,363 | 11,262 |
| Not stated 3 | 31,541 | 930 | 6,833 | 9,021 | 8,407 | 4,886 | 1,464 |
| Median between 1st and 2nd births (months) | 40 | 20 | 28 | 43 | 50 | 60 | 72 |
| Hispanic 5 | | | | Percent | | | |
| 0-3 months (plural deliveries) | 1.7 | 3.1 | 1.5 | 1.4 | 1.7 | 1.9 | 2.2 |
| 4-11 months | 1.5 | 6.4 | 2.7 | 1.3 | 0.9 | 0.6 | 0.4 |
| 12-17 months 18-23 months | 8.0 10.0 | 25.6 22.4 | 13.3 14.5 | 7.4 9.5 | 5.3 8.1 | 4.3 | 3.1 |
| 18-23 months 24-35 months | 10.0 | 22.4 | 23.5 | 9.5 17.4 | 15.8 | 13.3 | 10.1 |
| 36-47 months | 17.6 | 11.5 | 23.5 17.5 | 17.4 | 15.8 | 10.6 | 8.1 |
| 48-59 months | 11.3 | 4.2 | 12.9 | 13.1 | 10.7 | 8.9 | 7.4 |
| 50-71 months | 9.3 | 0.9 | 7.8 | 11.4 | 9.7 | 8.3 | 7. |
| 72 months and over | 27.0 | 0.2 | 6.3 | 23.8 | 35.5 | 45.3 | 57.0 |
| | | | | Jumber | | | |
| All births 2 | 579,964 | 16,345 | 123,795 | 174,429 | 156,046 | 87,211 | 22,138 |
| Not stated 3 | 34,787 | 1,116 | 6,697 | 9,926 | 9,668 | 5,780 | 1,600 |
| Median between 1st and 2nd births (months) | 45 | 21 | 32 | 46 | 54 | 65 | 84 |

 $^{1\,\,}$ Includes other races not shown and origin not stated.

² Includes all births of second or higher order birth to residents of areas reporting interval since last live birth.
3 No response reported for interval since last live birth, for births which are second and higher order; including births to residents of states using the 2003 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes."

⁴ Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

⁵ Includes all persons of Hispanic origin of any race.

Documentation Table 12. Characteristics of labor and delivery, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

[Rates are number of live births with characteristic per 1,000 live births in specified group]

| Labor and delivery characteristic and race and Hispanic origin of mother | All births 1 | Characteristic reported | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years | Not stated 2 |
|--|-----------------|-------------------------|-------------|-------------------|----------------|----------------|----------------|----------------|----------------|-----------------|
| All races 3 | | _ | | | | per 1,000 |) | | | |
| Induction of labor | 3,837,663 | 895,288 | 233.9 | | 253.3 | 237.8 | 218.2 | 208.3 | 218.9 | 9,437 |
| Augmentation of labor | 3,837,663 | 766,996 | 200.4 | | 224.8 | 204.8 | 185.9 | 162.6 | 144.8 | 9,437 |
| Steroids (glucocorticoids) for fetal lung maturation | 3,837,663 | 57,993 | 15.1 | | 14.4 | 14.3 | 15.0 | 17.3 | 22.1 | 9,437 |
| Antibiotics received by mother during labor | 3,837,663 | | 227.3 | | 224.1 | 221.5 | 228.5 | 239.3 | 246.2 | 9,437 |
| Clinical chorioamnionitis during labor | 3,837,663 | | 14.0 | | 16.5 | 13.8 | 12.4 | 10.8 | 10.6 | 9,437 |
| Epidural or spinal anesthesia during labor | 3,837,663 | 2,749,390 | 718.2 | 749.0 | 730.0 | 715.6 | 711.5 | 704.3 | 706.3 | 9,437 |
| White 4 | | | | | | | | | | |
| Induction of labor | 2,034,846 | 537,806 | 264.6 | 335.2 | 300.3 | 269.1 | 241.0 | 231.1 | 247.4 | 2,015 |
| Augmentation of labor | 2,034,846 | 412,630 | 203.0 | 261.3 | 229.6 | 210.4 | 189.6 | 166.0 | 146.7 | 2,015 |
| Steroids (glucocorticoids) for fetal lung maturation | 2,034,846 | 32,741 | 16.1 | 17.7 | 15.8 | 15.1 | 15.7 | 17.9 | 22.6 | 2,015 |
| Antibiotics received by mother during labor | 2,034,846 | 467,549 | 230.0 | 225.2 | 222.0 | 223.2 | 233.9 | 246.8 | 251.4 | 2,015 |
| Clinical chorioamnionitis during labor | 2,034,846 | 23,203 | 11.4 | 15.6 | 13.0 | 11.6 | 10.6 | 9.3 | 9.9 | 2,015 |
| Epidural or spinal anesthesia during labor | 2,034,846 | 1,505,709 | 740.7 | 799.3 | 761.4 | 737.9 | 729.6 | 723.5 | 723.7 | 2,015 |
| Black 4 | | | | | | | | | | |
| Induction of labor | 545,021 | 121,574 | 223.6 | 257.1 | 230.0 | 219.2 | 212.1 | 209.6 | 212.8 | 1,235 |
| Augmentation of labor | 545,021 | 103,532 | 190.4 | 238.2 | 211.9 | 186.6 | 168.2 | 147.7 | 131.7 | 1,235 |
| Steroids (glucocorticoids) for fetal lung maturation | 545,021 | 11,232 | 20.7 | 18.4 | 18.9 | 19.9 | 22.0 | 25.4 | 29.9 | 1,235 |
| Antibiotics received by mother during labor | 545,021 | 142,773 | 262.6 | 279.3 | 266.8 | 256.0 | 255.6 | 264.0 | 268.7 | 1,235 |
| Clinical chorioamnionitis during labor | 545,021 | 7,427 | 13.7 | 19.3 | 16.0 | 12.9 | 10.9 | 9.9 | 9.6 | 1,235 |
| Epidural or spinal anesthesia during labor | 545,021 | 399,205 | 734.1 | 755.7 | 743.1 | 728.1 | 723.2 | 724.7 | 732.1 | 1,235 |
| Hispanic 5 | | | | | | | | | | |
| Induction of labor | 876,084 | 163,499 | 186.9 | 209.9 | 197.0 | 183.4 | 175.7 | 175.2 | 186.3 | 1,391 |
| Augmentation of labor | 876,084 | 173,572 | 198.4 | 257.8 | 224.3 | 194.2 | 175.4 | 158.8 | 144.3 | 1,391 |
| Steroids (glucocorticoids) for fetal lung maturation | 876,084 | 9,127 | 10.4 | 9.7 | 9.2 | 9.9 | 10.8 | 12.7 | 18.0 | 1,391 |
| Antibiotics received by mother during labor | 876,084 | 174,022 | 199.0 | 195.6 | 196.9 | 194.9 | 199.3 | 210.2 | 219.2 | 1,391 |
| Clinical chorioamnionitis during labor | 876,084 | 14,610 | 16.7 | 27.7 | 21.5 | 15.3 | 12.1 | 10.8 | 9.1 | 1,391 |
| Epidural or spinal anesthesia during labor | 876,084 | 581,719 | 665.1 | 696.4 | 679.4 | 658.4 | 652.6 | 648.7 | 655.1 | 1,391 |
| apridural or aprinar ansachesia duffing labor | 0/0,004 | 301,719 | 365.1 | 090.4 | 0/9.4 | 030.4 | 052.0 | 040.7 | 333.1 | 1,391 |

¹ Total number of births to residents of areas reporting specified labor and delivery characteristic. 2 No response reported for characteristic of labor and delivery item; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Pechnical Notes".

³ Includes other races not shown and origin not stated.
4 Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

⁵ Includes all persons of Hispanic origin of any race.

Documentation Table 13. Method of delivery, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

[Percentages are number of live births with specified method of delivery per 100 live births in specified group]

| Method of delivery and race and Hispanic origin of mother | All births 1 | Method reported | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years | Not stated 2 |
|---|--------------|--------------------|-------------|-------------------|----------------|----------------|----------------|----------------|----------------|--------------|
| All races 3 | | _ | | | | Per 100 | | | | |
| Fetal presentation at birth | | | | | | | | | | |
| Cephalic | 3,837,663 | 3,527,149 | 94.2 | 95.5 | 95.2 | 94.6 | 93.8 | 92.7 | 91.0 | . , |
| Breech | 3,837,663 | 144,376 | 3.9 | 2.5 | 2.9 | 3.6 | 4.4 | 5.2 | 6.6 | |
| Other | 3,837,663 | 71,207 | 1.9 | 2.1 | 1.9 | 1.8 | 1.8 | 2.1 | 2.4 | 94,931 |
| Final route and method of delivery | | | | | | | | | | |
| Vaginal/Spontaneous | 3,837,663 | 2,477,281 | 64.7 | 74.4 | 69.7 | 66.1 | 62.3 | 56.5 | 48.6 | . , |
| Vaginal/Forceps | 3,837,663 | 22,146 | 0.6 | 0.7 | 0.6 | 0.6 | 0.6 | 0.5 | 0.5 | |
| Vaginal/Vacuum | 3,837,663 | 101,587 | 2.7 | 3.9 | 2.9 | 2.6 | 2.5 | 2.2 | 2.1 | 8,190 |
| Vaginal birth after cesarean delivery 4 | 566,149 | 63,996 | 11.3 | 10.7 | 10.7 | 11.8 | 11.7 | 10.7 | 10.0 | - |
| Cesarean | 3,837,663 | 1,228,459 | 32.1 | 21.0 | 26.9 | 30.6 | 34.7 | 40.8 | 48.7 | 8,190 |
| Primary cesarean 5 | 3,257,379 | 724,855 | 22.3 | 19.1 | 20.0 | 21.0 | 23.1 | 27.1 | 35.8 | |
| Cesarean/trial of labor attempted 6 | 1,228,459 | 308,673 | 25.5 | 46.4 | 32.8 | 26.1 | 21.9 | 18.9 | 18.7 | 19,068 |
| White 7 | | | | | | | | | | |
| Fetal presentation at birth | | | | | | | | | | |
| Cephalic | 2,034,846 | 1,879,725 | 94.4 | 95.8 | 95.5 | 94.8 | 93.9 | 93.0 | 91.3 | 43,710 |
| Breech | 2,034,846 | 83,970 | 4.2 | 2.9 | 3.2 | 3.9 | 4.7 | 5.4 | 6.9 | 43,710 |
| Other | 2,034,846 | 27,441 | 1.4 | 1.3 | 1.3 | 1.3 | 1.4 | 1.6 | 1.8 | 43,710 |
| Final route and method of delivery | | | | | | | | | | |
| Vaginal/Spontaneous | 2,034,846 | 1,326,415 | 65.2 | 73.5 | 69.9 | 67.2 | 63.5 | 58.0 | 50.0 | 1,979 |
| Vaginal/Forceps | 2,034,846 | 13,649 | 0.7 | 0.9 | 0.7 | 0.7 | 0.6 | 0.6 | 0.6 | , |
| Vaginal/Vacuum | 2,034,846 | 57,113 | 2.8 | 4.5 | 3.2 | 2.9 | 2.5 | 2.2 | 2.2 | 1,979 |
| Vaginal birth after cesarean delivery 4 | 282,275 | 32,748 | 11.6 | 8.4 | 9.4 | 11.9 | 12.3 | 11.4 | 11.3 | - |
| Cesarean | 2,034,846 | 635,690 | 31.3 | 21.1 | 26.2 | 29.3 | 33.4 | 39.2 | 47.2 | 1,979 |
| Primary cesarean 5 | 1,748,304 | 385,611 | 22.1 | 19.6 | 19.9 | 20.8 | 22.6 | 26.3 | 35.3 | - |
| Cesarean/trial of labor attempted 6 | 635,690 | 168,218 | 26.8 | 50.8 | 35.2 | 28.2 | 23.1 | 20.1 | 19.9 | 7,918 |
| Black 7 | | | | | | | | | | |
| Fetal presentation at birth | | | | | | | | | | |
| Cephalic | 545,021 | 497,362 | 94.0 | 95.4 | 94.9 | 94.2 | 93.3 | 91.9 | 90.4 | 16,150 |
| Breech | 545,021 | 17,773 | 3.4 | 2.0 | 2.6 | 3.2 | 4.1 | 5.3 | 6.9 | 16,150 |
| Other | 545,021 | 13,736 | 2.6 | 2.6 | 2.6 | 2.6 | 2.5 | 2.7 | 2.8 | 16,150 |
| Final route and method of delivery | | | | | | | | | | |
| Vaginal/Spontaneous | 545,021 | 336,043 | 61.7 | 72.3 | 66.5 | 61.5 | 57.0 | 51.0 | 43.7 | |
| Vaginal/Forceps | 545,021 | 2,491 | 0.5 | 0.7 | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 | |
| Vaginal/Vacuum | 545,021 | 12,034 | 2.2 | 3.8 | 2.5 | 2.0 | 1.8 | 1.6 | 1.5 | |
| Vaginal birth after cesarean delivery 4 | 87,238 | 10,066 | 11.5 | 13.2 | 11.7 | 11.9 | 11.4 | 11.1 | 9.8 | |
| Cesarean | 545,021 | 194,158 | 35.6 | 23.3 | 30.5 | 36.1 | 40.9 | 47.1 | 54.4 | |
| Primary cesarean 5 | 455,792 | 116,508 | 25.6 | 21.3 | 23.0 | 24.6 | 28.1 | 33.7 | 42.5 | |
| Cesarean/trial of labor attempted 6 | 194,158 | 52,778 | 27.8 | 47.6 | 33.7 | 26.1 | 22.8 | 21.0 | 21.2 | 4,435 |

Hispanic 8

| Fetal presentation at birth | | | | | | | | | | |
|---|---------|---------|------|------|------|------|------|------|------|--------|
| Cephalic | 876,084 | 804,384 | 94.2 | 95.1 | 95.0 | 94.5 | 93.6 | 92.6 | 91.2 | 21,807 |
| Breech | 876,084 | 27,662 | 3.2 | 2.2 | 2.5 | 3.0 | 3.9 | 4.6 | 5.5 | 21,807 |
| Other | 876,084 | 22,231 | 2.6 | 2.6 | 2.5 | 2.5 | 2.6 | 2.8 | 3.3 | 21,807 |
| Final route and method of delivery | | | | | | | | | | |
| Vaginal/Spontaneous | 876,084 | 575,768 | 65.8 | 76.4 | 71.0 | 66.1 | 61.8 | 56.1 | 49.8 | 907 |
| Vaginal/Forceps | 876,084 | 3,392 | 0.4 | 0.6 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 907 |
| Vaginal/Vacuum | 876,084 | 18,258 | 2.1 | 3.2 | 2.3 | 1.9 | 1.8 | 1.7 | 1.7 | 907 |
| Vaginal birth after cesarean delivery 4 | 142,012 | 14,572 | 10.3 | 10.8 | 10.8 | 10.8 | 10.2 | 9.3 | 8.5 | - |
| Cesarean | 876,084 | 277,759 | 31.7 | 19.8 | 26.3 | 31.6 | 36.0 | 41.8 | 48.2 | 907 |
| Primary cesarean 5 | 731,772 | 150,038 | 20.5 | 17.7 | 18.6 | 19.3 | 21.8 | 25.8 | 32.9 | - |
| Cesarean/trial of labor attempted 6 | 277,759 | 58,319 | 21.4 | 40.0 | 27.5 | 20.1 | 17.4 | 16.0 | 16.1 | 5,233 |

¹ Total number of births to residents of areas reporting the specified item. Total for vaginal birth after cesarean delivery is the number of births to women delivering after a previous cesarean. Total for primary cesarean is the number of births to women delivering without a previous cesarean. Total for cesarean/trial of labor is the number of women delivering by cesarean.

² No response reported for characteristic of labor and delivery item; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes".

 $^{^{3}}$ Includes other races not shown and origin not stated.

⁴ Vaginal birth after cesarean delivery rate is the number of births to women having a vaginal delivery per 100 births to women with a previous cesarean delivery.

⁵ Primary cesarean rate is the number of births to women having a cesarean delivery per 100 births to women without a previous cesarean.

⁶ Cesarean/trial of labor attempted is number of women who attempted a trial of labor prior to cesarean delivery per 100 cesarean births.

⁷ Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

 $^{^{\}rm 8}$ Includes all persons of Hispanic origin of any race.

Documentation Table 14. Time of birth, by day of week of birth and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

[Percents are number of live births with specified time of birth per 100 live births in specified group]

| Time of birth and race and Hispanic origin of mother | All births | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
|--|--------------------|----------------|----------------|------------------|----------------|----------------|----------------|----------------|
| All races 1 | | | | Perce | ent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 12:00am-5:59am | 17.1 | 22.2 | 13.5 | 15.7 | 16.4 | 16.3 | 16.7 | 22.7 |
| 6:00am-11:59am | 28.8 | 27.0 | 29.7 | 29.2 | 28.9 | 28.5 | 30.0 | 27.1 |
| 12:00pm-5:59pm | 31.2 | 27.4 | 33.2 | 32.2 | 31.8 | 31.9 | 31.5 | 27.5 |
| 6:00pm-11:59pm | 22.9 | 23.4 | 23.6 | 22.9 | 22.8 | 23.3 | 21.8 | 22.7 |
| | | | | Numb | er | | | |
| Total 2 Not stated 3 | 3,837,663 6,366 | 368,465 639 | 591,416 945 | 632,506 1,099 | 619,952 995 | 606,165 981 | 602,153 988 | 417,006 719 |
| White 4 | | | | Perce | ent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 12:00am-5:59am | 16.6 | 22.5 | 12.7 | 15.1 | 15.9 | 15.7 | 16.2 | 23.1 |
| 6:00am-11:59am | 28.9 | 26.5 | 30.0 | 29.3 | 28.9 | 28.5 | 30.4 | 26.7 |
| 12:00pm-5:59pm | 31.6 | 27.2 | 33.8 | 32.7 | 32.2 | 32.5 | 31.8 | 27.2 |
| 6:00pm-11:59pm | 22.9 | 23.8 | 23.4 | 22.9 | 23.0 | 23.3 | 21.6 | 23.0 |
| | | | | Numb | er | | | |
| Total 2 Not stated 3 | 2,034,846 1,195 | 184,557 152 | 319,847 165 | 340,762 227 | 332,298 153 | 324,857 177 | 322,517 171 | 210,008 150 |
| Black 4 | | | | Perce | ent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 12:00am-5:59am | 17.6 | 22.5 | 13.9 | 16.2 | 17.2 | 16.9 | 17.4 | 22.5 |
| 6:00am-11:59am | 28.3 | 26.4 | 29.2 | 28.9 | 28.4 | 28.1 | 29.2 | 27.2 |
| 12:00pm-5:59pm | 31.1 | 27.4 | 33.3 | 32.2 | 31.9 | 31.7 | 31.4 | 27.5 |
| 6:00pm-11:59pm | 22.9 | 23.6 | 23.6 | 22.8 | 22.6 | 23.2 | 22.1 | 22.7 |
| | | | | Numb | er | | | |
| Total 2 | 545,021 | 53,960 | 82,268 | 89,597 | 87,986 | 85,906 | 84,153 | 61,151 |
| Not stated 3 | 75 | 10 | 10 | 12 | 13 | 7 | 9 | 14 |
| Hispanic 5 | | | | Perce | ent | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 12:00am-5:59am | 17.5 | 21.7 | 14.2 | 16.4 | 16.8 | 16.7 | 17.1 | 22.0 |
| 6:00am-11:59am | 29.1 | 28.0 | 29.7 | 29.4 | 29.4 | 28.9 | 29.9 | 27.9 |
| 12:00pm-5:59pm | 30.7 22.7 | 27.8 22.5 | 32.3 23.8 | 31.5 22.7 | 31.1 22.7 | 31.4 23.0 | 31.1 21.9 | 28.0 22.1 |
| 6:00pm-11:59pm | 22.1 | 22.5 | 23.8 | | | 23.0 | 21.9 | 22.1 |
| | | | | Numb | er | | | |
| Total 2 | 876,084 | 89,374 | 132,492 | 141,423 | 139,632 | 136,352 | 135,786 | 101,025 |
| Not stated 3 | 711 | 66 | 110 | 116 | 117 | 96 | 114 | 92 |

¹ Includes other races not shown and origin not stated.
2 Total number of births to residents of areas reporting time of birth.
3 No response reported for time of birth; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth 0.3 percent). See "Technical notes".

⁴ Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

⁵ Includes all persons of Hispanic origin of any race.

Documentation Table 15. Maternal morbidity, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

[Rates are number of live births with morbidty per 100,000 live births in specified group]

| Maternal morbidity and race and Hispanic origin of mother | All births 1 | Morbidity reported | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years | Not stated 2 |
|---|-----------------|-----------------------|-------------|-------------------|----------------|----------------|----------------|----------------|----------------|-----------------|
| All races 3 | | _ | | | r | er 100,00 | 0 | | | |
| Maternal transfusion | 3,837,663 | 11,124 | 291.1 | 339.1 | 292.0 | 269.5 | 269.9 | 322.7 | 452.1 | 16,213 |
| Third or fourth degree perineal laceration 4 | 3,295,629 | 27,939 | 851.6 | 988.6 | 786.6 | 929.6 | 912.6 | 666.8 | 529.4 | 14,795 |
| Ruptured uterus | 3,837,663 | 1,080 | 28.3 | 22.0 | 20.5 | 23.7 | 31.2 | 44.4 | 50.3 | 16,213 |
| Unplanned hysterectomy | 3,837,663 | 1,493 | 39.1 | * | 17.2 | 27.3 | 45.3 | 83.7 | 143.8 | 16,213 |
| Admission to intensive care unit | 3,837,663 | 5,784 | 151.4 | 147.5 | 115.7 | 130.6 | 148.3 | 223.4 | 357.7 | 16,213 |
| Unplanned operating room procedure following delivery | 3,837,663 | 9,670 | 253.0 | 220.1 | 215.1 | 252.2 | 267.8 | 293.5 | 315.5 | 16,213 |
| White 5 | | | | | | | | | | |
| Maternal transfusion | 2,034,846 | 5,622 | 277.0 | 345.7 | 283.1 | 258.7 | 253.2 | 304.3 | 448.8 | 5,244 |
| Third or fourth degree perineal laceration 4 | 1,799,387 | 17,584 | 980.1 | 1,056.0 | 922.7 | 1,088.2 | 1,032.4 | 745.3 | 606.5 | 5,236 |
| Ruptured uterus | 2,034,846 | 542 | 26.7 | * | 17.2 | 19.8 | 32.5 | 42.3 | 50.7 | 5,244 |
| Unplanned hysterectomy | 2,034,846 | 741 | 36.5 | * | 20.2 | 24.2 | 37.9 | 78.0 | 132.1 | 5,244 |
| Admission to intensive care unit | 2,034,846 | 2,443 | 120.4 | 106.4 | 99.9 | 104.9 | 112.6 | 182.9 | 255.1 | 5,244 |
| Unplanned operating room procedure following delivery | 2,034,846 | 5,842 | 287.8 | 228.7 | 245.5 | 290.9 | 300.5 | 323.9 | 354.7 | 5,244 |
| Black 5 | | | | | | | | | | |
| Maternal transfusion | 545,021 | 2,018 | 372.0 | 339.6 | 350.3 | 353.8 | 366.3 | 477.2 | 590.7 | 2,486 |
| Third or fourth degree perineal laceration 4 | 479,329 | 1,999 | 419.2 | 677.7 | 441.5 | 390.5 | 368.4 | 310.2 | 326.5 | 2,483 |
| Ruptured uterus | 545,021 | 214 | 39.4 | * | 31.5 | 38.3 | 40.8 | 68.2 | * | 2,486 |
| Unplanned hysterectomy | 545,021 | 207 | 38.2 | * | 13.1 | 30.9 | 55.6 | 102.3 | 144.1 | 2,486 |
| Admission to intensive care unit | 545,021 | 1,277 | 235.4 | 187.5 | 153.2 | 198.7 | 283.8 | 427.9 | 691.5 | 2,486 |
| Unplanned operating room procedure following delivery | 545,021 | 1,493 | 275.2 | 262.6 | 241.7 | 267.2 | 292.1 | 365.5 | 338.5 | 2,486 |
| Hispanic 6 | | | | | | | | | | |
| Maternal transfusion | 876,084 | 2,269 | 259.8 | 313.3 | 242.6 | 249.8 | 247.7 | 270.2 | 382.2 | 2,794 |
| Third or fourth degree perineal laceration 4 | 672,126 | 4,144 | 619.0 | 1,075.3 | 735.6 | 569.1 | 515.0 | 428.6 | 327.2 | 2,693 |
| Ruptured uterus | 876,084 | 213 | 24.4 | * | 18.3 | 24.4 | 25.7 | 35.2 | * | 2,794 |
| Unplanned hysterectomy | 876,084 | 362 | 41.5 | * | 13.5 | 33.6 | 64.9 | 81.3 | 140.4 | 2,794 |
| Admission to intensive care unit | 876,084 | 1,403 | 160.7 | 164.4 | 110.6 | 147.6 | 174.0 | 216.3 | 393.9 | 2,794 |
| Unplanned operating room procedure following delivery | 876,084 | 1,409 | 161.3 | 154.9 | 136.4 | 147.2 | 183.8 | 203.6 | 198.9 | 2,794 |

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

¹ Total number of births to residents of areas reporting specified maternal morbidity.
2 No response reported for characteristic of labor and delivery item: includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes".

³ Includes other races not shown and origin not stated.

⁴ Excludes data for Pennsylvania.
5 Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

 $^{^{\}rm 6}\,$ Includes all persons of Hispanic origin of any race.

Documentation Table 16. Abnormal conditions of the newborn, by age and race and Hispanic origin of mother: Total of 47 reporting states and the District of Columbia, 2014

[Rates are number of live births with specified condition per 1,000 live births in specified group]

| Abnormal condition and race and Hispanic origin of mother | All births 1 | Condition reported | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years | Not stated 2 |
|---|-----------------|-----------------------|-------------|-------------------|----------------|----------------|----------------|----------------|----------------|-----------------|
| All races 3 | | _ | | | | per 1,000 | | | | |
| Assisted ventilation required immediately following delivery | 3,837,663 | 133,985 | 35.1 | 38.3 | 34.9 | 34.0 | 33.9 | 36.6 | 43.9 | 15,755 |
| Assisted ventilation required for more than six hours | 3,837,663 | 42,993 | 11.2 | 11.8 | 11.0 | 10.9 | 10.9 | 12.1 | 15.0 | 15,755 |
| NICU admission | 3,837,663 | 314,635 | 82.3 | 84.4 | 79.0 | 78.1 | 80.7 | 92.2 | 117.6 | 15,755 |
| Surfactant replacement therapy given to newborn | 3,837,663 | 15,688 | 4.1 | 4.4 | 4.1 | 4.0 | 4.0 | 4.3 | 5.2 | 15,755 |
| Antibiotics received by newborn for suspected neonatal sepsis | 3,837,663 | 83,306 | 21.8 | 26.0 | 23.3 | 21.4 | 20.2 | 20.8 | 24.2 | 15,755 |
| Seizure or serious neurologic dysfunction | 3,837,663 | 1,313 | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.5 | 15,755 |
| Significant birth injury | 3,837,663 | 2,374 | 0.6 | 0.7 | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | 15,755 |
| White 4 | | | | | | | | | | |
| Assisted ventilation required immediately following delivery | 2,034,846 | 78,747 | 38.8 | 45.0 | 39.4 | 37.9 | 37.0 | 40.0 | 48.4 | 5,477 |
| Assisted ventilation required for more than six hours | 2,034,846 | 25,357 | 12.5 | 13.9 | 12.3 | 12.2 | 12.1 | 13.0 | 16.7 | 5,477 |
| NICU admission | 2,034,846 | 158,434 | 78.1 | 78.0 | 74.2 | 74.7 | 77.2 | 86.9 | 112.0 | 5,477 |
| Surfactant replacement therapy given to newborn | 2,034,846 | 9,285 | 4.6 | 5.5 | 4.5 | 4.5 | 4.4 | 4.7 | 5.7 | 5,477 |
| Antibiotics received by newborn for suspected neonatal sepsis | 2,034,846 | 46,255 | 22.8 | 27.6 | 24.2 | 22.8 | 21.2 | 21.9 | 25.6 | 5,477 |
| Seizure or serious neurologic dysfunction | 2,034,846 | 832 | 0.4 | 0.6 | 0.4 | 0.4 | 0.4 | 0.4 | 0.6 | 5,477 |
| Significant birth injury | 2,034,846 | 1,299 | 0.6 | 0.9 | 0.8 | 0.6 | 0.6 | 0.6 | 0.6 | 5,477 |
| Black 4 | | | | | | | | | | |
| Assisted ventilation required immediately following delivery | 545,021 | 21,788 | 40.1 | 40.5 | 37.9 | 38.6 | 41.0 | 45.7 | 54.4 | 2,230 |
| Assisted ventilation required for more than six hours | 545,021 | 7,572 | 14.0 | 12.8 | 12.9 | 13.8 | 14.2 | 16.9 | 19.0 | 2,230 |
| NICU admission | 545,021 | 59,063 | 108.8 | 102.6 | 99.4 | 103.6 | 115.2 | 133.4 | 157.6 | 2,230 |
| Surfactant replacement therapy given to newborn | 545,021 | 3,076 | 5.7 | 5.1 | 5.4 | 5.4 | 5.5 | 7.2 | 8.6 | 2,230 |
| Antibiotics received by newborn for suspected neonatal sepsis | 545,021 | 13,650 | 25.1 | 27.2 | 25.8 | 23.8 | 23.9 | 26.3 | 29.9 | 2,230 |
| Seizure or serious neurologic dysfunction | 545,021 | 178 | 0.3 | * | 0.4 | 0.3 | 0.2 | * | * | 2,230 |
| Significant birth injury | 545,021 | 230 | 0.4 | * | 0.4 | 0.5 | 0.4 | * | * | 2,230 |
| Hispanic 5 | | | | | | | | | | |
| Assisted ventilation required immediately following delivery | 876,084 | 22,008 | 25.2 | 27.2 | 24.7 | 23.2 | 25.0 | 27.6 | 33.3 | 2,454 |
| Assisted ventilation required for more than six hours | 876,084 | 6,812 | 7.8 | 8.5 | 7.5 | 6.8 | 7.7 | 9.3 | 11.5 | 2,454 |
| NICU admission | 876,084 | 67,122 | 76.8 | 79.8 | 72.7 | 71.6 | 76.0 | 89.0 | 110.7 | 2,454 |
| Surfactant replacement therapy given to newborn | 876,084 | 2,213 | 2.5 | 2.6 | 2.3 | 2.4 | 2.7 | 2.9 | 3.2 | 2,454 |
| Antibiotics received by newborn for suspected neonatal sepsis | 876,084 | 15,483 | 17.7 | 22.7 | 19.2 | 16.0 | 15.8 | 17.3 | 20.2 | 2,454 |
| Seizure or serious neurologic dysfunction | 876,084 | 184 | 0.2 | * | 0.2 | 0.2 | 0.2 | * | * | 2,454 |
| Significant birth injury | 876,084 | 606 | 0.7 | 0.8 | 0.6 | 0.7 | 0.6 | 0.8 | * | 2,454 |

 $[\]star$ Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

¹ Total number of births to residents of areas reporting specified abnormal condition.

² No response reported for characteristic of labor and delivery item; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes".

³ Includes other races not shown and origin not stated.
4 Race and Hispanic origin are reported separately on the birth certificate. Race categories are consistent with the 1997 Office of Management and Budget standards; see "Technical Notes." Data by race are non-Hispanic and exclude mothers reporting multiple races.

⁵ Includes all persons of Hispanic origin of any race.

Documentation Table 17. Congenital anomalies of the newborn, by age of mother: Total of 47 reporting states and the District of Columbia, 2014

[Rates are number of live births with specified anomalies per 100,000 live births in specified group]

| Congenital anomaly | All births 1 | Congenital anomalies reported | All ages | Under 20 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years | Not stated ² |
|--|--------------|-------------------------------------|----------|-------------------|----------------|----------------|----------------|----------------|----------------|----------------------------|
| Total | | | | Per 100,000 | | | | | | |
| Anencephaly | 3,837,663 | 428 | 11.2 | 14.3 | 13.2 | 9.8 | 10.2 | 10.8 | * | 17,022 |
| Menigomyelocele/spina bifida | 3,837,663 | 528 | 13.8 | 13.0 | 14.1 | 14.6 | 14.3 | 10.6 | * | 17,022 |
| Cyanotic congenital heart disease | 3,837,663 | 2,579 | 67.5 | 54.2 | 65.0 | 70.0 | 62.7 | 72.0 | 116.9 | 17,022 |
| Congenital diaphragmatic hernia | 3,837,663 | 483 | 12.6 | 13.5 | 12.6 | 12.9 | 11.1 | 12.9 | 21.6 | 17,022 |
| Omphalocele | 3,837,663 | 365 | 9.6 | 12.2 | 9.9 | 8.6 | 9.3 | 10.2 | * | 17,022 |
| Gastroschisis | 3,837,663 | 1,117 | 29.2 | 96.6 | 62.5 | 20.4 | 8.3 | 6.5 | * | 17,022 |
| Limb reduction defect | 3,837,663 | 503 | 13.2 | 23.2 | 16.3 | 11.3 | 10.9 | 11.5 | * | 17,022 |
| Cleft lip with or without cleft palate | 3,837,663 | 2,057 | 53.8 | 59.1 | 61.8 | 52.2 | 47.4 | 50.9 | 70.1 | 17,022 |
| Cleft palate alone | 3,837,663 | 889 | 23.3 | 20.4 | 25.5 | 21.7 | 23.5 | 23.6 | 25.2 | 17,022 |
| Down syndrome | 3,837,663 | 767 | 50.0 | 28.1 | 27.6 | 25.0 | 38.8 | 116.0 | 337.1 | 17,022 |
| Suspected chromosomal disorder | 3,837,663 | 446 | 37.7 | 32.2 | 32.3 | 34.0 | 29.1 | 55.1 | 131.3 | 17,022 |
| Hypospadias ³ | 3,837,663 | 2,290 | 59.9 | 56.7 | 57.1 | 60.5 | 62.2 | 60.5 | 60.2 | 17,022 |
| Males only 4 | 1,963,828 | 2,290 | 117.1 | 110.7 | 111.6 | 118.2 | 121.4 | 118.3 | 118.2 | 8,709 |

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

 $^{^{\}mbox{\scriptsize 1}}$ Total number of births to residents of areas reporting specified congenital anomaly.

² No response reported for congenital anomaly of the newborn item; includes births to residents of states using the 2003 Standard Certificate of Live Birth occurring in states using the 1989 Standard Certificate of Live Birth (0.3 percent). See "Technical Notes".

³ Denominator includes both male and female births.

⁴ Denominator includes male births only.