

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS)

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
A01-A02.....	52	4	2	-	1	3	3	5	3	14	9	8	-	
A03,A06.....	23	-	-	-	-	1	1	2	4	3	9	3	-	
A04,A07-A09.....	2,421	13	12	4	6	16	48	61	139	423	841	858	-	
A16-A19.....	1,549	1	7	1	17	36	96	183	190	297	476	244	1	
A16.....	1,280	-	5	-	11	23	77	148	153	241	406	215	1	
A17-A19.....	278	1	2	1	7	14	20	36	38	56	73	30	-	
A37.....	18	16	-	-	-	-	-	-	2	-	-	-	-	
A38,A46.....	3	-	-	-	-	-	-	1	-	-	1	1	-	
A39.....	219	23	19	18	57	16	15	31	9	8	16	7	-	
A40-A41.....	137,393	731	320	308	706	1,509	4,567	9,650	15,027	27,393	42,399	34,777	6	
A50-A53.....	137	2	-	-	-	5	5	15	12	30	36	32	-	
A80.....	-	-	-	-	-	-	-	-	-	-	-	-	-	
A83-A84,A85.2.....	2	-	-	-	-	-	1	-	-	-	1	-	-	
B05.....	1	1	-	-	-	-	-	-	-	-	-	-	-	
B15-B19.....	10,568	10	2	9	31	188	1,657	3,871	1,810	1,545	1,160	284	1	
B20-B24.....	15,768	12	14	47	189	2,539	6,318	4,605	1,459	472	102	11	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
B50-B54.....	8	-	-	-	1	-	1	1	-	-	5	-	-	
A00--B99.....	17,332	345	138	190	301	538	1,311	1,856	2,213	3,377	4,252	2,811	-	
C00-C97	613,747	111	445	1,055	1,780	4,090	17,167	49,920	93,708	162,889	187,600	94,969	13	
C00-C14.....	9,205	-	-	6	26	52	332	1,200	1,922	2,427	2,149	1,091	-	
C15.....	13,385	1	-	-	3	40	302	1,395	2,806	4,066	3,565	1,207	-	
C16.....	13,945	-	-	1	15	125	498	1,140	1,904	3,339	4,328	2,595	-	
C18-C21.....	68,488	-	-	3	40	277	1,419	4,413	8,488	16,103	22,307	15,438	-	
C22.....	14,015	2	24	20	32	89	457	1,845	2,460	3,720	3,868	1,498	-	
C25.....	30,703	2	1	2	5	55	560	2,430	4,863	8,482	9,970	4,332	1	
C32.....	5,255	-	-	2	1	5	78	483	1,081	1,644	1,511	450	-	
C33-C34.....	165,552	2	3	2	26	202	2,783	12,209	30,988	55,746	49,636	13,950	5	
C43.....	8,146	-	-	2	42	188	644	1,238	1,372	1,796	1,864	1,000	-	
C50.....	51,811	2	-	-	11	474	2,937	6,683	8,204	10,651	13,034	9,815	-	
C53.....	4,744	-	-	1	19	236	714	973	826	788	763	424	-	
C54-C55.....	7,929	-	-	-	3	30	157	553	1,228	2,048	2,449	1,460	1	
C56.....	15,196	-	-	2	24	105	493	1,647	2,610	3,858	4,496	1,961	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
C61.....	44,407	-	1	-	-	1	26	420	2,334	8,998	18,945	13,680	2	
C64-C65.....	13,657	3	16	34	21	45	347	1,321	2,370	3,590	4,053	1,857	-	
C67.....	15,847	-	-	2	3	10	118	484	1,410	3,565	6,027	4,228	-	
C70-C72.....	13,340	24	108	328	244	426	1,133	2,000	2,461	3,194	2,655	767	-	
C81-C96.....	67,010	45	156	400	765	1,016	2,119	4,530	8,209	16,271	22,311	11,188	-	
C81.....	1,785	-	-	10	83	173	205	247	239	334	362	132	-	
C82-C85.....	27,158	1	11	59	190	338	905	1,991	3,635	6,612	9,166	4,250	-	
C91-C95.....	25,737	44	145	338	500	510	876	1,565	2,738	5,856	8,332	4,833	-	
C88,C90.....	13,173	-	-	2	-	8	160	764	1,728	3,722	4,727	2,062	-	
C96.....	143	-	2	2	1	-	6	9	19	32	46	26	-	
C17---C97.....	121,865	31	156	300	576	1,070	4,012	10,999	19,778	32,593	35,383	16,962	5	
D00-D48.....	22,672	90	58	118	130	231	543	1,032	1,927	4,293	8,002	6,247	1	
D50-D64.....	45,366	53	80	109	219	437	1,024	1,807	2,873	6,529	13,927	18,306	2	
E10-E14.....	213,062	9	7	38	253	1,066	4,139	12,652	26,657	52,069	72,196	43,972	4	
E40-E64.....	26,645	29	16	27	47	135	426	1,011	1,747	3,819	8,518	10,870	-	
E40-E46.....	24,337	21	10	21	43	127	407	939	1,627	3,525	7,782	9,835	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
E50-E64.....	2,370	8	6	6	4	8	23	74	126	299	756	1,060	-	
G00,G03.....	1,894	166	66	45	40	81	169	275	306	350	287	109	-	
G20-G21.....	32,518	1	1	-	3	6	12	88	551	4,110	15,626	12,119	1	
G30.....	84,178	1	-	-	-	3	12	92	725	5,691	29,856	47,795	3	
I00-178.....	1,395,702	2,274	840	1,207	3,132	7,343	27,571	68,215	121,843	249,064	447,922	466,214	77	
I00-I09,I11,I13, I20-I51.....	1,235,596	1,973	720	995	2,744	6,501	24,738	62,288	111,503	223,660	393,621	406,779	74	
I00-I09.....	7,213	12	6	5	24	50	231	422	789	1,655	2,472	1,547	-	
I11.....	35,292	1	1	2	46	338	1,866	4,031	5,083	6,300	8,835	8,783	6	
I13.....	3,165	-	-	1	7	37	124	230	309	597	951	908	1	
I20-I25.....	668,196	86	17	37	223	1,343	9,633	30,954	61,605	125,519	218,820	219,906	53	
I21-I22.....	233,179	52	5	21	108	540	3,918	13,301	25,934	47,802	75,790	65,699	9	
I24.....	7,701	13	4	3	19	63	274	667	1,029	1,466	2,102	2,060	1	
I20,I25.....	532,476	29	9	16	117	954	7,191	22,868	45,980	97,708	175,244	182,313	47	
I25.0.....	97,272	1	-	1	25	253	2,029	6,698	11,067	17,561	28,355	31,259	23	
I20, I25.1-I25.9	440,546	28	9	15	95	714	5,245	16,462	35,443	81,025	148,650	152,835	25	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
I26-I51	795,237	1,899	705	959	2,533	5,143	15,810	36,138	65,116	137,715	252,940	276,248	31	
I33.....	2,411	9	4	6	27	82	225	381	338	498	602	239	-	
I30-I31,I40.....	4,666	57	39	33	115	181	422	700	854	991	924	350	-	
I50.....	290,171	313	112	130	243	516	1,877	5,440	14,368	40,657	95,278	131,227	10	
I26-I28,I34-I38, I42-I49,I51...	602,223	1,633	601	850	2,304	4,715	14,306	32,140	55,566	110,513	189,975	189,598	22	
I10,I12.....	214,864	8	8	16	71	498	2,898	9,447	18,878	39,556	71,743	71,735	6	
I60-I69.....	281,672	329	141	231	412	992	3,938	9,331	17,255	42,947	98,023	108,066	7	
I70.....	72,089	8	-	1	8	54	378	1,504	3,919	10,595	24,279	31,343	-	
I71-I78	54,885	35	12	22	100	222	688	1,744	4,223	11,674	19,818	16,344	3	
I71.....	21,922	3	-	7	55	126	341	747	1,798	5,381	8,363	5,101	-	
I72-I78.....	33,845	32	12	15	45	98	352	1,008	2,487	6,560	11,803	11,430	3	
I80-I99.....	34,474	488	34	47	132	392	1,545	3,083	4,044	6,597	9,760	8,350	2	
J10-J18	222,013	608	298	334	662	1,270	3,729	7,339	13,251	32,440	72,896	89,178	8	
J10-J11.....	2,313	12	12	15	18	18	38	76	144	289	657	1,034	-	
J12-J18.....	219,728	597	286	319	644	1,252	3,693	7,265	13,108	32,154	72,247	88,155	8	
J20-J22	1,143	89	36	11	14	14	24	48	54	142	251	460	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
J20-J21.....	877	87	35	9	13	12	20	42	48	114	181	316	-	
J22.....	266	2	1	2	1	2	4	6	6	28	70	144	-	
J40-J47.....	250,965	55	80	189	282	494	1,919	7,325	23,453	64,013	96,650	56,493	12	
J40-J42.....	3,225	29	25	16	19	16	77	152	243	493	937	1,218	-	
J43.....	29,047	4	3	-	8	36	226	1,005	3,297	8,592	11,160	4,715	1	
J45-J46.....	9,653	14	45	159	219	351	752	1,172	1,213	1,612	2,190	1,925	1	
J44,J47.....	210,111	9	8	19	38	94	895	5,077	18,866	53,589	82,705	48,801	10	
J60-J66,J68.....	2,889	-	1	-	2	5	18	43	171	656	1,244	749	-	
J69.....	57,351	42	64	65	130	216	633	1,330	2,456	7,562	20,629	24,224	-	
J00-J06,J30-J39, J67,J70-J98.....	222,486	1,189	549	662	1,188	1,970	5,637	12,255	22,641	48,058	74,010	54,316	11	
K25-K28.....	10,917	-	2	5	15	32	212	571	994	1,886	3,579	3,621	-	
K35-K38.....	806	3	7	19	17	15	36	73	115	164	214	143	-	
K40-K46.....	3,384	71	8	5	11	12	63	151	228	469	1,053	1,313	-	
K70,K73-K74.....	40,472	8	9	4	57	521	4,560	9,813	8,459	8,763	6,563	1,709	6	
K70.....	8,887	-	-	-	6	186	1,576	2,825	2,164	1,465	589	74	2	
K73-K74.....	32,325	8	9	4	51	353	3,114	7,235	6,465	7,419	6,019	1,644	4	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
K80-K82.....	5,859	1	-	5	18	41	132	266	424	978	1,951	2,043	-	
N00-N07,N17-N19, N25-N27.....	195,159	819	83	157	415	1,359	4,629	10,542	19,001	40,079	64,708	53,363	4	
N00-N01,N04.....	492	16	3	7	5	7	16	36	54	93	157	98	-	
N02-N03 N05-N07,N26....	1,229	4	1	6	15	24	64	104	148	228	369	266	-	
N17-N19.....	194,030	801	78	149	403	1,340	4,575	10,445	18,869	39,868	64,386	53,112	4	
N25,N27.....	180	4	2	-	1	7	14	23	28	33	45	23	-	
N10-N12,N13.6,N15.1.	1,746	12	3	3	9	24	75	118	151	237	538	576	-	
N40.....	2,622	-	-	-	-	-	3	12	88	377	1,042	1,099	1	
N70-N76.....	293	2	-	1	5	9	23	26	18	61	85	63	-	
000-099	452	-	113	198	132	8	-	
000-007.....	43	-	8	20	15	-	-	
010-099.....	418	-	105	184	120	8	-	
P00-P96.....	18,011	17,724	155	61	22	14	9	8	6	1	5	5	1	
Q00-Q99.....	15,214	6,881	666	529	647	715	938	1,108	1,142	933	1,020	634	1	
R00-R99.....	288,933	5,174	900	1,072	2,498	4,153	9,945	16,752	23,624	45,370	82,138	97,167	140	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
RESIDUAL.....	579,659	2,499	1,231	1,726	4,339	8,359	24,357	43,054	54,064	92,327	162,878	184,795	30	
V01-X59,Y85-Y86	134,558	1,013	1,903	3,089	14,381	12,254	16,735	13,931	9,511	12,221	22,941	26,488	91	
V01-V99,Y85	47,706	186	693	1,927	11,066	7,447	7,756	6,085	4,046	3,495	3,560	1,412	33	
V02---V89.2.....	44,118	179	653	1,776	10,594	6,920	6,987	5,448	3,639	3,187	3,353	1,356	26	
V01---V89.9.....	1,573	3	31	99	246	215	329	241	135	114	114	39	7	
V90-V99,Y85.....	2,020	4	9	52	226	312	440	399	272	195	94	17	-	
W00-X59,Y86	87,177	827	1,211	1,167	3,366	4,861	9,052	7,897	5,498	8,743	19,406	25,091	58	
W00-W19.....	17,487	10	38	40	243	324	662	960	1,118	2,126	5,172	6,794	-	
W32-W34.....	816	1	18	67	203	133	158	88	57	45	30	16	-	
W65-W74.....	3,594	77	496	379	665	433	499	373	228	184	167	68	25	
X00-X09.....	3,541	38	291	269	195	243	414	461	395	434	508	288	5	
X40-X49.....	15,205	20	36	49	1,279	2,658	5,369	3,643	889	456	466	330	10	
W20-W31,W35-W64, W75-W99, X10-X39, X50-X59,Y86....	47,163	682	335	372	834	1,155	2,085	2,480	2,861	5,537	13,129	17,674	19	
X60-X84,Y87.0	29,604	307	4,016	4,815	6,603	5,491	2,978	2,321	2,215	851	7	
X72-X74.....	16,691	110	2,277	2,460	3,208	2,878	1,847	1,714	1,628	564	5	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
X60-X71,X75-X84, Y87.0.....	12,942	197	1,740	2,362	3,403	2,619	1,135	610	587	287	2
X85-Y09,Y87.1	16,950	362	366	374	4,947	4,185	3,250	1,781	753	462	325	115	30
X93-X95.....	10,827	12	28	187	3,964	3,089	1,912	962	367	184	81	29	12
X85-X92,X96-Y09, Y87.1.....	6,205	350	339	187	1,007	1,119	1,359	829	386	280	245	86	18
Y35,Y89.0.....	365	-	-	3	73	110	102	57	12	5	2	1	-
Y10-Y34,Y87.2,Y89.9	4,090	78	41	62	381	717	1,348	901	247	126	105	73	11
Y22-Y24.....	235	-	-	10	72	53	39	24	15	12	7	2	1
Y10-Y21,Y25-Y34, Y87.2,Y89.9.....	3,858	78	41	52	309	665	1,309	878	233	114	98	71	10
Y36,Y89.1.....	48	-	-	-	-	-	-	6	2	10	26	4	-
Y40-Y84,Y88.....	32,863	312	165	266	384	626	1,478	2,955	4,500	7,758	9,693	4,725	1
S00-T98.....	196,839	1,618	2,383	3,962	23,832	22,223	28,593	23,672	15,977	18,995	28,809	26,640	135
S02.....	3,722	35	79	139	901	578	580	427	291	229	282	179	2
S12,S22,S32,T08.....	7,083	19	40	79	642	486	607	545	443	781	1,515	1,925	1
S72.....	15,670	1	3	19	58	37	55	100	294	1,176	4,756	9,170	1

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
S42, S52, S62, S82, S92, T10, T12.....	2,553	4	5	21	92	76	113	130	173	274	682	982	1	
T02.....	671	4	3	14	89	79	111	84	52	60	104	71	-	
S03, S13, S23, S33, S43, S53, S63, S73, S83, S93, T03.....	560	3	8	23	88	64	72	62	42	49	73	76	-	
S05.....	93	5	3	2	6	4	4	8	7	8	20	26	-	
S06.....	14,891	153	240	377	2,064	1,481	1,705	1,505	1,128	1,491	2,583	2,158	6	
S26-S27, S36-S37.....	6,231	23	72	110	1,201	892	936	729	469	538	695	563	3	
S07---T05.....	1,241	2	34	37	220	186	231	197	130	104	82	17	1	
S00---T14.....	88,431	448	1,004	2,297	17,849	14,106	14,684	11,466	7,395	6,793	7,834	4,490	65	
T15-T19.....	15,569	143	152	107	213	272	552	818	1,109	2,246	4,754	5,202	1	
T20-T32.....	3,046	18	123	129	329	327	427	399	326	337	398	225	8	
T36-T50.....	20,232	24	17	48	1,580	3,540	7,289	5,067	1,234	548	524	347	14	
T51-T65.....	7,841	45	323	324	621	1,060	1,892	1,519	757	529	512	253	6	
T74.....	196	105	55	7	3	-	-	6	5	2	4	8	1	
T33-T35, T66-T73, T75-T78.....	17,341	655	666	827	2,672	2,650	3,176	2,322	1,329	1,118	1,129	746	51	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
T79-T88.....	21,462	246	123	206	406	555	1,106	2,052	3,010	4,897	6,022	2,838	1	
T90-T98.....	3,752	4	19	53	127	202	452	453	379	520	797	746	-	

- QUANTITY = 0

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS)

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
A01-A02.....	55	4	2	-	1	3	5	6	3	14	9	8	-	
A03,A06.....	23	-	-	-	-	1	1	2	4	3	9	3	-	
A04,A07-A09.....	2,461	13	12	4	6	31	61	68	142	423	841	860	-	
A16-A19.....	1,676	1	7	1	21	55	141	218	204	300	481	246	1	
A16.....	1,387	-	5	-	16	35	110	179	167	247	410	217	1	
A17-A19.....	306	1	2	1	8	22	34	40	38	56	74	30	-	
A37.....	18	16	-	-	-	-	-	-	2	-	-	-	-	
A38,A46.....	3	-	-	-	-	-	-	1	-	-	1	1	-	
A39.....	220	23	19	18	57	16	16	31	9	8	16	7	-	
A40-A41.....	138,959	738	324	318	732	1,759	5,215	10,044	15,151	27,442	42,442	34,788	6	
A50-A53.....	146	2	-	-	-	7	6	19	13	30	37	32	-	
A80.....	-	-	-	-	-	-	-	-	-	-	-	-	-	
A83-A84,A85.2.....	2	-	-	-	-	-	1	-	-	-	1	-	-	
B05.....	1	1	-	-	-	-	-	-	-	-	-	-	-	
B15-B19.....	11,182	10	2	9	36	244	1,912	4,110	1,855	1,556	1,163	284	1	
B20-B24.....	15,687	12	14	47	188	2,529	6,292	4,578	1,446	468	102	11	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
B50-B54.....	9	-	-	-	1	-	1	2	-	-	5	-	-	
A00--B99.....	19,705	348	140	198	337	997	2,221	2,375	2,390	3,489	4,343	2,867	-	
C00-C97	615,208	112	445	1,058	1,789	4,278	17,745	50,359	93,891	162,938	187,611	94,969	13	
C00-C14.....	9,229	-	-	6	26	52	336	1,208	1,931	2,430	2,149	1,091	-	
C15.....	13,527	1	-	-	3	40	311	1,409	2,831	4,105	3,603	1,224	-	
C16.....	13,958	-	-	1	15	125	502	1,146	1,906	3,340	4,328	2,595	-	
C18-C21.....	68,564	-	-	3	40	283	1,454	4,439	8,494	16,104	22,309	15,438	-	
C22.....	14,067	2	24	20	32	91	469	1,872	2,469	3,721	3,869	1,498	-	
C25.....	30,716	2	1	2	5	55	560	2,436	4,868	8,484	9,970	4,332	1	
C32.....	5,270	-	-	2	1	5	78	490	1,087	1,646	1,511	450	-	
C33-C34.....	165,769	2	3	2	26	206	2,842	12,306	31,033	55,756	49,638	13,950	5	
C43.....	8,273	-	-	2	42	189	654	1,247	1,391	1,821	1,908	1,019	-	
C50.....	51,826	2	-	-	11	474	2,946	6,684	8,205	10,654	13,035	9,815	-	
C53.....	4,763	-	-	1	19	239	725	976	828	788	763	424	-	
C54-C55.....	7,973	-	-	-	3	30	160	567	1,235	2,056	2,457	1,464	1	
C56.....	15,200	-	-	2	24	105	494	1,649	2,610	3,859	4,496	1,961	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
C61.....	44,420	-	1	-	-	1	27	421	2,337	9,004	18,947	13,680	2	
C64-C65.....	13,665	3	16	34	21	45	348	1,324	2,374	3,590	4,053	1,857	-	
C67.....	15,852	-	-	2	3	10	120	485	1,411	3,566	6,027	4,228	-	
C70-C72.....	13,355	24	108	328	244	428	1,139	2,004	2,464	3,194	2,655	767	-	
C81-C96	67,720	46	156	402	772	1,134	2,440	4,714	8,271	16,281	22,315	11,189	-	
C81.....	1,823	-	-	10	83	182	222	255	241	336	362	132	-	
C82-C85.....	27,801	2	11	61	197	444	1,197	2,160	3,693	6,618	9,167	4,251	-	
C91-C95.....	25,759	44	145	339	500	512	886	1,569	2,739	5,858	8,334	4,833	-	
C88,C90.....	13,179	-	-	2	-	8	161	767	1,729	3,722	4,728	2,062	-	
C96.....	170	-	2	2	2	1	11	13	25	37	49	28	-	
C17---C97.....	152,575	33	159	310	609	1,248	4,911	13,576	24,535	40,957	44,825	21,406	6	
D00-D48.....	23,817	97	72	149	150	251	627	1,182	2,122	4,564	8,259	6,343	1	
D50-D64.....	45,504	54	81	110	220	471	1,066	1,832	2,879	6,536	13,939	18,314	2	
E10-E14.....	213,064	9	7	38	253	1,066	4,140	12,652	26,657	52,069	72,196	43,973	4	
E40-E64.....	26,724	29	16	27	47	149	452	1,029	1,757	3,822	8,520	10,876	-	
E40-E46.....	24,409	21	10	21	43	141	432	955	1,637	3,527	7,782	9,840	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
E50-E64.....	2,377	8	6	6	4	8	24	76	126	300	758	1,061	-	
G00,G03.....	1,987	166	66	45	41	97	214	297	311	352	288	110	-	
G20-G21.....	32,543	1	1	-	3	6	12	88	552	4,116	15,635	12,128	1	
G30.....	84,180	1	-	-	-	3	12	92	725	5,692	29,857	47,795	3	
I00-I78.....	1,400,796	2,283	848	1,224	3,198	7,794	28,750	69,287	122,428	249,682	448,635	466,590	77	
I00-I09,I11,I13, I20-I51.....	1,241,333	1,982	728	1,011	2,805	6,967	25,986	63,493	112,273	224,487	394,423	407,104	74	
I00-I09.....	6,951	11	6	5	24	49	228	418	775	1,617	2,388	1,430	-	
I11.....	38,311	1	1	3	53	376	1,990	4,258	5,379	6,870	9,733	9,640	7	
I13.....	147	-	-	-	-	-	2	8	13	25	49	50	-	
I20-I25.....	668,382	86	17	37	226	1,354	9,669	30,999	61,637	125,550	218,837	219,917	53	
I21-I22.....	233,373	52	5	21	111	550	3,954	13,349	25,967	47,836	75,813	65,706	9	
I24.....	7,713	13	4	3	19	64	276	671	1,030	1,468	2,103	2,061	1	
I20,I25.....	532,519	29	9	16	117	955	7,194	22,879	45,992	97,713	175,251	182,317	47	
I25.0.....	97,279	1	-	1	25	253	2,029	6,702	11,069	17,561	28,356	31,259	23	
I20, I25.1-I25.9	440,877	28	9	15	95	715	5,251	16,484	35,486	81,079	148,742	152,947	26	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
I26-I51	802,573	1,908	715	974	2,589	5,584	17,021	37,253	65,814	138,435	254,199	278,050	31	
I33.....	2,438	9	4	6	27	87	236	387	341	500	602	239	-	
I30-I31,I40.....	4,692	57	39	34	117	189	429	705	857	991	924	350	-	
I50.....	296,146	314	113	134	251	553	2,027	5,730	14,792	41,397	96,941	133,883	11	
I26-I28,I34-I38, I42-I49,I51...	607,051	1,645	612	867	2,360	5,138	15,457	33,154	56,096	110,994	190,551	190,155	22	
I10,I12.....	215,043	8	8	16	72	501	2,907	9,460	18,898	39,588	71,803	71,776	6	
I60-I69.....	281,904	329	141	233	424	1,022	4,001	9,381	17,283	42,961	98,051	108,071	7	
I70.....	72,097	8	-	1	8	54	378	1,504	3,919	10,597	24,281	31,347	-	
I71-I78	65,916	35	12	22	106	249	842	2,314	5,689	14,602	23,688	18,354	3	
I71.....	21,928	3	-	7	55	126	341	747	1,800	5,382	8,366	5,101	-	
I72-I78.....	45,064	32	12	15	51	128	508	1,583	3,975	9,535	15,748	13,474	3	
I80-I99.....	35,125	488	34	48	136	412	1,590	3,145	4,132	6,753	9,942	8,443	2	
J10-J18	225,075	611	300	351	731	1,589	4,503	7,903	13,542	32,749	73,278	89,510	8	
J10-J11.....	2,314	12	12	15	18	18	38	76	144	290	657	1,034	-	
J12-J18.....	223,683	602	291	342	716	1,580	4,480	7,851	13,445	32,547	72,890	88,931	8	
J20-J22	1,636	90	36	12	14	14	28	63	108	254	419	598	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
J20-J21.....	1,306	88	35	10	13	12	24	57	96	209	322	440	-	
J22.....	331	3	1	2	1	2	4	6	12	45	97	158	-	
J40-J47.....	251,105	55	80	191	288	495	1,926	7,334	23,486	64,048	96,685	56,505	12	
J40-J42.....	5,151	29	25	16	20	20	86	202	451	975	1,653	1,674	-	
J43.....	33,541	4	3	-	8	37	246	1,156	3,850	10,005	12,804	5,427	1	
J45-J46.....	12,050	14	45	160	220	358	798	1,309	1,530	2,187	2,957	2,471	1	
J44,J47.....	209,605	9	8	21	45	94	897	5,055	18,813	53,440	82,507	48,706	10	
J60-J66,J68.....	2,894	-	1	-	2	5	18	43	172	657	1,247	749	-	
J69.....	57,569	42	66	66	131	231	659	1,358	2,481	7,594	20,679	24,262	-	
J00-J06,J30-J39, J67,J70-J98.....	225,624	1,236	561	692	1,272	2,150	6,008	12,601	22,926	48,566	74,754	54,847	11	
K25-K28.....	10,931	-	2	5	15	33	217	574	995	1,888	3,580	3,622	-	
K35-K38.....	806	3	7	19	17	15	36	73	115	164	214	143	-	
K40-K46.....	3,384	71	8	5	11	12	63	151	228	469	1,053	1,313	-	
K70,K73-K74.....	39,677	8	9	4	57	496	4,364	9,570	8,270	8,659	6,527	1,707	6	
K70.....	6,601	-	-	-	6	137	1,133	2,085	1,599	1,129	450	60	2	
K73-K74.....	33,804	8	9	4	51	378	3,353	7,727	6,843	7,652	6,120	1,655	4	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
K80-K82.....	5,867	1	-	5	19	41	136	266	426	979	1,951	2,043	-	
N00-N07,N17-N19, N25-N27.....	206,312	819	83	161	448	1,573	5,274	11,599	20,535	42,573	67,849	55,393	5	
N00-N01,N04.....	699	16	3	7	6	9	25	64	94	161	207	107	-	
N02-N03 N05-N07,N26....	1,533	4	1	7	17	29	85	127	189	294	462	318	-	
N17-N19.....	204,940	801	78	153	435	1,553	5,216	11,476	20,356	42,302	67,447	55,118	5	
N25,N27.....	181	4	2	-	1	7	15	23	28	33	45	23	-	
N10-N12,N13.6,N15.1.	1,747	12	3	3	10	24	75	120	151	237	538	574	-	
N40.....	2,622	-	-	-	-	-	3	12	88	377	1,042	1,099	1	
N70-N76.....	295	2	-	1	5	10	24	26	18	61	85	63	-	
000-099	452	-	113	198	132	8	-	
000-007.....	43	-	8	20	15	-	-	
010-099.....	420	-	105	186	120	8	-	
P00-P96.....	18,013	17,726	155	61	22	14	9	8	6	1	5	5	1	
Q00-Q99.....	15,238	6,881	666	529	648	715	946	1,114	1,146	936	1,022	634	1	
R00-R99.....	294,029	5,174	901	1,079	2,514	4,396	10,545	17,323	24,084	46,156	83,413	98,304	140	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
RESIDUAL.....	591,026	2,511	1,239	1,748	4,371	8,652	25,457	44,744	55,635	94,375	165,523	186,741	30	
V01-X59,Y85-Y86	134,558	1,013	1,903	3,089	14,381	12,254	16,735	13,931	9,511	12,221	22,941	26,488	91	
V01-V99,Y85	47,706	186	693	1,927	11,066	7,447	7,756	6,085	4,046	3,495	3,560	1,412	33	
V02---V89.2.....	44,118	179	653	1,776	10,594	6,920	6,987	5,448	3,639	3,187	3,353	1,356	26	
V01---V89.9.....	1,573	3	31	99	246	215	329	241	135	114	114	39	7	
V90-V99,Y85.....	2,020	4	9	52	226	312	440	399	272	195	94	17	-	
W00-X59,Y86	87,177	827	1,211	1,167	3,366	4,861	9,052	7,897	5,498	8,743	19,406	25,091	58	
W00-W19.....	17,487	10	38	40	243	324	662	960	1,118	2,126	5,172	6,794	-	
W32-W34.....	816	1	18	67	203	133	158	88	57	45	30	16	-	
W65-W74.....	3,594	77	496	379	665	433	499	373	228	184	167	68	25	
X00-X09.....	3,541	38	291	269	195	243	414	461	395	434	508	288	5	
X40-X49.....	15,205	20	36	49	1,279	2,658	5,369	3,643	889	456	466	330	10	
W20-W31,W35-W64, W75-W99, X10-X39, X50-X59,Y86....	47,163	682	335	372	834	1,155	2,085	2,480	2,861	5,537	13,129	17,674	19	
X60-X84,Y87.0	29,604	307	4,016	4,815	6,603	5,491	2,978	2,321	2,215	851	7	
X72-X74.....	16,691	110	2,277	2,460	3,208	2,878	1,847	1,714	1,628	564	5	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
X60-X71,X75-X84, Y87.0.....	12,942	197	1,740	2,362	3,403	2,619	1,135	610	587	287	2
X85-Y09,Y87.1	16,950	362	366	374	4,947	4,185	3,250	1,781	753	462	325	115	30
X93-X95.....	10,827	12	28	187	3,964	3,089	1,912	962	367	184	81	29	12
X85-X92,X96-Y09, Y87.1.....	6,205	350	339	187	1,007	1,119	1,359	829	386	280	245	86	18
Y35,Y89.0.....	365	-	-	3	73	110	102	57	12	5	2	1	-
Y10-Y34,Y87.2,Y89.9	4,090	78	41	62	381	717	1,348	901	247	126	105	73	11
Y22-Y24.....	235	-	-	10	72	53	39	24	15	12	7	2	1
Y10-Y21,Y25-Y34, Y87.2,Y89.9.....	3,858	78	41	52	309	665	1,309	878	233	114	98	71	10
Y36,Y89.1.....	48	-	-	-	-	-	-	6	2	10	26	4	-
Y40-Y84,Y88.....	32,863	312	165	266	384	626	1,478	2,955	4,500	7,758	9,693	4,725	1
S00-T98.....	196,839	1,618	2,383	3,962	23,832	22,223	28,593	23,672	15,977	18,995	28,809	26,640	135
S02.....	3,722	35	79	139	901	578	580	427	291	229	282	179	2
S12,S22,S32,T08.....	7,083	19	40	79	642	486	607	545	443	781	1,515	1,925	1
S72.....	15,670	1	3	19	58	37	55	100	294	1,176	4,756	9,170	1

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
S42, S52, S62, S82, S92, T10, T12.....	2,553	4	5	21	92	76	113	130	173	274	682	982	1
T02.....	671	4	3	14	89	79	111	84	52	60	104	71	-
S03, S13, S23, S33, S43, S53, S63, S73, S83, S93, T03.....	560	3	8	23	88	64	72	62	42	49	73	76	-
S05.....	93	5	3	2	6	4	4	8	7	8	20	26	-
S06.....	14,891	153	240	377	2,064	1,481	1,705	1,505	1,128	1,491	2,583	2,158	6
S26-S27, S36-S37.....	6,231	23	72	110	1,201	892	936	729	469	538	695	563	3
S07---T05.....	1,241	2	34	37	220	186	231	197	130	104	82	17	1
S00---T14.....	88,431	448	1,004	2,297	17,849	14,106	14,684	11,466	7,395	6,793	7,834	4,490	65
T15-T19.....	15,569	143	152	107	213	272	552	818	1,109	2,246	4,754	5,202	1
T20-T32.....	3,046	18	123	129	329	327	427	399	326	337	398	225	8
T36-T50.....	20,232	24	17	48	1,580	3,540	7,289	5,067	1,234	548	524	347	14
T51-T65.....	7,841	45	323	324	621	1,060	1,892	1,519	757	529	512	253	6
T74.....	196	105	55	7	3	-	-	6	5	2	4	8	1
T33-T35, T66-T73, T75-T78.....	17,341	655	666	827	2,672	2,650	3,176	2,322	1,329	1,118	1,129	746	51

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 3

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
T79-T88.....	21,462	246	123	206	406	555	1,106	2,052	3,010	4,897	6,022	2,838	1	
T90-T98.....	3,752	4	19	53	127	202	452	453	379	520	797	746	-	

- QUANTITY = 0.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS)

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/ -			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
A01-A02.....	52	30	22	41	24	17	11	6	5	7	4	3
A03,A06.....	23	12	11	19	10	9	4	2	2	2	1	1
A04,A07-A09.....	2,421	1,025	1,396	2,221	937	1,284	200	88	112	171	73	98
A16-A19.....	1,549	942	607	934	555	379	615	387	228	433	275	158
A16.....	1,280	811	469	777	481	296	503	330	173	350	233	117
A17-A19.....	278	139	139	159	75	84	119	64	55	89	48	41
A37.....	18	7	11	16	6	10	2	1	1	2	1	1
A38,A46.....	3	1	2	3	1	2	-	-	-	-	-	-
A39.....	219	112	107	168	80	88	51	32	19	45	28	17
A40-A41.....	137,393	63,297	74,096	109,791	50,609	59,182	27,602	12,688	14,914	24,437	11,087	13,350
A50-A53.....	137	69	68	66	28	38	71	41	30	70	41	29
A80.....	-	-	-	-	-	-	-	-	-	-	-	-
A83-A84,A85.2.....	2	2	-	2	2	-	-	-	-	-	-	-
B05.....	1	-	1	1	-	1	-	-	-	-	-	-
B15-B19.....	10,568	7,097	3,471	8,013	5,401	2,612	2,555	1,696	859	1,892	1,297	595

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/ -			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
B20-B24.....	15,768	11,848	3,920	7,184	5,929	1,255	8,584	5,919	2,665	8,439	5,800	2,639
B50-B54.....	8	6	2	5	3	2	3	3	-	2	2	-
A00---B99.....	17,332	9,103	8,229	13,873	7,263	6,610	3,459	1,840	1,619	2,941	1,555	1,386
C00-C97	613,747	320,252	293,495	533,867	277,683	256,184	79,880	42,569	37,311	67,691	36,075	31,616
C00-C14.....	9,205	6,147	3,058	7,605	4,954	2,651	1,600	1,193	407	1,309	988	321
C15.....	13,385	10,155	3,230	11,415	8,758	2,657	1,970	1,397	573	1,783	1,261	522
C16.....	13,945	8,064	5,881	10,715	6,259	4,456	3,230	1,805	1,425	2,393	1,328	1,065
C18-C21.....	68,488	34,118	34,370	59,378	29,610	29,768	9,110	4,508	4,602	7,819	3,794	4,025
C22.....	14,015	8,916	5,099	11,226	7,065	4,161	2,789	1,851	938	1,703	1,130	573
C25.....	30,703	15,004	15,699	26,462	13,056	13,406	4,241	1,948	2,293	3,600	1,648	1,952
C32.....	5,255	4,145	1,110	4,297	3,381	916	958	764	194	891	709	182
C33-C34.....	165,552	96,615	68,937	145,997	84,302	61,695	19,555	12,313	7,242	16,870	10,645	6,225
C43.....	8,146	5,009	3,137	7,950	4,922	3,028	196	87	109	151	67	84
C50.....	51,811	577	51,234	44,684	490	44,194	7,127	87	7,040	6,263	81	6,182
C53.....	4,744	...	4,744	3,572	...	3,572	1,172	...	1,172	982	...	982

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
C54-C55.....	7,929	...	7,929	6,589	...	6,589	1,340	...	1,340	1,197	...	1,197
C56.....	15,196	...	15,196	13,753	...	13,753	1,443	...	1,443	1,164	...	1,164
C61.....	44,407	44,407	...	36,792	36,792	...	7,615	7,615	...	7,029	7,029	...
C64-C65.....	13,657	8,455	5,202	12,197	7,554	4,643	1,460	901	559	1,220	745	475
C67.....	15,847	11,014	4,833	14,608	10,295	4,313	1,239	719	520	1,085	616	469
C70-C72.....	13,340	7,381	5,959	12,289	6,818	5,471	1,051	563	488	831	447	384
C81-C96	67,010	35,675	31,335	59,838	31,973	27,865	7,172	3,702	3,470	5,951	3,045	2,906
C81.....	1,785	970	815	1,627	883	744	158	87	71	133	72	61
C82-C85.....	27,158	14,257	12,901	24,905	13,053	11,852	2,253	1,204	1,049	1,709	915	794
C91-C95.....	25,737	14,243	11,494	23,238	12,891	10,347	2,499	1,352	1,147	2,038	1,091	947
C88,C90.....	13,173	6,703	6,470	10,824	5,599	5,225	2,349	1,104	1,245	2,148	1,006	1,142
C96.....	143	88	55	123	73	50	20	15	5	17	13	4
C17--C97.....	121,865	61,451	60,414	106,318	53,614	52,704	15,547	7,837	7,710	13,051	6,594	6,457
D00-D48.....	22,672	11,207	11,465	20,412	10,136	10,276	2,260	1,071	1,189	1,875	851	1,024
D50-D64.....	45,366	18,993	26,373	37,419	15,471	21,948	7,947	3,522	4,425	6,958	3,059	3,899

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
E10-E14.....	213,062	101,025	112,037	174,970	84,676	90,294	38,092	16,349	21,743	32,628	13,593	19,035
E40-E64.....	26,645	10,363	16,282	22,801	8,634	14,167	3,844	1,729	2,115	3,359	1,511	1,848
E40-E46.....	24,337	9,465	14,872	20,745	7,847	12,898	3,592	1,618	1,974	3,148	1,418	1,730
E50-E64.....	2,370	921	1,449	2,109	805	1,304	261	116	145	218	96	122
G00,G03.....	1,894	970	924	1,419	737	682	475	233	242	419	212	207
G20-G21.....	32,518	18,212	14,306	30,781	17,231	13,550	1,737	981	756	1,269	686	583
G30.....	84,178	26,101	58,077	78,350	24,265	54,085	5,828	1,836	3,992	5,117	1,561	3,556
I00-I78.....	1,395,702	654,813	740,889	1,208,780	566,562	642,218	186,922	88,251	98,671	160,841	74,303	86,538
I00-I09,I11,I13, I20-I51.....	1,235,596	588,066	647,530	1,069,118	508,692	560,426	166,478	79,374	87,104	143,173	66,748	76,425
I00-I09.....	7,213	2,409	4,804	6,523	2,188	4,335	690	221	469	528	164	364
I11.....	35,292	17,443	17,849	25,522	12,524	12,998	9,770	4,919	4,851	9,084	4,534	4,550
I13.....	3,165	1,461	1,704	2,062	958	1,104	1,103	503	600	1,036	471	565
I20-I25.....	668,196	341,135	327,061	591,456	303,315	288,141	76,740	37,820	38,920	65,562	31,339	34,223
I21-I22.....	233,179	121,139	112,040	204,948	107,411	97,537	28,231	13,728	14,503	24,188	11,390	12,798
I24.....	7,701	4,131	3,570	6,610	3,547	3,063	1,091	584	507	934	494	440

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
I20, I25	532,476	272,684	259,792	473,627	243,488	230,139	58,849	29,196	29,653	49,951	23,973	25,978
I25.0.....	97,272	50,525	46,747	82,189	42,434	39,755	15,083	8,091	6,992	13,309	7,035	6,274
I20, I25.1-I25.9	440,546	225,056	215,490	396,246	203,686	192,560	44,300	21,370	22,930	37,101	17,157	19,944
I26-I51	795,237	367,068	428,169	691,124	318,525	372,599	104,113	48,543	55,570	88,065	39,975	48,090
I33.....	2,411	1,366	1,045	1,874	1,085	789	537	281	256	476	244	232
I30-I31, I40.....	4,666	2,510	2,156	3,752	2,020	1,732	914	490	424	731	373	358
I50.....	290,171	122,202	167,969	261,513	110,064	151,449	28,658	12,138	16,520	24,851	10,249	14,602
I26-I28, I34-I38, I42-I49, I51..	602,223	285,591	316,632	516,809	244,951	271,858	85,414	40,640	44,774	71,660	33,227	38,433
I10, I12.....	214,864	87,113	127,751	174,445	69,734	104,711	40,419	17,379	23,040	35,306	14,867	20,439
I60-I69.....	281,672	113,575	168,097	241,503	96,363	145,140	40,169	17,212	22,957	33,948	14,220	19,728
I70.....	72,089	30,367	41,722	64,903	27,300	37,603	7,186	3,067	4,119	6,150	2,549	3,601
I71-I78	54,885	28,613	26,272	48,174	25,517	22,657	6,711	3,096	3,615	5,795	2,588	3,207
I71.....	21,922	13,425	8,497	19,805	12,281	7,524	2,117	1,144	973	1,673	870	803
I72-I78.....	33,845	15,746	18,099	29,172	13,747	15,425	4,673	1,999	2,674	4,192	1,757	2,435

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
I80-I99.....	34,474	16,350	18,124	28,827	13,617	15,210	5,647	2,733	2,914	4,947	2,345	2,602
J10-J18	222,013	106,616	115,397	196,985	93,519	103,466	25,028	13,097	11,931	20,560	10,616	9,944
J10-J11.....	2,313	917	1,396	2,171	852	1,319	142	65	77	114	49	65
J12-J18.....	219,728	105,715	114,013	194,840	92,682	102,158	24,888	13,033	11,855	20,447	10,568	9,879
J20-J22	1,143	454	689	998	385	613	145	69	76	125	56	69
J20-J21.....	877	361	516	747	300	447	130	61	69	112	49	63
J22.....	266	93	173	251	85	166	15	8	7	13	7	6
J40-J47	250,965	131,116	119,849	230,821	119,516	111,305	20,144	11,600	8,544	16,972	9,673	7,299
J40-J42.....	3,225	1,437	1,788	2,907	1,281	1,626	318	156	162	266	125	141
J43.....	29,047	16,084	12,963	26,931	14,696	12,235	2,116	1,388	728	1,772	1,160	612
J45-J46.....	9,653	3,358	6,295	7,183	2,403	4,780	2,470	955	1,515	2,099	789	1,310
J44,J47.....	210,111	110,744	99,367	194,729	101,566	93,163	15,382	9,178	6,204	12,941	7,655	5,286
J60-J66,J68.....	2,889	2,794	95	2,725	2,635	90	164	159	5	147	142	5
J69.....	57,351	29,960	27,391	50,798	26,506	24,292	6,553	3,454	3,099	5,516	2,851	2,665
J00-J06,J30-J39, J67,J70-J98.....	222,486	107,977	114,509	194,142	93,898	100,244	28,344	14,079	14,265	23,375	11,347	12,028

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
K25-K28.....	10,917	5,274	5,643	9,565	4,544	5,021	1,352	730	622	1,060	567	493
K35-K38.....	806	444	362	676	368	308	130	76	54	114	68	46
K40-K46.....	3,384	1,351	2,033	3,063	1,218	1,845	321	133	188	281	115	166
K70,K73-K74	40,472	26,285	14,187	34,671	22,623	12,048	5,801	3,662	2,139	4,464	2,886	1,578
K70.....	8,887	6,635	2,252	7,543	5,743	1,800	1,344	892	452	1,028	692	336
K73-K74.....	32,325	20,203	12,122	27,765	17,360	10,405	4,560	2,843	1,717	3,512	2,249	1,263
K80-K82.....	5,859	2,608	3,251	5,133	2,295	2,838	726	313	413	565	224	341
N00-N07,N17-N19, N25-N27.....	195,159	99,329	95,830	157,936	81,745	76,191	37,223	17,584	19,639	32,249	14,990	17,259
N00-N01,N04.....	492	245	247	387	182	205	105	63	42	87	49	38
N02-N03 N05-N07,N26....	1,229	634	595	972	517	455	257	117	140	209	96	113
N17-N19.....	194,030	98,773	95,257	157,069	81,312	75,757	36,961	17,461	19,500	32,024	14,887	17,137
N25,N27.....	180	73	107	126	56	70	54	17	37	45	14	31
N10-N12,N13.6,N15.1.	1,746	570	1,176	1,465	463	1,002	281	107	174	230	92	138
N40.....	2,622	2,622	...	2,364	2,364	...	258	258	...	212	212	...

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
N70-N76.....	293	...	293	234	...	234	59	...	59	53	...	53
000-099	452	...	452	270	...	270	182	...	182	161	...	161
000-007.....	43	...	43	21	...	21	22	...	22	22	...	22
010-099.....	418	...	418	253	...	253	165	...	165	144	...	144
P00-P96.....	18,011	10,137	7,874	11,278	6,333	4,945	6,733	3,804	2,929	6,024	3,408	2,616
Q00-Q99.....	15,214	7,945	7,269	12,228	6,371	5,857	2,986	1,574	1,412	2,477	1,308	1,169
R00-R99.....	288,933	130,389	158,544	249,259	111,008	138,251	39,674	19,381	20,293	33,567	16,164	17,403
RESIDUAL.....	579,659	255,844	323,815	501,591	218,655	282,936	78,068	37,189	40,879	67,052	31,523	35,529
V01-X59,Y85-Y86	134,558	81,067	53,491	115,428	68,516	46,912	19,130	12,551	6,579	15,559	10,299	5,260
V01-V99,Y85	47,706	32,872	14,834	39,921	27,427	12,494	7,785	5,445	2,340	5,942	4,276	1,666
V02---V89.2.....	44,118	30,011	14,107	36,822	24,951	11,871	7,296	5,060	2,236	5,584	3,987	1,597
V01---V89.9.....	1,573	1,183	390	1,294	977	317	279	206	73	214	163	51
V90-V99,Y85.....	2,020	1,682	338	1,810	1,503	307	210	179	31	144	126	18
W00-X59,Y86	87,177	48,455	38,722	75,794	41,318	34,476	11,383	7,137	4,246	9,647	6,051	3,596
W00-W19.....	17,487	8,759	8,728	16,160	7,966	8,194	1,327	793	534	974	585	389

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/ -			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
W32-W34.....	816	706	110	644	558	86	172	148	24	144	124	20
W65-W74.....	3,594	2,810	784	2,779	2,171	608	815	639	176	605	484	121
X00-X09.....	3,541	2,121	1,420	2,499	1,509	990	1,042	612	430	966	572	394
X40-X49.....	15,205	10,725	4,480	12,350	8,737	3,613	2,855	1,988	867	2,588	1,814	774
W20-W31,W35-W64, W75-W99, X10-X39, X50-X59,Y86...	47,163	23,735	23,428	41,921	20,735	21,186	5,242	3,000	2,242	4,421	2,507	1,914
X60-X84,Y87.0	29,604	23,796	5,808	26,710	21,457	5,253	2,894	2,339	555	1,979	1,649	330
X72-X74.....	16,691	14,544	2,147	15,277	13,302	1,975	1,414	1,242	172	1,092	967	125
X60-X71,X75-X84, Y87.0.....	12,942	9,277	3,665	11,458	8,177	3,281	1,484	1,100	384	889	684	205
X85-Y09,Y87.1	16,950	12,943	4,007	8,460	6,007	2,453	8,490	6,936	1,554	7,922	6,518	1,404
X93-X95.....	10,827	9,024	1,803	4,820	3,696	1,124	6,007	5,328	679	5,709	5,091	618
X85-X92,X96-Y09, Y87.1.....	6,205	3,976	2,229	3,677	2,335	1,342	2,528	1,641	887	2,255	1,458	797
Y35,Y89.0.....	365	354	11	240	234	6	125	120	5	114	111	3
Y10-Y34,Y87.2,Y89.9	4,090	2,810	1,280	3,272	2,219	1,053	818	591	227	712	517	195

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Y22-Y24.....	235	193	42	172	140	32	63	53	10	54	47	7
Y10-Y21,Y25-Y34, Y87.2,Y89.9....	3,858	2,619	1,239	3,102	2,080	1,022	756	539	217	659	471	188
Y36,Y89.1.....	48	48	-	45	45	-	3	3	-	3	3	-
Y40-Y84,Y88.....	32,863	16,833	16,030	28,269	14,657	13,612	4,594	2,176	2,418	3,883	1,796	2,087
S00-T98.....	196,839	126,520	70,319	163,228	103,099	60,129	33,611	23,421	10,190	28,120	19,827	8,293
S02.....	3,722	2,647	1,075	3,181	2,235	946	541	412	129	412	321	91
S12,S22,S32,T08.....	7,083	3,791	3,292	6,429	3,372	3,057	654	419	235	501	325	176
S72.....	15,670	5,522	10,148	14,935	5,213	9,722	735	309	426	582	247	335
S42,S52,S62,S82,S92, T10,T12.....	2,553	836	1,717	2,329	742	1,587	224	94	130	177	71	106
T02.....	671	406	265	586	347	239	85	59	26	64	46	18
S03,S13,S23,S33,S43, S53,S63,S73,S83, S93,T03.....	560	349	211	476	291	185	84	58	26	67	46	21
S05.....	93	53	40	73	39	34	20	14	6	17	12	5
S06.....	14,891	10,022	4,869	12,580	8,347	4,233	2,311	1,675	636	1,789	1,325	464

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 4

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
S26-S27,S36-S37.....	6,231	4,295	1,936	4,755	3,144	1,611	1,476	1,151	325	1,283	1,033	250
S07---T05.....	1,241	946	295	1,060	807	253	181	139	42	146	116	30
S00---T14.....	88,431	64,913	23,518	70,344	50,894	19,450	18,087	14,019	4,068	15,155	12,010	3,145
T15-T19.....	15,569	7,993	7,576	13,478	6,881	6,597	2,091	1,112	979	1,817	944	873
T20-T32.....	3,046	2,014	1,032	2,280	1,532	748	766	482	284	676	426	250
T36-T50.....	20,232	13,363	6,869	16,846	11,051	5,795	3,386	2,312	1,074	3,066	2,113	953
T51-T65.....	7,841	5,531	2,310	6,337	4,565	1,772	1,504	966	538	1,297	838	459
T74.....	196	113	83	117	72	45	79	41	38	71	37	34
T33-T35,T66-T73, T75-T78.....	17,341	12,959	4,382	14,035	10,587	3,448	3,306	2,372	934	2,440	1,743	697
T79-T88.....	21,462	11,238	10,224	18,177	9,656	8,521	3,285	1,582	1,703	2,818	1,338	1,480
T90-T98.....	3,752	2,279	1,473	3,162	1,864	1,298	590	415	175	489	346	143

1/ INCLUDES BLACK
- QUANTITY = 0

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS)

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/ -			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
A01-A02.....	55	32	23	44	26	18	11	6	5	7	4	3
A03,A06.....	23	12	11	19	10	9	4	2	2	2	1	1
A04,A07-A09.....	2,461	1,059	1,402	2,247	961	1,286	214	98	116	185	83	102
A16-A19.....	1,676	1,041	635	986	598	388	690	443	247	505	328	177
A16.....	1,387	895	492	822	518	304	565	377	188	408	277	131
A17-A19.....	306	159	147	169	82	87	137	77	60	106	60	46
A37.....	18	7	11	16	6	10	2	1	1	2	1	1
A38,A46.....	3	1	2	3	1	2	-	-	-	-	-	-
A39.....	220	113	107	169	81	88	51	32	19	45	28	17
A40-A41.....	138,959	64,406	74,553	110,424	51,086	59,338	28,535	13,320	15,215	25,351	11,706	13,645
A50-A53.....	146	77	69	69	31	38	77	46	31	76	46	30
A80.....	-	-	-	-	-	-	-	-	-	-	-	-
A83-A84,A85.2.....	2	2	-	2	2	-	-	-	-	-	-	-
B05.....	1	-	1	1	-	1	-	-	-	-	-	-
B15-B19.....	11,182	7,577	3,605	8,430	5,737	2,693	2,752	1,840	912	2,078	1,431	647

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
B20-B24.....	15,687	11,791	3,896	7,149	5,904	1,245	8,538	5,887	2,651	8,394	5,769	2,625
B50-B54.....	9	7	2	6	4	2	3	3	-	2	2	-
A00---B99.....	19,705	10,810	8,895	15,100	8,187	6,913	4,605	2,623	1,982	4,056	2,316	1,740
C00-C97	615,208	321,487	293,721	534,722	278,441	256,281	80,486	43,046	37,440	68,279	36,535	31,744
C00-C14.....	9,229	6,167	3,062	7,615	4,964	2,651	1,614	1,203	411	1,323	998	325
C15.....	13,527	10,266	3,261	11,535	8,852	2,683	1,992	1,414	578	1,802	1,277	525
C16.....	13,958	8,074	5,884	10,718	6,261	4,457	3,240	1,813	1,427	2,402	1,335	1,067
C18-C21.....	68,564	34,185	34,379	59,419	29,647	29,772	9,145	4,538	4,607	7,852	3,822	4,030
C22.....	14,067	8,962	5,105	11,251	7,089	4,162	2,816	1,873	943	1,728	1,150	578
C25.....	30,716	15,014	15,702	26,468	13,060	13,408	4,248	1,954	2,294	3,607	1,654	1,953
C32.....	5,270	4,159	1,111	4,302	3,385	917	968	774	194	901	719	182
C33-C34.....	165,769	96,791	68,978	146,099	84,392	61,707	19,670	12,399	7,271	16,984	10,730	6,254
C43.....	8,273	5,084	3,189	8,073	4,995	3,078	200	89	111	153	68	85
C50.....	51,826	577	51,249	44,690	490	44,200	7,136	87	7,049	6,272	81	6,191
C53.....	4,763	...	4,763	3,580	...	3,580	1,183	...	1,183	993	...	993

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/ -			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
C54-C55.....	7,973	...	7,973	6,623	...	6,623	1,350	...	1,350	1,207	...	1,207
C56.....	15,200	...	15,200	13,756	...	13,756	1,444	...	1,444	1,165	...	1,165
C61.....	44,420	44,420	...	36,795	36,795	...	7,625	7,625	...	7,039	7,039	...
C64-C65.....	13,665	8,463	5,202	12,202	7,559	4,643	1,463	904	559	1,223	748	475
C67.....	15,852	11,017	4,835	14,611	10,298	4,313	1,241	719	522	1,087	616	471
C70-C72.....	13,355	7,392	5,963	12,298	6,826	5,472	1,057	566	491	837	450	387
C81-C96	67,720	36,276	31,444	60,294	32,376	27,918	7,426	3,900	3,526	6,198	3,236	2,962
C81.....	1,823	1,004	819	1,652	905	747	171	99	72	146	84	62
C82-C85.....	27,801	14,804	12,997	25,320	13,421	11,899	2,481	1,383	1,098	1,930	1,087	843
C91-C95.....	25,759	14,257	11,502	23,248	12,898	10,350	2,511	1,359	1,152	2,049	1,097	952
C88,C90.....	13,179	6,708	6,471	10,829	5,604	5,225	2,350	1,104	1,246	2,149	1,006	1,143
C96.....	170	107	63	146	89	57	24	18	6	21	16	5
C17--C97.....	152,575	77,356	75,219	132,410	67,017	65,393	20,165	10,339	9,826	17,078	8,796	8,282
D00-D48.....	23,817	11,828	11,989	21,452	10,705	10,747	2,365	1,123	1,242	1,956	892	1,064
D50-D64.....	45,504	19,074	26,430	37,487	15,508	21,979	8,017	3,566	4,451	7,025	3,101	3,924

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
E10-E14.....	213,064	101,025	112,039	174,972	84,676	90,296	38,092	16,349	21,743	32,628	13,593	19,035
E40-E64.....	26,724	10,419	16,305	22,843	8,665	14,178	3,881	1,754	2,127	3,395	1,536	1,859
E40-E46.....	24,409	9,517	14,892	20,782	7,876	12,906	3,627	1,641	1,986	3,182	1,441	1,741
E50-E64.....	2,377	925	1,452	2,114	807	1,307	263	118	145	220	98	122
G00,G03.....	1,987	1,031	956	1,459	763	696	528	268	260	470	246	224
G20-G21.....	32,543	18,228	14,315	30,804	17,247	13,557	1,739	981	758	1,271	686	585
G30.....	84,180	26,102	58,078	78,351	24,265	54,086	5,829	1,837	3,992	5,118	1,562	3,556
I00-I78.....	1,400,796	657,868	742,928	1,211,900	568,454	643,446	188,896	89,414	99,482	162,746	75,427	87,319
I00-I09,I11,I13, I20-I51.....	1,241,333	591,241	650,092	1,072,090	510,373	561,717	169,243	80,868	88,375	145,812	68,178	77,634
I00-I09.....	6,951	2,303	4,648	6,294	2,100	4,194	657	203	454	504	152	352
I11.....	38,311	18,831	19,480	27,455	13,418	14,037	10,856	5,413	5,443	10,103	4,996	5,107
I13.....	147	74	73	126	64	62	21	10	11	21	10	11
I20-I25.....	668,382	341,232	327,150	591,573	303,379	288,194	76,809	37,853	38,956	65,629	31,371	34,258
I21-I22.....	233,373	121,247	112,126	205,062	107,478	97,584	28,311	13,769	14,542	24,265	11,429	12,836
I24.....	7,713	4,137	3,576	6,620	3,552	3,068	1,093	585	508	936	495	441

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
I20, I25	532,519	272,698	259,821	473,661	243,502	230,159	58,858	29,196	29,662	49,959	23,973	25,986
I25.0.....	97,279	50,526	46,753	82,195	42,435	39,760	15,084	8,091	6,993	13,310	7,035	6,275
I20, I25.1-I25.9	440,877	225,224	215,653	396,538	203,844	192,694	44,339	21,380	22,959	37,137	17,167	19,970
I26-I51	802,573	370,580	431,993	695,885	320,664	375,221	106,688	49,916	56,772	90,542	41,304	49,238
I33.....	2,438	1,382	1,056	1,888	1,093	795	550	289	261	488	252	236
I30-I31, I40.....	4,692	2,525	2,167	3,765	2,026	1,739	927	499	428	744	382	362
I50.....	296,146	124,362	171,784	266,115	111,691	154,424	30,031	12,671	17,360	26,130	10,745	15,385
I26-I28, I34-I38, I42-I49, I51..	607,051	288,363	318,688	519,760	246,600	273,160	87,291	41,763	45,528	73,469	34,309	39,160
I10, I12.....	215,043	87,180	127,863	174,585	69,788	104,797	40,458	17,392	23,066	35,341	14,877	20,464
I60-I69.....	281,904	113,674	168,230	241,621	96,411	145,210	40,283	17,263	23,020	34,054	14,270	19,784
I70.....	72,097	30,370	41,727	64,909	27,301	37,608	7,188	3,069	4,119	6,152	2,551	3,601
I71-I78	65,916	34,535	31,381	57,177	30,547	26,630	8,739	3,988	4,751	7,592	3,355	4,237
I71.....	21,928	13,430	8,498	19,808	12,284	7,524	2,120	1,146	974	1,676	872	804
I72-I78.....	45,064	21,789	23,275	38,348	18,891	19,457	6,716	2,898	3,818	5,998	2,527	3,471

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
I80-I99.....	35,125	16,668	18,457	29,342	13,881	15,461	5,783	2,787	2,996	5,068	2,392	2,676
J10-J18	225,075	108,535	116,540	198,855	94,669	104,186	26,220	13,866	12,354	21,691	11,346	10,345
J10-J11.....	2,314	917	1,397	2,171	852	1,319	143	65	78	115	49	66
J12-J18.....	223,683	107,986	115,697	197,561	94,163	103,398	26,122	13,823	12,299	21,611	11,313	10,298
J20-J22	1,636	681	955	1,465	597	868	171	84	87	147	68	79
J20-J21.....	1,306	555	751	1,154	481	673	152	74	78	131	59	72
J22.....	331	126	205	311	116	195	20	10	10	17	9	8
J40-J47	251,105	131,157	119,948	230,949	119,551	111,398	20,156	11,606	8,550	16,982	9,679	7,303
J40-J42.....	5,151	2,456	2,695	4,676	2,205	2,471	475	251	224	395	202	193
J43.....	33,541	18,558	14,983	31,099	16,966	14,133	2,442	1,592	850	2,045	1,326	719
J45-J46.....	12,050	4,225	7,825	9,222	3,128	6,094	2,828	1,097	1,731	2,388	896	1,492
J44,J47.....	209,605	110,436	99,169	194,279	101,300	92,979	15,326	9,136	6,190	12,890	7,617	5,273
J60-J66,J68.....	2,894	2,799	95	2,730	2,640	90	164	159	5	147	142	5
J69.....	57,569	30,063	27,506	50,959	26,570	24,389	6,610	3,493	3,117	5,569	2,889	2,680
J00-J06,J30-J39, J67,J70-J98.....	225,624	109,646	115,978	196,619	95,203	101,416	29,005	14,443	14,562	23,963	11,680	12,283

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
K25-K28.....	10,931	5,282	5,649	9,574	4,551	5,023	1,357	731	626	1,065	568	497
K35-K38.....	806	444	362	676	368	308	130	76	54	114	68	46
K40-K46.....	3,384	1,351	2,033	3,063	1,218	1,845	321	133	188	281	115	166
K70,K73-K74	39,677	25,708	13,969	34,025	22,140	11,885	5,652	3,568	2,084	4,351	2,807	1,544
K70.....	6,601	4,914	1,687	5,651	4,282	1,369	950	632	318	713	477	236
K73-K74.....	33,804	21,329	12,475	28,999	18,324	10,675	4,805	3,005	1,800	3,715	2,383	1,332
K80-K82.....	5,867	2,613	3,254	5,138	2,298	2,840	729	315	414	568	226	342
N00-N07,N17-N19, N25-N27.....	206,312	104,617	101,695	164,602	84,998	79,604	41,710	19,619	22,091	36,349	16,825	19,524
N00-N01,N04.....	699	331	368	537	246	291	162	85	77	132	65	67
N02-N03 N05-N07,N26....	1,533	795	738	1,202	632	570	331	163	168	274	136	138
N17-N19.....	204,940	103,935	101,005	163,548	84,470	79,078	41,392	19,465	21,927	36,078	16,696	19,382
N25,N27.....	181	73	108	126	56	70	55	17	38	46	14	32
N10-N12,N13.6,N15.1.	1,747	571	1,176	1,464	462	1,002	283	109	174	231	93	138
N40.....	2,622	2,622	...	2,364	2,364	...	258	258	...	212	212	...

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
N70-N76.....	295	...	295	234	...	234	61	...	61	55	...	55
000-099	452	...	452	270	...	270	182	...	182	161	...	161
000-007.....	43	...	43	21	...	21	22	...	22	22	...	22
010-099.....	420	...	420	253	...	253	167	...	167	146	...	146
P00-P96.....	18,013	10,139	7,874	11,279	6,334	4,945	6,734	3,805	2,929	6,025	3,409	2,616
Q00-Q99.....	15,238	7,953	7,285	12,248	6,378	5,870	2,990	1,575	1,415	2,480	1,309	1,171
R00-R99.....	294,029	133,095	160,934	252,856	112,929	139,927	41,173	20,166	21,007	34,932	16,880	18,052
RESIDUAL.....	591,026	262,227	328,799	510,347	223,605	286,742	80,679	38,622	42,057	69,310	32,762	36,548
V01-X59,Y85-Y86	134,558	81,067	53,491	115,428	68,516	46,912	19,130	12,551	6,579	15,559	10,299	5,260
V01-V99,Y85	47,706	32,872	14,834	39,921	27,427	12,494	7,785	5,445	2,340	5,942	4,276	1,666
V02---V89.2.....	44,118	30,011	14,107	36,822	24,951	11,871	7,296	5,060	2,236	5,584	3,987	1,597
V01---V89.9.....	1,573	1,183	390	1,294	977	317	279	206	73	214	163	51
V90-V99,Y85.....	2,020	1,682	338	1,810	1,503	307	210	179	31	144	126	18
W00-X59,Y86	87,177	48,455	38,722	75,794	41,318	34,476	11,383	7,137	4,246	9,647	6,051	3,596
W00-W19.....	17,487	8,759	8,728	16,160	7,966	8,194	1,327	793	534	974	585	389

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/ -			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
W32-W34.....	816	706	110	644	558	86	172	148	24	144	124	20
W65-W74.....	3,594	2,810	784	2,779	2,171	608	815	639	176	605	484	121
X00-X09.....	3,541	2,121	1,420	2,499	1,509	990	1,042	612	430	966	572	394
X40-X49.....	15,205	10,725	4,480	12,350	8,737	3,613	2,855	1,988	867	2,588	1,814	774
W20-W31,W35-W64, W75-W99, X10-X39, X50-X59,Y86...	47,163	23,735	23,428	41,921	20,735	21,186	5,242	3,000	2,242	4,421	2,507	1,914
X60-X84,Y87.0	29,604	23,796	5,808	26,710	21,457	5,253	2,894	2,339	555	1,979	1,649	330
X72-X74.....	16,691	14,544	2,147	15,277	13,302	1,975	1,414	1,242	172	1,092	967	125
X60-X71,X75-X84, Y87.0.....	12,942	9,277	3,665	11,458	8,177	3,281	1,484	1,100	384	889	684	205
X85-Y09,Y87.1	16,950	12,943	4,007	8,460	6,007	2,453	8,490	6,936	1,554	7,922	6,518	1,404
X93-X95.....	10,827	9,024	1,803	4,820	3,696	1,124	6,007	5,328	679	5,709	5,091	618
X85-X92,X96-Y09, Y87.1.....	6,205	3,976	2,229	3,677	2,335	1,342	2,528	1,641	887	2,255	1,458	797
Y35,Y89.0.....	365	354	11	240	234	6	125	120	5	114	111	3
Y10-Y34,Y87.2,Y89.9	4,090	2,810	1,280	3,272	2,219	1,053	818	591	227	712	517	195

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Y22-Y24.....	235	193	42	172	140	32	63	53	10	54	47	7
Y10-Y21,Y25-Y34, Y87.2,Y89.9....	3,858	2,619	1,239	3,102	2,080	1,022	756	539	217	659	471	188
Y36,Y89.1.....	48	48	-	45	45	-	3	3	-	3	3	-
Y40-Y84,Y88.....	32,863	16,833	16,030	28,269	14,657	13,612	4,594	2,176	2,418	3,883	1,796	2,087
S00-T98.....	196,839	126,520	70,319	163,228	103,099	60,129	33,611	23,421	10,190	28,120	19,827	8,293
S02.....	3,722	2,647	1,075	3,181	2,235	946	541	412	129	412	321	91
S12,S22,S32,T08.....	7,083	3,791	3,292	6,429	3,372	3,057	654	419	235	501	325	176
S72.....	15,670	5,522	10,148	14,935	5,213	9,722	735	309	426	582	247	335
S42,S52,S62,S82,S92, T10,T12.....	2,553	836	1,717	2,329	742	1,587	224	94	130	177	71	106
T02.....	671	406	265	586	347	239	85	59	26	64	46	18
S03,S13,S23,S33,S43, S53,S63,S73,S83, S93,T03.....	560	349	211	476	291	185	84	58	26	67	46	21
S05.....	93	53	40	73	39	34	20	14	6	17	12	5
S06.....	14,891	10,022	4,869	12,580	8,347	4,233	2,311	1,675	636	1,789	1,325	464

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 5

NUMBER OF RESIDENT DEATHS TABULATED BY
ENTITY AXIS MULTIPLE CAUSE-OF-DEATH, RACE, AND SEX: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	RACE											
	ALL RACES			WHITE			ALL OTHER 1/			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
S26-S27,S36-S37.....	6,231	4,295	1,936	4,755	3,144	1,611	1,476	1,151	325	1,283	1,033	250
S07---T05.....	1,241	946	295	1,060	807	253	181	139	42	146	116	30
S00---T14.....	88,431	64,913	23,518	70,344	50,894	19,450	18,087	14,019	4,068	15,155	12,010	3,145
T15-T19.....	15,569	7,993	7,576	13,478	6,881	6,597	2,091	1,112	979	1,817	944	873
T20-T32.....	3,046	2,014	1,032	2,280	1,532	748	766	482	284	676	426	250
T36-T50.....	20,232	13,363	6,869	16,846	11,051	5,795	3,386	2,312	1,074	3,066	2,113	953
T51-T65.....	7,841	5,531	2,310	6,337	4,565	1,772	1,504	966	538	1,297	838	459
T74.....	196	113	83	117	72	45	79	41	38	71	37	34
T33-T35,T66-T73, T75-T78.....	17,341	12,959	4,382	14,035	10,587	3,448	3,306	2,372	934	2,440	1,743	697
T79-T88.....	21,462	11,238	10,224	18,177	9,656	8,521	3,285	1,582	1,703	2,818	1,338	1,480
T90-T98.....	3,752	2,279	1,473	3,162	1,864	1,298	590	415	175	489	346	143

1/ INCLUDES BLACK.
- QUANTITY = 0.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 6

NUMBER OF DEATHS TABULATED BY
STATE OF OCCURRENCE AND MONTH: UNITED STATES, 2000

(DEATHS BY STATE OF OCCURRENCE INCLUDE FOREIGN RESIDENTS)

STATE OF OCCURRENCE	TOTAL	MONTH OF DEATH											
		JANUARY	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPT.	OCTOBER	NOV.	DEC.
UNITED STATES.....	2,407,193	248,182	203,662	202,178	190,735	193,440	183,446	188,900	189,023	187,271	200,102	199,582	220,672
ALABAMA.....	44,391	4,693	3,865	3,678	3,475	3,566	3,427	3,530	3,580	3,429	3,672	3,449	4,027
ALASKA.....	2,842	264	204	216	223	223	242	267	242	254	245	241	221
ARIZONA.....	41,507	4,238	3,713	3,704	3,372	3,343	3,042	3,147	3,158	3,228	3,332	3,504	3,726
ARKANSAS.....	27,681	2,896	2,418	2,272	2,145	2,126	2,096	2,249	2,129	2,089	2,262	2,292	2,707
CALIFORNIA.....	230,508	24,530	18,809	20,022	18,206	18,558	17,771	18,082	18,360	17,885	18,733	19,023	20,529
COLORADO.....	27,666	2,550	2,254	2,291	2,196	2,296	2,199	2,216	2,224	2,174	2,379	2,414	2,473
CONNECTICUT.....	30,239	3,215	2,588	2,464	2,305	2,441	2,207	2,448	2,289	2,413	2,501	2,547	2,821
DELAWARE.....	6,798	677	577	601	546	546	524	501	534	519	537	562	674
DISTRICT OF COLUMBIA.....	7,199	732	658	593	562	578	541	583	583	562	575	615	617
FLORIDA.....	165,524	16,719	14,804	14,258	13,505	13,547	12,610	12,856	13,026	12,595	13,386	13,461	14,757
GEORGIA.....	64,431	6,584	5,654	5,311	5,174	5,147	4,968	4,897	5,072	4,898	5,279	5,322	6,125
HAWAII.....	8,512	822	709	709	713	726	703	676	711	644	692	676	731
IDAHO.....	9,358	895	731	831	778	766	766	740	758	758	794	771	770
ILLINOIS.....	103,795	10,667	8,532	8,338	8,316	8,424	7,820	8,243	8,098	8,058	8,888	8,669	9,742
INDIANA.....	56,065	5,641	4,603	4,666	4,475	4,548	4,245	4,382	4,351	4,420	4,784	4,567	5,383
IOWA.....	27,727	2,950	2,355	2,329	2,240	2,012	2,077	2,218	2,118	2,150	2,419	2,262	2,597
KANSAS.....	24,117	2,632	2,046	1,972	1,867	1,918	1,759	1,854	1,904	1,871	1,978	2,003	2,313
KENTUCKY.....	38,989	3,979	3,341	3,236	3,060	3,115	3,001	3,008	3,025	3,083	3,219	3,319	3,603
LOUISIANA.....	41,564	4,287	3,514	3,507	3,269	3,337	3,162	3,308	3,307	3,285	3,397	3,387	3,804
MAINE.....	12,287	1,284	1,087	1,015	955	1,043	979	883	998	904	1,043	1,028	1,068

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 6

NUMBER OF DEATHS TABULATED BY
STATE OF OCCURRENCE AND MONTH: UNITED STATES, 2000

(DEATHS BY STATE OF OCCURRENCE INCLUDE FOREIGN RESIDENTS) - CONTINUED

STATE OF OCCURRENCE	TOTAL	MONTH OF DEATH											
		JANUARY	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPT.	OCTOBER	NOV.	DEC.
MARYLAND.....	43,617	4,504	3,767	3,659	3,426	3,387	3,445	3,301	3,496	3,355	3,718	3,641	3,918
MASSACHUSETTS.....	57,510	5,982	4,989	4,888	4,505	4,649	4,344	4,472	4,448	4,384	4,890	4,666	5,293
MICHIGAN.....	85,764	8,879	7,114	6,976	6,755	6,918	6,553	6,787	6,697	6,770	7,269	7,101	7,945
MINNESOTA.....	37,786	4,036	3,088	3,041	2,975	2,978	2,738	2,956	3,050	3,045	3,332	3,156	3,391
MISSISSIPPI.....	27,893	2,907	2,356	2,347	2,202	2,269	2,088	2,242	2,165	2,169	2,372	2,209	2,567
MISSOURI.....	56,396	6,144	4,732	4,768	4,463	4,308	4,168	4,451	4,393	4,429	4,565	4,706	5,269
MONTANA.....	8,042	707	648	713	676	686	587	659	668	664	678	629	727
NEBRASKA.....	15,185	1,618	1,266	1,305	1,194	1,164	1,095	1,195	1,141	1,152	1,332	1,325	1,398
NEVADA.....	15,793	1,470	1,266	1,423	1,301	1,357	1,227	1,221	1,246	1,262	1,337	1,317	1,366
NEW HAMPSHIRE.....	9,621	962	813	791	718	773	760	721	760	752	872	809	890
NEW JERSEY.....	72,823	7,675	6,160	5,919	5,716	5,940	5,669	5,689	5,659	5,506	6,053	6,113	6,724
NEW MEXICO.....	13,254	1,210	1,094	1,161	1,020	1,114	984	1,080	1,074	1,057	1,170	1,096	1,194
NEW YORK.....	96,704	9,954	7,986	8,097	7,611	7,862	7,358	7,517	7,688	7,421	8,109	8,191	8,910
NORTH CAROLINA.....	72,540	7,430	6,391	5,985	5,658	5,790	5,413	5,565	5,644	5,756	5,916	6,024	6,968
NORTH DAKOTA.....	6,279	597	493	495	478	513	502	516	465	507	574	542	597
OHIO.....	107,911	11,010	9,198	9,207	8,532	8,553	8,225	8,405	8,385	8,362	8,951	9,001	10,082
OKLAHOMA.....	34,134	3,668	2,795	2,849	2,634	2,749	2,553	2,772	2,674	2,701	2,757	2,820	3,162
OREGON.....	29,567	2,856	2,389	2,485	2,373	2,447	2,286	2,418	2,345	2,378	2,518	2,428	2,644
PENNSYLVANIA.....	131,815	13,536	11,242	11,297	10,424	10,548	10,002	10,343	10,270	10,166	10,967	11,063	11,957
RHODE ISLAND.....	10,142	1,143	883	827	759	798	769	775	783	799	855	824	927
SOUTH CAROLINA.....	36,170	3,634	3,182	3,004	2,755	2,915	2,714	2,813	2,839	2,887	3,014	3,038	3,375
SOUTH DAKOTA.....	7,229	750	629	615	537	558	534	579	571	594	598	642	622
TENNESSEE.....	58,468	5,877	4,998	4,855	4,721	4,616	4,440	4,619	4,635	4,531	4,870	4,800	5,506
TEXAS.....	151,972	15,945	12,868	12,513	12,100	12,067	11,812	12,214	11,847	11,945	12,355	12,498	13,808
UTAH.....	12,690	1,186	955	1,111	1,045	1,086	963	999	1,020	1,037	1,116	1,066	1,106

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 6

NUMBER OF DEATHS TABULATED BY
STATE OF OCCURRENCE AND MONTH: UNITED STATES, 2000

(DEATHS BY STATE OF OCCURRENCE INCLUDE FOREIGN RESIDENTS) - CONTINUED

STATE OF OCCURRENCE	TOTAL	MONTH OF DEATH											
		JANUARY	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPT.	OCTOBER	NOV.	DEC.
VERMONT.....	5,100	538	407	417	409	401	378	404	422	388	450	408	478
VIRGINIA.....	55,689	5,535	4,872	4,719	4,392	4,501	4,206	4,416	4,397	4,315	4,565	4,675	5,096
WASHINGTON.....	43,907	4,322	3,609	3,731	3,510	3,579	3,474	3,423	3,466	3,429	3,696	3,692	3,976
WEST VIRGINIA.....	21,061	2,159	1,806	1,814	1,629	1,656	1,596	1,628	1,617	1,652	1,763	1,738	2,003
WISCONSIN.....	46,352	4,800	3,755	3,780	3,701	3,655	3,455	3,593	3,644	3,761	4,050	3,847	4,311
WYOMING.....	3,746	338	280	328	299	322	289	308	319	308	300	317	338