

Multiple Cause of Death Public Use File
Control Total Table 1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
A00.0	-	-	-	-	A06.0	-	-	-	-	A18.2	1	3	2	3
A00.1	-	-	-	-	A06.1	-	-	-	-	A18.3	3	7	4	8
A00.9	-	-	-	-	A06.2	-	-	-	-	A18.4	1	2	1	2
A01.0	-	-	-	-	A06.3	-	-	-	-	A18.5	-	-	-	-
A01.1	-	-	-	-	A06.4	2	3	1	3	A18.6	-	-	-	-
A01.2	-	-	-	-	A06.5	-	-	-	-	A18.7	1	-	-	-
A01.3	-	-	-	-	A06.6	-	1	1	1	A18.8	4	4	2	1
A01.4	-	1	1	1	A06.7	-	1	1	1	A19.0	-	-	-	-
A02.0	17	21	6	21	A06.8	-	-	-	-	A19.1	-	-	-	-
A02.1	23	25	6	24	A06.9	3	5	2	5	A19.2	-	-	-	-
A02.2	1	2	2	2	A07.0	-	-	-	-	A19.8	2	2	-	2
A02.8	-	-	-	-	A07.1	-	1	1	2	A19.9	58	89	31	106
A02.9	2	12	10	14	A07.2	-	2	2	3	A20.0	-	-	-	-
A03.0	-	-	-	-	A07.3	1	19	18	30	A20.1	-	-	-	-
A03.1	-	-	-	-	A07.8	-	-	-	-	A20.2	-	-	-	-
A03.2	-	-	-	-	A07.9	-	-	-	-	A20.3	-	-	-	-
A03.3	-	-	-	-	A08.0	3	6	3	6	A20.7	-	-	-	-
A03.8	-	-	-	-	A08.1	1	1	-	1	A20.8	-	-	-	-
A03.9	2	5	3	5	A08.2	-	3	3	3	A20.9	-	-	-	-
A04.0	-	-	-	-	A08.3	-	-	-	-	A21.0	-	-	-	-
A04.1	-	-	-	-	A08.4	126	190	65	191	A21.1	-	-	-	-
A04.2	-	-	-	-	A08.5	-	-	-	-	A21.2	-	-	-	-
A04.3	-	-	-	-	A09	98	133	35	134	A21.3	-	-	-	-
A04.4	2	2	-	2	A16.2	334	477	211	495	A21.7	2	2	-	2
A04.5	-	1	1	1	A16.3	-	-	-	-	A21.8	-	-	-	-
A04.6	-	-	-	-	A16.4	2	3	2	3	A21.9	-	-	-	-
A04.7	2,776	4,681	1,905	4,692	A16.5	6	10	6	10	A22.0	-	-	-	-
A04.8	62	112	50	112	A16.7	-	-	-	-	A22.1	-	-	-	-
A04.9	21	26	5	27	A16.8	-	-	-	-	A22.2	-	-	-	-
A05.0	-	-	-	-	A16.9	220	639	420	716	A22.7	-	-	-	-
A05.1	6	7	1	7	A17.0	10	14	6	18	A22.8	-	-	-	-
A05.2	2	2	-	2	A17.1	-	-	-	-	A22.9	-	-	-	-
A05.3	1	1	-	1	A17.8	3	4	2	4	A23.0	-	-	-	-
A05.4	-	-	-	-	A17.9	1	2	1	2	A23.1	-	-	-	-
A05.8	-	-	-	-	A18.0	64	124	60	125	A23.2	-	-	-	-
A05.9	-	1	1	4	A18.1	1	5	5	5	A23.3	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
A23.8	-	-	-	-	A32.7	11	13	7	13	A41.5	718	3,146	2,428	3,217
A23.9	-	1	1	1	A32.8	1	1	-	1	A41.8	117	439	322	448
A24.0	-	-	-	-	A32.9	4	16	12	16	A41.9	31,183	135,424	104,245	137,359
A24.1	1	-	-	-	A33	-	-	-	-	A42.0	4	5	2	4
A24.2	-	-	-	-	A34	-	-	-	-	A42.1	-	-	-	-
A24.3	-	-	-	-	A35	4	5	1	5	A42.2	-	-	-	-
A24.4	-	1	1	1	A36.0	-	-	-	-	A42.7	1	-	-	-
A25.0	-	-	-	-	A36.1	-	-	-	-	A42.8	1	3	2	3
A25.1	1	1	-	1	A36.2	-	-	-	-	A42.9	2	11	9	13
A25.9	1	1	-	1	A36.3	-	1	-	-	A43.0	34	62	29	56
A26.0	-	-	-	-	A36.8	-	-	-	-	A43.1	-	-	-	-
A26.7	-	-	-	-	A36.9	1	3	2	3	A43.8	3	7	4	8
A26.8	-	-	-	-	A37.0	-	-	-	-	A43.9	13	40	27	51
A26.9	-	-	-	-	A37.1	-	-	-	-	A44.0	-	-	-	-
A27.0	-	-	-	-	A37.8	-	1	1	1	A44.1	-	-	-	-
A27.8	-	-	-	-	A37.9	11	13	2	13	A44.8	-	-	-	-
A27.9	-	-	-	-	A38	-	1	1	1	A44.9	-	-	-	-
A28.0	15	18	3	18	A39.0	49	51	4	51	A46	1	3	2	3
A28.1	-	1	1	1	A39.1	32	37	5	37	A48.0	22	62	40	62
A28.2	-	-	-	-	A39.2	1	3	2	3	A48.1	98	117	19	118
A28.8	8	15	7	16	A39.3	-	-	-	-	A48.2	-	-	-	-
A28.9	-	-	-	-	A39.4	76	84	8	85	A48.3	71	83	12	83
A30.0	-	-	-	-	A39.5	-	-	-	-	A48.4	-	-	-	1
A30.1	-	-	-	-	A39.8	-	1	1	1	A48.8	12	20	8	20
A30.2	-	-	-	-	A39.9	3	6	3	6	A49.0	382	2,669	2,287	2,682
A30.3	-	-	-	-	A40.0	22	41	19	42	A49.1	93	628	535	636
A30.4	-	-	-	-	A40.1	24	45	21	45	A49.2	5	26	21	26
A30.5	-	-	-	-	A40.2	157	540	383	560	A49.3	2	9	7	11
A30.8	-	-	-	-	A40.3	188	544	356	566	A49.8	92	871	779	879
A30.9	2	7	5	7	A40.8	13	40	27	41	A49.9	393	2,967	2,574	3,046
A31.0	193	447	255	637	A40.9	135	406	271	416	A50.0	-	-	-	-
A31.1	-	-	-	-	A41.0	691	2,368	1,677	2,405	A50.1	-	-	-	-
A31.8	6	12	6	13	A41.1	19	81	62	84	A50.2	-	-	-	-
A31.9	41	99	58	117	A41.2	723	2,225	1,502	2,255	A50.3	-	-	-	-
A32.0	-	-	-	-	A41.3	12	27	15	27	A50.4	-	-	-	-
A32.1	17	25	8	25	A41.4	67	209	142	210	A50.5	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
A50.6	-	-	-	-	A58	1	1	-	1	A71.1	-	-	-	-
A50.7	-	-	-	-	A59.0	-	-	-	-	A71.9	-	-	-	-
A50.9	1	8	7	8	A59.8	-	-	-	-	A74.0	-	-	-	-
A51.0	-	1	1	1	A59.9	-	-	-	-	A74.8	-	-	-	-
A51.1	-	-	-	-	A60.0	-	6	6	7	A74.9	-	-	-	-
A51.2	-	1	1	1	A60.1	-	-	-	-	A75.0	-	-	-	-
A51.3	-	-	-	-	A60.9	-	1	1	1	A75.1	-	-	-	-
A51.4	-	1	1	1	A63.0	1	5	4	5	A75.2	-	1	1	1
A51.5	-	-	-	-	A63.8	-	-	-	-	A75.3	-	-	-	-
A51.9	-	1	1	1	A64	7	15	8	15	A75.9	-	-	-	-
A52.0	5	9	5	9	A65	-	-	-	-	A77.0	9	9	-	9
A52.1	4	18	14	17	A66.0	-	-	-	-	A77.1	-	-	-	-
A52.2	-	-	-	-	A66.1	-	-	-	-	A77.2	-	-	-	-
A52.3	14	47	33	57	A66.2	-	-	-	-	A77.3	-	-	-	-
A52.7	2	2	-	1	A66.3	-	-	-	-	A77.8	3	4	1	4
A52.8	-	1	1	1	A66.4	-	-	-	-	A77.9	-	-	-	-
A52.9	4	10	6	11	A66.5	-	-	-	-	A78	1	2	1	2
A53.0	1	7	6	8	A66.6	-	-	-	-	A79.0	-	-	-	-
A53.9	3	28	25	36	A66.7	-	-	-	-	A79.1	-	-	-	-
A54.0	-	-	-	-	A66.8	-	-	-	-	A79.8	1	1	-	1
A54.1	-	-	-	-	A66.9	-	-	-	-	A79.9	-	-	-	-
A54.2	-	-	-	-	A67.0	-	-	-	-	A80.0	-	-	-	-
A54.3	-	-	-	-	A67.1	-	-	-	-	A80.1	-	-	-	-
A54.4	-	-	-	-	A67.2	-	-	-	-	A80.2	-	-	-	-
A54.5	-	-	-	-	A67.3	-	-	-	-	A80.3	-	2	2	2
A54.6	-	-	-	-	A67.9	-	-	-	-	A80.4	-	-	-	-
A54.8	5	8	3	5	A68.0	-	-	-	-	A80.9	-	3	3	3
A54.9	1	2	1	5	A68.1	-	-	-	-	A81.0	218	233	15	233
A55	-	-	-	-	A68.9	-	-	-	-	A81.1	-	2	2	2
A56.0	-	-	-	-	A69.0	-	-	-	-	A81.2	30	72	42	183
A56.1	-	-	-	-	A69.1	-	-	-	-	A81.8	-	-	-	-
A56.2	-	-	-	-	A69.2	4	28	24	28	A81.9	2	2	-	3
A56.3	-	-	-	-	A69.8	-	-	-	-	A82.0	-	-	-	-
A56.4	-	-	-	-	A69.9	-	-	-	-	A82.1	-	-	-	-
A56.8	-	-	-	-	A70	-	2	2	3	A82.9	2	2	-	2
A57	-	-	-	-	A71.0	-	-	-	-	A83.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
A83.1	-	-	-	-	A93.1	-	-	-	-	B02.2	20	130	110	130
A83.2	1	2	1	2	A93.2	-	-	-	-	B02.3	6	18	12	19
A83.3	2	2	-	2	A93.8	1	2	1	2	B02.7	19	41	22	42
A83.4	1	1	-	1	A94	-	-	-	-	B02.8	-	1	1	1
A83.5	-	-	-	-	A95.0	-	-	-	-	B02.9	94	384	290	403
A83.6	-	-	-	-	A95.1	-	-	-	-	B03	-	-	-	-
A83.8	9	12	3	12	A95.9	1	1	-	1	B04	-	-	-	-
A83.9	-	-	-	-	A96.0	-	-	-	-	B05.0	-	1	1	1
A84.0	-	-	-	-	A96.1	-	-	-	-	B05.1	-	-	-	-
A84.1	-	-	-	-	A96.2	-	-	-	-	B05.2	-	-	-	-
A84.8	-	-	-	-	A96.8	-	-	-	-	B05.3	-	-	-	-
A84.9	-	-	-	-	A96.9	-	-	-	-	B05.4	-	-	-	-
A85.0	-	-	-	-	A98.0	-	-	-	-	B05.8	-	-	-	-
A85.1	-	1	1	1	A98.1	-	-	-	-	B05.9	1	1	-	1
A85.2	-	-	-	-	A98.2	-	-	-	-	B06.0	-	-	-	-
A85.8	3	4	1	4	A98.3	-	-	-	-	B06.8	-	-	-	-
A86	118	142	24	145	A98.4	-	-	-	-	B06.9	-	2	2	2
A87.0	1	2	1	2	A98.5	-	-	-	-	B07	-	-	-	-
A87.1	-	-	-	-	A98.8	-	-	-	-	B08.0	-	-	-	-
A87.2	4	10	6	10	A99	-	-	-	-	B08.1	-	-	-	-
A87.8	-	-	-	-	B00.0	-	-	-	-	B08.2	-	-	-	-
A87.9	46	60	14	61	B00.1	4	4	-	4	B08.3	-	-	-	-
A88.0	-	-	-	-	B00.2	1	3	2	4	B08.4	-	-	-	-
A88.1	-	-	-	-	B00.3	2	3	1	3	B08.5	-	-	-	-
A88.8	-	1	1	1	B00.4	104	150	46	148	B08.8	-	1	1	1
A89	13	14	1	16	B00.5	-	-	-	-	B09	-	-	-	-
A90	-	2	2	2	B00.7	11	23	13	25	B15.0	3	3	-	-
A91	-	-	-	-	B00.8	11	43	32	43	B15.9	51	160	109	169
A92.0	-	-	-	-	B00.9	50	122	72	142	B16.0	-	-	-	-
A92.1	-	-	-	-	B01.0	-	-	-	-	B16.1	-	-	-	-
A92.2	-	-	-	-	B01.1	2	3	1	1	B16.2	34	35	1	1
A92.3	191	246	55	246	B01.2	11	11	-	9	B16.9	549	1,478	930	1,665
A92.4	-	-	-	-	B01.8	-	1	1	1	B17.0	-	-	-	-
A92.8	-	-	-	-	B01.9	3	12	9	23	B17.1	4,109	9,955	5,852	10,590
A92.9	-	-	-	-	B02.0	15	25	10	20	B17.2	1	1	-	1
A93.0	-	-	-	-	B02.1	3	3	-	1	B17.8	5	7	2	9

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis			Entity axis		Record axis			Entity axis		Record axis			Entity axis
	UC	total mention	second-ary			UC	total mention	second-ary			UC	total mention	second-ary	
B18.0	-	-	-	-	B25.8	16	55	39	100	B35.6	-	-	-	1
B18.1	102	240	138	271	B25.9	42	145	103	207	B35.8	-	-	-	-
B18.2	507	1,071	566	1,137	B26.0	-	-	-	-	B35.9	-	2	2	2
B18.8	1	1	-	2	B26.1	-	-	-	-	B36.0	-	-	-	-
B18.9	4	12	8	13	B26.2	-	-	-	-	B36.1	-	-	-	-
B19.0	2	2	-	-	B26.3	-	-	-	-	B36.2	-	1	1	1
B19.9	63	115	52	130	B26.8	-	-	-	-	B36.3	-	-	-	-
B20.0	147	125	5	1	B26.9	-	-	-	-	B36.8	-	-	-	-
B20.1	1,063	916	207	1	B27.0	23	34	11	35	B36.9	1	4	3	4
B20.2	33	27	3	-	B27.1	-	-	-	-	B37.0	8	43	35	46
B20.3	703	575	73	-	B27.8	-	-	-	-	B37.1	14	52	43	55
B20.4	15	12	1	-	B27.9	8	10	2	10	B37.2	2	3	1	2
B20.5	308	279	15	1	B30.0	-	-	-	-	B37.3	-	2	2	2
B20.6	487	373	8	3	B30.1	-	-	-	-	B37.4	10	50	40	50
B20.7	1,248	1,157	257	-	B30.2	-	2	2	2	B37.5	2	3	2	3
B20.8	1,186	814	111	-	B30.3	-	-	-	-	B37.6	6	16	11	17
B20.9	32	24	4	-	B30.8	-	-	-	-	B37.7	188	687	509	693
B21.0	87	70	4	-	B30.9	-	-	-	-	B37.8	30	168	141	203
B21.1	35	27	-	-	B33.0	-	-	-	-	B37.9	19	197	178	215
B21.2	388	306	4	-	B33.1	-	-	-	-	B38.0	6	10	4	10
B21.3	66	46	-	-	B33.2	56	65	9	65	B38.1	-	-	-	-
B21.7	31	30	8	-	B33.3	5	23	18	24	B38.2	21	37	17	35
B21.8	243	445	254	-	B33.8	12	17	5	17	B38.3	-	-	-	-
B21.9	45	44	8	-	B34.0	8	22	14	22	B38.4	4	9	5	11
B22.0	159	187	56	2	B34.1	3	7	4	7	B38.7	16	29	13	44
B22.1	-	-	-	1	B34.2	-	-	-	-	B38.8	2	3	1	4
B22.2	224	205	18	15	B34.3	-	1	1	1	B38.9	24	61	37	72
B22.7	936	959	191	-	B34.4	-	-	-	-	B39.0	-	-	-	-
B23.0	-	-	-	-	B34.8	46	73	27	74	B39.1	-	1	1	1
B23.1	1	2	2	-	B34.9	306	494	188	548	B39.2	4	21	17	9
B23.2	287	199	72	-	B35.0	-	-	-	-	B39.3	-	-	-	-
B23.8	2,977	5,314	2,604	-	B35.1	-	2	2	2	B39.4	-	-	-	-
B24	2,957	3,208	285	15,026	B35.2	-	-	-	-	B39.5	-	-	-	-
B25.0	36	81	48	104	B35.3	1	2	1	2	B39.9	24	85	62	164
B25.1	2	1	-	1	B35.4	-	1	1	1	B40.0	-	1	1	1
B25.2	-	-	-	-	B35.5	-	-	-	-	B40.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	total mention	second- ary	Entity axis		UC	total mention	second- ary	Entity axis		UC	total mention	second- ary	Entity axis
B40.2	8	19	11	19	B46.4	2	8	6	8	B57.1	-	-	-	-
B40.3	-	-	-	-	B46.5	15	63	48	64	B57.2	-	1	1	2
B40.7	6	11	5	11	B46.8	-	-	-	-	B57.3	-	-	-	-
B40.8	-	1	1	1	B46.9	-	1	1	1	B57.4	1	1	-	-
B40.9	14	31	17	31	B47.0	-	1	1	1	B57.5	-	-	-	-
B41.0	-	-	-	-	B47.1	-	-	-	-	B58.0	-	-	-	-
B41.7	-	-	-	-	B47.9	1	8	7	9	B58.1	-	-	-	-
B41.8	-	-	-	-	B48.0	-	-	-	-	B58.2	7	34	28	114
B41.9	-	-	-	-	B48.1	-	-	-	-	B58.3	-	2	2	-
B42.0	-	-	-	-	B48.2	-	2	2	2	B58.8	-	9	9	14
B42.1	-	-	-	-	B48.3	-	-	-	-	B58.9	6	40	34	85
B42.7	-	-	-	-	B48.4	-	-	-	-	B59	156	520	365	1,080
B42.8	-	-	-	-	B48.7	-	5	5	5	B60.0	4	7	3	7
B42.9	-	-	-	-	B48.8	1	13	12	13	B60.1	-	-	-	-
B43.0	-	-	-	-	B49	376	1,631	1,255	1,763	B60.2	-	-	-	-
B43.1	-	-	-	-	B50.0	-	-	-	-	B60.8	-	-	-	-
B43.2	-	-	-	-	B50.8	-	-	-	-	B64	-	-	-	-
B43.8	-	-	-	-	B50.9	1	1	-	1	B65.0	-	-	-	-
B43.9	-	-	-	-	B51.0	-	-	-	-	B65.1	-	-	-	-
B44.0	7	23	16	23	B51.8	-	-	-	-	B65.2	-	-	-	-
B44.1	95	380	285	330	B51.9	-	1	1	1	B65.3	-	-	-	-
B44.2	-	-	-	-	B52.0	-	-	-	-	B65.8	-	-	-	-
B44.7	10	49	39	52	B52.8	-	-	-	-	B65.9	-	-	-	-
B44.8	13	23	10	25	B52.9	-	-	-	-	B66.0	-	-	-	-
B44.9	52	249	197	337	B53.0	-	-	-	-	B66.1	-	-	-	-
B45.0	5	22	17	29	B53.1	-	-	-	-	B66.2	-	-	-	-
B45.1	67	208	141	436	B53.8	-	-	-	-	B66.3	-	-	-	-
B45.2	-	-	-	-	B54	3	6	3	6	B66.4	-	-	-	-
B45.3	-	-	-	-	B55.0	-	-	-	-	B66.5	-	-	-	-
B45.7	14	60	46	97	B55.1	-	-	-	-	B66.8	-	-	-	-
B45.8	1	2	1	2	B55.2	-	-	-	-	B66.9	-	-	-	-
B45.9	10	34	24	58	B55.9	-	-	-	-	B67.0	-	1	1	1
B46.0	4	8	4	9	B56.0	-	-	-	-	B67.1	-	-	-	-
B46.1	3	5	2	5	B56.1	-	-	-	-	B67.2	-	-	-	-
B46.2	-	-	-	-	B56.9	-	-	-	-	B67.3	-	-	-	-
B46.3	-	-	-	-	B57.0	-	-	-	-	B67.4	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis					Record axis					Record axis			
	UC	total mention	second- ary	Entity axis		UC	total mention	second- ary	Entity axis		UC	total mention	second- ary	Entity axis
B67.5	-	-	-	-	B78.1	-	-	-	-	B88.3	-	-	-	-
B67.6	-	-	-	-	B78.7	3	4	1	3	B88.8	-	1	1	1
B67.7	-	-	-	-	B78.9	8	19	11	20	B88.9	-	-	-	-
B67.8	-	-	-	-	B79	-	-	-	-	B89	1	4	3	4
B67.9	-	-	-	-	B80	-	-	-	-	B90.0	-	-	-	-
B68.0	-	-	-	1	B81.0	-	-	-	-	B90.1	-	-	-	-
B68.1	-	-	-	-	B81.1	-	-	-	-	B90.2	-	1	1	1
B68.9	-	-	-	-	B81.2	-	-	-	-	B90.8	-	1	1	1
B69.0	7	9	2	10	B81.3	-	-	-	-	B90.9	80	230	150	230
B69.1	-	-	-	-	B81.4	1	1	-	-	B91	301	948	647	948
B69.8	-	-	-	-	B81.8	-	-	-	-	B92	-	2	2	2
B69.9	-	1	1	1	B82.0	-	-	-	-	B94.0	-	-	-	-
B70.0	-	-	-	-	B82.9	-	-	-	-	B94.1	10	14	4	14
B70.1	-	-	-	-	B83.0	-	-	-	-	B94.2	1,749	2,285	536	2,285
B71.0	-	-	-	-	B83.1	-	-	-	-	B94.8	603	1,278	675	1,278
B71.1	-	-	-	-	B83.2	-	-	-	-	B94.9	1	9	8	9
B71.8	-	-	-	-	B83.3	-	-	-	-	B99	273	1,227	954	1,845
B71.9	-	-	-	-	B83.4	-	-	-	-	C00.0	1	3	2	3
B72	-	-	-	-	B83.8	-	-	-	-	C00.1	15	17	2	17
B73	-	-	-	-	B83.9	-	-	-	-	C00.2	-	-	-	-
B74.0	-	-	-	-	B85.0	-	1	1	1	C00.3	-	-	-	-
B74.1	-	-	-	-	B85.1	-	1	1	1	C00.4	-	-	-	-
B74.2	-	-	-	-	B85.2	-	-	-	-	C00.5	-	-	-	-
B74.3	-	-	-	-	B85.3	-	-	-	-	C00.6	-	-	-	-
B74.4	-	1	1	1	B85.4	-	-	-	-	C00.8	-	-	-	-
B74.8	-	-	-	-	B86	2	8	6	8	C00.9	56	77	21	77
B74.9	-	-	-	-	B87.0	-	-	-	-	C01	138	167	29	168
B75	-	-	-	-	B87.1	-	-	-	-	C02.0	-	-	-	-
B76.0	-	-	-	-	B87.2	-	-	-	-	C02.1	-	-	-	-
B76.1	1	1	-	1	B87.3	-	-	-	-	C02.2	-	-	-	-
B76.8	-	-	-	-	B87.4	-	-	-	-	C02.3	-	-	-	-
B76.9	-	-	-	-	B87.8	-	-	-	-	C02.4	-	-	-	-
B77.0	-	-	-	-	B87.9	-	-	-	-	C02.8	-	-	-	-
B77.8	-	-	-	-	B88.0	-	-	-	-	C02.9	1,737	2,145	409	2,150
B77.9	-	1	1	1	B88.1	-	-	-	-	C03.0	16	22	6	22
B78.0	-	1	1	1	B88.2	-	-	-	-	C03.1	6	7	1	7

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
C03.9	48	70	22	70	C11.9	587	657	71	659	C18.3	10	12	2	12
C04.0	-	-	-	-	C12	107	132	25	132	C18.4	67	79	12	79
C04.1	-	-	-	-	C13.0	1	1	-	1	C18.5	8	10	2	10
C04.8	-	-	-	-	C13.1	3	4	1	4	C18.6	76	95	19	95
C04.9	147	183	36	183	C13.2	-	-	-	-	C18.7	446	545	99	553
C05.0	31	40	9	40	C13.8	-	-	-	-	C18.8	-	-	-	-
C05.1	55	71	16	72	C13.9	207	244	38	245	C18.9	45,309	54,058	8,776	54,400
C05.2	7	13	6	13	C14.0	1,660	2,203	547	2,228	C19	2,257	2,477	221	2,270
C05.8	-	-	-	-	C14.2	1	1	-	1	C20	6,278	7,287	1,024	7,535
C05.9	84	126	42	126	C14.8	-	-	-	-	C21.0	443	527	95	551
C06.0	28	31	3	31	C15.0	4	5	1	5	C21.1	34	39	5	40
C06.1	-	-	-	-	C15.1	1	2	1	2	C21.2	10	11	1	11
C06.2	23	28	5	28	C15.2	-	-	-	-	C21.8	68	57	8	58
C06.8	-	-	-	-	C15.3	4	4	-	4	C22.0	6,137	6,724	624	6,781
C06.9	878	1,117	239	1,167	C15.4	-	-	-	-	C22.1	3,283	3,443	161	3,446
C07	543	629	86	629	C15.5	69	75	6	84	C22.2	35	35	-	35
C08.0	25	30	5	30	C15.8	-	-	-	-	C22.3	20	24	4	24
C08.1	1	1	-	1	C15.9	12,782	13,946	1,174	14,075	C22.4	-	-	-	-
C08.8	-	-	-	-	C16.0	723	819	97	700	C22.7	-	-	-	-
C08.9	127	140	14	143	C16.1	3	4	1	4	C22.9	5,231	5,648	423	5,670
C09.0	14	24	10	24	C16.2	3	3	-	3	C23	1,915	2,040	126	2,041
C09.1	1	5	4	5	C16.3	6	7	1	7	C24.0	683	770	87	770
C09.8	-	-	-	-	C16.4	5	5	-	5	C24.1	164	179	15	179
C09.9	593	728	135	729	C16.5	-	-	-	-	C24.8	1	2	1	2
C10.0	2	4	2	4	C16.6	-	-	-	-	C24.9	643	681	79	708
C10.1	-	-	-	-	C16.8	-	-	-	-	C25.0	144	163	19	163
C10.2	1	1	-	1	C16.9	11,370	12,388	1,063	12,529	C25.1	7	9	2	9
C10.3	-	-	-	-	C17.0	553	627	74	628	C25.2	11	12	1	12
C10.4	-	1	1	1	C17.1	38	41	3	41	C25.3	13	15	2	15
C10.8	-	-	-	-	C17.2	26	36	10	36	C25.4	133	141	8	141
C10.9	623	741	119	745	C17.3	-	-	-	-	C25.7	1	1	-	1
C11.0	-	-	-	-	C17.8	-	-	-	-	C25.8	-	-	-	-
C11.1	12	15	3	15	C17.9	453	503	51	509	C25.9	30,468	31,720	1,267	31,753
C11.2	-	-	-	-	C18.0	359	455	97	456	C26.0	381	467	86	485
C11.3	-	-	-	-	C18.1	272	287	15	287	C26.1	16	33	17	33
C11.8	-	-	-	-	C18.2	321	395	74	395	C26.8	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
C26.9	950	584	57	610	C40.8	-	-	-	-	C46.2	-	-	-	-
C30.0	35	44	9	44	C40.9	-	-	-	-	C46.3	-	-	-	-
C30.1	13	16	3	16	C41.0	37	54	17	54	C46.7	5	16	11	38
C31.0	165	196	31	196	C41.1	136	160	24	160	C46.8	-	-	-	-
C31.1	23	29	6	29	C41.2	81	103	22	103	C46.9	49	140	93	269
C31.2	2	3	1	3	C41.3	10	15	5	15	C47.0	1	1	-	1
C31.3	11	13	2	13	C41.4	53	62	9	62	C47.1	1	1	-	1
C31.8	-	-	-	-	C41.8	-	-	-	-	C47.2	1	2	1	2
C31.9	208	253	46	254	C41.9	875	988	114	1,000	C47.3	2	2	-	2
C32.0	93	164	71	164	C43.0	-	-	-	-	C47.4	3	3	-	3
C32.1	188	240	52	242	C43.1	3	3	-	3	C47.5	3	3	-	3
C32.2	9	10	1	10	C43.2	16	20	4	20	C47.6	-	-	-	-
C32.3	1	4	3	4	C43.3	73	90	17	90	C47.8	-	-	-	-
C32.8	-	-	-	-	C43.4	112	128	16	128	C47.9	100	108	8	109
C32.9	3,501	4,741	1,248	4,771	C43.5	179	197	18	197	C48.0	191	223	32	224
C33	94	130	36	130	C43.6	122	140	18	140	C48.1	39	45	6	45
C34.0	57	64	7	64	C43.7	141	153	12	153	C48.2	563	600	37	601
C34.1	627	730	103	730	C43.8	-	-	-	-	C48.8	-	-	-	-
C34.2	40	58	18	58	C43.9	7,172	7,926	764	8,207	C49.0	72	92	20	92
C34.3	215	268	53	268	C44.0	2	5	3	5	C49.1	50	60	10	60
C34.8	3	2	-	2	C44.1	6	15	9	15	C49.2	228	271	43	271
C34.9	157,050	166,588	9,716	166,935	C44.2	119	183	64	184	C49.3	76	93	17	93
C37	185	205	20	205	C44.3	205	378	173	387	C49.4	154	184	30	184
C38.0	64	78	15	79	C44.4	981	1,256	277	1,262	C49.5	106	128	22	128
C38.1	3	3	-	3	C44.5	64	94	30	94	C49.6	6	8	2	8
C38.2	2	3	1	3	C44.6	43	65	22	65	C49.8	1	1	-	1
C38.3	122	141	19	141	C44.7	55	67	13	68	C49.9	2,783	3,109	334	3,201
C38.4	76	94	18	94	C44.8	-	1	1	1	C50.0	8	11	3	11
C38.8	-	-	-	-	C44.9	922	1,444	553	1,533	C50.1	-	-	-	-
C39.0	2	4	2	4	C45.0	181	206	25	206	C50.2	1	1	-	1
C39.8	-	-	-	-	C45.1	89	95	6	95	C50.3	-	-	-	-
C39.9	52	13	1	14	C45.2	3	7	4	7	C50.4	1	1	-	1
C40.0	17	19	2	19	C45.7	295	323	28	323	C50.5	1	1	-	1
C40.1	1	1	-	1	C45.9	1,908	2,012	122	2,016	C50.6	-	-	-	-
C40.2	52	62	10	62	C46.0	1	1	-	2	C50.8	1	1	-	1
C40.3	-	1	1	1	C46.1	-	-	-	-	C50.9	41,988	51,299	9,328	51,322

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
C51.0	17	18	1	18	C63.0	1	1	-	1	C71.1	80	83	3	83
C51.1	-	1	1	1	C63.1	2	5	3	5	C71.2	93	98	5	98
C51.2	3	3	-	3	C63.2	6	9	3	10	C71.3	43	50	7	51
C51.8	-	-	-	-	C63.7	2	2	-	2	C71.4	14	17	3	17
C51.9	755	918	163	919	C63.8	-	-	-	-	C71.5	9	10	1	10
C52	391	499	108	499	C63.9	17	16	4	18	C71.6	183	193	10	193
C53.0	27	31	4	31	C64	12,117	14,070	1,961	14,083	C71.7	256	270	14	270
C53.1	-	-	-	-	C65	169	186	17	186	C71.8	18	21	3	21
C53.8	1	1	-	1	C66	323	438	115	438	C71.9	11,771	12,254	494	12,307
C53.9	3,891	4,355	470	4,379	C67.0	-	-	-	-	C72.0	51	63	12	63
C54.0	1	1	-	1	C67.1	-	-	-	-	C72.1	-	-	-	-
C54.1	3,227	3,749	522	3,749	C67.2	-	-	-	-	C72.2	-	-	-	-
C54.2	1	1	-	1	C67.3	1	1	-	1	C72.3	6	9	3	9
C54.3	1	2	1	2	C67.4	-	-	-	-	C72.4	-	-	-	-
C54.8	-	-	-	-	C67.5	2	2	-	2	C72.5	4	4	-	4
C54.9	31	35	4	38	C67.6	-	-	-	-	C72.8	-	1	1	1
C55	3,638	4,332	695	4,425	C67.7	16	16	-	16	C72.9	71	76	14	79
C56	14,657	15,725	1,073	15,732	C67.8	2	2	-	2	C73	1,312	1,625	313	1,625
C57.0	154	167	13	167	C67.9	12,462	16,392	3,930	16,394	C74.0	79	81	2	81
C57.1	1	1	-	1	C68.0	134	166	32	166	C74.1	21	27	6	27
C57.2	-	-	-	-	C68.1	-	-	-	-	C74.9	441	493	52	494
C57.3	-	-	-	-	C68.8	-	-	-	-	C75.0	13	14	1	14
C57.4	3	3	-	3	C68.9	196	69	15	93	C75.1	35	49	14	49
C57.7	15	16	1	16	C69.0	2	2	-	2	C75.2	-	1	1	1
C57.8	7	7	-	7	C69.1	-	-	-	-	C75.3	21	27	6	27
C57.9	175	73	17	76	C69.2	16	29	13	29	C75.4	1	1	-	1
C58	15	16	1	16	C69.3	12	21	9	21	C75.5	19	20	1	20
C60.0	-	-	-	-	C69.4	5	8	3	8	C75.8	-	-	-	-
C60.1	1	1	-	1	C69.5	6	9	3	9	C75.9	28	34	7	34
C60.2	-	-	-	-	C69.6	42	57	15	57	C76.0	669	862	193	862
C60.8	-	-	-	-	C69.8	-	-	-	-	C76.1	109	134	25	134
C60.9	249	306	57	308	C69.9	148	222	74	224	C76.2	865	994	129	994
C61	29,554	42,682	13,134	42,693	C70.0	16	24	8	24	C76.3	260	318	58	318
C62.0	1	1	-	1	C70.1	2	4	2	4	C76.4	8	11	3	11
C62.1	-	-	-	-	C70.9	88	114	26	115	C76.5	44	57	14	58
C62.9	343	442	100	444	C71.0	196	209	13	210	C76.7	138	161	23	161

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
C76.8	3	3	-	3	C82.2	12	13	1	13	C91.4	99	167	68	167
C77.0	4	70	66	70	C82.7	4	6	2	6	C91.5	25	37	12	37
C77.1	1	54	53	54	C82.9	155	188	33	191	C91.7	1	1	-	1
C77.2	5	76	71	76	C83.0	244	339	95	349	C91.9	196	249	53	255
C77.3	1	15	14	15	C83.1	580	651	71	651	C92.0	7,739	8,227	489	8,306
C77.4	1	21	20	21	C83.2	30	35	5	25	C92.1	1,233	1,545	312	1,545
C77.5	-	13	13	13	C83.3	1,104	1,287	183	1,316	C92.2	-	1	1	1
C77.8	-	1	1	1	C83.4	34	40	6	42	C92.3	29	35	6	36
C77.9	17	827	810	831	C83.5	54	67	13	67	C92.4	137	143	6	143
C78.0	281	15,984	15,703	15,986	C83.6	4	4	-	4	C92.5	213	249	36	249
C78.1	12	309	297	309	C83.7	218	243	26	286	C92.7	349	422	73	422
C78.2	155	2,150	1,995	2,152	C83.8	50	61	11	61	C92.9	193	223	31	240
C78.3	2	122	120	122	C83.9	38	47	9	47	C93.0	122	135	13	137
C78.4	-	94	94	94	C84.0	112	151	39	152	C93.1	8	14	6	14
C78.5	8	1,410	1,402	1,411	C84.1	11	18	7	18	C93.2	-	-	-	-
C78.6	389	1,756	1,367	1,756	C84.2	1	1	-	1	C93.7	-	-	-	-
C78.7	2,286	20,269	17,984	20,275	C84.3	1	1	-	1	C93.9	14	26	12	26
C78.8	16	1,104	1,088	1,105	C84.4	65	67	2	67	C94.0	27	33	6	33
C79.0	2	431	429	431	C84.5	659	768	109	774	C94.1	4	4	-	4
C79.1	7	517	510	517	C85.0	32	42	10	42	C94.2	10	13	3	13
C79.2	61	617	556	619	C85.1	1,058	1,226	168	1,268	C94.3	4	4	-	4
C79.3	758	15,405	14,647	15,414	C85.7	7	11	4	11	C94.4	-	-	-	-
C79.4	16	729	713	731	C85.9	16,973	20,699	3,731	21,349	C94.5	3	4	1	4
C79.5	478	10,607	10,129	10,608	C88.0	375	564	189	564	C94.7	52	55	3	55
C79.6	4	246	242	246	C88.1	1	1	-	1	C95.0	2,280	2,467	187	2,572
C79.7	3	564	561	565	C88.2	1	1	-	1	C95.1	170	286	116	286
C79.8	2,863	9,311	6,450	9,319	C88.3	-	-	-	-	C95.2	1	1	-	1
C80	26,661	26,917	2,535	57,654	C88.7	-	-	-	-	C95.7	7	7	-	7
C81.0	-	1	1	1	C88.9	8	8	-	9	C95.9	2,639	3,364	725	3,555
C81.1	18	23	5	23	C90.0	10,699	12,657	1,959	12,671	C96.0	-	-	-	-
C81.2	6	7	1	7	C90.1	73	121	48	121	C96.1	5	5	-	5
C81.3	2	2	-	2	C90.2	110	190	80	196	C96.2	1	3	2	3
C81.7	3	4	1	4	C91.0	1,429	1,550	121	1,562	C96.3	-	-	-	-
C81.9	1,318	1,767	449	1,803	C91.1	4,476	6,705	2,229	6,705	C96.7	2	2	-	2
C82.0	19	19	-	19	C91.2	-	-	-	-	C96.9	47	64	17	80
C82.1	10	10	-	10	C91.3	75	99	24	99	C97	4,144	2	2	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
D00.0	-	-	-	-	D05.0	-	1	1	1	D12.3	-	-	-	-
D00.1	1	3	2	3	D05.1	-	3	3	3	D12.4	-	-	-	-
D00.2	-	-	-	-	D05.7	-	-	-	-	D12.5	1	1	-	1
D01.0	2	6	4	6	D05.9	-	10	10	10	D12.6	32	114	82	114
D01.1	-	-	-	-	D06.0	-	-	-	-	D12.7	-	1	1	1
D01.2	2	5	3	5	D06.1	-	-	-	-	D12.8	1	9	8	9
D01.3	-	-	-	-	D06.7	-	-	-	-	D12.9	-	1	1	1
D01.4	-	1	1	1	D06.9	1	5	4	5	D13.0	1	3	2	3
D01.5	-	-	-	-	D07.0	-	-	-	-	D13.1	7	17	10	17
D01.7	-	-	-	-	D07.1	1	2	1	2	D13.2	5	6	1	6
D01.9	1	1	-	1	D07.2	-	-	-	-	D13.3	4	4	-	4
D02.0	-	1	1	1	D07.3	-	1	1	1	D13.4	8	10	2	10
D02.1	-	1	1	1	D07.4	-	1	1	1	D13.5	2	4	2	4
D02.2	1	1	-	1	D07.5	1	2	1	2	D13.6	11	15	4	15
D02.3	-	-	-	-	D07.6	-	-	-	-	D13.7	32	57	25	57
D02.4	-	-	-	-	D09.0	1	5	4	5	D13.9	2	4	2	4
D03.0	-	-	-	-	D09.1	-	-	-	-	D14.0	2	2	-	2
D03.1	-	-	-	-	D09.2	-	-	-	-	D14.1	1	4	3	4
D03.2	-	-	-	-	D09.3	-	-	-	-	D14.2	1	2	1	2
D03.3	1	2	1	2	D09.7	-	-	-	-	D14.3	7	13	6	13
D03.4	-	-	-	-	D09.9	-	5	5	5	D14.4	1	2	1	2
D03.5	-	-	-	-	D10.0	-	-	-	-	D15.0	34	63	29	63
D03.6	-	-	-	-	D10.1	-	-	-	-	D15.1	37	80	43	80
D03.7	-	-	-	-	D10.2	-	-	-	-	D15.2	3	3	-	3
D03.8	1	1	-	1	D10.3	1	2	1	2	D15.7	1	1	-	1
D03.9	-	1	1	1	D10.4	-	-	-	-	D15.9	-	-	-	-
D04.0	-	-	-	-	D10.5	-	-	-	-	D16.0	-	-	-	-
D04.1	-	-	-	-	D10.6	-	-	-	-	D16.1	-	-	-	-
D04.2	-	-	-	-	D10.7	-	-	-	-	D16.2	-	-	-	-
D04.3	-	-	-	-	D10.9	-	-	-	-	D16.3	-	-	-	-
D04.4	-	-	-	-	D11.0	1	3	2	3	D16.4	1	3	2	3
D04.5	-	-	-	-	D11.7	1	1	-	1	D16.5	4	5	1	5
D04.6	-	-	-	-	D11.9	-	-	-	-	D16.6	-	1	1	1
D04.7	-	-	-	-	D12.0	2	8	6	8	D16.7	-	-	-	-
D04.8	-	-	-	-	D12.1	-	-	-	-	D16.8	-	-	-	-
D04.9	-	5	5	5	D12.2	-	-	-	-	D16.9	4	6	2	6

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
D17.0	-	-	-	-	D23.2	1	1	-	1	D31.0	-	-	-	-
D17.1	-	-	-	-	D23.3	-	-	-	-	D31.1	-	-	-	-
D17.2	-	-	-	-	D23.4	-	1	1	1	D31.2	-	-	-	-
D17.3	-	-	-	-	D23.5	5	5	-	5	D31.3	-	-	-	-
D17.4	-	1	1	1	D23.6	1	2	1	2	D31.4	1	1	-	1
D17.5	-	1	1	1	D23.7	2	5	3	5	D31.5	-	-	-	-
D17.6	-	-	-	-	D23.9	23	34	11	34	D31.6	1	1	-	1
D17.7	8	22	14	22	D24	2	2	-	2	D31.9	-	-	-	-
D17.9	4	11	7	11	D25.0	-	-	-	-	D32.0	221	336	115	336
D18.0	51	113	62	113	D25.1	-	-	-	-	D32.1	3	9	6	9
D18.1	31	67	36	67	D25.2	-	-	-	-	D32.9	604	1,111	507	1,115
D19.0	-	-	-	-	D25.9	23	75	52	75	D33.0	15	19	4	19
D19.1	-	-	-	-	D26.0	-	-	-	-	D33.1	3	4	1	4
D19.7	-	-	-	-	D26.1	-	-	-	-	D33.2	68	100	32	100
D19.9	1	1	-	1	D26.7	-	-	-	-	D33.3	34	72	38	72
D20.0	-	-	-	-	D26.9	3	5	2	5	D33.4	4	6	2	6
D20.1	1	3	2	3	D27	14	31	17	35	D33.7	-	-	-	-
D21.0	2	2	-	2	D28.0	-	-	-	-	D33.9	1	2	1	2
D21.1	-	-	-	-	D28.1	-	-	-	-	D34	4	7	3	7
D21.2	-	-	-	-	D28.2	-	1	1	1	D35.0	29	74	45	74
D21.3	-	-	-	-	D28.7	1	1	-	1	D35.1	4	25	21	25
D21.4	1	1	-	1	D28.9	-	-	-	-	D35.2	89	222	133	222
D21.5	-	1	1	1	D29.0	-	-	-	-	D35.3	1	1	-	1
D21.6	-	-	-	-	D29.1	-	2	2	2	D35.4	-	1	1	1
D21.9	21	46	25	46	D29.2	1	1	-	1	D35.5	-	-	-	-
D22.0	-	-	-	-	D29.3	-	-	-	-	D35.6	-	-	-	-
D22.1	-	-	-	-	D29.4	1	1	-	1	D35.7	-	-	-	-
D22.2	-	-	-	-	D29.7	-	-	-	-	D35.8	-	-	-	-
D22.3	1	1	-	1	D29.9	1	1	-	1	D35.9	1	1	-	1
D22.4	-	1	1	1	D30.0	3	11	8	11	D36.0	-	-	-	-
D22.5	-	-	-	-	D30.1	-	-	-	-	D36.1	21	42	21	42
D22.6	-	1	1	1	D30.2	-	-	-	-	D36.7	3	10	7	10
D22.7	-	-	-	-	D30.3	-	4	4	4	D36.9	25	62	37	66
D22.9	-	1	1	1	D30.4	-	-	-	-	D37.0	47	80	33	88
D23.0	-	-	-	-	D30.7	-	-	-	-	D37.1	78	122	44	124
D23.1	-	1	1	1	D30.9	-	-	-	-	D37.2	32	48	16	50

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
D37.3	13	26	13	26	D43.4	35	53	18	53	D50.0	87	489	430	489
D37.4	87	137	50	147	D43.7	-	-	-	-	D50.1	-	-	-	-
D37.5	21	46	25	49	D43.9	16	23	7	33	D50.8	13	70	57	69
D37.6	168	233	65	244	D44.0	4	16	12	17	D50.9	63	687	626	687
D37.7	176	258	82	262	D44.1	19	42	23	43	D51.0	67	828	762	828
D37.9	109	131	22	150	D44.2	1	2	1	2	D51.1	-	4	4	-
D38.0	19	31	12	31	D44.3	68	183	115	187	D51.2	-	-	-	-
D38.1	489	774	285	851	D44.4	51	76	25	76	D51.3	-	-	-	-
D38.2	6	10	4	10	D44.5	9	19	10	20	D51.8	-	-	-	-
D38.3	40	58	18	58	D44.6	1	4	3	4	D51.9	2	15	13	15
D38.4	-	1	1	1	D44.7	16	24	8	24	D52.0	-	-	-	-
D38.5	12	19	7	19	D44.8	1	6	5	6	D52.1	-	1	1	1
D38.6	2	2	-	2	D44.9	7	15	8	17	D52.8	-	-	-	-
D39.0	14	28	14	31	D45	309	1,029	720	1,029	D52.9	7	73	66	73
D39.1	54	87	33	95	D46.0	-	-	-	-	D53.0	15	2	1	1
D39.2	1	3	2	3	D46.1	5	9	4	9	D53.1	4	18	14	18
D39.7	6	10	4	11	D46.2	16	26	10	26	D53.2	-	-	-	-
D39.9	3	3	-	4	D46.3	3	7	4	7	D53.8	-	-	-	-
D40.0	19	43	24	43	D46.4	161	272	111	272	D53.9	34	38	32	38
D40.1	2	7	5	7	D46.7	13	20	7	20	D55.0	-	3	3	3
D40.7	1	1	-	1	D46.9	4,485	8,218	3,734	8,361	D55.1	-	1	1	1
D40.9	-	2	2	2	D47.0	-	-	-	-	D55.2	-	-	-	-
D41.0	79	169	90	174	D47.1	1,479	2,489	1,010	2,489	D55.3	-	-	-	-
D41.1	1	1	-	1	D47.2	74	284	210	284	D55.8	-	-	-	-
D41.2	4	12	8	13	D47.3	14	42	28	42	D55.9	-	-	-	-
D41.3	1	2	1	2	D47.7	10	11	1	11	D56.0	7	12	5	12
D41.4	80	191	111	253	D47.9	105	179	74	248	D56.1	8	36	28	36
D41.7	-	-	-	-	D48.0	33	92	59	96	D56.2	-	-	-	-
D41.9	-	1	1	1	D48.1	51	72	21	73	D56.3	-	2	2	2
D42.0	1	5	4	5	D48.2	15	17	2	18	D56.4	-	-	-	-
D42.1	-	1	1	1	D48.3	14	22	8	22	D56.8	5	7	4	7
D42.9	7	9	2	11	D48.4	14	16	2	16	D56.9	12	85	73	85
D43.0	180	220	40	220	D48.5	5	20	15	24	D57.0	92	113	21	113
D43.1	99	133	34	134	D48.6	28	54	26	56	D57.1	383	654	271	654
D43.2	2,669	3,252	584	3,945	D48.7	240	427	187	440	D57.2	2	10	8	10
D43.3	1	2	1	2	D48.9	186	301	115	934	D57.3	4	31	27	31

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis secondary	Entity axis		UC	Record total mention	Record axis secondary	Entity axis		UC	Record total mention	Record axis secondary	Entity axis
D57.8	1	1	-	1	D68.0	9	50	41	50	D75.8	70	515	445	516
D58.0	6	22	16	22	D68.1	-	3	3	3	D75.9	42	190	148	243
D58.1	1	3	2	3	D68.2	54	167	113	167	D76.0	22	32	10	32
D58.2	4	16	12	16	D68.3	1	3	2	3	D76.1	28	32	4	32
D58.8	-	2	2	2	D68.4	15	48	33	50	D76.2	3	4	1	4
D58.9	143	426	283	429	D68.8	90	307	217	307	D76.3	30	43	13	43
D59.0	1	1	-	1	D68.9	913	5,130	4,217	5,269	D80.0	3	4	1	4
D59.1	98	308	210	309	D69.0	12	25	13	25	D80.1	15	92	77	92
D59.2	-	2	2	2	D69.1	3	11	8	11	D80.2	4	8	4	8
D59.3	29	70	41	71	D69.2	3	22	19	29	D80.3	4	10	6	10
D59.4	2	106	104	106	D69.3	291	766	475	766	D80.4	1	2	1	2
D59.5	8	17	9	17	D69.4	42	102	60	102	D80.5	-	-	-	-
D59.6	-	-	-	-	D69.5	24	220	196	222	D80.6	-	-	-	-
D59.8	-	-	-	-	D69.6	517	4,196	3,683	4,222	D80.7	-	-	-	-
D59.9	16	31	15	32	D69.8	-	1	1	1	D80.8	2	4	2	4
D60.0	-	-	-	-	D69.9	32	159	127	165	D80.9	1	14	13	14
D60.1	-	-	-	-	D70	359	2,631	2,272	2,639	D81.0	-	-	-	-
D60.8	-	-	-	-	D71	14	31	17	31	D81.1	-	-	-	-
D60.9	5	25	20	25	D72.0	-	1	1	1	D81.2	-	-	-	-
D61.0	33	53	20	49	D72.1	23	52	29	52	D81.3	-	-	-	-
D61.1	-	2	2	2	D72.8	69	421	352	423	D81.4	-	-	-	-
D61.2	-	1	1	1	D72.9	-	4	4	4	D81.5	-	-	-	-
D61.3	7	10	3	10	D73.0	1	5	4	5	D81.6	-	-	-	-
D61.8	2	3	1	3	D73.1	66	248	182	248	D81.7	-	-	-	-
D61.9	905	4,203	3,298	4,242	D73.2	-	18	18	18	D81.8	-	-	-	-
D62	21	104	83	104	D73.3	11	50	39	50	D81.9	19	31	12	31
D64.0	-	2	2	2	D73.4	1	2	1	2	D82.0	7	18	11	5
D64.1	-	3	3	3	D73.5	42	215	173	216	D82.1	8	45	37	45
D64.2	-	-	-	-	D73.8	5	43	38	43	D82.2	-	-	-	-
D64.3	43	112	69	112	D73.9	32	180	148	182	D82.3	5	8	3	8
D64.4	1	1	-	1	D74.0	-	-	-	-	D82.4	3	4	1	4
D64.8	42	115	73	115	D74.8	-	-	-	-	D82.8	-	-	-	-
D64.9	2,421	38,913	36,494	39,311	D74.9	2	2	-	3	D82.9	-	-	-	-
D65	565	3,417	2,852	3,436	D75.0	-	-	-	-	D83.0	-	-	-	-
D66	82	208	126	208	D75.1	1	52	51	52	D83.1	-	-	-	-
D67	4	15	11	15	D75.2	39	152	113	152	D83.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
D83.8	-	-	-	-	E04.2	4	55	51	60	E11.4	100	281	181	2
D83.9	9	23	14	23	E04.8	-	1	1	1	E11.5	1,663	3,459	1,810	1
D84.0	-	1	1	1	E04.9	45	248	203	254	E11.6	61	162	101	1
D84.1	40	95	55	97	E05.0	42	196	154	194	E11.7	157	286	129	-
D84.8	2	7	5	7	E05.1	-	-	-	-	E11.8	5	6	1	3
D84.9	412	1,000	588	1,056	E05.2	6	19	13	14	E11.9	12,419	46,531	34,116	51,633
D86.0	138	192	54	196	E05.3	-	-	-	-	E12.0	-	-	-	-
D86.1	1	2	1	1	E05.4	-	-	-	-	E12.1	-	-	-	-
D86.2	-	-	-	-	E05.5	19	30	11	30	E12.2	-	-	-	-
D86.3	1	1	-	1	E05.8	1	1	-	1	E12.3	-	-	-	-
D86.8	87	113	28	81	E05.9	258	1,331	1,074	1,366	E12.4	-	-	-	-
D86.9	653	1,167	515	1,207	E06.0	1	2	1	2	E12.5	-	-	-	-
D89.0	4	22	18	22	E06.1	-	1	1	1	E12.6	-	-	-	-
D89.1	30	76	46	76	E06.2	-	-	-	-	E12.7	1	1	-	-
D89.2	4	41	37	41	E06.3	12	57	45	57	E12.8	-	-	-	-
D89.8	2	5	3	5	E06.4	-	1	1	1	E12.9	1	3	2	3
D89.9	19	31	12	32	E06.5	1	14	13	14	E13.0	1	1	-	1
E00.0	-	-	-	-	E06.9	4	32	28	34	E13.1	1	3	2	2
E00.1	-	-	-	-	E07.0	-	-	-	-	E13.2	-	1	1	-
E00.2	-	-	-	-	E07.1	-	-	-	-	E13.3	-	-	-	-
E00.9	1	2	1	2	E07.8	1	10	9	10	E13.4	-	1	1	1
E01.0	-	-	-	-	E07.9	47	276	230	302	E13.5	-	3	3	-
E01.1	-	-	-	-	E10.0	48	73	25	1	E13.6	-	4	4	4
E01.2	-	-	-	-	E10.1	181	216	35	-	E13.7	-	-	-	-
E01.8	-	-	-	-	E10.2	155	234	79	1	E13.8	2	3	1	5
E02	-	-	-	-	E10.3	13	23	10	-	E13.9	4	78	74	81
E03.0	-	-	-	-	E10.4	70	137	67	-	E14.0	467	694	227	530
E03.1	6	18	12	18	E10.5	668	1,268	607	-	E14.1	1,647	2,328	682	1,757
E03.2	-	2	2	2	E10.6	36	52	18	3	E14.2	1,216	1,888	677	1,603
E03.3	-	-	-	-	E10.7	128	175	47	3	E14.3	28	68	40	130
E03.4	2	88	86	88	E10.8	3	5	2	5	E14.4	263	604	341	400
E03.5	9	9	-	9	E10.9	4,944	12,865	7,925	15,040	E14.5	5,430	10,576	5,186	371
E03.8	1	1	-	1	E11.0	81	135	54	3	E14.6	193	451	260	71
E03.9	1,495	19,065	17,569	19,071	E11.1	106	225	119	-	E14.7	418	626	219	11
E04.0	-	-	-	-	E11.2	340	519	180	5	E14.8	68	77	9	92
E04.1	2	33	31	33	E11.3	15	42	27	2	E14.9	43,286	143,576	100,306	159,065

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
E15	36	38	13	92	E25.0	3	5	2	5	E32.9	-	2	2	2
E16.0	3	13	10	13	E25.8	-	-	-	-	E34.0	48	92	44	92
E16.1	3	13	10	13	E25.9	-	1	1	1	E34.1	-	-	-	-
E16.2	199	1,499	1,300	1,502	E26.0	3	11	8	11	E34.2	-	1	1	1
E16.3	-	-	-	-	E26.1	-	1	1	1	E34.3	21	57	36	57
E16.4	12	24	12	24	E26.8	1	6	5	6	E34.4	-	-	-	-
E16.8	1	1	-	1	E26.9	1	14	13	14	E34.5	1	1	-	1
E16.9	-	1	1	2	E27.0	-	1	1	1	E34.8	5	9	4	9
E20.0	-	-	-	-	E27.1	107	358	251	358	E34.9	4	10	6	18
E20.1	-	3	3	3	E27.2	10	40	30	40	E40	12	19	7	21
E20.8	-	1	1	1	E27.3	-	-	-	-	E41	150	915	765	360
E20.9	12	91	79	91	E27.4	119	836	717	841	E42	2	3	1	2
E21.0	1	6	5	6	E27.5	-	3	3	3	E43	345	1,032	687	1,040
E21.1	3	5	2	5	E27.8	3	25	22	25	E44.0	-	8	8	8
E21.2	-	1	1	1	E27.9	27	124	97	130	E44.1	2	5	3	5
E21.3	88	465	377	465	E28.0	-	-	-	-	E45	133	133	-	-
E21.4	-	-	-	-	E28.1	-	-	-	-	E46	2,509	19,150	16,645	19,912
E21.5	1	11	10	14	E28.2	3	10	7	10	E50.0	-	-	-	-
E22.0	10	45	35	45	E28.3	-	5	5	5	E50.1	-	-	-	-
E22.1	-	1	1	1	E28.8	-	-	-	-	E50.2	-	-	-	-
E22.2	46	397	351	398	E28.9	-	-	-	-	E50.3	-	-	-	-
E22.8	-	-	-	-	E29.0	-	-	-	-	E50.4	-	-	-	-
E22.9	-	1	1	1	E29.1	-	16	16	16	E50.5	-	-	-	-
E23.0	77	472	395	472	E29.8	-	-	-	-	E50.6	-	-	-	-
E23.1	1	1	-	1	E29.9	-	-	-	-	E50.7	-	-	-	-
E23.2	51	216	165	217	E30.0	-	-	-	-	E50.8	-	-	-	-
E23.3	1	3	2	3	E30.1	-	1	1	1	E50.9	-	2	2	2
E23.6	7	14	7	14	E30.8	-	-	-	-	E51.1	1	6	5	6
E23.7	12	27	15	28	E30.9	-	-	-	-	E51.2	16	67	51	67
E24.0	-	1	1	1	E31.0	2	7	5	7	E51.8	-	-	-	-
E24.1	-	1	1	1	E31.1	-	-	-	-	E51.9	-	2	2	3
E24.2	6	21	15	21	E31.8	-	-	-	-	E52	-	-	-	-
E24.3	-	2	2	2	E31.9	-	-	-	-	E53.0	-	-	-	-
E24.4	-	-	-	-	E32.0	1	3	2	3	E53.1	-	-	-	-
E24.8	-	-	-	-	E32.1	-	1	1	1	E53.8	27	467	440	467
E24.9	28	134	106	136	E32.8	2	2	-	2	E53.9	-	8	8	8

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
E54	1	9	8	9	E67.0	-	-	-	-	E75.1	11	11	-	11
E55.0	3	12	9	12	E67.1	-	-	-	-	E75.2	136	171	35	171
E55.9	-	2	2	2	E67.2	-	-	-	-	E75.3	-	-	-	-
E56.0	-	-	-	-	E67.3	-	-	-	-	E75.4	36	37	1	37
E56.1	-	5	5	5	E67.8	-	2	2	2	E75.5	2	6	4	6
E56.8	-	2	2	2	E68	-	-	-	-	E75.6	6	31	25	31
E56.9	-	4	4	7	E70.0	-	-	-	-	E76.0	14	21	7	21
E58	-	3	3	3	E70.1	2	8	6	8	E76.1	16	17	1	17
E59	-	-	-	-	E70.2	2	4	2	4	E76.2	15	22	7	22
E60	-	1	1	1	E70.3	4	7	3	7	E76.3	9	17	8	17
E61.0	-	-	-	-	E70.8	-	1	1	1	E76.8	-	-	-	-
E61.1	6	149	143	149	E70.9	-	-	-	-	E76.9	2	2	1	2
E61.2	-	1	1	1	E71.0	2	2	-	2	E77.0	2	6	4	6
E61.3	-	-	-	-	E71.1	7	9	2	9	E77.1	2	3	1	3
E61.4	-	-	-	-	E71.2	-	-	-	-	E77.8	23	164	141	164
E61.5	1	1	-	1	E71.3	38	48	10	48	E77.9	-	1	1	1
E61.6	-	-	-	-	E72.0	12	16	4	16	E78.0	1,645	8,213	6,568	8,232
E61.7	-	-	-	-	E72.1	6	28	22	28	E78.1	40	155	115	174
E61.8	-	1	1	1	E72.2	54	97	43	97	E78.2	28	77	50	58
E61.9	-	-	-	-	E72.3	5	7	2	7	E78.3	4	6	2	6
E63.0	-	-	-	-	E72.4	3	7	4	7	E78.4	6	15	9	15
E63.1	-	-	-	-	E72.5	14	24	10	24	E78.5	3,896	19,925	16,029	19,925
E63.8	3	6	3	6	E72.8	-	-	-	-	E78.6	7	47	40	47
E63.9	110	882	772	902	E72.9	4	5	1	7	E78.8	3	4	1	4
E64.0	16	66	50	66	E73.0	2	3	1	3	E78.9	22	99	77	100
E64.1	-	-	-	-	E73.1	-	-	-	-	E79.0	1	51	50	51
E64.2	-	-	-	-	E73.8	-	-	-	-	E79.1	1	4	3	4
E64.3	1	1	-	1	E73.9	1	6	5	6	E79.8	-	-	-	-
E64.8	-	1	1	1	E74.0	23	35	12	35	E79.9	-	-	-	-
E64.9	-	1	1	1	E74.1	-	-	-	-	E80.0	1	2	1	2
E65	-	1	1	1	E74.2	-	1	1	1	E80.1	-	6	6	6
E66.0	52	280	228	280	E74.3	16	159	143	159	E80.2	6	18	12	18
E66.1	-	2	2	2	E74.4	7	7	-	7	E80.3	-	-	-	-
E66.2	106	249	143	249	E74.8	9	18	9	18	E80.4	1	4	3	4
E66.8	2,361	7,727	5,366	7,727	E74.9	1	1	-	1	E80.5	1	1	-	1
E66.9	1,502	10,094	8,593	10,216	E75.0	32	33	1	33	E80.6	1	2	1	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
E80.7	-	1	1	1	E89.1	...	-	-	-	F10.0	651	4,391	3,740	4,435
E83.0	26	37	11	37	E89.2	...	1	1	1	F10.1	1,698	7,146	5,452	9,510
E83.1	198	531	333	531	E89.3	...	3	3	3	F10.2	3,941	13,539	9,599	13,875
E83.2	-	-	-	-	E89.4	...	-	-	-	F10.3	71	227	157	269
E83.3	9	49	40	49	E89.5	...	-	-	-	F10.4	103	241	140	257
E83.4	7	63	56	63	E89.6	...	-	-	-	F10.5	1	3	3	2
E83.5	235	2,425	2,190	2,425	E89.8	...	72	72	72	F10.6	18	64	46	64
E83.8	-	-	-	-	E89.9	...	3	3	3	F10.7	168	418	258	150
E83.9	-	-	-	-	F01.0	-	-	-	-	F10.8	-	4	4	-
E84.0	211	213	2	9	F01.1	8	21	13	21	F10.9	372	3,887	3,516	4,962
E84.1	13	17	4	5	F01.2	1	1	-	1	F11.0	-	2	2	2
E84.8	32	2	1	1	F01.3	-	1	1	1	F11.1	128	394	266	394
E84.9	195	267	72	486	F01.8	1	4	3	4	F11.2	58	128	70	128
E85.0	1	2	1	2	F01.9	9	39	30	39	F11.3	3	7	4	7
E85.1	3	1	1	1	F03	45,531	147,803	102,236	148,654	F11.4	-	-	-	-
E85.2	8	8	-	8	F04	-	2	2	2	F11.5	-	1	1	1
E85.3	78	109	31	109	F05.0	-	-	-	-	F11.6	-	-	-	-
E85.4	420	479	150	441	F05.1	1	1	1	1	F11.7	-	-	-	-
E85.8	5	11	6	11	F05.8	2	5	3	5	F11.8	-	-	-	-
E85.9	427	838	412	888	F05.9	174	757	583	761	F11.9	56	528	472	558
E86	4,087	25,936	21,849	25,979	F06.0	-	-	-	-	F12.0	-	1	1	1
E87.0	547	2,168	1,621	2,170	F06.1	-	-	-	-	F12.1	-	26	26	26
E87.1	282	1,973	1,691	1,978	F06.2	-	5	5	5	F12.2	2	12	10	12
E87.2	951	6,445	5,496	7,684	F06.3	-	22	22	22	F12.3	-	-	-	-
E87.3	8	52	44	52	F06.4	-	-	-	-	F12.4	-	-	-	-
E87.4	1	6	5	6	F06.5	-	1	1	1	F12.5	-	-	-	-
E87.5	424	5,070	4,646	5,092	F06.6	-	-	-	-	F12.6	-	-	-	-
E87.6	137	940	803	944	F06.7	-	1	1	1	F12.7	-	-	-	-
E87.7	66	447	381	448	F06.8	1	6	5	6	F12.8	-	-	-	-
E87.8	522	3,727	3,205	3,773	F06.9	1,669	6,105	4,437	6,108	F12.9	-	36	36	36
E88.0	257	1,096	839	1,096	F07.0	1	13	12	13	F13.0	-	-	-	-
E88.1	2	6	4	6	F07.1	1	1	-	1	F13.1	-	31	31	31
E88.2	2	5	3	5	F07.2	4	21	17	21	F13.2	1	6	5	6
E88.8	17	211	194	220	F07.8	-	-	-	-	F13.3	1	3	2	3
E88.9	597	2,053	1,457	2,407	F07.9	-	10	10	10	F13.4	-	-	-	-
E89.0	...	6	6	6	F09	22	966	944	1,492	F13.5	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
F13.6	-	-	-	-	F17.2	29	2,066	2,037	2,066	F20.9	309	2,676	2,367	2,682
F13.7	-	-	-	-	F17.3	-	-	-	-	F21	-	2	2	2
F13.8	-	-	-	-	F17.4	-	-	-	-	F22.0	13	214	201	214
F13.9	1	51	50	52	F17.5	-	-	-	-	F22.8	-	-	-	-
F14.0	19	36	17	36	F17.6	-	-	-	-	F22.9	-	-	-	-
F14.1	295	977	682	977	F17.7	2	1	1	-	F23.0	-	-	-	-
F14.2	43	102	59	102	F17.8	-	-	-	-	F23.1	-	-	-	-
F14.3	-	-	-	-	F17.9	617	79,938	79,321	82,189	F23.2	-	5	5	5
F14.4	1	1	-	-	F18.0	-	-	-	-	F23.3	-	-	-	-
F14.5	6	9	3	9	F18.1	2	3	1	3	F23.8	1	1	-	1
F14.6	-	-	-	-	F18.2	-	1	1	1	F23.9	7	27	20	27
F14.7	-	-	-	-	F18.3	-	-	-	-	F24	-	-	-	-
F14.8	-	-	-	-	F18.4	-	-	-	-	F25.0	-	-	-	-
F14.9	155	1,091	936	1,140	F18.5	-	-	-	-	F25.1	-	-	-	-
F15.0	1	4	3	4	F18.6	-	-	-	-	F25.2	-	5	5	5
F15.1	39	165	126	165	F18.7	-	-	-	-	F25.8	-	-	-	-
F15.2	13	45	32	45	F18.8	-	-	-	-	F25.9	21	293	272	293
F15.3	-	-	-	-	F18.9	-	-	-	-	F28	-	6	6	6
F15.4	-	-	-	-	F19.0	-	11	11	11	F29	44	300	256	301
F15.5	1	2	1	2	F19.1	1,007	5,779	4,772	5,779	F30.0	1	3	2	3
F15.6	-	-	-	-	F19.2	268	470	204	490	F30.1	-	-	-	-
F15.7	-	-	-	-	F19.3	10	17	7	17	F30.2	1	2	2	2
F15.8	-	-	-	-	F19.4	-	-	-	-	F30.8	1	2	1	2
F15.9	26	205	179	207	F19.5	-	1	1	1	F30.9	1	21	20	21
F16.0	-	-	-	-	F19.6	-	-	-	-	F31.0	-	-	-	-
F16.1	2	14	12	14	F19.7	1	1	-	1	F31.1	1	6	5	6
F16.2	-	-	-	-	F19.8	-	-	-	-	F31.2	-	2	2	2
F16.3	-	1	1	1	F19.9	157	2,032	1,875	2,188	F31.3	-	-	-	-
F16.4	-	-	-	-	F20.0	39	296	257	296	F31.4	-	-	-	-
F16.5	-	-	-	-	F20.1	1	2	1	2	F31.5	-	-	-	-
F16.6	-	-	-	-	F20.2	18	44	26	44	F31.6	-	-	-	-
F16.7	-	-	-	-	F20.3	1	13	12	13	F31.7	-	-	-	-
F16.8	-	-	-	-	F20.4	1	-	-	-	F31.8	1	51	50	51
F16.9	-	3	3	3	F20.5	42	325	283	325	F31.9	81	1,529	1,448	1,529
F17.0	-	6	6	6	F20.6	-	1	1	1	F32.0	-	8	8	8
F17.1	137	7,443	7,306	7,443	F20.8	-	2	2	2	F32.1	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	total mention	second-ary	Entity axis		UC	total mention	second-ary	Entity axis		UC	total mention	second-ary	Entity axis
F32.2	76	500	424	500	F43.1	11	259	248	259	F51.3	-	-	-	-
F32.3	11	40	30	40	F43.2	4	32	28	32	F51.4	-	-	-	-
F32.8	4	18	14	18	F43.8	-	-	-	-	F51.5	-	-	-	-
F32.9	730	13,348	12,618	13,351	F43.9	36	197	161	198	F51.8	-	-	-	-
F33.0	-	-	-	-	F44.0	-	-	-	-	F51.9	-	-	-	-
F33.1	-	-	-	-	F44.1	-	-	-	-	F52.0	-	1	1	1
F33.2	3	23	20	23	F44.2	-	-	-	-	F52.1	4	6	2	6
F33.3	-	-	-	-	F44.3	-	-	-	-	F52.2	-	2	2	2
F33.4	-	-	-	-	F44.4	-	1	1	1	F52.3	-	-	-	-
F33.8	-	-	-	-	F44.5	-	1	1	1	F52.4	-	-	-	-
F33.9	7	58	51	58	F44.6	-	-	-	-	F52.5	-	-	-	-
F34.0	1	20	19	20	F44.7	-	-	-	-	F52.6	-	-	-	-
F34.1	2	21	19	21	F44.8	3	12	9	12	F52.7	-	-	-	-
F34.8	-	-	-	-	F44.9	-	2	2	2	F52.8	-	-	-	-
F34.9	-	1	1	1	F45.0	-	-	-	-	F52.9	-	-	-	-
F38.0	-	-	-	-	F45.1	-	-	-	-	F53.0	-	3	3	3
F38.1	-	-	-	-	F45.2	-	2	2	2	F53.1	-	-	-	-
F38.8	-	1	1	1	F45.3	5	39	34	39	F53.8	-	-	-	-
F39	5	63	58	79	F45.4	-	-	-	-	F53.9	-	-	-	-
F40.0	-	20	20	20	F45.8	1	5	4	5	F54	159	467	308	-
F40.1	-	1	1	1	F45.9	1	8	7	8	F55	8	42	34	42
F40.2	-	4	4	4	F48.0	3	9	6	9	F59	-	1	1	2
F40.8	-	-	-	-	F48.1	-	-	-	-	F60.0	-	2	2	2
F40.9	-	4	4	4	F48.8	-	-	-	-	F60.1	-	5	5	5
F41.0	3	65	62	65	F48.9	3	30	27	37	F60.2	-	3	3	3
F41.1	-	77	77	77	F50.0	68	96	28	96	F60.3	1	7	6	7
F41.2	17	41	39	41	F50.1	-	-	-	-	F60.4	-	-	-	-
F41.3	-	-	-	-	F50.2	10	30	20	30	F60.5	-	2	2	2
F41.8	-	3	3	3	F50.3	-	-	-	-	F60.6	-	1	1	1
F41.9	22	1,496	1,474	1,512	F50.4	-	-	-	-	F60.7	-	2	2	2
F42.0	-	1	1	1	F50.5	-	2	2	2	F60.8	-	3	3	3
F42.1	-	-	-	-	F50.8	179	641	462	641	F60.9	2	40	38	41
F42.2	-	-	-	-	F50.9	5	26	21	28	F61	-	1	1	1
F42.8	-	-	-	-	F51.0	-	-	-	-	F62.0	-	-	-	-
F42.9	2	63	61	63	F51.1	-	-	-	-	F62.1	-	-	-	-
F43.0	-	1	1	1	F51.2	-	-	-	-	F62.8	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
F62.9	-	-	-	-	F80.0	-	-	-	-	F92.9	-	-	-	-
F63.0	-	-	-	-	F80.1	-	4	4	4	F93.0	-	-	-	-
F63.1	-	-	-	-	F80.2	-	2	2	2	F93.1	-	1	1	1
F63.2	-	-	-	-	F80.3	-	-	-	-	F93.2	-	-	-	-
F63.3	-	-	-	-	F80.8	-	-	-	-	F93.3	-	-	-	-
F63.8	-	-	-	-	F80.9	-	-	-	-	F93.8	-	-	-	-
F63.9	-	6	6	6	F81.0	-	-	-	-	F93.9	-	-	-	-
F64.0	-	-	-	-	F81.1	-	-	-	-	F94.0	-	-	-	-
F64.1	-	-	-	-	F81.2	-	-	-	-	F94.1	-	-	-	-
F64.2	-	-	-	-	F81.3	-	-	-	-	F94.2	-	-	-	-
F64.8	-	-	-	-	F81.8	-	-	-	-	F94.8	-	-	-	-
F64.9	-	-	-	-	F81.9	-	3	3	3	F94.9	-	-	-	-
F65.0	-	-	-	-	F82	7	26	19	26	F95.0	-	-	-	-
F65.1	-	-	-	-	F83	-	-	-	-	F95.1	-	1	1	1
F65.2	-	-	-	-	F84.0	7	60	53	60	F95.2	1	6	5	6
F65.3	-	-	-	-	F84.1	-	-	-	-	F95.8	-	1	1	1
F65.4	-	-	-	-	F84.2	27	40	13	40	F95.9	-	1	1	1
F65.5	-	-	-	-	F84.3	1	2	1	2	F98.0	-	-	-	-
F65.6	-	-	-	-	F84.4	-	-	-	-	F98.1	-	-	-	-
F65.8	-	-	-	-	F84.5	-	3	3	3	F98.2	-	5	5	5
F65.9	-	-	-	-	F84.8	-	-	-	-	F98.3	-	1	1	1
F66.0	-	-	-	-	F84.9	-	-	-	-	F98.4	-	-	-	-
F66.1	-	-	-	-	F88	-	-	-	-	F98.5	-	1	1	1
F66.2	-	-	-	-	F89	9	27	18	28	F98.6	-	-	-	-
F66.8	-	-	-	-	F90.0	1	10	9	10	F98.8	-	4	4	4
F66.9	-	-	-	-	F90.1	-	-	-	-	F98.9	-	-	-	-
F68.0	-	-	-	-	F90.8	-	-	-	-	F99	18	53	39	531
F68.1	-	3	3	3	F90.9	-	6	6	6	G00.0	3	3	-	3
F68.8	-	-	-	-	F91.0	-	-	-	-	G00.1	98	160	63	168
F69	-	8	8	8	F91.1	-	-	-	-	G00.2	65	117	52	122
F70	3	34	31	34	F91.2	-	-	-	-	G00.3	12	44	32	44
F71	-	13	13	13	F91.3	-	-	-	-	G00.8	21	56	35	60
F72	62	220	158	220	F91.8	1	5	4	5	G00.9	200	304	104	313
F73	52	185	133	185	F91.9	-	39	39	39	G03.0	12	32	20	35
F78	-	3	3	3	F92.0	-	-	-	-	G03.1	11	19	8	19
F79	370	2,015	1,645	2,017	F92.8	-	-	-	-	G03.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
G03.8	-	-	-	-	G23.9	29	68	39	73	G37.4	-	-	-	-
G03.9	308	1,017	710	1,087	G24.0	1	3	2	3	G37.5	-	-	-	-
G04.0	3	8	5	8	G24.1	4	5	1	5	G37.8	15	26	11	26
G04.1	1	1	-	1	G24.2	-	-	-	-	G37.9	70	111	41	112
G04.2	6	9	3	9	G24.3	1	3	2	3	G40.0	-	-	-	-
G04.8	15	28	13	33	G24.4	10	75	65	75	G40.1	1	5	4	5
G04.9	309	690	381	773	G24.5	-	1	1	1	G40.2	2	4	2	4
G06.0	131	292	161	300	G24.8	2	10	8	10	G40.3	40	71	31	71
G06.1	29	47	18	47	G24.9	24	81	57	81	G40.4	16	32	16	32
G06.2	89	202	113	203	G25.0	6	103	97	103	G40.5	7	9	2	5
G08	29	58	29	59	G25.1	-	-	-	-	G40.6	155	290	136	291
G09	94	155	62	155	G25.2	1	4	3	4	G40.7	-	5	5	5
G10	761	958	197	958	G25.3	12	35	23	35	G40.8	-	-	-	-
G11.0	-	-	-	-	G25.4	-	-	-	-	G40.9	704	1,261	557	1,279
G11.1	75	112	37	112	G25.5	14	36	22	36	G41.0	-	-	-	-
G11.2	2	2	-	2	G25.6	-	-	-	-	G41.1	-	-	-	-
G11.3	11	16	7	16	G25.8	11	55	44	55	G41.2	-	-	-	-
G11.4	5	14	9	14	G25.9	19	64	45	68	G41.8	3	5	2	5
G11.8	-	-	-	-	G30.0	7	25	18	25	G41.9	488	979	491	979
G11.9	66	141	75	141	G30.1	2,348	3,394	1,047	3,146	G43.0	-	-	-	-
G12.0	33	35	2	35	G30.8	23	33	10	33	G43.1	-	-	-	-
G12.1	5	6	1	6	G30.9	61,079	96,009	34,925	96,269	G43.2	-	-	-	-
G12.2	5,868	6,543	675	6,543	G31.0	222	269	47	269	G43.3	-	-	-	-
G12.8	-	1	1	1	G31.1	16	23	10	23	G43.8	1	2	1	2
G12.9	115	125	10	132	G31.2	93	172	107	170	G43.9	3	118	115	118
G20	17,890	34,470	16,559	34,480	G31.8	201	332	131	332	G44.0	-	6	6	6
G21.0	16	22	6	22	G31.9	1,030	1,829	800	1,961	G44.1	-	3	3	3
G21.1	1	5	4	5	G35	3,215	4,943	1,726	4,941	G44.2	-	-	-	-
G21.2	1	1	-	1	G36.0	7	10	3	10	G44.3	-	-	-	-
G21.3	1	1	-	1	G36.1	2	2	-	2	G44.4	-	-	-	-
G21.8	42	39	6	-	G36.8	1	1	-	1	G44.8	-	1	1	1
G21.9	46	218	172	254	G36.9	-	-	-	-	G45.0	19	67	48	67
G23.0	7	9	2	9	G37.0	-	-	-	-	G45.1	3	13	10	13
G23.1	4	7	3	7	G37.1	2	3	1	3	G45.2	-	-	-	-
G23.2	10	18	8	18	G37.2	21	34	13	34	G45.3	-	2	2	2
G23.8	90	123	33	123	G37.3	54	115	61	115	G45.4	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
G45.8	-	14	14	14	G54.9	1	4	3	4	G64	-	-	-	-
G45.9	244	2,646	2,402	2,647	G56.0	-	10	10	10	G70.0	513	1,098	585	1,098
G47.0	3	57	54	57	G56.1	-	1	1	1	G70.1	-	-	-	-
G47.1	-	1	1	1	G56.2	-	1	1	1	G70.2	1	1	-	1
G47.2	-	1	1	1	G56.3	-	3	3	3	G70.8	7	12	5	12
G47.3	474	4,689	4,215	4,690	G56.4	-	1	1	1	G70.9	213	305	92	330
G47.4	5	73	68	73	G56.8	-	-	-	-	G71.0	719	990	271	990
G47.8	-	2	2	2	G56.9	-	1	1	1	G71.1	233	322	89	322
G47.9	1	20	19	21	G57.0	1	1	-	1	G71.2	108	116	8	116
G50.0	7	111	104	111	G57.1	-	1	1	1	G71.3	21	26	5	26
G50.1	-	2	2	2	G57.2	-	-	-	-	G71.8	53	59	6	60
G50.8	-	1	1	1	G57.3	-	2	2	2	G71.9	-	2	2	2
G50.9	-	-	-	-	G57.4	-	-	-	-	G72.0	3	52	49	52
G51.0	2	65	63	66	G57.5	-	-	-	-	G72.1	2	1	-	1
G51.1	-	-	-	-	G57.6	-	3	3	3	G72.2	1	4	3	4
G51.2	-	1	1	1	G57.8	-	-	-	-	G72.3	1	3	2	3
G51.3	-	-	-	-	G57.9	-	1	1	1	G72.4	7	13	6	13
G51.4	-	-	-	-	G58.0	-	-	-	-	G72.8	32	54	23	55
G51.8	1	3	2	3	G58.7	2	5	3	6	G72.9	85	242	157	251
G51.9	2	2	-	2	G58.8	7	25	18	25	G80.0	11	23	12	23
G52.0	-	-	-	-	G58.9	26	56	30	70	G80.1	1	2	2	2
G52.1	-	3	3	4	G60.0	59	143	84	143	G80.2	1	3	3	3
G52.2	-	-	-	-	G60.1	2	4	2	4	G80.3	2	1	-	1
G52.3	-	-	-	-	G60.2	-	-	-	-	G80.4	1	-	-	-
G52.7	2	3	1	2	G60.3	4	8	4	8	G80.8	41	17	7	17
G52.8	1	2	1	3	G60.8	4	10	6	10	G80.9	1,277	2,316	1,039	2,317
G52.9	6	12	6	12	G60.9	18	34	16	34	G81.0	-	3	3	3
G54.0	-	8	8	8	G61.0	241	465	224	468	G81.1	-	16	16	16
G54.1	-	4	4	4	G61.1	-	1	1	1	G81.9	120	3,588	3,468	3,588
G54.2	1	1	-	1	G61.8	5	8	3	8	G82.0	1	2	1	2
G54.3	-	1	1	1	G61.9	1	3	2	3	G82.1	9	32	23	32
G54.4	-	-	-	-	G62.0	-	2	2	2	G82.2	278	1,345	1,067	1,345
G54.5	-	1	1	1	G62.1	4	5	4	5	G82.3	1	4	3	4
G54.6	-	-	-	-	G62.2	-	-	-	-	G82.4	48	165	117	165
G54.7	-	2	2	2	G62.8	71	129	58	129	G82.5	361	1,313	952	1,313
G54.8	-	2	2	2	G62.9	243	1,359	1,119	2,340	G83.0	-	5	5	5

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record second- ary	Entity axis		UC	Record total mention	Record second- ary	Entity axis		UC	Record total mention	Record second- ary	Entity axis
G83.1	5	43	38	43	G96.8	3	43	40	43	H05.3	-	1	1	1
G83.2	-	7	7	7	G96.9	31	83	52	110	H05.4	-	-	-	-
G83.3	-	8	8	8	G97.0	...	-	-	-	H05.5	-	-	-	-
G83.4	2	27	25	27	G97.1	...	-	-	-	H05.8	-	1	1	1
G83.8	195	344	149	344	G97.2	...	-	-	-	H05.9	-	1	1	1
G83.9	42	345	303	355	G97.8	...	161	161	161	H10.0	-	-	-	-
G90.0	1	5	4	5	G97.9	...	6	6	6	H10.1	-	1	1	1
G90.1	13	29	16	29	G98	77	148	71	194	H10.2	-	-	-	-
G90.2	-	2	2	2	H00.0	-	-	-	-	H10.3	-	-	-	-
G90.3	182	284	105	257	H00.1	-	-	-	-	H10.4	-	3	3	3
G90.8	40	98	58	99	H01.0	-	5	5	5	H10.5	-	-	-	-
G90.9	29	67	43	108	H01.1	-	-	-	-	H10.8	-	1	1	1
G91.0	5	22	17	22	H01.8	-	-	-	-	H10.9	1	13	12	14
G91.1	39	136	97	141	H01.9	-	1	1	1	H11.0	-	1	1	1
G91.2	256	640	384	640	H02.0	-	1	1	1	H11.1	-	-	-	-
G91.3	1	5	4	5	H02.1	-	1	1	1	H11.2	-	-	-	-
G91.8	18	45	27	45	H02.2	-	-	-	-	H11.3	-	-	-	-
G91.9	363	1,204	841	1,214	H02.3	-	-	-	-	H11.4	-	-	-	-
G92	55	101	46	101	H02.4	-	3	3	3	H11.8	-	-	-	-
G93.0	24	45	21	45	H02.5	-	-	-	-	H11.9	-	-	-	-
G93.1	4,194	20,175	16,006	20,243	H02.6	-	-	-	-	H15.0	-	-	-	-
G93.2	44	792	748	800	H02.7	-	-	-	-	H15.1	-	1	1	1
G93.3	1	9	8	9	H02.8	-	-	-	-	H15.8	-	-	-	-
G93.4	851	4,606	3,755	4,713	H02.9	-	-	-	-	H15.9	-	-	-	-
G93.5	165	3,223	3,058	3,258	H04.0	-	-	-	-	H16.0	1	1	-	1
G93.6	196	2,330	2,134	2,356	H04.1	-	2	2	2	H16.1	-	-	-	-
G93.7	5	7	2	7	H04.2	-	-	-	-	H16.2	-	1	1	1
G93.8	184	1,075	891	1,076	H04.3	-	-	-	-	H16.3	-	1	1	1
G93.9	301	876	576	1,345	H04.4	-	1	1	1	H16.4	-	-	-	-
G95.0	38	75	37	75	H04.5	-	-	-	-	H16.8	-	1	1	1
G95.1	55	159	104	159	H04.6	-	-	-	-	H16.9	1	1	-	1
G95.2	50	536	486	536	H04.8	-	-	-	-	H17.0	-	-	-	-
G95.8	11	38	27	38	H04.9	-	-	-	-	H17.1	-	-	-	-
G95.9	103	315	212	354	H05.0	5	17	12	17	H17.8	-	-	-	-
G96.0	2	15	13	15	H05.1	-	2	2	2	H17.9	-	1	1	1
G96.1	2	10	8	10	H05.2	-	-	-	-	H18.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second- ary	Entity axis		UC	Record axis total mention	second- ary	Entity axis		UC	Record axis total mention	second- ary	Entity axis
H18.1	-	2	2	2	H27.8	-	-	-	-	H40.1	-	8	8	8
H18.2	-	-	-	-	H27.9	-	-	-	-	H40.2	-	1	1	1
H18.3	-	-	-	-	H30.0	-	-	-	-	H40.3	-	-	-	-
H18.4	-	-	-	-	H30.1	-	-	-	-	H40.4	-	-	-	-
H18.5	-	1	1	1	H30.2	-	-	-	-	H40.5	-	-	-	-
H18.6	-	-	-	-	H30.8	-	1	1	1	H40.6	-	-	-	-
H18.7	-	-	-	-	H30.9	-	9	9	14	H40.8	-	-	-	-
H18.8	-	-	-	-	H31.0	-	-	-	-	H40.9	4	1,029	1,025	1,029
H18.9	1	6	6	6	H31.1	-	1	1	1	H43.0	-	-	-	-
H20.0	-	-	-	-	H31.2	-	-	-	-	H43.1	-	3	3	3
H20.1	-	-	-	-	H31.3	-	1	1	1	H43.2	-	-	-	-
H20.2	-	-	-	-	H31.4	-	-	-	-	H43.3	-	-	-	-
H20.8	-	2	2	2	H31.8	-	-	-	-	H43.8	-	1	1	1
H20.9	-	-	-	3	H31.9	-	-	-	-	H43.9	-	-	-	-
H21.0	-	-	-	-	H33.0	-	-	-	-	H44.0	3	15	12	15
H21.1	-	-	-	-	H33.1	-	-	-	-	H44.1	-	-	-	-
H21.2	-	-	-	-	H33.2	-	11	11	11	H44.2	-	-	-	-
H21.3	-	-	-	-	H33.3	-	-	-	-	H44.3	-	-	-	-
H21.4	-	-	-	-	H33.4	-	-	-	-	H44.4	-	-	-	-
H21.5	-	-	-	-	H33.5	-	-	-	-	H44.5	1	3	2	3
H21.8	-	1	1	1	H34.0	-	-	-	-	H44.6	-	-	-	-
H21.9	-	-	-	-	H34.1	-	-	-	-	H44.7	-	-	-	-
H25.0	-	-	-	-	H34.2	-	5	5	5	H44.8	-	-	-	-
H25.1	-	-	-	-	H34.8	-	5	5	5	H44.9	-	-	-	-
H25.2	-	-	-	-	H34.9	-	-	-	-	H46	-	10	10	10
H25.8	-	-	-	-	H35.0	-	17	17	134	H47.0	-	6	6	6
H25.9	-	2	2	2	H35.1	-	10	10	5	H47.1	-	-	-	-
H26.0	-	-	-	-	H35.2	-	-	-	-	H47.2	-	1	1	1
H26.1	-	-	-	-	H35.3	3	513	510	513	H47.3	-	-	-	-
H26.2	-	1	1	1	H35.4	-	4	4	4	H47.4	-	-	-	-
H26.3	-	-	-	-	H35.5	-	27	27	27	H47.5	-	-	-	-
H26.4	-	1	1	1	H35.6	-	3	3	3	H47.6	-	-	-	-
H26.8	-	-	-	-	H35.7	-	-	-	-	H47.7	-	-	-	-
H26.9	2	113	111	141	H35.8	-	1	1	1	H49.0	-	-	-	-
H27.0	-	-	-	-	H35.9	-	5	5	5	H49.1	-	-	-	-
H27.1	-	-	-	-	H40.0	1	1	-	1	H49.2	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
H49.3	-	-	-	-	H54.1	-	-	-	-	H66.1	-	-	-	-
H49.4	-	-	-	-	H54.2	-	-	-	-	H66.2	-	-	-	-
H49.8	2	6	4	6	H54.3	-	-	-	-	H66.3	-	-	-	-
H49.9	1	2	1	2	H54.4	-	25	25	25	H66.4	-	1	1	1
H50.0	-	-	-	-	H54.5	-	-	-	-	H66.9	34	74	40	74
H50.1	-	-	-	-	H54.6	-	-	-	-	H68.0	-	-	-	-
H50.2	-	-	-	-	H54.7	-	15	15	15	H68.1	-	-	-	-
H50.3	-	-	-	-	H55	-	-	-	-	H69.0	-	-	-	-
H50.4	-	-	-	-	H57.0	-	2	2	2	H69.8	-	-	-	-
H50.5	-	1	1	1	H57.1	-	-	-	-	H69.9	-	-	-	-
H50.6	-	-	-	-	H57.8	-	1	1	1	H70.0	1	3	2	3
H50.8	-	-	-	-	H57.9	-	11	11	12	H70.1	2	8	6	8
H50.9	1	2	1	2	H59.0	...	-	-	-	H70.2	-	-	-	-
H51.0	-	-	-	-	H59.8	...	1	1	1	H70.8	-	1	1	1
H51.1	-	-	-	-	H59.9	...	-	-	-	H70.9	25	47	22	47
H51.2	-	-	-	-	H60.0	-	-	-	-	H71	-	3	3	3
H51.8	-	-	-	-	H60.1	-	1	1	1	H72.0	-	-	-	-
H51.9	-	-	-	-	H60.2	-	2	2	2	H72.1	-	-	-	-
H52.0	-	1	1	1	H60.3	-	-	-	-	H72.2	-	-	-	-
H52.1	1	3	2	3	H60.4	-	-	-	-	H72.8	-	-	-	-
H52.2	-	-	-	-	H60.5	-	-	-	-	H72.9	1	2	1	2
H52.3	-	-	-	-	H60.8	-	2	2	2	H73.0	-	-	-	-
H52.4	-	2	2	2	H60.9	3	8	5	8	H73.1	-	-	-	-
H52.5	-	-	-	-	H61.0	-	-	-	-	H73.8	-	-	-	-
H52.6	-	-	-	-	H61.1	-	1	1	1	H73.9	-	-	-	-
H52.7	-	1	1	1	H61.2	-	-	-	-	H74.0	-	-	-	-
H53.0	-	-	-	-	H61.3	-	-	-	-	H74.1	-	-	-	-
H53.1	-	15	15	15	H61.8	-	-	-	-	H74.2	-	-	-	-
H53.2	-	2	2	2	H61.9	-	1	1	1	H74.3	-	-	-	-
H53.3	-	1	1	1	H65.0	-	-	-	-	H74.4	-	-	-	-
H53.4	-	4	4	4	H65.1	-	-	-	-	H74.8	-	-	-	-
H53.5	-	-	-	-	H65.2	-	-	-	-	H74.9	-	-	-	-
H53.6	-	1	1	1	H65.3	-	-	-	-	H80.0	-	-	-	-
H53.8	-	1	1	1	H65.4	-	-	-	-	H80.1	-	-	-	-
H53.9	-	-	-	-	H65.9	-	-	-	-	H80.2	-	-	-	-
H54.0	13	862	849	862	H66.0	-	-	-	-	H80.8	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record total mention	Record axis second- ary		Entity axis	UC	Record total mention		Record axis second- ary	Entity axis	UC	Record total mention	Record axis second- ary	Entity axis
H80.9	-	3	3	3	H93.8	-	1	1	1	I09.1	159	301	142	301
H81.0	-	42	42	42	H93.9	-	3	3	3	I09.2	-	-	-	-
H81.1	-	4	4	4	H95.0	...	-	-	-	I09.8	8	23	15	30
H81.2	-	2	2	2	H95.1	...	-	-	-	I09.9	418	1,045	627	1,114
H81.3	-	2	2	2	H95.8	...	-	-	-	I10	12,913	242,030	229,120	250,678
H81.4	-	1	1	1	H95.9	...	-	-	-	I11.0	9,455	4,629	1,671	64
H81.8	-	-	-	-	I00	18	90	72	90	I11.9	18,890	35,431	17,933	42,715
H81.9	-	1	1	1	I01.0	-	4	4	4	I12.0	8,732	9,789	6,474	28
H83.0	1	10	9	10	I01.1	11	15	5	25	I12.9	295	1,060	791	2,642
H83.1	-	-	-	-	I01.2	-	-	-	1	I13.0	43	22	11	-
H83.2	-	-	-	-	I01.8	9	11	2	-	I13.1	1,161	2,223	1,118	-
H83.3	-	-	-	-	I01.9	2	4	2	15	I13.2	1,836	799	331	4
H83.8	-	-	-	-	I02.0	-	-	-	-	I13.9	68	135	72	104
H83.9	-	1	1	1	I02.9	1	2	1	2	I20.0	60	365	305	365
H90.0	-	-	-	-	I05.0	521	878	357	1,084	I20.1	18	65	47	65
H90.1	-	-	-	-	I05.1	66	102	37	980	I20.8	2	9	7	9
H90.2	-	-	-	-	I05.2	19	23	4	1	I20.9	208	1,440	1,232	1,441
H90.3	-	1	1	1	I05.8	14	26	12	31	I21.0	17	33	16	33
H90.4	-	-	-	-	I05.9	1,099	2,306	1,208	2,911	I21.1	27	34	7	34
H90.5	-	23	23	23	I06.0	72	93	23	799	I21.2	15	24	9	24
H90.6	-	-	-	-	I06.1	2	12	10	323	I21.3	16	18	2	18
H90.7	-	-	-	-	I06.2	2	4	2	-	I21.4	260	482	222	482
H90.8	-	-	-	-	I06.8	1	1	-	5	I21.9	170,227	210,614	40,449	210,809
H91.0	-	-	-	-	I06.9	26	45	19	507	I22.0	-	-	-	-
H91.1	-	17	17	17	I07.0	1	3	2	8	I22.1	1	1	-	1
H91.2	-	-	-	-	I07.1	166	460	294	595	I22.8	-	-	-	-
H91.3	1	20	19	20	I07.2	1	1	-	-	I22.9	1	1	-	1
H91.8	-	-	-	-	I07.8	17	24	7	33	I24.1	3	7	4	7
H91.9	4	356	352	356	I07.9	23	50	27	169	I24.8	2,465	5,120	2,658	5,125
H92.0	-	-	-	-	I08.0	775	1,384	609	4	I24.9	690	1,813	1,123	1,817
H92.1	-	1	1	1	I08.1	89	175	86	1	I25.0	67,232	93,721	26,497	93,733
H92.2	-	-	-	-	I08.2	11	20	9	2	I25.1	213,570	384,669	171,406	384,718
H93.0	-	-	-	-	I08.3	51	72	22	-	I25.2	211	2,089	1,878	2,090
H93.1	-	5	5	5	I08.8	4	5	1	1	I25.3	86	299	213	299
H93.2	-	1	1	1	I08.9	5	5	-	5	I25.4	15	48	33	48
H93.3	-	-	-	-	I09.0	33	51	18	63	I25.5	12,813	27,979	15,170	27,987

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
I25.6	-	2	2	2	I36.0	-	-	-	-	I45.3	2	6	4	6
I25.8	1,558	3,548	1,990	3,549	I36.1	13	77	64	78	I45.4	2	36	34	36
I25.9	10,533	15,963	5,435	18,588	I36.2	-	-	-	-	I45.5	6	45	39	45
I26.0	12	53	41	53	I36.8	2	9	7	9	I45.6	29	91	62	91
I26.9	8,690	27,260	18,578	27,349	I36.9	1	12	11	12	I45.8	53	546	493	550
I27.0	826	1,320	507	1,338	I37.0	3	9	6	9	I45.9	126	848	722	877
I27.1	51	134	89	2	I37.1	1	16	15	16	I46.0	-	3	3	3
I27.2	2,984	8,839	5,858	8,858	I37.2	-	-	-	-	I46.1	2,876	12,656	9,780	12,668
I27.8	70	84	14	84	I37.8	3	9	6	9	I46.9	14,285	329,267	314,983	331,818
I27.9	1,287	5,685	4,399	6,199	I37.9	-	8	8	9	I47.0	1	32	31	32
I28.0	1	3	2	3	I38	4,943	10,067	5,127	11,218	I47.1	124	1,423	1,299	1,423
I28.1	18	24	6	24	I40.0	212	299	87	301	I47.2	516	5,599	5,083	5,603
I28.8	22	74	52	74	I40.1	9	10	1	10	I47.9	-	11	11	11
I28.9	28	110	82	118	I40.8	-	-	-	-	I48	10,525	80,411	69,886	80,418
I30.0	4	7	3	7	I40.9	76	93	17	94	I49.0	1,245	12,107	10,862	12,128
I30.1	29	58	29	58	I42.0	4,647	7,889	3,250	8,197	I49.1	-	13	13	13
I30.8	11	36	25	37	I42.1	178	321	143	330	I49.2	-	1	1	1
I30.9	19	75	56	76	I42.2	1,156	1,927	774	2,000	I49.3	6	128	122	128
I31.0	6	34	28	34	I42.3	7	9	2	9	I49.4	-	6	6	6
I31.1	65	146	81	147	I42.4	74	103	29	103	I49.5	363	2,795	2,432	2,795
I31.2	35	819	784	821	I42.5	143	170	27	170	I49.8	87	1,026	939	1,027
I31.3	166	1,152	986	1,158	I42.6	467	435	108	440	I49.9	8,519	56,354	47,840	60,688
I31.8	3	11	8	11	I42.7	17	79	62	79	I50.0	53,595	267,330	213,736	272,579
I31.9	233	1,930	1,697	2,357	I42.8	52	80	30	83	I50.1	113	616	575	640
I33.0	1,200	2,531	1,333	2,554	I42.9	20,117	42,420	22,310	42,662	I50.9	3,740	21,398	17,660	23,621
I33.9	45	95	50	106	I44.0	1	40	39	40	I51.0	15	264	249	264
I34.0	2,061	5,294	3,234	5,314	I44.1	9	53	44	53	I51.1	15	40	25	40
I34.1	246	572	326	573	I44.2	294	1,717	1,423	1,720	I51.2	21	95	74	95
I34.2	21	86	65	89	I44.3	21	173	152	173	I51.3	-	6	6	6
I34.8	114	256	142	256	I44.4	-	3	3	3	I51.4	498	1,044	571	1,066
I34.9	100	291	191	305	I44.5	-	-	-	-	I51.5	149	503	354	504
I35.0	10,357	20,744	10,388	20,896	I44.6	-	1	1	1	I51.6	4,105	8,815	4,710	8,821
I35.1	544	1,436	892	1,592	I44.7	6	157	151	161	I51.7	1,485	7,632	6,193	7,835
I35.2	70	145	75	1	I45.0	-	-	-	-	I51.8	830	4,255	3,425	4,259
I35.8	197	358	162	361	I45.1	6	89	83	89	I51.9	3,298	8,143	4,865	11,711
I35.9	1,380	3,968	2,589	4,145	I45.2	2	14	12	14	I60.0	77	79	4	80

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
I60.1	2	2	-	2	I67.5	13	18	5	18	I74.0	49	101	52	101
I60.2	1	1	-	1	I67.6	-	1	1	1	I74.1	189	427	238	428
I60.3	1	1	-	1	I67.7	73	99	27	102	I74.2	14	72	58	72
I60.4	3	12	9	14	I67.8	1,132	3,108	1,976	3,114	I74.3	152	536	384	536
I60.5	-	-	-	-	I67.9	7,531	18,010	10,484	22,511	I74.4	33	159	127	160
I60.6	45	11	-	11	I69.0	72	109	37	110	I74.5	23	97	74	97
I60.7	449	467	24	477	I69.1	159	292	133	292	I74.8	36	126	90	126
I60.8	20	27	8	27	I69.2	142	373	231	375	I74.9	319	1,280	961	1,462
I60.9	5,435	7,430	1,277	6,533	I69.3	759	1,306	548	1,307	I77.0	40	119	79	119
I61.0	249	307	58	309	I69.4	10,040	19,647	9,608	19,738	I77.1	128	338	210	338
I61.1	146	226	80	227	I69.8	8,361	10,313	1,953	10,784	I77.2	160	355	196	357
I61.2	29	40	11	40	I70.0	40	495	455	496	I77.3	5	8	3	8
I61.3	728	964	236	968	I70.1	61	461	400	462	I77.4	1	1	-	1
I61.4	571	792	222	796	I70.2	438	2,183	1,746	1,515	I77.5	-	7	7	7
I61.5	703	1,130	427	1,139	I70.8	2	30	28	30	I77.6	429	1,068	639	1,091
I61.6	-	-	-	-	I70.9	12,512	59,600	47,089	60,456	I77.8	13	44	31	44
I61.8	77	161	84	162	I71.0	3,649	4,000	356	4,005	I77.9	250	464	226	1,039
I61.9	16,311	22,385	6,084	23,009	I71.1	895	954	60	990	I78.0	36	83	47	83
I62.0	1,604	3,234	1,631	3,252	I71.2	723	1,468	746	1,567	I78.1	8	25	17	25
I62.1	25	58	33	58	I71.3	4,881	5,094	215	5,051	I78.8	13	23	10	23
I62.9	6,769	9,151	2,389	9,848	I71.4	2,155	6,050	3,895	6,159	I78.9	1	2	1	2
I63.0	149	212	63	212	I71.5	136	141	5	141	I80.0	1	4	3	4
I63.1	21	42	21	42	I71.6	215	304	90	318	I80.1	29	100	71	100
I63.2	701	1,681	980	1,682	I71.8	1,446	1,515	76	1,745	I80.2	2,908	11,296	8,388	11,314
I63.3	1,642	2,690	1,049	2,691	I71.9	710	2,008	1,299	2,008	I80.3	235	682	447	774
I63.4	676	2,035	1,359	2,036	I72.0	41	70	29	70	I80.8	11	39	28	39
I63.5	215	408	193	409	I72.1	1	1	-	1	I80.9	94	396	302	419
I63.6	-	1	1	1	I72.2	37	61	24	61	I81	86	288	202	288
I63.8	130	140	67	140	I72.3	150	264	114	264	I82.0	42	110	68	110
I63.9	8,560	15,742	7,183	16,268	I72.4	47	107	60	107	I82.1	-	50	50	50
I64	82,472	150,742	68,296	158,022	I72.8	91	133	42	133	I82.2	31	196	165	197
I67.0	20	39	19	39	I72.9	338	517	179	711	I82.3	7	29	22	29
I67.1	397	686	290	1,934	I73.0	16	115	99	115	I82.8	128	473	345	474
I67.2	1,104	3,757	2,668	3,757	I73.1	10	35	25	35	I82.9	51	466	415	572
I67.3	22	48	26	48	I73.8	28	64	36	64	I83.0	48	198	150	196
I67.4	53	65	30	65	I73.9	7,204	26,755	19,630	37,522	I83.1	15	73	58	74

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
I83.2	6	10	5	2	I95.8	15	90	75	91	J12.0	9	16	7	18
I83.9	59	236	177	246	I95.9	212	11,997	11,785	12,036	J12.1	18	33	15	33
I84.0	-	-	-	-	I97.0	...	11	11	11	J12.2	3	12	9	12
I84.1	-	1	1	1	I97.1	...	42	42	42	J12.8	2	4	2	4
I84.2	-	3	3	3	I97.2	...	-	-	-	J12.9	281	437	156	458
I84.3	-	-	-	-	I97.8	...	259	259	259	J13	480	723	243	742
I84.4	-	-	-	-	I97.9	...	9	9	9	J14	52	94	42	96
I84.5	-	-	-	-	I99	290	5,066	4,776	5,647	J15.0	123	304	181	306
I84.6	-	1	1	1	J00	2	12	10	12	J15.1	341	1,044	704	1,070
I84.7	-	-	-	-	J01.0	-	1	1	1	J15.2	1,269	2,975	1,706	3,016
I84.8	1	2	1	2	J01.1	-	-	-	-	J15.3	3	7	4	7
I84.9	8	41	33	41	J01.2	-	-	-	-	J15.4	344	595	251	615
I85.0	148	2,022	1,874	839	J01.3	-	-	-	-	J15.5	21	58	37	58
I85.9	32	777	747	1,980	J01.4	-	-	-	-	J15.6	36	84	48	87
I86.0	-	-	-	-	J01.8	-	-	-	-	J15.7	12	20	8	20
I86.1	-	-	-	-	J01.9	4	10	6	10	J15.8	28	72	44	74
I86.2	-	-	-	-	J02.0	9	12	3	12	J15.9	2,061	3,923	1,865	4,020
I86.3	-	-	-	-	J02.8	2	4	2	5	J16.0	3	6	3	6
I86.4	27	234	207	234	J02.9	8	26	18	26	J16.8	3	8	5	8
I86.8	4	19	15	19	J03.0	-	1	1	1	J18.0	1,676	6,714	5,038	6,835
I87.0	-	2	2	2	J03.8	-	-	-	-	J18.1	1,508	2,758	1,252	2,867
I87.1	25	495	470	496	J03.9	1	3	2	3	J18.2	74	850	776	854
I87.2	43	442	399	442	J04.0	10	18	8	21	J18.8	51	874	823	879
I87.8	61	315	254	315	J04.1	12	45	33	50	J18.9	54,973	193,558	138,613	196,115
I87.9	9	46	37	48	J04.2	4	6	2	4	J20.0	-	-	-	-
I88.0	1	1	-	1	J05.0	6	6	-	6	J20.1	-	-	-	-
I88.1	-	-	-	-	J05.1	26	40	14	41	J20.2	-	-	-	2
I88.8	-	-	-	-	J06.0	1	4	3	4	J20.3	-	-	-	-
I88.9	4	13	9	13	J06.8	-	1	1	1	J20.4	-	-	-	-
I89.0	48	301	253	301	J06.9	107	547	440	554	J20.5	-	-	-	-
I89.1	4	26	22	26	J10.0	230	234	13	123	J20.6	-	-	-	-
I89.8	26	78	53	79	J10.1	168	201	36	315	J20.7	-	-	-	-
I89.9	2	25	23	26	J10.8	6	4	-	1	J20.8	26	42	16	54
I95.0	1	1	-	1	J11.0	600	664	80	33	J20.9	202	610	408	908
I95.1	24	201	177	231	J11.1	765	1,065	301	1,713	J21.0	15	28	13	28
I95.2	1	3	2	3	J11.8	23	18	7	3	J21.8	4	11	7	11

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second-ary	Entity axis		UC	Record total mention	Record axis second-ary	Entity axis		UC	Record total mention	Record axis second-ary	Entity axis
J21.9	57	137	80	159	J38.1	6	12	6	12	J62.8	96	169	73	171
J22	117	248	131	304	J38.2	1	1	-	1	J63.0	-	-	-	-
J30.0	-	-	-	-	J38.3	5	20	15	20	J63.1	-	-	-	-
J30.1	-	1	1	1	J38.4	11	40	29	40	J63.2	7	9	2	9
J30.2	-	3	3	3	J38.5	6	30	24	30	J63.3	-	-	-	-
J30.3	1	9	8	9	J38.6	21	66	45	66	J63.4	1	3	2	3
J30.4	1	58	57	70	J38.7	26	81	55	83	J63.5	-	-	-	-
J31.0	-	16	16	16	J39.0	13	14	1	14	J63.8	-	-	-	-
J31.1	-	-	-	-	J39.1	12	21	9	21	J64	86	210	124	221
J31.2	-	-	-	-	J39.2	83	230	147	230	J65	1	6	5	-
J32.0	6	12	6	13	J39.3	-	-	-	-	J66.0	1	6	5	6
J32.1	6	8	2	8	J39.8	89	446	358	446	J66.1	-	-	-	-
J32.2	1	2	1	2	J39.9	5	8	3	8	J66.2	-	-	-	-
J32.3	3	6	3	6	J40	453	1,313	926	1,980	J66.8	2	2	-	2
J32.4	9	16	7	16	J41.0	1	9	8	15	J67.0	9	18	9	18
J32.8	2	2	-	2	J41.1	5	21	16	32	J67.1	-	1	1	1
J32.9	71	239	168	241	J41.8	-	-	-	-	J67.2	3	3	-	3
J33.0	-	-	-	-	J42	391	1,210	821	1,997	J67.3	-	-	-	-
J33.1	-	-	-	-	J43.0	-	-	-	-	J67.4	-	-	-	-
J33.8	-	1	1	1	J43.1	5	17	12	22	J67.5	-	-	-	-
J33.9	-	5	5	5	J43.2	17	52	35	55	J67.6	-	-	-	-
J34.0	2	3	1	3	J43.8	3	5	2	5	J67.7	4	4	-	4
J34.1	1	1	-	1	J43.9	14,836	26,500	12,759	30,702	J67.8	-	1	1	1
J34.2	-	-	-	-	J44.0	264	370	107	1	J67.9	34	46	12	47
J34.3	-	-	-	-	J44.1	45	79	34	79	J68.0	12	19	7	19
J34.8	8	20	13	20	J44.8	3,674	8,261	4,612	683	J68.1	-	2	2	2
J35.0	-	2	2	2	J44.9	101,655	211,195	109,563	218,735	J68.2	-	-	-	-
J35.1	-	2	2	2	J45.0	175	251	79	244	J68.3	-	-	-	-
J35.2	-	-	-	-	J45.1	1	9	8	10	J68.4	1	4	3	4
J35.3	-	-	-	-	J45.8	-	-	-	1	J68.8	-	1	1	1
J35.8	1	10	9	10	J45.9	3,603	9,055	6,014	11,453	J68.9	-	-	-	-
J35.9	3	21	18	21	J46	320	365	49	402	J69.0	17,329	59,570	42,258	59,772
J36	3	4	1	4	J47	934	1,988	1,054	1,997	J69.1	5	11	6	11
J37.0	1	6	5	6	J60	318	772	454	773	J69.8	1	2	1	2
J37.1	-	2	2	2	J61	583	1,464	881	1,471	J70.0	27	339	312	339
J38.0	41	176	135	176	J62.0	6	8	2	8	J70.1	7	76	69	76

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
J70.2	-	-	-	-	J95.8	...	2,629	2,629	2,630	K03.3	-	-	-	-
J70.3	-	-	-	-	J95.9	...	24	24	24	K03.4	-	-	-	-
J70.4	3	3	-	3	J96.0	239	16,827	16,589	16,879	K03.5	-	-	-	-
J70.8	-	-	-	-	J96.1	233	3,540	3,307	3,547	K03.6	-	-	-	-
J70.9	6	11	5	11	J96.9	2,951	146,248	143,297	146,941	K03.7	-	-	-	-
J80	1,765	10,570	8,807	10,741	J98.0	85	530	445	552	K03.8	-	-	-	-
J81	660	12,124	11,464	12,172	J98.1	174	1,101	927	1,103	K03.9	-	-	-	-
J82	184	421	237	421	J98.2	22	43	21	44	K04.0	-	-	-	-
J84.0	159	217	60	221	J98.3	-	1	1	1	K04.1	-	-	-	-
J84.1	10,475	18,112	7,639	18,310	J98.4	2,935	9,110	6,184	11,913	K04.2	-	-	-	-
J84.8	31	47	17	48	J98.5	123	433	310	438	K04.3	-	-	-	-
J84.9	2,034	3,758	1,725	3,816	J98.6	34	137	103	137	K04.4	-	-	-	-
J85.0	142	304	163	309	J98.8	426	1,561	1,135	1,669	K04.5	-	-	-	-
J85.1	75	222	147	1	J98.9	185	653	471	1,062	K04.6	-	-	-	-
J85.2	146	477	332	702	K00.0	1	1	-	1	K04.7	20	63	43	64
J85.3	6	30	24	30	K00.1	-	-	-	-	K04.8	-	-	-	-
J86.0	63	468	405	468	K00.2	-	-	-	-	K04.9	-	-	-	-
J86.9	293	982	689	985	K00.3	-	-	-	-	K05.0	-	-	-	-
J90	927	8,788	7,861	8,797	K00.4	-	-	-	-	K05.1	1	8	7	8
J92.0	1	7	6	4	K00.5	-	-	-	-	K05.2	2	5	3	5
J92.9	2	9	7	12	K00.6	-	-	-	-	K05.3	1	5	4	5
J93.0	42	278	236	283	K00.7	-	1	1	1	K05.4	-	-	-	-
J93.1	31	263	232	268	K00.8	-	-	-	-	K05.5	-	-	-	-
J93.8	6	45	39	47	K00.9	-	-	-	-	K05.6	1	4	3	5
J93.9	209	1,873	1,664	1,902	K01.0	-	-	-	-	K06.0	-	-	-	-
J94.0	4	14	10	14	K01.1	-	-	-	-	K06.1	-	1	1	1
J94.1	17	62	45	62	K02.0	-	-	-	-	K06.2	-	-	-	-
J94.2	86	500	414	501	K02.1	-	-	-	-	K06.8	1	3	2	3
J94.8	23	195	172	195	K02.2	-	-	-	-	K06.9	-	1	1	1
J94.9	9	52	43	54	K02.3	-	-	-	-	K07.0	1	15	14	15
J95.0	...	65	65	65	K02.4	-	-	-	-	K07.1	1	1	-	1
J95.1	...	3	3	3	K02.8	-	-	-	-	K07.2	-	-	-	-
J95.2	...	4	4	4	K02.9	5	27	22	27	K07.3	-	-	-	-
J95.3	...	-	-	-	K03.0	-	1	1	1	K07.4	-	-	-	-
J95.4	...	1	1	1	K03.1	-	-	-	-	K07.5	-	-	-	-
J95.5	...	1	1	1	K03.2	-	-	-	-	K07.6	-	2	2	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
K07.8	-	-	-	-	K13.4	-	-	-	-	K26.2	1	1	-	1
K07.9	1	2	1	2	K13.5	-	-	-	-	K26.3	2	4	2	15
K08.0	-	-	-	-	K13.6	-	-	-	-	K26.4	547	866	321	247
K08.1	-	-	-	-	K13.7	6	25	19	25	K26.5	600	949	349	988
K08.2	-	-	-	-	K14.0	2	8	6	8	K26.6	38	53	15	2
K08.3	-	-	-	-	K14.1	-	-	-	-	K26.7	3	14	11	25
K08.8	2	10	8	10	K14.2	-	-	-	-	K26.9	123	461	338	1,126
K08.9	1	18	17	18	K14.3	-	-	-	-	K27.0	8	10	2	1
K09.0	-	-	-	-	K14.4	-	-	-	-	K27.1	-	-	-	-
K09.1	-	-	-	-	K14.5	-	-	-	-	K27.2	-	-	-	-
K09.2	-	1	1	1	K14.6	-	-	-	-	K27.3	3	7	4	16
K09.8	-	-	-	-	K14.8	-	11	11	11	K27.4	790	1,295	506	216
K09.9	-	-	-	-	K14.9	-	11	11	11	K27.5	304	492	189	534
K10.0	-	-	-	-	K20	195	912	719	965	K27.6	27	43	16	4
K10.1	-	1	1	1	K21.0	59	277	218	230	K27.7	4	65	61	85
K10.2	9	20	11	20	K21.9	626	5,837	5,211	5,891	K27.9	243	2,154	1,913	3,364
K10.3	-	-	-	-	K22.0	93	201	108	201	K28.0	-	-	-	-
K10.8	-	4	4	4	K22.1	90	467	377	469	K28.1	-	-	-	-
K10.9	1	3	2	3	K22.2	252	989	737	990	K28.2	-	-	-	-
K11.0	-	-	-	-	K22.3	179	345	166	345	K28.3	1	1	-	1
K11.1	-	3	3	3	K22.4	215	504	289	504	K28.4	41	74	33	8
K11.2	59	174	115	174	K22.5	75	146	71	146	K28.5	3	3	-	4
K11.3	3	10	7	10	K22.6	63	149	86	149	K28.6	2	3	1	1
K11.4	-	-	-	-	K22.8	123	684	561	698	K28.7	1	4	3	7
K11.5	-	-	-	-	K22.9	52	134	82	192	K28.9	8	26	18	90
K11.6	-	-	-	-	K25.0	19	32	14	17	K29.0	24	42	19	4
K11.7	-	2	2	2	K25.1	3	7	4	6	K29.1	16	40	24	78
K11.8	1	2	1	2	K25.2	-	1	1	1	K29.2	28	32	9	33
K11.9	-	8	8	8	K25.3	1	6	5	23	K29.3	-	-	-	-
K12.0	1	2	1	2	K25.4	578	967	390	175	K29.4	6	23	17	23
K12.1	10	35	25	35	K25.5	378	598	220	617	K29.5	28	141	114	142
K12.2	11	29	18	29	K25.6	28	35	7	1	K29.6	101	300	199	300
K13.0	-	-	-	-	K25.7	7	23	16	38	K29.7	175	1,080	905	1,085
K13.1	-	-	-	-	K25.9	140	675	535	1,500	K29.8	6	43	37	43
K13.2	-	1	1	1	K26.0	7	12	6	2	K29.9	3	10	7	11
K13.3	-	-	-	-	K26.1	3	4	1	5	K30	8	61	53	61

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
K31.0	1	7	6	7	K43.0	234	317	83	265	K56.2	556	931	377	980
K31.1	90	460	370	460	K43.1	22	23	1	1	K56.3	30	33	14	32
K31.2	1	1	-	1	K43.9	138	314	177	395	K56.4	120	295	175	295
K31.3	-	-	-	-	K44.0	78	101	23	72	K56.5	362	668	306	170
K31.4	6	7	1	7	K44.1	11	11	-	1	K56.6	4,193	11,876	7,687	12,566
K31.5	8	62	54	62	K44.9	360	1,121	761	1,166	K56.7	346	1,763	1,418	1,781
K31.6	28	106	78	106	K45.0	7	12	5	11	K57.0	15	16	2	8
K31.7	9	21	12	21	K45.1	3	3	-	-	K57.1	10	21	11	31
K31.8	301	1,127	826	1,300	K45.8	4	16	12	21	K57.2	331	387	57	285
K31.9	155	449	295	488	K46.0	238	373	135	353	K57.3	163	372	210	481
K35.0	296	489	193	475	K46.1	41	41	-	2	K57.4	1	1	-	1
K35.1	13	44	31	42	K46.9	128	340	212	437	K57.5	-	-	-	-
K35.9	50	96	46	94	K50.0	7	14	7	15	K57.8	1,319	1,679	361	978
K36	3	5	2	5	K50.1	22	61	39	62	K57.9	1,641	3,723	2,085	4,581
K37	69	195	126	220	K50.8	2	2	-	1	K58.0	1	2	1	-
K38.0	-	-	-	-	K50.9	549	1,499	950	1,502	K58.9	17	188	171	190
K38.1	1	1	-	1	K51.0	-	-	-	-	K59.0	148	564	416	564
K38.2	-	-	-	-	K51.1	-	-	-	-	K59.1	-	1	1	1
K38.3	1	2	1	2	K51.2	1	5	4	5	K59.2	-	8	8	8
K38.8	-	2	2	2	K51.3	1	1	-	1	K59.3	223	551	328	568
K38.9	6	13	7	13	K51.4	-	-	-	-	K59.4	-	-	-	-
K40.0	2	2	-	2	K51.5	2	4	2	4	K59.8	23	63	40	63
K40.1	-	1	1	-	K51.8	4	6	2	6	K59.9	26	58	33	61
K40.2	6	13	7	14	K51.9	277	978	701	978	K60.0	-	-	-	-
K40.3	158	237	79	218	K52.0	31	141	110	141	K60.1	-	-	-	-
K40.4	18	18	-	1	K52.1	18	32	14	32	K60.2	4	7	3	7
K40.9	40	158	118	199	K52.2	-	-	-	-	K60.3	-	5	5	6
K41.0	-	-	-	-	K52.8	2	16	14	17	K60.4	10	48	38	49
K41.1	-	-	-	-	K52.9	1,567	4,358	2,793	4,590	K60.5	-	1	1	1
K41.2	-	-	-	-	K55.0	3,038	5,770	2,689	5,801	K61.0	7	14	7	14
K41.3	47	62	15	66	K55.1	174	288	114	288	K61.1	73	158	85	159
K41.4	7	7	-	-	K55.2	63	161	98	161	K61.2	-	1	1	1
K41.9	3	8	5	12	K55.8	4	8	4	8	K61.3	4	6	2	6
K42.0	45	71	26	72	K55.9	5,889	10,919	5,033	11,670	K61.4	-	-	-	-
K42.1	9	9	-	-	K56.0	56	234	178	236	K62.0	-	-	-	-
K42.9	14	53	41	61	K56.1	20	39	19	39	K62.1	-	6	6	6

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
K62.2	-	-	-	-	K71.7	-	1	1	-	K80.1	142	249	108	16
K62.3	22	85	63	85	K71.8	1	3	2	2	K80.2	649	1,583	935	1,929
K62.4	7	34	27	34	K71.9	2	7	5	10	K80.3	43	57	14	-
K62.5	139	584	445	586	K72.0	276	1,385	1,107	1,394	K80.4	19	34	15	-
K62.6	14	46	32	46	K72.1	89	478	389	481	K80.5	98	213	115	305
K62.7	6	64	58	64	K72.9	3,750	28,224	24,297	28,192	K80.8	2	5	3	5
K62.8	27	69	42	70	K73.0	1	5	4	5	K81.0	758	1,265	507	1,392
K62.9	41	130	89	136	K73.1	-	-	-	-	K81.1	56	158	102	187
K63.0	25	151	127	235	K73.2	28	86	58	86	K81.8	7	13	6	13
K63.1	1,752	4,767	3,014	5,147	K73.8	5	9	4	9	K81.9	752	1,430	678	1,685
K63.2	215	788	573	790	K73.9	110	324	215	327	K82.0	4	10	6	10
K63.3	25	73	48	73	K74.0	17	84	67	86	K82.1	2	5	3	5
K63.4	1	3	2	3	K74.1	17	34	17	34	K82.2	49	87	38	87
K63.5	34	239	205	239	K74.2	-	-	-	-	K82.3	6	15	9	15
K63.8	70	193	123	193	K74.3	414	527	113	528	K82.4	1	8	7	8
K63.9	378	1,019	644	1,412	K74.4	3	21	18	21	K82.8	12	47	35	47
K65.0	615	2,562	1,948	2,874	K74.5	87	139	52	139	K82.9	252	808	556	810
K65.8	31	139	108	162	K74.6	14,461	33,285	18,833	34,850	K83.0	608	1,255	647	1,317
K65.9	885	4,045	3,162	4,699	K75.0	127	333	206	333	K83.1	433	1,877	1,444	1,882
K66.0	85	284	200	781	K75.1	-	2	2	2	K83.2	4	6	3	6
K66.1	180	561	381	563	K75.2	-	-	-	-	K83.3	1	15	14	15
K66.8	45	125	80	125	K75.3	12	27	15	28	K83.4	-	-	-	-
K66.9	21	68	47	72	K75.4	338	494	157	496	K83.5	1	1	-	1
K70.0	218	64	13	23	K75.8	12	33	21	33	K83.8	34	71	37	71
K70.1	827	985	202	966	K75.9	383	1,279	896	1,499	K83.9	34	79	45	104
K70.2	5	3	-	1	K76.0	469	2,206	1,737	2,250	K85	2,945	6,259	3,315	6,522
K70.3	7,951	5,131	934	3,691	K76.1	25	190	165	190	K86.0	284	274	23	45
K70.4	1,461	526	51	92	K76.2	1	4	3	4	K86.1	261	1,046	786	1,108
K70.9	1,898	2,778	1,312	2,449	K76.3	30	66	37	67	K86.2	13	39	26	40
K71.0	2	2	-	1	K76.4	1	1	-	1	K86.3	40	148	108	149
K71.1	2	9	7	9	K76.5	1	8	7	8	K86.8	56	327	271	329
K71.2	-	-	-	-	K76.6	113	1,030	917	1,033	K86.9	224	567	344	703
K71.3	-	-	-	-	K76.7	485	4,196	3,712	4,232	K90.0	19	70	51	70
K71.4	1	1	-	1	K76.8	122	787	666	791	K90.1	35	98	63	98
K71.5	-	-	-	-	K76.9	2,763	5,064	2,315	9,562	K90.2	138	338	200	338
K71.6	15	30	15	30	K80.0	96	115	20	1	K90.3	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	total mention	second-ary	Entity axis		UC	total mention	second-ary	Entity axis		UC	total mention	second-ary	Entity axis
K90.4	12	36	24	36	L04.8	-	1	1	1	L21.9	-	3	3	3
K90.8	8	17	9	17	L04.9	-	2	2	2	L22	-	1	1	1
K90.9	74	223	149	234	L05.0	-	-	-	-	L23.0	-	-	-	-
K91.0	...	-	-	-	L05.9	3	6	3	6	L23.1	-	-	-	-
K91.1	...	28	28	28	L08.0	-	6	6	6	L23.2	-	-	-	-
K91.2	...	52	52	52	L08.1	-	-	-	-	L23.3	-	-	-	-
K91.3	...	178	178	178	L08.8	2	10	8	10	L23.4	-	-	-	-
K91.4	...	63	63	63	L08.9	332	1,345	1,014	1,390	L23.5	-	-	-	-
K91.5	...	1	1	1	L10.0	19	34	15	34	L23.6	-	-	-	-
K91.8	...	592	592	592	L10.1	-	-	-	-	L23.7	-	-	-	-
K91.9	...	32	32	33	L10.2	2	2	-	2	L23.8	-	-	-	-
K92.0	51	205	154	237	L10.3	-	-	-	-	L23.9	-	4	4	4
K92.1	12	64	52	66	L10.4	-	-	-	-	L24.0	-	-	-	-
K92.2	7,846	30,348	22,524	34,360	L10.5	-	-	-	-	L24.1	-	-	-	-
K92.8	13	51	38	51	L10.8	4	8	4	8	L24.2	-	-	-	-
K92.9	57	149	94	225	L10.9	32	125	93	125	L24.3	-	-	-	-
L00	1	4	3	4	L11.0	-	-	-	-	L24.4	-	-	-	-
L01.0	3	8	5	8	L11.1	-	-	-	-	L24.5	-	-	-	-
L01.1	-	-	-	-	L11.8	-	-	-	-	L24.6	-	-	-	-
L02.0	5	12	7	12	L11.9	-	-	-	-	L24.7	-	-	-	-
L02.1	22	50	28	50	L12.0	65	250	185	250	L24.8	-	-	-	-
L02.2	62	185	123	186	L12.1	3	17	14	17	L24.9	-	-	-	-
L02.3	16	39	23	39	L12.2	-	-	-	-	L25.0	-	-	-	-
L02.4	59	224	165	225	L12.3	1	3	2	3	L25.1	-	-	-	-
L02.8	3	18	15	18	L12.8	-	4	4	4	L25.2	-	-	-	-
L02.9	58	291	233	305	L12.9	4	40	36	40	L25.3	-	-	-	-
L03.0	3	18	15	18	L13.0	-	1	1	1	L25.4	-	-	-	-
L03.1	434	1,700	1,266	1,703	L13.1	-	2	2	2	L25.5	-	1	1	1
L03.2	13	50	37	50	L13.8	-	-	-	-	L25.8	-	-	-	-
L03.3	43	136	93	138	L13.9	3	8	5	8	L25.9	-	-	-	-
L03.8	10	43	33	43	L20.0	-	-	-	-	L26	8	29	21	29
L03.9	518	2,115	1,597	2,124	L20.8	1	1	-	1	L27.0	2	6	4	6
L04.0	-	-	-	-	L20.9	-	6	6	6	L27.1	-	-	-	-
L04.1	-	2	2	2	L21.0	-	-	-	-	L27.2	-	-	-	-
L04.2	-	-	-	-	L21.1	-	-	-	-	L27.8	-	-	-	-
L04.3	-	-	-	-	L21.8	-	-	-	-	L27.9	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
L28.0	-	11	11	11	L43.2	-	-	-	-	L55.9	1	2	1	2
L28.1	-	-	-	-	L43.3	-	-	-	-	L56.0	-	-	-	-
L28.2	-	-	-	-	L43.8	-	1	1	1	L56.1	-	-	-	-
L29.0	-	-	-	-	L43.9	-	1	1	1	L56.2	-	-	-	-
L29.1	-	-	-	-	L44.0	1	1	-	1	L56.3	-	-	-	-
L29.2	-	-	-	-	L44.1	-	-	-	-	L56.4	-	-	-	-
L29.3	-	-	-	-	L44.2	-	-	-	-	L56.8	-	1	1	1
L29.8	-	-	-	-	L44.3	-	-	-	-	L56.9	-	-	-	-
L29.9	-	6	6	6	L44.4	-	-	-	-	L57.0	-	6	6	6
L30.0	-	-	-	-	L44.8	-	-	-	-	L57.1	-	-	-	-
L30.1	-	-	-	-	L44.9	-	-	-	-	L57.2	-	-	-	-
L30.2	1	1	-	1	L50.0	-	-	-	-	L57.3	-	-	-	-
L30.3	1	1	-	1	L50.1	-	-	-	-	L57.4	-	-	-	-
L30.4	-	-	-	-	L50.2	-	-	-	-	L57.5	-	-	-	-
L30.5	-	-	-	-	L50.3	-	-	-	-	L57.8	-	-	-	-
L30.8	2	6	4	6	L50.4	-	-	-	-	L57.9	-	-	-	-
L30.9	13	118	105	138	L50.5	-	-	-	-	L58.0	-	-	-	-
L40.0	1	2	1	2	L50.6	-	-	-	-	L58.1	-	-	-	-
L40.1	3	9	6	9	L50.8	-	3	3	3	L58.9	-	-	-	-
L40.2	-	-	-	-	L50.9	-	8	8	8	L59.0	-	-	-	-
L40.3	-	1	1	1	L51.0	-	-	-	-	L59.8	-	1	1	1
L40.4	-	-	-	-	L51.1	67	123	56	123	L59.9	-	-	-	-
L40.5	14	73	59	73	L51.2	67	121	54	121	L60.0	-	-	-	-
L40.8	-	3	3	3	L51.8	-	-	-	-	L60.1	-	-	-	-
L40.9	10	254	244	259	L51.9	3	16	13	18	L60.2	-	-	-	-
L41.0	-	-	-	-	L52	-	3	3	3	L60.3	-	-	-	-
L41.1	-	-	-	-	L53.0	-	1	1	1	L60.4	-	-	-	-
L41.2	1	2	1	2	L53.1	-	-	-	-	L60.5	2	7	5	7
L41.3	-	-	-	-	L53.2	-	-	-	-	L60.8	-	-	-	-
L41.4	-	-	-	-	L53.3	-	-	-	-	L60.9	-	-	-	-
L41.5	-	-	-	-	L53.8	-	2	2	2	L63.0	-	1	1	1
L41.8	-	-	-	-	L53.9	10	146	136	146	L63.1	-	-	-	-
L41.9	-	1	1	1	L55.0	-	1	1	1	L63.2	-	-	-	-
L42	-	1	1	1	L55.1	-	1	1	1	L63.8	-	-	-	-
L43.0	-	-	-	-	L55.2	-	-	-	-	L63.9	-	-	-	-
L43.1	-	-	-	-	L55.8	-	-	-	-	L64.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
L64.8	-	-	-	-	L72.0	-	4	4	4	L85.0	-	-	-	-
L64.9	-	-	-	-	L72.1	1	4	3	4	L85.1	-	-	-	-
L65.0	-	-	-	-	L72.2	-	-	-	-	L85.2	-	-	-	-
L65.1	-	-	-	-	L72.8	-	-	-	-	L85.3	-	-	-	-
L65.2	-	-	-	-	L72.9	-	-	-	-	L85.8	1	4	3	4
L65.8	-	-	-	-	L73.0	-	-	-	-	L85.9	-	1	1	1
L65.9	-	-	-	-	L73.1	-	-	-	-	L87.0	1	1	-	1
L66.0	-	-	-	-	L73.2	3	11	8	11	L87.1	-	-	-	-
L66.1	-	-	-	-	L73.8	-	-	-	-	L87.2	-	-	-	-
L66.2	-	-	-	-	L73.9	-	2	2	2	L87.8	-	-	-	-
L66.3	-	-	-	-	L74.0	-	-	-	-	L87.9	-	-	-	-
L66.4	-	-	-	-	L74.1	-	-	-	-	L88	8	55	47	55
L66.8	-	-	-	-	L74.2	-	-	-	-	L89	1,567	8,096	6,535	9,893
L66.9	-	-	-	-	L74.3	-	-	-	-	L90.0	-	2	2	2
L67.0	-	-	-	-	L74.4	-	1	1	1	L90.1	-	-	-	-
L67.1	-	-	-	-	L74.8	-	-	-	-	L90.2	-	-	-	-
L67.8	-	-	-	-	L74.9	-	-	-	-	L90.3	-	-	-	-
L67.9	-	-	-	-	L75.0	-	-	-	-	L90.4	-	-	-	-
L68.0	-	1	1	1	L75.1	-	-	-	-	L90.5	6	52	46	52
L68.1	-	-	-	-	L75.2	-	-	-	-	L90.6	-	-	-	-
L68.2	-	-	-	-	L75.8	-	-	-	-	L90.8	-	-	-	-
L68.3	-	-	-	-	L75.9	-	-	-	-	L90.9	-	1	1	1
L68.8	-	-	-	-	L80	-	3	3	3	L91.0	-	-	-	-
L68.9	-	-	-	-	L81.0	-	-	-	-	L91.8	-	-	-	-
L70.0	-	-	-	-	L81.1	-	2	2	2	L91.9	-	-	-	-
L70.1	-	-	-	-	L81.2	-	-	-	-	L92.0	-	-	-	-
L70.2	-	-	-	-	L81.3	-	-	-	-	L92.1	-	-	-	-
L70.3	-	-	-	-	L81.4	1	4	3	4	L92.2	-	-	-	-
L70.4	-	-	-	-	L81.5	-	-	-	-	L92.3	-	-	-	-
L70.5	-	-	-	-	L81.6	-	-	-	-	L92.8	4	20	16	20
L70.8	-	-	-	-	L81.7	-	-	-	-	L92.9	7	34	27	34
L70.9	-	3	3	3	L81.8	-	4	4	4	L93.0	269	1,167	898	1,167
L71.0	-	-	-	-	L81.9	-	-	-	-	L93.1	1	2	1	2
L71.1	-	-	-	-	L82	-	-	-	-	L93.2	1	1	-	1
L71.8	-	-	-	-	L83	-	2	2	2	L94.0	-	3	3	3
L71.9	-	7	7	7	L84	-	2	2	2	L94.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	total mention	second-ary	Entity axis		UC	total mention	second-ary	Entity axis		UC	total mention	second-ary	Entity axis
L94.2	1	3	2	3	M05.8	-	-	-	-	M13.8	-	9	9	10
L94.3	-	2	2	2	M05.9	-	1	1	1	M13.9	324	3,310	2,990	3,878
L94.4	-	-	-	-	M06.0	1	6	5	6	M15.0	-	-	-	-
L94.5	-	-	-	-	M06.1	1	3	2	3	M15.1	-	-	-	-
L94.6	-	-	-	-	M06.2	-	-	-	-	M15.2	-	-	-	-
L94.8	-	2	2	2	M06.3	-	-	-	-	M15.3	-	1	1	1
L94.9	1	3	2	3	M06.4	5	30	25	30	M15.4	-	-	-	-
L95.0	-	1	1	1	M06.8	1	2	1	2	M15.8	-	1	1	1
L95.1	-	-	-	-	M06.9	2,364	8,999	6,635	9,175	M15.9	20	200	180	200
L95.8	-	2	2	2	M08.0	17	35	18	35	M16.0	-	-	-	-
L95.9	-	-	-	-	M08.1	-	-	-	-	M16.1	-	-	-	-
L97	147	1,070	923	1,490	M08.2	6	14	8	14	M16.2	-	-	-	-
L98.0	-	1	1	1	M08.3	-	-	-	-	M16.3	-	-	-	-
L98.1	-	1	1	1	M08.4	-	-	-	-	M16.4	-	-	-	-
L98.2	-	8	8	8	M08.8	-	-	-	-	M16.5	-	-	-	-
L98.3	-	-	-	-	M08.9	1	2	1	2	M16.6	-	-	-	-
L98.4	140	873	733	1,081	M10.0	15	147	133	147	M16.7	-	-	-	-
L98.5	1	1	-	1	M10.1	-	-	-	-	M16.9	13	123	110	123
L98.6	-	-	-	-	M10.2	-	-	-	-	M17.0	-	-	-	-
L98.8	22	158	136	158	M10.3	2	5	3	5	M17.1	-	-	-	-
L98.9	22	87	65	87	M10.4	1	1	-	2	M17.2	-	-	-	-
M00.0	2	5	3	5	M10.9	68	1,651	1,583	1,653	M17.3	-	-	-	-
M00.1	-	-	-	-	M11.0	-	1	1	1	M17.4	-	-	-	-
M00.2	-	1	1	1	M11.1	-	-	-	-	M17.5	-	-	-	-
M00.8	1	2	1	2	M11.2	2	28	26	28	M17.9	24	162	138	162
M00.9	255	496	241	496	M11.8	-	-	-	-	M18.0	1	1	-	1
M02.0	-	-	-	-	M11.9	-	-	-	-	M18.1	-	-	-	-
M02.1	-	-	-	-	M12.0	-	-	-	-	M18.2	-	-	-	-
M02.2	-	-	-	-	M12.1	-	-	-	-	M18.3	-	-	-	-
M02.3	2	11	9	11	M12.2	-	-	-	-	M18.4	-	-	-	-
M02.8	-	-	-	-	M12.3	-	1	1	1	M18.5	-	-	-	-
M02.9	-	-	-	-	M12.4	-	-	-	-	M18.9	-	2	2	2
M05.0	24	57	33	57	M12.5	1	2	1	2	M19.0	-	-	-	-
M05.1	176	210	64	210	M12.8	-	1	1	1	M19.1	-	-	-	-
M05.2	48	30	16	30	M13.0	8	36	28	49	M19.2	8	27	19	27
M05.3	33	44	27	12	M13.1	-	-	-	1	M19.8	-	4	4	4

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis					Record axis					Record axis			
	UC	total mention	second- ary	Entity axis		UC	total mention	second- ary	Entity axis		UC	total mention	second- ary	Entity axis
M19.9	919	15,564	14,647	15,576	M24.2	-	-	-	-	M33.0	-	-	-	-
M20.0	-	-	-	-	M24.3	-	6	6	6	M33.1	104	190	86	190
M20.1	-	2	2	2	M24.4	2	18	16	18	M33.2	192	380	188	381
M20.2	-	-	-	-	M24.5	7	68	61	68	M33.9	1	2	1	2
M20.3	-	-	-	-	M24.6	1	26	25	26	M34.0	46	56	10	56
M20.4	1	3	2	3	M24.7	-	1	1	1	M34.1	123	242	119	242
M20.5	-	-	-	-	M24.8	-	2	2	2	M34.2	-	-	-	-
M20.6	-	-	-	-	M24.9	-	1	1	1	M34.8	450	628	187	36
M21.0	-	-	-	-	M25.0	2	5	3	5	M34.9	720	1,048	370	1,689
M21.1	-	1	1	1	M25.1	-	1	1	1	M35.0	84	272	188	273
M21.2	-	1	1	1	M25.2	-	-	-	-	M35.1	6	14	9	15
M21.3	-	11	11	11	M25.3	-	-	-	-	M35.2	14	29	15	29
M21.4	-	-	-	-	M25.4	1	6	5	6	M35.3	92	1,039	947	1,040
M21.5	-	-	-	-	M25.5	5	75	70	75	M35.4	-	-	-	-
M21.6	1	3	2	3	M25.6	-	4	4	4	M35.5	1	1	-	1
M21.7	-	-	-	-	M25.7	2	6	4	6	M35.6	2	3	1	3
M21.8	-	2	2	2	M25.8	-	33	33	34	M35.7	-	-	-	-
M21.9	1	5	4	5	M25.9	21	763	742	829	M35.8	26	44	19	4
M22.0	-	-	-	-	M30.0	46	71	25	101	M35.9	310	525	218	605
M22.1	-	-	-	-	M30.1	35	50	15	20	M40.0	-	-	-	-
M22.2	-	-	-	-	M30.2	-	-	-	-	M40.1	1	60	59	60
M22.3	-	-	-	-	M30.3	6	8	2	8	M40.2	63	447	384	447
M22.4	-	-	-	-	M30.8	1	1	-	1	M40.3	-	-	-	-
M22.8	-	-	-	-	M31.0	46	71	25	71	M40.4	-	-	-	-
M22.9	-	-	-	-	M31.1	316	422	110	442	M40.5	1	18	17	18
M23.0	-	-	-	-	M31.2	-	-	-	-	M41.0	-	-	-	-
M23.1	-	-	-	-	M31.3	306	505	199	506	M41.1	1	1	-	1
M23.2	-	-	-	-	M31.4	19	30	11	30	M41.2	1	3	2	3
M23.3	-	-	-	-	M31.5	-	2	2	2	M41.3	-	3	3	3
M23.4	-	-	-	-	M31.6	97	565	468	565	M41.4	3	34	31	34
M23.5	-	-	-	-	M31.8	10	17	7	17	M41.5	2	27	25	27
M23.6	-	-	-	-	M31.9	7	18	11	18	M41.8	2	6	4	6
M23.8	-	-	-	-	M32.0	-	5	5	5	M41.9	261	774	514	907
M23.9	-	9	9	9	M32.1	1,183	1,954	772	760	M42.0	-	1	1	1
M24.0	-	-	-	-	M32.8	-	-	-	-	M42.1	-	-	-	-
M24.1	-	-	-	-	M32.9	141	189	67	1,449	M42.9	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
M43.0	-	9	9	9	M50.9	10	17	7	17	M62.1	-	-	-	-
M43.1	6	27	21	27	M51.0	2	3	1	2	M62.2	1	3	2	3
M43.2	7	67	60	67	M51.1	-	2	2	1	M62.3	47	113	66	113
M43.3	-	-	-	-	M51.2	16	70	54	71	M62.4	-	14	14	14
M43.4	-	1	1	1	M51.3	28	322	294	323	M62.5	14	79	65	79
M43.5	-	3	3	3	M51.4	-	-	-	-	M62.6	1	11	10	11
M43.6	-	11	11	11	M51.8	1	2	1	2	M62.8	505	1,553	1,048	1,553
M43.8	-	2	2	2	M51.9	7	71	64	74	M62.9	13	40	27	41
M43.9	1	11	10	11	M53.0	-	-	-	-	M65.0	-	1	1	1
M45	42	177	135	177	M53.1	1	5	4	5	M65.1	1	2	1	2
M46.0	-	-	-	-	M53.2	1	8	7	8	M65.2	1	-	-	-
M46.1	-	-	-	-	M53.3	1	2	1	2	M65.3	-	-	-	-
M46.2	131	248	119	249	M53.8	1	19	18	19	M65.4	-	-	-	-
M46.3	1	2	1	2	M53.9	-	12	12	13	M65.8	-	1	1	1
M46.4	38	128	90	128	M54.0	-	1	1	1	M65.9	-	3	3	3
M46.5	-	-	-	-	M54.1	9	102	93	102	M66.0	-	1	1	1
M46.8	-	-	-	-	M54.2	1	34	33	34	M66.1	-	-	-	-
M46.9	11	86	75	86	M54.3	-	28	28	29	M66.2	-	-	-	-
M47.0	-	-	-	-	M54.4	-	-	-	-	M66.3	-	-	-	-
M47.1	8	9	3	4	M54.5	6	194	188	194	M66.4	-	1	1	1
M47.2	-	-	-	-	M54.6	1	4	3	4	M66.5	-	1	1	1
M47.8	24	144	120	149	M54.8	1	12	11	12	M67.0	-	1	1	1
M47.9	18	232	214	232	M54.9	52	710	658	710	M67.1	-	-	-	-
M48.0	191	1,939	1,748	1,939	M60.0	42	94	52	95	M67.2	-	-	-	-
M48.1	-	3	3	3	M60.1	-	-	-	-	M67.3	-	-	-	-
M48.2	-	1	1	1	M60.2	-	4	4	4	M67.4	2	4	2	4
M48.3	-	2	2	2	M60.8	6	12	6	12	M67.8	-	2	2	2
M48.4	1	3	2	3	M60.9	70	194	124	195	M67.9	-	4	4	4
M48.5	1	22	21	22	M61.0	-	-	-	-	M70.0	-	-	-	-
M48.8	3	5	2	5	M61.1	-	-	-	-	M70.1	-	-	-	-
M48.9	44	153	109	157	M61.2	-	-	-	-	M70.2	4	8	4	8
M50.0	2	3	1	2	M61.3	-	-	-	-	M70.3	2	6	4	6
M50.1	-	1	1	1	M61.4	-	-	-	-	M70.4	-	2	2	2
M50.2	5	16	11	16	M61.5	2	4	2	4	M70.5	1	2	1	2
M50.3	8	57	49	58	M61.9	-	-	-	-	M70.6	-	3	3	3
M50.8	-	-	-	-	M62.0	-	-	-	-	M70.7	-	4	4	4

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
M70.8	-	-	-	-	M76.9	-	-	-	-	M83.1	-	-	-	-
M70.9	-	-	-	-	M77.0	-	-	-	-	M83.2	-	-	-	-
M71.0	-	1	1	1	M77.1	-	-	-	-	M83.3	-	-	-	-
M71.1	2	3	1	3	M77.2	-	-	-	-	M83.4	-	-	-	-
M71.2	-	2	2	2	M77.3	-	-	-	-	M83.5	-	-	-	-
M71.3	-	-	-	-	M77.4	-	-	-	-	M83.8	-	-	-	-
M71.4	-	-	-	-	M77.5	-	-	-	-	M83.9	2	7	5	7
M71.5	2	3	1	3	M77.8	-	-	-	-	M84.0	-	2	2	2
M71.8	-	-	-	-	M77.9	3	9	6	9	M84.1	8	30	22	30
M71.9	2	13	11	13	M79.0	12	287	275	289	M84.2	-	-	-	-
M72.0	-	1	1	1	M79.1	3	22	19	22	M84.3	2	6	4	6
M72.1	-	-	-	-	M79.2	6	50	44	55	M84.4	129	918	789	3,241
M72.2	-	1	1	1	M79.3	14	35	21	35	M84.8	-	-	-	-
M72.3	-	-	-	-	M79.4	-	1	1	1	M84.9	-	1	1	1
M72.4	-	1	1	1	M79.5	-	-	-	-	M85.0	-	-	-	-
M72.5	-	-	-	-	M79.6	10	74	64	74	M85.1	-	-	-	-
M72.6	467	840	374	844	M79.8	6	42	36	42	M85.2	-	3	3	3
M72.8	5	9	4	9	M79.9	1	6	5	6	M85.3	-	-	-	-
M72.9	39	100	61	104	M80.0	-	1	1	-	M85.4	-	-	-	-
M75.0	-	1	1	1	M80.1	-	-	-	-	M85.5	-	-	-	-
M75.1	1	13	12	13	M80.2	-	-	-	-	M85.6	1	5	4	5
M75.2	-	-	-	-	M80.3	-	-	-	-	M85.8	-	1	1	1
M75.3	-	-	-	-	M80.4	-	3	3	-	M85.9	-	1	1	1
M75.4	-	-	-	-	M80.5	1	1	-	-	M86.0	1	1	-	1
M75.5	-	-	-	-	M80.8	2	5	3	2	M86.1	6	10	4	10
M75.8	1	17	16	17	M80.9	776	2,362	1,587	20	M86.2	-	1	1	1
M75.9	-	1	1	1	M81.0	1	9	8	10	M86.3	-	-	-	-
M76.0	-	-	-	-	M81.1	-	-	-	-	M86.4	-	-	-	-
M76.1	-	-	-	-	M81.2	-	-	-	-	M86.5	-	-	-	-
M76.2	-	-	-	-	M81.3	-	-	-	-	M86.6	96	249	154	250
M76.3	-	-	-	-	M81.4	1	11	10	14	M86.8	55	107	52	108
M76.4	-	-	-	-	M81.5	-	-	-	1	M86.9	1,150	2,610	1,460	2,635
M76.5	-	-	-	-	M81.6	-	-	-	-	M87.0	-	-	-	-
M76.6	-	-	-	-	M81.8	11	13	11	16	M87.1	-	-	-	-
M76.7	-	-	-	-	M81.9	992	11,867	10,879	14,223	M87.2	-	1	1	1
M76.8	-	1	1	1	M83.0	-	-	-	-	M87.3	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	total mention	second-ary	Entity axis		UC	total mention	second-ary	Entity axis		UC	total mention	second-ary	Entity axis
M87.8	13	47	34	48	M94.1	6	16	10	16	N00.4	-	-	-	-
M87.9	10	32	22	33	M94.2	-	3	3	3	N00.5	-	-	-	-
M88.0	-	1	1	1	M94.3	-	-	-	-	N00.6	-	-	-	-
M88.8	-	-	-	-	M94.8	4	10	6	10	N00.7	-	-	-	-
M88.9	72	469	397	469	M94.9	-	2	2	3	N00.8	1	1	-	2
M89.0	3	36	33	36	M95.0	-	-	-	-	N00.9	14	52	38	64
M89.1	-	-	-	-	M95.1	-	-	-	-	N01.0	-	-	-	-
M89.2	-	-	-	-	M95.2	-	2	2	2	N01.1	-	-	-	-
M89.3	-	1	1	1	M95.3	-	-	-	-	N01.2	-	-	-	-
M89.4	-	1	1	1	M95.4	6	28	22	28	N01.3	-	-	-	-
M89.5	1	2	1	2	M95.5	-	-	-	-	N01.4	-	-	-	-
M89.6	-	1	1	1	M95.8	-	-	-	-	N01.5	-	-	-	-
M89.8	32	274	242	274	M95.9	3	13	10	13	N01.6	-	-	-	-
M89.9	16	82	67	92	M96.0	...	-	-	-	N01.7	-	-	-	-
M91.0	-	-	-	-	M96.1	...	2	2	2	N01.8	-	-	-	-
M91.1	-	2	2	2	M96.2	...	1	1	1	N01.9	3	12	9	14
M91.2	-	-	-	-	M96.3	...	-	-	-	N02.0	-	-	-	-
M91.3	-	-	-	-	M96.4	...	-	-	-	N02.1	-	-	-	-
M91.8	-	-	-	-	M96.5	...	-	-	-	N02.2	-	-	-	-
M91.9	15	28	13	28	M96.6	...	2	2	2	N02.3	-	-	-	-
M92.0	-	-	-	-	M96.8	...	17	17	17	N02.4	-	-	-	-
M92.1	-	-	-	-	M96.9	...	1	1	1	N02.5	-	-	-	-
M92.2	-	-	-	-	M99.0	-	-	-	-	N02.6	-	-	-	-
M92.3	-	-	-	-	M99.1	-	1	1	1	N02.7	-	-	-	-
M92.4	-	-	-	-	M99.2	-	-	-	-	N02.8	30	64	34	64
M92.5	-	-	-	-	M99.3	-	-	-	-	N02.9	-	8	8	8
M92.6	-	-	-	-	M99.4	-	-	-	-	N03.0	-	-	-	-
M92.7	-	-	-	-	M99.5	-	-	-	-	N03.1	-	-	-	-
M92.8	-	-	-	-	M99.6	-	-	-	-	N03.2	-	-	-	-
M92.9	-	-	-	-	M99.7	-	-	-	-	N03.3	-	-	-	-
M93.0	-	-	-	-	M99.8	-	-	-	-	N03.4	-	-	-	-
M93.1	-	1	1	1	M99.9	-	-	-	-	N03.5	-	-	-	-
M93.2	-	-	-	-	N00.0	-	-	-	-	N03.6	-	-	-	-
M93.8	-	-	-	-	N00.1	-	-	-	-	N03.7	-	-	-	-
M93.9	2	2	-	2	N00.2	-	-	-	-	N03.8	-	-	-	-
M94.0	-	2	2	2	N00.3	-	-	-	-	N03.9	277	676	404	879

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
N04.0	-	-	-	-	N07.6	-	-	-	-	N18.9	7,671	42,256	34,592	43,981
N04.1	-	-	-	-	N07.7	-	-	-	-	N19	17,673	104,487	86,815	108,874
N04.2	-	-	-	2	N07.8	-	-	-	-	N20.0	251	693	442	719
N04.3	-	-	-	-	N07.9	1	1	-	1	N20.1	25	42	17	46
N04.4	-	-	-	-	N10	140	283	143	284	N20.2	-	2	2	-
N04.5	-	-	-	-	N11.0	9	11	2	10	N20.9	14	56	42	60
N04.6	-	-	-	-	N11.1	7	16	9	9	N21.0	8	37	29	37
N04.7	-	-	-	-	N11.8	-	1	1	1	N21.1	4	9	5	9
N04.8	2	2	-	2	N11.9	59	178	119	178	N21.8	-	-	-	-
N04.9	128	354	230	512	N12	561	1,144	583	1,156	N21.9	-	-	-	-
N05.0	1	1	-	1	N13.0	1	1	-	-	N23	-	3	3	3
N05.1	4	8	4	9	N13.1	-	-	-	-	N25.0	5	20	15	20
N05.2	26	53	27	58	N13.2	18	30	12	1	N25.1	3	13	10	13
N05.3	1	1	-	1	N13.3	106	607	501	637	N25.8	21	80	59	81
N05.4	-	-	-	-	N13.4	-	13	13	13	N25.9	2	6	4	6
N05.5	6	18	12	19	N13.5	64	349	285	357	N26	57	107	52	164
N05.6	-	-	-	-	N13.6	6	19	13	18	N27.0	-	-	-	-
N05.7	5	8	3	9	N13.7	6	16	10	17	N27.1	-	-	-	-
N05.8	13	28	15	30	N13.8	15	58	43	58	N27.9	-	1	1	1
N05.9	116	238	128	311	N13.9	238	1,092	854	1,114	N28.0	50	229	179	229
N06.0	-	-	-	-	N14.0	5	6	1	6	N28.1	3	14	11	14
N06.1	-	-	-	-	N14.1	5	11	6	11	N28.8	113	542	429	542
N06.2	-	-	-	-	N14.2	7	13	6	13	N28.9	474	1,760	1,292	3,300
N06.3	-	-	-	-	N14.3	-	1	1	1	N30.0	16	45	29	45
N06.4	-	-	-	-	N14.4	2	3	1	3	N30.1	5	29	24	29
N06.5	-	-	-	-	N15.0	-	-	-	-	N30.2	8	66	58	66
N06.6	-	-	-	-	N15.1	41	110	69	110	N30.3	-	2	2	2
N06.7	-	-	-	-	N15.8	-	-	-	-	N30.4	4	54	50	54
N06.8	-	-	-	-	N15.9	28	70	42	70	N30.8	5	30	25	30
N06.9	-	-	-	-	N17.0	233	865	633	866	N30.9	85	351	266	353
N07.0	-	-	-	-	N17.1	3	11	8	11	N31.0	-	1	1	1
N07.1	-	-	-	-	N17.2	1	6	5	6	N31.1	-	-	-	-
N07.2	-	-	-	-	N17.8	-	2	2	2	N31.2	11	54	43	54
N07.3	-	-	-	-	N17.9	6,357	40,188	33,833	40,297	N31.8	-	2	2	2
N07.4	-	-	-	-	N18.0	9,558	29,662	20,123	39,185	N31.9	114	620	506	621
N07.5	-	-	-	-	N18.8	241	14	11	19	N32.0	40	197	157	197

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
N32.1	86	310	224	310	N42.2	-	-	-	-	N60.8	-	2	2	2
N32.2	13	66	53	66	N42.8	2	7	5	7	N60.9	-	-	-	-
N32.3	4	7	3	7	N42.9	42	173	131	247	N61	11	29	18	29
N32.4	18	73	55	74	N43.0	-	-	-	-	N62	2	6	4	6
N32.8	21	108	87	108	N43.1	-	-	-	-	N63	19	161	142	161
N32.9	22	89	67	135	N43.2	-	-	-	-	N64.0	-	-	-	-
N34.0	3	2	-	3	N43.3	-	6	6	6	N64.1	-	1	1	1
N34.1	-	-	-	-	N43.4	-	-	-	-	N64.2	-	-	-	-
N34.2	4	4	-	4	N44	-	1	1	1	N64.3	-	-	-	-
N34.3	-	3	3	3	N45.0	-	1	1	1	N64.4	-	-	-	-
N35.0	-	-	-	-	N45.9	7	17	10	17	N64.5	-	5	5	5
N35.1	-	-	-	-	N46	-	-	-	-	N64.8	1	3	2	3
N35.8	-	1	1	1	N47	-	5	5	5	N64.9	17	104	87	104
N35.9	23	57	34	57	N48.0	-	-	-	-	N70.0	3	3	-	3
N36.0	2	17	15	17	N48.1	-	1	1	1	N70.1	-	1	1	1
N36.1	-	-	-	-	N48.2	11	22	11	23	N70.9	18	28	10	28
N36.2	-	1	1	1	N48.3	-	2	2	2	N71.0	3	4	1	4
N36.3	-	-	-	-	N48.4	-	-	-	-	N71.1	-	-	-	-
N36.8	5	49	44	49	N48.5	-	1	1	1	N71.9	10	21	11	22
N36.9	2	7	5	7	N48.6	-	2	2	2	N72	3	7	4	7
N39.0	13,836	34,819	20,990	35,075	N48.8	2	5	3	5	N73.0	-	-	-	-
N39.1	-	1	1	1	N48.9	1	5	4	5	N73.1	1	5	4	5
N39.2	-	-	-	-	N49.0	-	-	-	-	N73.2	-	2	2	2
N39.3	-	8	8	8	N49.1	-	-	-	-	N73.3	-	-	-	-
N39.4	-	5	5	5	N49.2	19	48	29	48	N73.4	-	-	-	-
N39.8	1	2	1	2	N49.8	15	33	18	33	N73.5	-	3	3	3
N39.9	5	31	26	58	N49.9	1	6	5	6	N73.6	-	6	6	6
N40	477	2,938	2,461	2,938	N50.0	-	-	-	-	N73.8	-	-	-	-
N41.0	5	13	8	14	N50.1	1	15	14	15	N73.9	80	212	132	213
N41.1	2	18	16	18	N50.8	1	11	10	11	N75.0	-	-	-	-
N41.2	4	9	5	9	N50.9	2	14	12	22	N75.1	-	-	-	-
N41.3	1	1	-	-	N60.0	-	1	1	1	N75.8	-	-	-	-
N41.8	-	1	1	1	N60.1	-	5	5	5	N75.9	-	-	-	-
N41.9	16	48	32	48	N60.2	1	2	1	2	N76.0	4	11	7	11
N42.0	-	13	13	13	N60.3	-	-	-	-	N76.1	-	-	-	-
N42.1	1	18	17	18	N60.4	-	-	-	-	N76.2	1	2	1	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
N76.3	-	-	-	-	N83.5	2	2	-	2	N89.3	-	-	-	-
N76.4	-	5	5	5	N83.6	-	-	-	-	N89.4	-	-	-	-
N76.5	-	-	-	-	N83.7	-	-	-	-	N89.5	-	1	1	1
N76.6	-	-	-	-	N83.8	3	13	10	13	N89.6	-	-	-	-
N76.8	2	4	2	4	N83.9	45	183	138	232	N89.7	-	-	-	-
N80.0	2	2	-	2	N84.0	1	5	4	5	N89.8	-	5	5	5
N80.1	2	2	-	2	N84.1	-	3	3	3	N89.9	2	12	10	13
N80.2	-	-	-	-	N84.2	-	-	-	-	N90.0	-	-	-	-
N80.3	-	-	-	-	N84.3	-	-	-	-	N90.1	-	-	-	-
N80.4	-	-	-	-	N84.8	-	-	-	-	N90.2	-	-	-	-
N80.5	-	-	-	-	N84.9	-	-	-	-	N90.3	-	1	1	1
N80.6	-	-	-	-	N85.0	-	3	3	3	N90.4	-	-	-	-
N80.8	-	-	-	-	N85.1	-	-	-	-	N90.5	-	-	-	-
N80.9	7	14	7	15	N85.2	1	4	3	4	N90.6	-	-	-	-
N81.0	-	-	-	-	N85.3	-	-	-	-	N90.7	-	-	-	-
N81.1	12	31	19	31	N85.4	-	-	-	-	N90.8	-	4	4	4
N81.2	-	-	-	-	N85.5	-	-	-	-	N90.9	-	1	1	2
N81.3	-	3	3	3	N85.6	-	-	-	-	N91.0	-	-	-	-
N81.4	5	25	20	25	N85.7	1	3	2	3	N91.1	-	-	-	-
N81.5	-	-	-	-	N85.8	6	15	9	15	N91.2	-	1	1	1
N81.6	3	9	6	9	N85.9	9	244	235	340	N91.3	-	-	-	-
N81.8	1	1	-	1	N86	-	2	2	2	N91.4	-	-	-	-
N81.9	-	-	-	-	N87.0	-	-	-	-	N91.5	-	-	-	-
N82.0	1	10	9	10	N87.1	-	-	-	-	N92.0	1	6	5	6
N82.1	-	1	1	1	N87.2	-	-	-	-	N92.1	1	5	4	5
N82.2	-	2	2	2	N87.9	-	4	4	4	N92.2	-	-	-	-
N82.3	61	171	110	171	N88.0	-	-	-	-	N92.3	-	-	-	-
N82.4	10	24	14	24	N88.1	-	-	-	-	N92.4	-	-	-	-
N82.5	-	-	-	-	N88.2	8	37	29	37	N92.5	-	-	-	-
N82.8	-	2	2	2	N88.3	2	2	-	2	N92.6	-	1	1	1
N82.9	3	30	27	30	N88.4	-	-	-	-	N93.0	-	-	-	-
N83.0	-	-	-	-	N88.8	2	14	12	14	N93.8	-	4	4	4
N83.1	1	2	1	2	N88.9	-	1	1	2	N93.9	26	164	138	164
N83.2	12	34	22	34	N89.0	-	-	-	-	N94.0	-	-	-	-
N83.3	-	-	-	-	N89.1	-	-	-	-	N94.1	-	1	1	1
N83.4	-	-	-	-	N89.2	-	-	-	-	N94.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
N94.3	-	-	-	-	000.2	-	-	-	-	005.6	-	-	-	-
N94.4	-	-	-	-	000.8	-	-	-	-	005.7	-	-	-	-
N94.5	-	-	-	-	000.9	15	18	3	19	005.8	-	-	-	-
N94.6	-	-	-	-	001.0	-	-	-	-	005.9	-	1	1	1
N94.8	10	63	53	63	001.1	-	-	-	-	006.0	-	-	-	-
N94.9	3	10	7	12	001.9	-	-	-	-	006.1	-	-	-	-
N95.0	3	10	7	10	002.0	-	-	-	-	006.2	-	-	-	-
N95.1	1	40	39	40	002.1	3	3	-	3	006.3	-	-	-	-
N95.2	2	2	-	2	002.8	-	-	-	-	006.4	-	-	-	-
N95.3	-	-	-	-	002.9	-	-	-	-	006.5	2	1	-	-
N95.8	-	2	2	2	003.0	-	-	-	-	006.6	1	1	1	-
N95.9	-	2	2	2	003.1	-	-	-	-	006.7	-	-	-	-
N96	-	-	-	-	003.2	-	-	-	-	006.8	1	2	1	-
N97.0	-	-	-	-	003.3	-	-	-	-	006.9	-	-	-	4
N97.1	-	-	-	-	003.4	-	-	-	-	007.0	-	-	-	-
N97.2	-	-	-	-	003.5	1	1	1	-	007.1	-	-	-	-
N97.3	-	-	-	-	003.6	2	2	-	-	007.2	-	-	-	-
N97.4	-	-	-	-	003.7	-	1	1	-	007.3	-	-	-	-
N97.8	-	-	-	-	003.8	2	3	2	1	007.4	-	-	-	-
N97.9	-	-	-	-	003.9	1	2	1	8	007.5	1	1	-	1
N98.0	-	-	-	-	004.0	1	1	-	1	007.6	-	1	1	1
N98.1	-	-	-	-	004.1	-	-	-	-	007.7	-	-	-	-
N98.2	-	-	-	-	004.2	-	-	-	-	007.8	-	-	-	-
N98.3	-	-	-	-	004.3	-	-	-	-	007.9	-	-	-	-
N98.8	-	-	-	-	004.4	-	-	-	-	008.0	...	2	2	4
N98.9	-	-	-	-	004.5	2	2	-	1	008.1	...	11	11	14
N99.0	...	423	423	423	004.6	-	-	-	-	008.2	...	-	-	1
N99.1	...	-	-	-	004.7	-	-	-	-	008.3	...	2	2	2
N99.2	...	1	1	1	004.8	-	1	1	1	008.4	...	1	1	1
N99.3	...	-	-	-	004.9	-	-	-	3	008.5	...	1	1	1
N99.4	...	-	-	-	005.0	-	-	-	-	008.6	...	-	-	1
N99.5	...	1	1	1	005.1	-	-	-	-	008.7	...	1	1	1
N99.8	...	52	52	52	005.2	-	-	-	-	008.8	...	4	4	6
N99.9	...	4	4	4	005.3	-	-	-	-	008.9	...	1	1	2
O00.0	1	1	-	1	005.4	-	-	-	-	O10.0	-	3	3	3
O00.1	7	8	1	8	005.5	-	-	-	-	O10.1	6	6	-	7

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record second- ary	Entity axis		UC	Record total mention	Record second- ary	Entity axis		UC	Record total mention	Record second- ary	Entity axis
O10.2	-	-	-	-	O23.3	-	-	-	-	O29.8	-	-	-	-
O10.3	2	2	-	2	O23.4	1	1	-	1	O29.9	-	-	-	-
O10.4	-	-	-	-	O23.5	1	2	1	2	O30.0	-	6	6	6
O10.9	-	-	-	-	O23.9	-	-	-	-	O30.1	1	1	-	1
O11	1	1	-	-	O24.0	-	-	-	-	O30.2	-	-	-	-
O12.0	1	2	1	2	O24.1	-	-	-	-	O30.8	-	-	-	-
O12.1	-	-	-	-	O24.2	-	-	-	-	O30.9	-	-	-	-
O12.2	-	-	-	-	O24.3	1	3	2	3	O31.0	-	-	-	-
O13	2	4	2	4	O24.4	1	2	1	2	O31.1	-	-	-	-
O14.0	-	-	-	-	O24.9	5	16	11	16	O31.2	-	-	-	-
O14.1	13	17	4	19	O25	-	-	-	-	O31.8	-	-	-	-
O14.9	17	25	8	33	O26.0	-	1	1	1	O32.0	-	-	-	-
O15.0	4	4	-	4	O26.1	-	-	-	-	O32.1	-	-	-	-
O15.1	-	-	-	-	O26.2	-	-	-	-	O32.2	-	-	-	-
O15.2	2	2	-	2	O26.3	-	-	-	-	O32.3	-	-	-	-
O15.9	18	21	3	21	O26.4	-	-	-	-	O32.4	-	-	-	-
O16	11	18	7	18	O26.5	1	1	-	1	O32.5	-	-	-	-
O20.0	-	-	-	-	O26.6	6	16	10	16	O32.6	-	-	-	-
O20.8	-	-	-	-	O26.7	-	-	-	-	O32.8	-	-	-	-
O20.9	-	-	-	-	O26.8	37	69	32	69	O32.9	-	-	-	-
O21.0	-	2	2	2	O26.9	1	2	1	2	O33.0	-	-	-	-
O21.1	-	-	-	-	O28.0	-	-	-	-	O33.1	-	-	-	-
O21.2	-	-	-	-	O28.1	-	-	-	-	O33.2	-	-	-	-
O21.8	-	-	-	-	O28.2	-	-	-	-	O33.3	-	-	-	-
O21.9	-	-	-	1	O28.3	-	-	-	-	O33.4	-	-	-	-
O22.0	-	-	-	-	O28.4	-	-	-	-	O33.5	-	-	-	-
O22.1	-	-	-	-	O28.5	-	-	-	-	O33.6	-	-	-	-
O22.2	-	-	-	-	O28.8	-	-	-	-	O33.7	-	-	-	-
O22.3	8	8	-	8	O28.9	-	-	-	-	O33.8	-	-	-	-
O22.4	-	-	-	-	O29.0	-	-	-	-	O33.9	-	-	-	-
O22.5	1	2	1	2	O29.1	4	8	4	8	O34.0	-	-	-	-
O22.8	-	-	-	-	O29.2	1	1	-	1	O34.1	-	1	1	1
O22.9	3	3	-	3	O29.3	-	-	-	-	O34.2	-	-	-	-
O23.0	-	-	-	-	O29.4	-	-	-	-	O34.3	-	-	-	-
O23.1	-	-	-	-	O29.5	-	-	-	-	O34.4	-	-	-	-
O23.2	-	-	-	-	O29.6	-	-	-	-	O34.5	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	total mention	second-ary	Entity axis		UC	total mention	second-ary	Entity axis		UC	total mention	second-ary	Entity axis
034.6	-	-	-	-	043.9	-	-	-	-	064.9	-	-	-	-
034.7	-	-	-	-	044.0	-	-	-	-	065.0	-	-	-	-
034.8	-	-	-	-	044.1	-	3	3	4	065.1	-	-	-	-
034.9	-	-	-	-	045.0	-	-	-	-	065.2	-	-	-	-
035.0	-	-	-	-	045.8	-	-	-	-	065.3	-	-	-	-
035.1	-	-	-	-	045.9	6	10	4	10	065.4	-	-	-	-
035.2	-	-	-	-	046.0	4	9	5	9	065.5	-	-	-	-
035.3	-	-	-	-	046.8	1	1	-	1	065.8	-	-	-	-
035.4	-	-	-	-	046.9	7	17	10	18	065.9	-	-	-	-
035.5	-	-	-	-	047.0	-	-	-	-	066.0	-	-	-	-
035.6	-	-	-	-	047.1	-	-	-	-	066.1	-	-	-	-
035.7	-	-	-	-	047.9	-	-	-	-	066.2	-	-	-	-
035.8	-	-	-	-	048	-	-	-	-	066.3	-	-	-	-
035.9	-	-	-	-	060	1	1	-	1	066.4	-	-	-	-
036.0	-	-	-	-	061.0	-	-	-	-	066.5	-	-	-	-
036.1	-	-	-	-	061.1	-	-	-	-	066.8	-	-	-	-
036.2	-	-	-	-	061.8	-	-	-	-	066.9	-	-	-	-
036.3	-	2	2	2	061.9	-	-	-	-	067.0	2	3	1	3
036.4	6	13	7	13	062.0	-	-	-	-	067.8	1	1	-	-
036.5	-	1	1	1	062.1	1	1	-	1	067.9	3	6	3	9
036.6	-	-	-	-	062.2	4	7	3	7	068.0	-	-	-	-
036.7	-	-	-	-	062.3	1	1	-	1	068.1	-	-	-	-
036.8	-	-	-	-	062.4	-	-	-	-	068.2	-	-	-	-
036.9	-	-	-	-	062.8	-	-	-	-	068.3	-	-	-	-
040	1	1	-	1	062.9	-	-	-	-	068.8	-	-	-	-
041.0	-	-	-	-	063.0	-	-	-	-	068.9	-	2	2	2
041.1	1	3	2	3	063.1	-	-	-	-	069.0	-	-	-	-
041.8	-	-	-	-	063.2	-	-	-	-	069.1	-	-	-	-
041.9	-	-	-	-	063.9	-	-	-	-	069.2	-	-	-	-
042.0	-	-	-	-	064.0	-	-	-	-	069.3	-	-	-	-
042.1	-	-	-	-	064.1	-	-	-	-	069.4	-	-	-	-
042.2	-	-	-	-	064.2	-	-	-	-	069.5	-	-	-	-
042.9	1	2	1	2	064.3	-	-	-	-	069.8	-	-	-	-
043.0	-	-	-	-	064.4	-	-	-	-	069.9	-	-	-	-
043.1	-	-	-	-	064.5	-	-	-	-	070.0	-	-	-	-
043.8	-	1	1	1	064.8	-	-	-	-	070.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second- ary	Entity axis		UC	Record axis total mention	second- ary	Entity axis		UC	Record axis total mention	second- ary	Entity axis
070.2	-	-	-	-	075.7	1	1	-	1	090.8	-	4	4	4
070.3	-	-	-	-	075.8	3	6	3	6	090.9	-	-	-	-
070.9	-	-	-	-	075.9	7	15	8	67	091.0	-	-	-	-
071.0	1	1	-	1	085	6	11	5	11	091.1	-	-	-	-
071.1	2	5	3	5	086.0	-	-	-	-	091.2	-	-	-	-
071.2	-	-	-	-	086.1	-	-	-	-	092.0	-	-	-	-
071.3	-	-	-	-	086.2	-	-	-	-	092.1	-	-	-	-
071.4	-	-	-	-	086.3	-	-	-	-	092.2	-	-	-	-
071.5	1	1	-	1	086.4	-	-	-	-	092.3	-	-	-	-
071.6	1	1	-	1	086.8	-	-	-	-	092.4	-	-	-	-
071.7	-	-	-	-	087.0	-	-	-	-	092.5	-	-	-	-
071.8	-	-	-	-	087.1	-	-	-	-	092.6	-	-	-	-
071.9	-	-	-	-	087.2	-	-	-	-	092.7	-	-	-	-
072.0	5	10	5	10	087.3	-	-	-	-	095	22	139	118	198
072.1	14	29	15	29	087.8	-	-	-	-	096	46	64	18	64
072.2	1	1	-	1	087.9	4	5	1	5	097	4	7	3	7
072.3	3	13	10	13	088.0	-	-	-	-	098.0	-	-	-	-
073.0	-	-	-	-	088.1	34	46	12	46	098.1	-	-	-	-
073.1	-	-	-	-	088.2	15	38	23	38	098.2	-	-	-	-
074.0	-	-	-	-	088.3	-	-	-	-	098.3	-	-	-	-
074.1	-	-	-	-	088.8	-	-	-	-	098.4	-	-	-	2
074.2	3	4	1	4	089.0	-	-	1	-	098.5	-	-	-	-
074.3	-	-	-	-	089.1	-	2	2	2	098.6	-	-	-	1
074.4	-	-	-	-	089.2	-	1	1	1	098.8	5	11	6	26
074.5	-	-	-	-	089.3	-	-	-	-	098.9	-	1	1	2
074.6	-	-	-	-	089.4	-	-	-	-	099.0	1	1	-	6
074.7	-	-	-	-	089.5	-	-	-	-	099.1	-	2	2	23
074.8	1	1	-	1	089.6	-	-	-	-	099.2	1	2	1	23
074.9	-	-	-	1	089.8	-	-	-	-	099.3	2	6	4	34
075.0	-	1	1	1	089.9	-	-	-	-	099.4	33	38	6	133
075.1	2	5	3	5	090.0	-	-	-	-	099.5	9	14	5	54
075.2	-	-	-	-	090.1	-	1	1	1	099.6	5	6	2	28
075.3	1	2	1	2	090.2	-	-	-	-	099.7	-	1	1	3
075.4	15	23	8	23	090.3	29	39	10	39	099.8	39	39	2	50
075.5	-	-	-	-	090.4	-	-	-	-	P00.0	69	89	20	89
075.6	-	-	-	-	090.5	-	-	-	-	P00.1	8	10	2	10

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
P00.2	13	23	10	23	P03.9	60	94	34	97	P12.1	-	-	-	-
P00.3	1	4	3	4	P04.0	-	-	-	-	P12.2	-	-	-	-
P00.4	-	-	-	-	P04.1	-	1	1	1	P12.3	-	-	-	-
P00.5	30	35	5	35	P04.2	3	16	13	16	P12.4	-	-	-	-
P00.6	-	2	2	2	P04.3	3	4	1	4	P12.8	-	-	-	-
P00.7	1	2	1	2	P04.4	41	104	63	104	P12.9	-	1	1	1
P00.8	26	47	21	47	P04.5	-	-	-	-	P13.0	-	1	1	1
P00.9	5	8	3	9	P04.6	-	-	-	-	P13.1	2	3	1	3
P01.0	444	492	48	492	P04.8	-	-	-	-	P13.2	-	1	1	1
P01.1	732	1,010	278	1,010	P04.9	1	1	-	1	P13.3	-	-	-	-
P01.2	149	240	91	240	P05.0	3	3	-	3	P13.4	-	-	-	-
P01.3	16	32	16	32	P05.1	7	31	24	31	P13.8	-	1	1	1
P01.4	-	1	1	1	P05.2	1	1	-	1	P13.9	-	-	-	-
P01.5	305	520	215	520	P05.9	52	164	112	165	P14.0	-	1	1	1
P01.6	6	12	6	12	P07.0	129	153	25	375	P14.1	-	-	-	-
P01.7	1	1	-	1	P07.1	5	21	16	55	P14.2	-	-	-	-
P01.8	58	83	25	83	P07.2	3,555	4,393	848	9,825	P14.3	-	-	-	-
P01.9	-	-	-	-	P07.3	1,168	1,894	731	5,873	P14.8	-	-	-	-
P02.0	18	29	11	29	P08.0	-	1	1	2	P14.9	-	1	1	1
P02.1	477	606	129	606	P08.1	-	-	-	1	P15.0	3	5	2	5
P02.2	20	30	10	33	P08.2	-	1	1	3	P15.1	-	1	1	1
P02.3	85	120	35	120	P10.0	1	1	-	1	P15.2	-	-	-	-
P02.4	21	39	18	39	P10.1	-	1	1	1	P15.3	-	-	-	-
P02.5	18	32	14	32	P10.2	-	-	-	-	P15.4	-	-	-	-
P02.6	6	11	5	11	P10.3	-	-	-	-	P15.5	-	-	-	-
P02.7	458	669	211	669	P10.4	-	-	-	-	P15.6	-	-	-	-
P02.8	2	2	-	2	P10.8	-	-	-	-	P15.8	2	6	4	6
P02.9	1	3	2	4	P10.9	2	3	1	3	P15.9	5	8	3	13
P03.0	11	26	15	26	P11.0	-	-	-	-	P20.0	1	2	1	2
P03.1	12	16	4	16	P11.1	3	5	2	5	P20.1	1	1	-	1
P03.2	2	3	1	3	P11.2	10	17	7	17	P20.9	107	406	299	406
P03.3	2	3	1	3	P11.3	1	1	-	1	P21.0	34	71	37	71
P03.4	1	7	6	7	P11.4	-	-	-	-	P21.1	-	-	-	-
P03.5	5	11	6	11	P11.5	-	2	2	2	P21.9	438	1,036	598	1,036
P03.6	11	14	3	14	P11.9	3	3	-	3	P22.0	758	1,371	613	1,371
P03.8	61	96	35	96	P12.0	-	-	-	-	P22.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis secondary	Entity axis		UC	Record total mention	Record axis secondary	Entity axis		UC	Record total mention	Record axis secondary	Entity axis
P22.8	-	-	-	-	P28.8	13	68	55	68	P39.4	-	1	1	1
P22.9	74	165	91	166	P28.9	9	24	15	32	P39.8	16	27	11	27
P23.0	2	3	1	3	P29.0	340	1,140	800	1,140	P39.9	61	90	29	94
P23.1	-	-	-	-	P29.1	519	1,570	1,051	1,570	P50.0	1	1	-	1
P23.2	4	6	2	6	P29.2	7	49	42	49	P50.1	1	4	3	4
P23.3	1	1	-	1	P29.3	62	326	264	326	P50.2	-	-	-	-
P23.4	-	1	1	1	P29.4	-	7	7	7	P50.3	-	-	-	-
P23.5	2	2	-	2	P29.8	19	65	46	65	P50.4	5	6	1	7
P23.6	1	2	1	2	P29.9	3	4	1	4	P50.5	-	-	-	-
P23.8	4	4	-	4	P35.0	4	10	6	10	P50.8	1	1	-	1
P23.9	64	145	81	145	P35.1	23	36	13	36	P50.9	4	8	4	8
P24.0	40	65	25	65	P35.2	29	31	2	31	P51.0	1	1	-	1
P24.1	8	8	-	8	P35.3	-	1	1	1	P51.8	-	-	-	-
P24.2	-	-	-	-	P35.8	1	2	1	2	P51.9	-	-	-	-
P24.3	-	-	-	-	P35.9	4	6	2	6	P52.0	-	2	2	2
P24.8	-	1	1	1	P36.0	22	31	9	31	P52.1	1	2	1	2
P24.9	9	30	21	30	P36.1	12	16	4	16	P52.2	1	4	3	4
P25.0	65	157	92	157	P36.2	9	13	4	13	P52.3	382	817	436	818
P25.1	79	336	257	336	P36.3	12	24	12	24	P52.4	52	113	62	114
P25.2	2	8	6	8	P36.4	6	12	6	12	P52.5	3	10	7	10
P25.3	4	23	19	23	P36.5	-	-	-	-	P52.6	1	10	9	10
P25.8	1	2	1	2	P36.8	125	214	89	214	P52.8	5	23	18	23
P26.0	-	-	-	-	P36.9	586	1,251	666	1,289	P52.9	160	297	137	306
P26.1	2	13	11	13	P37.0	-	-	-	-	P53	-	-	-	-
P26.8	1	1	-	1	P37.1	4	4	-	4	P54.0	-	-	-	-
P26.9	160	465	305	465	P37.2	4	4	-	4	P54.1	-	-	-	-
P27.0	1	1	-	1	P37.3	-	-	-	-	P54.2	-	-	-	-
P27.1	248	383	135	383	P37.4	-	-	-	-	P54.3	3	11	8	11
P27.8	1	2	1	2	P37.5	41	51	10	51	P54.4	1	4	3	4
P27.9	40	73	33	73	P37.8	13	24	11	24	P54.5	3	11	8	11
P28.0	439	698	259	698	P37.9	-	-	-	-	P54.6	-	2	2	2
P28.1	4	8	4	8	P38	4	9	5	9	P54.8	14	37	23	37
P28.2	-	-	-	-	P39.0	-	-	-	-	P54.9	12	42	30	66
P28.3	-	-	-	-	P39.1	-	-	-	-	P55.0	1	4	3	4
P28.4	15	83	68	83	P39.2	1	3	2	3	P55.1	-	1	1	1
P28.5	31	1,993	1,962	1,993	P39.3	5	7	2	7	P55.8	-	-	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
P55.9	3	3	-	3	P70.9	-	-	-	-	P81.0	-	-	-	-
P56.0	1	1	-	-	P71.0	-	-	-	-	P81.8	-	-	-	-
P56.9	-	-	-	-	P71.1	-	6	6	6	P81.9	1	4	3	4
P57.0	-	-	-	-	P71.2	-	-	-	-	P83.0	-	-	-	-
P57.8	-	-	-	-	P71.3	-	-	-	-	P83.1	-	-	-	-
P57.9	2	3	1	3	P71.4	-	-	-	-	P83.2	188	332	144	333
P58.0	-	-	-	-	P71.8	-	1	1	1	P83.3	-	4	4	4
P58.1	-	3	3	-	P71.9	-	-	-	-	P83.4	-	-	-	-
P58.2	-	1	1	-	P72.0	-	-	-	-	P83.5	-	-	-	-
P58.3	-	-	-	-	P72.1	-	1	1	1	P83.6	-	-	-	-
P58.4	-	-	-	-	P72.2	-	-	-	-	P83.8	1	1	-	1
P58.5	-	-	-	-	P72.8	-	-	-	-	P83.9	-	-	-	-
P58.8	1	3	2	3	P72.9	-	-	-	-	P90	13	105	92	105
P58.9	-	-	-	-	P74.0	1	2	1	2	P91.0	7	21	14	21
P59.0	-	6	6	-	P74.1	6	29	23	29	P91.1	-	-	-	-
P59.1	1	3	2	3	P74.2	-	-	-	-	P91.2	12	30	18	30
P59.2	3	6	3	6	P74.3	1	1	-	1	P91.3	-	-	-	-
P59.3	-	-	-	-	P74.4	-	3	3	3	P91.4	3	4	1	4
P59.8	-	3	3	3	P74.5	-	-	-	-	P91.5	-	3	3	3
P59.9	1	7	6	17	P74.8	-	1	1	1	P91.8	2	3	1	3
P60	53	211	158	211	P74.9	2	2	-	2	P91.9	-	-	-	-
P61.0	2	6	4	6	P76.0	-	3	3	3	P92.0	1	1	-	1
P61.1	-	1	1	1	P76.1	-	2	2	2	P92.1	-	-	-	-
P61.2	5	103	98	-	P76.2	-	-	-	-	P92.2	-	-	-	-
P61.3	1	2	1	1	P76.8	4	21	17	21	P92.3	-	-	-	-
P61.4	23	27	17	131	P76.9	2	10	8	10	P92.4	-	-	-	-
P61.5	-	4	4	4	P77	405	533	128	533	P92.5	-	-	-	-
P61.6	3	4	1	4	P78.0	69	148	79	148	P92.8	-	-	-	-
P61.8	-	-	-	-	P78.1	2	22	20	22	P92.9	-	1	1	1
P61.9	-	-	-	-	P78.2	-	-	-	-	P93	-	-	-	-
P70.0	1	6	5	6	P78.3	1	1	-	1	P94.0	1	1	-	1
P70.1	1	25	24	25	P78.8	2	5	3	5	P94.1	-	-	-	-
P70.2	5	18	13	18	P78.9	-	-	-	-	P94.2	8	21	13	21
P70.3	-	2	2	2	P80.0	-	-	-	-	P94.8	1	1	-	1
P70.4	3	13	10	13	P80.8	1	1	-	1	P94.9	-	-	-	-
P70.8	1	1	-	1	P80.9	3	16	13	16	P96.0	33	144	111	144

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
P96.1	-	-	-	-	Q05.7	-	-	-	-	Q13.4	-	1	1	1
P96.2	-	-	-	-	Q05.8	-	-	-	-	Q13.5	-	-	-	-
P96.3	-	-	-	-	Q05.9	104	234	130	273	Q13.8	-	-	-	-
P96.4	40	77	37	77	Q06.0	-	1	1	1	Q13.9	-	-	-	-
P96.5	-	1	1	1	Q06.1	-	2	2	2	Q14.0	-	-	-	-
P96.8	53	116	63	116	Q06.2	-	-	-	-	Q14.1	-	1	1	1
P96.9	23	40	17	40	Q06.3	-	-	-	-	Q14.2	-	-	-	-
Q00.0	340	355	15	355	Q06.4	-	-	-	-	Q14.3	-	-	-	-
Q00.1	-	-	-	-	Q06.8	-	-	-	-	Q14.8	-	-	-	-
Q00.2	1	1	-	1	Q06.9	4	7	3	7	Q14.9	-	-	-	-
Q01.0	-	-	-	-	Q07.0	36	74	38	74	Q15.0	-	2	2	2
Q01.1	-	-	-	-	Q07.8	3	5	2	5	Q15.8	-	2	2	2
Q01.2	5	6	1	6	Q07.9	27	37	10	49	Q15.9	2	4	2	4
Q01.8	1	1	-	1	Q10.0	-	-	-	-	Q16.0	-	-	-	-
Q01.9	50	65	15	65	Q10.1	-	-	-	-	Q16.1	-	-	-	-
Q02	79	159	80	159	Q10.2	-	-	-	-	Q16.2	-	-	-	-
Q03.0	6	8	2	8	Q10.3	-	-	-	-	Q16.3	-	-	-	-
Q03.1	37	64	27	64	Q10.4	-	-	-	-	Q16.4	-	1	1	1
Q03.8	1	2	1	2	Q10.5	-	1	1	1	Q16.5	-	-	-	-
Q03.9	164	293	129	351	Q10.6	-	-	-	-	Q16.9	-	-	-	-
Q04.0	14	37	23	37	Q10.7	-	-	-	-	Q17.0	-	-	-	-
Q04.1	1	1	-	1	Q11.0	-	-	-	-	Q17.1	-	-	-	-
Q04.2	112	154	42	154	Q11.1	-	5	5	5	Q17.2	-	1	1	1
Q04.3	123	163	40	163	Q11.2	-	3	3	3	Q17.3	-	-	-	-
Q04.4	7	12	5	12	Q11.3	-	-	-	-	Q17.4	-	1	1	1
Q04.5	2	3	1	3	Q12.0	-	1	1	1	Q17.5	-	-	-	-
Q04.6	35	65	30	65	Q12.1	-	-	-	-	Q17.8	-	-	-	-
Q04.8	16	32	16	32	Q12.2	-	-	-	-	Q17.9	-	2	2	2
Q04.9	93	150	57	186	Q12.3	-	-	-	-	Q18.0	-	1	1	1
Q05.0	-	-	-	-	Q12.4	-	-	-	-	Q18.1	-	-	-	-
Q05.1	-	-	-	-	Q12.8	-	-	-	-	Q18.2	1	1	-	1
Q05.2	-	-	-	-	Q12.9	-	-	-	-	Q18.3	-	-	-	-
Q05.3	-	-	-	-	Q13.0	-	-	-	-	Q18.4	-	-	-	-
Q05.4	22	40	18	2	Q13.1	-	-	-	-	Q18.5	-	1	1	1
Q05.5	-	-	-	-	Q13.2	-	-	-	-	Q18.6	-	-	-	-
Q05.6	1	1	-	1	Q13.3	-	-	-	-	Q18.7	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
Q18.8	-	1	1	1	Q24.2	2	4	2	4	Q28.3	28	46	18	55
Q18.9	2	8	6	8	Q24.3	-	-	-	-	Q28.8	5	6	1	6
Q20.0	36	50	14	50	Q24.4	32	46	15	46	Q28.9	3	4	1	4
Q20.1	16	36	20	36	Q24.5	164	258	94	258	Q30.0	2	9	7	9
Q20.2	1	4	3	4	Q24.6	12	17	5	17	Q30.1	-	-	-	-
Q20.3	100	136	36	136	Q24.8	107	179	72	179	Q30.2	-	1	1	1
Q20.4	33	45	12	45	Q24.9	1,200	1,676	476	2,023	Q30.3	-	-	-	-
Q20.5	1	4	3	4	Q25.0	71	282	211	282	Q30.8	-	-	-	-
Q20.6	-	2	2	2	Q25.1	46	138	92	138	Q30.9	-	1	1	1
Q20.8	28	48	20	48	Q25.2	-	-	-	-	Q31.0	-	1	1	1
Q20.9	-	-	-	-	Q25.3	15	25	10	26	Q31.1	2	5	3	5
Q21.0	152	396	244	396	Q25.4	18	38	20	40	Q31.2	-	-	-	-
Q21.1	268	532	264	532	Q25.5	58	143	85	143	Q31.3	1	2	1	2
Q21.2	51	117	66	117	Q25.6	30	93	63	93	Q31.4	-	-	-	-
Q21.3	169	262	93	262	Q25.7	12	32	20	32	Q31.5	6	17	11	17
Q21.4	4	8	4	8	Q25.8	1	1	-	1	Q31.8	1	1	-	1
Q21.8	78	117	39	117	Q25.9	-	1	1	1	Q31.9	1	2	1	2
Q21.9	7	15	8	18	Q26.0	-	-	-	-	Q32.0	6	11	5	11
Q22.0	5	8	3	8	Q26.1	-	-	-	-	Q32.1	39	59	20	59
Q22.1	4	9	5	9	Q26.2	10	18	8	18	Q32.2	-	2	2	2
Q22.2	1	1	-	1	Q26.3	2	9	7	9	Q32.3	-	2	2	2
Q22.3	3	6	3	6	Q26.4	29	53	24	53	Q32.4	2	4	2	4
Q22.4	30	40	10	40	Q26.5	-	1	1	1	Q33.0	7	11	4	11
Q22.5	54	67	13	67	Q26.6	-	-	-	-	Q33.1	-	-	-	-
Q22.6	7	13	6	13	Q26.8	11	18	7	18	Q33.2	-	4	4	4
Q22.8	1	8	7	8	Q26.9	2	8	6	8	Q33.3	9	21	12	21
Q22.9	6	10	4	10	Q27.0	-	-	-	-	Q33.4	5	5	-	5
Q23.0	60	93	33	93	Q27.1	-	-	-	-	Q33.5	-	-	-	-
Q23.1	73	149	76	149	Q27.2	-	-	-	-	Q33.6	555	977	422	977
Q23.2	7	19	12	19	Q27.3	218	385	167	385	Q33.8	1	5	4	5
Q23.3	14	22	8	22	Q27.4	-	-	-	-	Q33.9	24	40	16	42
Q23.4	366	435	69	435	Q27.8	6	15	9	17	Q34.0	-	2	2	2
Q23.8	2	3	1	3	Q27.9	39	65	26	66	Q34.1	-	-	-	-
Q23.9	28	38	10	40	Q28.0	3	3	-	3	Q34.8	3	6	3	6
Q24.0	9	27	18	27	Q28.1	-	-	-	-	Q34.9	4	5	1	7
Q24.1	-	1	1	1	Q28.2	245	306	61	306	Q35.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
Q35.3	-	-	-	-	Q40.2	-	2	2	2	Q45.3	-	3	3	3
Q35.5	-	-	-	-	Q40.3	3	6	3	6	Q45.8	3	7	4	7
Q35.6	-	-	-	-	Q40.8	-	-	-	-	Q45.9	5	17	12	18
Q35.7	-	-	-	-	Q40.9	1	1	-	1	Q50.0	-	-	-	-
Q35.9	7	39	32	60	Q41.0	3	14	11	14	Q50.1	-	-	-	-
Q36.0	-	-	-	-	Q41.1	1	10	9	10	Q50.2	-	-	-	-
Q36.1	-	-	-	-	Q41.2	3	6	3	6	Q50.3	-	-	-	-
Q36.9	-	5	5	26	Q41.8	1	1	-	1	Q50.4	-	1	1	1
Q37.0	-	-	-	-	Q41.9	4	9	5	9	Q50.5	-	-	-	-
Q37.1	-	-	-	-	Q42.0	-	-	-	-	Q50.6	-	-	-	-
Q37.2	-	-	-	-	Q42.1	-	2	2	2	Q51.0	-	-	-	-
Q37.3	-	-	-	-	Q42.2	-	-	-	-	Q51.1	-	-	-	-
Q37.4	-	-	-	-	Q42.3	3	28	25	28	Q51.2	-	1	1	1
Q37.5	-	-	-	-	Q42.8	-	-	-	-	Q51.3	-	2	2	2
Q37.8	-	-	-	-	Q42.9	5	6	1	7	Q51.4	-	-	-	-
Q37.9	4	30	26	9	Q43.0	14	24	10	24	Q51.5	-	-	-	-
Q38.0	-	-	-	-	Q43.1	22	38	16	38	Q51.6	-	-	-	-
Q38.1	-	-	-	-	Q43.2	-	1	1	1	Q51.7	-	-	-	-
Q38.2	2	5	3	5	Q43.3	21	33	12	33	Q51.8	-	-	-	-
Q38.3	-	-	-	-	Q43.4	1	1	-	1	Q51.9	1	1	-	1
Q38.4	-	-	-	-	Q43.5	-	-	-	-	Q52.0	-	-	-	-
Q38.5	-	3	3	3	Q43.6	-	-	-	-	Q52.1	-	-	-	-
Q38.6	-	-	-	-	Q43.7	-	-	-	-	Q52.2	-	-	-	-
Q38.7	-	2	2	2	Q43.8	18	30	12	30	Q52.3	-	-	-	-
Q38.8	5	7	2	7	Q43.9	20	48	28	48	Q52.4	-	1	1	1
Q39.0	5	25	20	33	Q44.0	-	-	-	-	Q52.5	-	-	-	-
Q39.1	4	12	8	4	Q44.1	-	-	-	-	Q52.6	-	-	-	-
Q39.2	6	20	14	28	Q44.2	8	10	2	10	Q52.7	-	1	1	1
Q39.3	-	-	-	-	Q44.3	-	-	-	-	Q52.8	-	-	-	-
Q39.4	-	4	4	4	Q44.4	1	4	3	4	Q52.9	-	3	3	3
Q39.5	-	-	-	-	Q44.5	25	34	9	35	Q53.0	-	-	-	-
Q39.6	11	21	10	21	Q44.6	20	37	17	37	Q53.1	-	-	-	-
Q39.8	1	3	2	3	Q44.7	12	27	15	27	Q53.2	-	-	-	-
Q39.9	1	5	4	5	Q45.0	-	-	-	-	Q53.9	-	5	5	5
Q40.0	5	5	-	5	Q45.1	-	-	-	-	Q54.0	-	-	-	-
Q40.1	1	2	1	2	Q45.2	-	-	-	-	Q54.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record second- ary	Entity axis		UC	Record total mention	Record second- ary	Entity axis		UC	Record total mention	Record second- ary	Entity axis
Q54.2	-	-	-	-	Q62.2	-	-	-	-	Q66.4	-	-	-	-
Q54.3	-	-	-	-	Q62.3	-	3	3	3	Q66.5	-	-	-	-
Q54.4	-	-	-	-	Q62.4	-	1	1	1	Q66.6	-	-	-	-
Q54.8	-	-	-	-	Q62.5	-	-	-	-	Q66.7	-	-	-	-
Q54.9	-	6	6	6	Q62.6	-	-	-	-	Q66.8	-	13	13	13
Q55.0	-	1	1	1	Q62.7	-	-	-	-	Q66.9	-	-	-	-
Q55.1	-	-	-	-	Q62.8	-	1	1	1	Q67.0	-	-	-	-
Q55.2	-	-	-	-	Q63.0	-	-	-	-	Q67.1	-	1	1	1
Q55.3	-	-	-	-	Q63.1	-	13	13	13	Q67.2	-	-	-	-
Q55.4	-	1	1	1	Q63.2	-	1	1	1	Q67.3	-	-	-	-
Q55.5	-	-	-	-	Q63.3	-	3	3	3	Q67.4	-	-	-	-
Q55.6	-	-	-	-	Q63.8	1	2	1	2	Q67.5	17	31	14	31
Q55.8	-	3	3	3	Q63.9	17	39	22	41	Q67.6	2	13	11	13
Q55.9	-	3	3	3	Q64.0	-	-	-	-	Q67.7	1	1	-	1
Q56.0	-	-	-	-	Q64.1	1	6	5	6	Q67.8	6	17	11	17
Q56.1	-	-	-	-	Q64.2	7	19	12	19	Q68.0	-	-	-	-
Q56.2	-	-	-	-	Q64.3	2	9	7	9	Q68.1	-	1	1	1
Q56.3	-	-	-	-	Q64.4	1	1	-	1	Q68.2	-	-	-	-
Q56.4	-	12	12	12	Q64.5	-	8	8	8	Q68.3	-	-	-	-
Q60.0	12	44	32	44	Q64.6	1	1	-	1	Q68.4	-	-	-	-
Q60.1	22	29	7	29	Q64.7	-	4	4	4	Q68.5	-	-	-	-
Q60.2	124	191	67	191	Q64.8	1	2	1	2	Q68.8	11	39	28	39
Q60.3	-	-	-	-	Q64.9	1	2	1	2	Q69.0	-	-	-	-
Q60.4	1	1	-	1	Q65.0	-	-	-	-	Q69.1	-	-	-	-
Q60.5	10	22	12	22	Q65.1	-	1	1	1	Q69.2	-	-	-	-
Q60.6	64	106	42	106	Q65.2	-	3	3	3	Q69.9	-	6	6	6
Q61.0	10	47	37	47	Q65.3	-	-	-	-	Q70.0	-	-	-	-
Q61.1	8	21	13	21	Q65.4	-	-	-	-	Q70.1	-	-	-	-
Q61.2	18	35	17	35	Q65.5	-	1	1	1	Q70.2	-	-	-	-
Q61.3	340	711	371	713	Q65.6	-	-	-	-	Q70.3	-	-	-	-
Q61.4	35	106	71	106	Q65.8	1	7	6	7	Q70.4	-	-	-	-
Q61.5	3	8	5	8	Q65.9	-	-	-	-	Q70.9	1	2	1	2
Q61.8	1	1	-	1	Q66.0	-	3	3	3	Q71.0	-	-	-	-
Q61.9	19	38	19	44	Q66.1	-	-	-	-	Q71.1	-	1	1	1
Q62.0	2	10	8	10	Q66.2	-	-	-	-	Q71.2	-	-	-	-
Q62.1	1	1	-	1	Q66.3	-	-	-	-	Q71.3	-	2	2	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record second- ary	Entity axis		UC	Record total mention	Record second- ary	Entity axis		UC	Record total mention	Record second- ary	Entity axis
Q71.4	-	3	3	3	Q76.4	2	21	19	21	Q80.2	-	1	1	1
Q71.5	-	-	-	-	Q76.5	-	-	-	-	Q80.3	-	-	-	-
Q71.6	-	1	1	1	Q76.6	-	10	10	10	Q80.4	2	2	-	2
Q71.8	-	1	1	1	Q76.7	-	-	-	-	Q80.8	1	1	-	1
Q71.9	-	-	-	-	Q76.8	1	1	-	1	Q80.9	2	8	6	9
Q72.0	-	-	-	-	Q76.9	-	-	-	-	Q81.0	-	1	1	1
Q72.1	-	-	-	-	Q77.0	9	10	1	10	Q81.1	1	1	-	1
Q72.2	-	-	-	-	Q77.1	36	56	20	56	Q81.2	1	2	1	2
Q72.3	-	-	-	-	Q77.2	16	21	5	21	Q81.8	-	1	1	1
Q72.4	-	-	-	-	Q77.3	4	5	1	5	Q81.9	13	22	9	22
Q72.5	-	-	-	-	Q77.4	10	31	21	31	Q82.0	1	4	3	4
Q72.6	-	-	-	-	Q77.5	-	-	-	-	Q82.1	-	1	1	1
Q72.7	-	-	-	-	Q77.6	-	1	1	1	Q82.2	9	29	20	29
Q72.8	-	-	-	-	Q77.7	1	3	2	3	Q82.3	1	-	-	-
Q72.9	-	1	1	1	Q77.8	-	-	-	-	Q82.4	1	3	2	3
Q73.0	-	2	2	2	Q77.9	-	-	-	-	Q82.5	-	1	1	1
Q73.1	-	2	2	2	Q78.0	65	104	39	104	Q82.8	7	23	16	24
Q73.8	-	-	-	-	Q78.1	1	4	3	4	Q82.9	-	1	1	1
Q74.0	-	10	10	10	Q78.2	7	26	19	26	Q83.0	-	-	-	-
Q74.1	1	1	-	1	Q78.3	1	2	1	2	Q83.1	-	-	-	-
Q74.2	-	6	6	6	Q78.4	-	2	2	2	Q83.2	-	-	-	-
Q74.3	8	14	6	14	Q78.5	-	-	-	-	Q83.3	-	-	-	-
Q74.8	2	3	1	3	Q78.6	-	-	-	-	Q83.8	-	-	-	-
Q74.9	-	10	10	11	Q78.8	-	-	-	-	Q83.9	-	1	1	1
Q75.0	3	3	-	3	Q78.9	36	68	32	68	Q84.0	-	-	-	-
Q75.1	3	4	1	4	Q79.0	284	347	63	347	Q84.1	-	-	-	-
Q75.2	-	-	-	-	Q79.1	5	20	15	20	Q84.2	-	-	-	-
Q75.3	-	10	10	10	Q79.2	32	93	61	93	Q84.3	-	-	-	-
Q75.4	3	9	6	9	Q79.3	40	78	38	78	Q84.4	-	-	-	-
Q75.5	-	-	-	-	Q79.4	8	16	8	16	Q84.5	-	-	-	-
Q75.8	1	10	9	10	Q79.5	10	20	10	20	Q84.6	-	-	-	-
Q75.9	5	11	6	11	Q79.6	10	28	18	28	Q84.8	1	2	1	2
Q76.0	1	4	3	4	Q79.8	8	23	15	23	Q84.9	-	-	-	-
Q76.1	4	8	4	8	Q79.9	3	17	14	20	Q85.0	95	277	182	277
Q76.2	-	-	-	-	Q80.0	-	-	-	-	Q85.1	27	46	19	46
Q76.3	-	-	-	-	Q80.1	-	-	-	-	Q85.8	18	38	20	38

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
Q85.9	4	6	2	6	Q92.4	-	-	-	-	Q97.9	-	-	-	-
Q86.0	5	12	7	12	Q92.5	-	-	-	-	Q98.0	1	3	2	3
Q86.1	-	-	-	-	Q92.6	-	-	-	-	Q98.1	-	-	-	-
Q86.2	-	-	-	-	Q92.7	19	20	1	20	Q98.2	-	-	-	-
Q86.8	2	6	4	6	Q92.8	28	34	6	34	Q98.3	-	-	-	-
Q87.0	19	47	28	47	Q92.9	31	40	9	40	Q98.4	7	15	8	15
Q87.1	49	121	72	121	Q93.0	-	-	-	-	Q98.5	-	-	-	-
Q87.2	26	54	28	54	Q93.1	1	1	-	1	Q98.6	-	-	-	-
Q87.3	5	11	6	11	Q93.2	1	1	-	1	Q98.7	1	2	1	2
Q87.4	81	150	69	150	Q93.3	13	16	3	16	Q98.8	-	1	1	1
Q87.5	-	-	-	-	Q93.4	4	6	2	6	Q98.9	-	-	-	-
Q87.8	58	103	45	103	Q93.5	25	35	10	35	Q99.0	-	-	-	-
Q89.0	14	51	37	51	Q93.6	-	-	-	-	Q99.1	-	1	1	1
Q89.1	3	4	1	4	Q93.7	-	-	-	-	Q99.2	4	9	5	9
Q89.2	6	11	5	11	Q93.8	6	15	9	15	Q99.8	35	54	19	54
Q89.3	14	32	18	32	Q93.9	1	6	5	6	Q99.9	92	137	45	173
Q89.4	41	45	4	45	Q95.0	-	-	-	-	R00.0	3	1,186	1,183	1,186
Q89.7	288	347	59	705	Q95.1	1	2	1	2	R00.1	79	2,301	2,222	2,304
Q89.8	58	133	75	133	Q95.2	-	-	-	-	R00.2	-	13	13	13
Q89.9	222	371	149	573	Q95.3	-	-	-	-	R00.8	-	59	59	59
Q90.0	-	-	-	-	Q95.4	-	-	-	-	R01.0	-	-	-	-
Q90.1	-	-	-	-	Q95.5	1	1	-	1	R01.1	1	81	80	81
Q90.2	-	-	-	-	Q95.8	-	-	-	-	R01.2	-	2	2	2
Q90.9	837	1,811	974	1,812	Q95.9	-	-	-	-	R02	98	5,014	4,916	7,597
Q91.0	-	-	-	-	Q96.0	-	-	-	-	R03.0	-	-	-	-
Q91.1	-	-	-	-	Q96.1	-	-	-	-	R03.1	-	-	-	-
Q91.2	-	2	2	2	Q96.2	-	-	-	-	R04.0	8	227	219	227
Q91.3	490	528	38	528	Q96.3	-	-	-	-	R04.1	-	30	30	30
Q91.4	1	1	-	1	Q96.4	-	-	-	-	R04.2	30	1,094	1,064	1,100
Q91.5	2	4	2	4	Q96.8	-	-	-	-	R04.8	57	1,710	1,653	1,723
Q91.6	3	4	1	4	Q96.9	8	49	41	49	R04.9	3	27	24	27
Q91.7	284	308	24	308	Q97.0	-	-	-	-	R05	1	68	67	68
Q92.0	-	-	-	-	Q97.1	-	-	-	-	R06.0	98	3,002	2,904	3,018
Q92.1	-	-	-	-	Q97.2	-	-	-	-	R06.1	-	15	15	15
Q92.2	-	-	-	-	Q97.3	-	-	-	-	R06.2	-	13	13	13
Q92.3	-	-	-	-	Q97.8	-	-	-	-	R06.3	-	14	14	14

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
R06.4	10	556	546	556	R19.6	-	-	-	-	R29.4	-	-	-	
R06.5	-	-	-	-	R19.8	154	2,095	1,941	2,096	R29.8	34	871	837	
R06.6	1	5	4	5	R20.0	1	12	11	12	R30.0	-	3	3	
R06.7	-	1	1	1	R20.1	-	-	-	-	R30.1	-	1	1	
R06.8	119	7,646	7,527	7,660	R20.2	-	-	-	-	R30.9	-	-	-	
R07.0	-	-	-	-	R20.3	-	-	-	-	R31	2	574	572	
R07.1	-	-	-	-	R20.8	-	2	2	2	R32	-	289	289	
R07.2	-	1	1	1	R21	1	21	20	21	R33	1	612	611	
R07.3	-	11	11	11	R22.0	-	9	9	9	R34	2	357	355	
R07.4	10	226	216	226	R22.1	5	117	112	119	R35	-	3	3	
R09.0	205	18,182	17,977	18,241	R22.2	-	104	104	104	R36	-	-	-	
R09.1	2	69	67	69	R22.3	1	1	-	1	R39.0	-	1	1	
R09.2	2,066	65,568	63,502	65,960	R22.4	-	3	3	3	R39.1	-	-	-	
R09.3	-	-	-	-	R22.7	-	-	-	-	R39.2	-	1	1	
R09.8	28	932	904	938	R22.9	-	1	1	1	R39.8	-	1	1	
R10.0	33	531	498	531	R23.0	-	33	33	33	R40.0	-	8	8	
R10.1	-	11	11	11	R23.1	-	1	1	1	R40.1	-	50	50	
R10.2	-	13	13	13	R23.2	-	-	-	-	R40.2	34	2,849	2,815	
R10.3	-	3	3	3	R23.3	-	23	23	23	R41.0	-	223	223	
R10.4	35	787	752	790	R23.4	-	5	5	5	R41.1	-	1	1	
R11	3	1,034	1,031	1,037	R23.8	-	26	26	26	R41.2	-	-	-	
R12	-	8	8	8	R25.0	-	-	-	-	R41.3	-	86	86	
R13	73	18,157	18,084	18,160	R25.1	-	105	105	105	R41.8	7	222	215	
R14	4	104	100	104	R25.2	-	60	60	60	R42	-	165	165	
R15	-	28	28	28	R25.3	-	-	-	-	R43.0	-	-	-	
R16.0	-	267	267	267	R25.8	-	2	2	2	R43.1	-	-	-	
R16.1	1	214	213	215	R26.0	-	14	14	14	R43.2	-	1	1	
R16.2	1	108	107	108	R26.1	-	-	-	-	R43.8	-	1	1	
R17	6	704	698	706	R26.2	-	5	5	5	R44.0	-	4	4	
R18	7	3,852	3,845	3,858	R26.8	-	275	275	275	R44.1	-	3	3	
R19.0	26	734	708	736	R27.0	1	182	181	182	R44.2	-	-	-	
R19.1	-	1	1	1	R27.8	2	33	31	33	R44.3	-	18	18	
R19.2	-	2	2	2	R29.0	-	-	-	-	R44.8	-	2	2	
R19.3	-	-	-	-	R29.1	-	1	1	1	R45.0	-	4	4	
R19.4	-	1	1	1	R29.2	-	13	13	13	R45.1	-	181	181	
R19.5	-	1	1	1	R29.3	-	-	-	-	R45.2	-	-	-	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis secondary	Entity axis		UC	Record total mention	Record axis secondary	Entity axis		UC	Record total mention	Record axis secondary	Entity axis
R45.3	-	1	1	1	R55	30	1,479	1,449	1,481	R72	-	2	2	2
R45.4	-	3	3	3	R56.0	-	7	7	7	R73.0	-	44	44	44
R45.5	-	-	-	-	R56.8	1,242	20,264	19,022	20,320	R73.9	11	790	779	790
R45.6	-	2	2	2	R57.0	415	14,560	14,145	14,574	R74.0	-	3	3	3
R45.7	-	-	-	-	R57.1	30	1,352	1,322	1,356	R74.8	-	5	5	5
R45.8	-	8	8	8	R57.8	40	1,535	1,495	1,539	R74.9	1	20	19	20
R46.0	-	3	3	3	R57.9	244	11,066	10,822	11,097	R75	10	290	284	355
R46.1	-	-	-	-	R58	269	4,676	4,396	4,674	R76.0	-	-	-	-
R46.2	-	-	-	-	R59.0	-	60	60	61	R76.1	-	4	4	4
R46.3	-	-	-	-	R59.1	2	104	102	107	R76.2	-	-	-	-
R46.4	-	-	-	-	R59.9	1	66	65	66	R76.8	-	2	2	2
R46.5	-	-	-	-	R60.0	1	364	363	364	R76.9	-	1	1	1
R46.6	-	-	-	-	R60.1	8	994	986	995	R77.0	-	1	1	1
R46.7	-	-	-	-	R60.9	2	870	868	871	R77.1	-	4	4	4
R46.8	-	11	11	11	R61.0	-	-	-	-	R77.2	-	-	-	-
R47.0	9	1,328	1,319	1,328	R61.1	-	-	-	-	R77.8	-	1	1	1
R47.1	1	39	38	39	R61.9	-	1	1	1	R77.9	-	4	4	4
R47.8	-	9	9	9	R62.0	-	1	1	1	R78.0	2	481	479	491
R48.0	-	2	2	2	R62.8	2,241	26,004	23,763	26,180	R78.1	-	3	3	3
R48.1	-	-	-	-	R62.9	2	228	226	228	R78.2	-	3	3	3
R48.2	-	12	12	12	R63.0	79	5,482	5,403	5,482	R78.3	-	-	-	-
R48.8	-	3	3	3	R63.1	-	14	14	14	R78.4	-	15	15	15
R49.0	-	10	10	10	R63.2	-	15	15	15	R78.5	-	2	2	2
R49.1	-	3	3	3	R63.3	1	130	129	130	R78.6	-	-	-	-
R49.2	-	-	-	-	R63.4	9	1,356	1,347	1,359	R78.7	-	1	1	1
R49.8	-	1	1	1	R63.5	-	6	6	6	R78.8	-	2	2	2
R50.0	-	-	-	-	R63.8	6	988	982	988	R78.9	-	1	1	1
R50.1	-	9	9	9	R64	373	11,338	10,965	12,290	R79.0	-	-	-	-
R50.9	27	1,128	1,101	1,132	R68.0	3	217	214	218	R79.8	18	1,589	1,571	1,657
R51	1	107	106	108	R68.1	-	-	-	-	R79.9	-	4	4	4
R52.0	-	7	7	7	R68.2	-	1	1	1	R80	-	57	57	61
R52.1	-	-	-	-	R68.3	-	2	2	2	R81	-	2	2	2
R52.2	9	1,282	1,273	1,286	R68.8	75	2,883	2,808	2,885	R82.0	-	-	-	-
R52.9	1	507	506	507	R70.0	-	1	1	1	R82.1	-	15	15	15
R53	783	11,249	10,466	11,264	R70.1	-	-	-	-	R82.2	-	-	-	-
R54	4,676	22,303	17,627	22,485	R71	-	1	1	1	R82.3	-	5	5	5

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record second- ary	Entity axis		UC	Record total mention	Record second- ary	Entity axis		UC	Record total mention	Record second- ary	Entity axis
R82.4	-	1	1	1	R86.0	-	-	-	-	R93.2	-	-	-	-
R82.5	-	3	3	3	R86.1	-	-	-	-	R93.3	-	1	1	1
R82.6	-	4	4	4	R86.2	-	-	-	-	R93.4	-	2	2	2
R82.7	-	-	-	-	R86.3	-	-	-	-	R93.5	-	-	-	-
R82.8	-	-	-	-	R86.4	-	-	-	-	R93.6	-	-	-	-
R82.9	-	1	1	1	R86.5	-	-	-	-	R93.7	-	-	-	-
R83.0	-	-	-	-	R86.6	-	-	-	-	R93.8	-	5	5	5
R83.1	-	-	-	-	R86.7	-	-	-	-	R94.0	-	-	-	-
R83.2	-	-	-	-	R86.8	-	1	1	1	R94.1	-	-	-	-
R83.3	-	-	-	-	R86.9	-	-	-	-	R94.2	-	-	-	-
R83.4	-	-	-	-	R87.0	-	1	1	1	R94.3	9	34	25	34
R83.5	-	-	-	-	R87.1	-	-	-	-	R94.4	-	3	3	3
R83.6	-	-	-	-	R87.2	-	-	-	-	R94.5	1	55	54	55
R83.7	-	-	-	-	R87.3	-	-	-	-	R94.6	-	-	-	-
R83.8	-	-	-	-	R87.4	-	-	-	-	R94.7	-	1	1	1
R83.9	-	-	-	-	R87.5	-	-	-	-	R94.8	-	-	-	-
R84.0	-	-	-	-	R87.6	-	-	-	-	R95	2,162	2,208	46	2,208
R84.1	-	-	-	-	R87.7	-	-	-	-	R96.0	307	315	8	315
R84.2	-	-	-	-	R87.8	-	-	-	-	R96.1	-	-	-	-
R84.3	-	-	-	-	R87.9	-	-	-	-	R98	35	39	4	39
R84.4	-	-	-	-	R89.0	-	-	-	-	R99	14,913	35,041	19,120	33,986
R84.5	-	2	2	2	R89.1	-	-	-	-	S00.0	...	27	27	27
R84.6	-	-	-	-	R89.2	-	-	-	-	S00.1	...	3	3	3
R84.7	-	-	-	-	R89.3	-	1	1	1	S00.2	...	-	-	-
R84.8	-	-	-	-	R89.4	-	-	-	-	S00.3	...	2	2	2
R84.9	-	-	-	-	R89.5	-	-	-	-	S00.4	...	-	-	-
R85.0	-	2	2	2	R89.6	-	-	-	-	S00.5	...	2	2	2
R85.1	-	-	-	-	R89.7	-	1	1	1	S00.7	...	11	11	11
R85.2	-	-	-	-	R89.8	-	5	5	5	S00.8	...	82	82	82
R85.3	-	-	-	-	R89.9	-	-	-	-	S00.9	...	81	81	81
R85.4	-	-	-	-	R90.0	1	49	48	49	S01.0	...	111	111	111
R85.5	-	1	1	1	R90.8	-	-	-	-	S01.1	...	7	7	7
R85.6	-	-	-	-	R91	141	3,032	2,891	3,032	S01.2	...	12	12	12
R85.7	-	-	-	-	R92	-	1	1	1	S01.3	...	17	17	17
R85.8	-	-	-	-	R93.0	-	1	1	1	S01.4	...	14	14	14
R85.9	-	-	-	-	R93.1	-	1	1	1	S01.5	...	1,120	1,120	1,120

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field		
	UC	Record axis total mention	Entity axis second-ary		UC	Record axis total mention	Entity axis second-ary		UC	Record axis total mention	Entity axis second-ary
S01.7	...	262	262	S05.7	...	13	13	S11.8	...	62	62
S01.8	...	1,215	1,215	S05.8	...	12	12	S11.9	...	1,405	1,405
S01.9	...	16,469	16,469	S05.9	...	44	44	S12.0	...	139	139
S02.0	...	67	67	S06.0	...	168	168	S12.1	...	208	208
S02.1	...	681	681	S06.1	...	306	306	S12.2	...	53	53
S02.2	...	38	38	S06.2	...	2,668	2,668	S12.7	...	29	29
S02.3	...	2	2	S06.3	...	30	30	S12.8	...	23	23
S02.4	...	21	21	S06.4	...	161	161	S12.9	...	2,402	2,402
S02.5	...	2	2	S06.5	...	5,869	5,869	S13.0	...	-	-
S02.6	...	57	57	S06.6	...	949	949	S13.1	...	395	395
S02.7	...	218	218	S06.7	...	1	1	S13.2	...	-	-
S02.8	...	34	34	S06.8	...	2,007	2,007	S13.3	...	1	1
S02.9	...	2,478	2,478	S06.9	...	5,739	5,739	S13.4	...	7	7
S03.0	...	2	2	S07.0	...	8	8	S13.5	...	-	-
S03.1	...	-	-	S07.1	...	28	28	S13.6	...	-	-
S03.2	...	-	-	S07.8	...	-	-	S14.0	...	4	4
S03.3	...	8	8	S07.9	...	231	231	S14.1	...	299	299
S03.4	...	-	-	S08.0	...	4	4	S14.2	...	3	3
S03.5	...	-	-	S08.1	...	4	4	S14.3	...	3	3
S04.0	...	4	4	S08.8	...	1	1	S14.4	...	1	1
S04.1	...	-	-	S08.9	...	4	4	S14.5	...	-	-
S04.2	...	-	-	S09.0	...	2	2	S14.6	...	-	-
S04.3	...	-	-	S09.1	...	3	3	S15.0	...	124	124
S04.4	...	-	-	S09.2	...	-	-	S15.1	...	28	28
S04.5	...	-	-	S09.7	...	903	903	S15.2	...	66	66
S04.6	...	-	-	S09.8	...	40	40	S15.3	...	10	10
S04.7	...	-	-	S09.9	...	25,145	25,145	S15.7	...	1	1
S04.8	...	-	-	S10.0	...	-	-	S15.8	...	-	-
S04.9	...	17	17	S10.1	...	1	1	S15.9	...	12	12
S05.0	...	-	-	S10.7	...	2	2	S16	...	5	5
S05.1	...	-	-	S10.8	...	11	11	S17.0	...	3	3
S05.2	...	-	-	S10.9	...	33	33	S17.8	...	-	-
S05.3	...	10	10	S11.0	...	29	29	S17.9	...	35	35
S05.4	...	4	4	S11.1	...	-	-	S18	...	79	79
S05.5	...	-	-	S11.2	...	3	3	S19.7	...	136	136
S05.6	...	1	1	S11.7	...	180	180	S19.8	...	55	55

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record axis total mention	second-ary		Entity axis	UC	Record axis total mention		second-ary	Entity axis	UC	Record axis total mention	second-ary	Entity axis
S19.9	...	3,221	3,221	3,221	S25.1	...	35	35	35	S31.3	...	4	4	4
S20.0	...	-	-	-	S25.2	...	62	62	62	S31.4	...	4	4	4
S20.1	...	2	2	2	S25.3	...	20	20	20	S31.5	...	3	3	3
S20.2	...	67	67	67	S25.4	...	80	80	80	S31.7	...	31	31	31
S20.3	...	1	1	1	S25.5	...	9	9	9	S31.8	...	1,495	1,495	1,495
S20.4	...	-	-	-	S25.7	...	-	-	-	S32.0	...	349	349	349
S20.7	...	5	5	5	S25.8	...	32	32	32	S32.1	...	43	43	43
S20.8	...	21	21	21	S25.9	...	10	10	10	S32.2	...	4	4	4
S21.0	...	8	8	8	S26.0	...	98	98	98	S32.3	...	10	10	10
S21.1	...	25	25	25	S26.8	...	681	681	681	S32.4	...	77	77	77
S21.2	...	796	796	796	S26.9	...	848	848	848	S32.5	...	97	97	97
S21.7	...	211	211	211	S27.0	...	330	330	330	S32.7	...	45	45	45
S21.8	...	16	16	16	S27.1	...	618	618	618	S32.8	...	1,515	1,515	1,515
S21.9	...	5,834	5,834	5,834	S27.2	...	82	82	82	S33.0	...	-	-	-
S22.0	...	261	261	261	S27.3	...	1,555	1,555	1,555	S33.1	...	5	5	5
S22.1	...	10	10	10	S27.4	...	10	10	10	S33.2	...	-	-	-
S22.2	...	140	140	140	S27.5	...	-	-	-	S33.3	...	-	-	-
S22.3	...	1,417	1,417	1,417	S27.6	...	26	26	26	S33.4	...	-	-	-
S22.4	...	529	529	529	S27.7	...	16	16	16	S33.5	...	6	6	6
S22.5	...	173	173	173	S27.8	...	166	166	166	S33.6	...	-	-	-
S22.8	...	3	3	3	S27.9	...	213	213	213	S33.7	...	-	-	-
S22.9	...	91	91	91	S28.0	...	487	487	487	S34.0	...	-	-	-
S23.0	...	-	-	-	S28.1	...	-	-	-	S34.1	...	2	2	2
S23.1	...	4	4	4	S29.0	...	-	-	-	S34.2	...	-	-	-
S23.2	...	1	1	1	S29.7	...	395	395	395	S34.3	...	-	-	-
S23.3	...	2	2	2	S29.8	...	85	85	85	S34.4	...	-	-	-
S23.4	...	2	2	2	S29.9	...	6,645	6,645	6,645	S34.5	...	-	-	-
S23.5	...	-	-	-	S30.0	...	6	6	6	S34.6	...	-	-	-
S24.0	...	1	1	1	S30.1	...	14	14	14	S34.8	...	-	-	-
S24.1	...	15	15	15	S30.2	...	-	-	-	S35.0	...	61	61	61
S24.2	...	-	-	-	S30.7	...	9	9	9	S35.1	...	85	85	85
S24.3	...	1	1	1	S30.8	...	34	34	34	S35.2	...	28	28	28
S24.4	...	-	-	-	S30.9	...	24	24	24	S35.3	...	23	23	23
S24.5	...	-	-	-	S31.0	...	149	149	149	S35.4	...	28	28	28
S24.6	...	-	-	-	S31.1	...	82	82	82	S35.5	...	59	59	59
S25.0	...	1,357	1,357	1,357	S31.2	...	3	3	3	S35.7	...	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record axis total mention	second-ary		Entity axis	UC	Record axis total mention		second-ary	Entity axis	UC	Record axis total mention	second-ary	Entity axis
S35.8	...	1	1	1	S41.1	...	18	18	18	S46.1	...	-	-	-
S35.9	...	27	27	27	S41.7	...	6	6	6	S46.2	...	-	-	-
S36.0	...	651	651	651	S41.8	...	16	16	16	S46.3	...	-	-	-
S36.1	...	1,049	1,049	1,049	S42.0	...	116	116	116	S46.7	...	-	-	-
S36.2	...	42	42	42	S42.1	...	17	17	17	S46.8	...	-	-	-
S36.3	...	90	90	90	S42.2	...	16	16	16	S46.9	...	-	-	-
S36.4	...	51	51	51	S42.3	...	786	786	786	S47	...	1	1	1
S36.5	...	43	43	43	S42.4	...	11	11	11	S48.0	...	-	-	-
S36.6	...	15	15	15	S42.7	...	1	1	1	S48.1	...	-	-	-
S36.7	...	108	108	108	S42.8	...	1	1	1	S48.9	...	2	2	2
S36.8	...	766	766	766	S42.9	...	133	133	133	S49.7	...	-	-	-
S36.9	...	283	283	283	S43.0	...	30	30	30	S49.8	...	3	3	3
S37.0	...	175	175	175	S43.1	...	-	-	-	S49.9	...	46	46	46
S37.1	...	-	-	-	S43.2	...	-	-	-	S50.0	...	2	2	2
S37.2	...	34	34	34	S43.3	...	-	-	-	S50.1	...	-	-	-
S37.3	...	3	3	3	S43.4	...	-	-	-	S50.7	...	-	-	-
S37.4	...	-	-	-	S43.5	...	-	-	-	S50.8	...	-	-	-
S37.5	...	-	-	-	S43.6	...	-	-	-	S50.9	...	9	9	9
S37.6	...	1	1	1	S43.7	...	-	-	-	S51.0	...	11	11	11
S37.7	...	1	1	1	S44.0	...	-	-	-	S51.7	...	3	3	3
S37.8	...	8	8	8	S44.1	...	-	-	-	S51.8	...	1	1	1
S37.9	...	15	15	15	S44.2	...	-	-	-	S51.9	...	61	61	61
S38.0	...	-	-	-	S44.3	...	-	-	-	S52.0	...	76	76	76
S38.1	...	98	98	98	S44.4	...	-	-	-	S52.1	...	1	1	1
S38.2	...	-	-	-	S44.5	...	-	-	-	S52.2	...	40	40	40
S38.3	...	3	3	3	S44.7	...	-	-	-	S52.3	...	-	-	-
S39.0	...	-	-	-	S44.8	...	-	-	-	S52.4	...	-	-	-
S39.6	...	3	3	3	S44.9	...	-	-	-	S52.5	...	6	6	6
S39.7	...	79	79	79	S45.0	...	5	5	5	S52.6	...	2	2	2
S39.8	...	28	28	28	S45.1	...	21	21	21	S52.7	...	3	3	3
S39.9	...	2,185	2,185	2,185	S45.2	...	7	7	7	S52.8	...	82	82	82
S40.0	...	2	2	2	S45.3	...	-	-	-	S52.9	...	26	26	26
S40.7	...	5	5	5	S45.7	...	1	1	1	S53.0	...	-	-	-
S40.8	...	-	-	-	S45.8	...	-	-	-	S53.1	...	3	3	3
S40.9	...	5	5	5	S45.9	...	6	6	6	S53.2	...	-	-	-
S41.0	...	116	116	116	S46.0	...	2	2	2	S53.3	...	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record axis total mention	second-ary		Entity axis	UC	Record axis total mention		second-ary	Entity axis	UC	Record axis total mention	second-ary	Entity axis
S53.4	...	-	-	-	S60.9	...	3	3	3	S65.5	...	-	-	-
S54.0	...	-	-	-	S61.0	...	7	7	7	S65.7	...	-	-	-
S54.1	...	-	-	-	S61.1	...	-	-	-	S65.8	...	-	-	-
S54.2	...	-	-	-	S61.7	...	22	22	22	S65.9	...	2	2	2
S54.3	...	-	-	-	S61.8	...	5	5	5	S66.0	...	-	-	-
S54.7	...	-	-	-	S61.9	...	304	304	304	S66.1	...	-	-	-
S54.8	...	-	-	-	S62.0	...	-	-	-	S66.2	...	-	-	-
S54.9	...	-	-	-	S62.1	...	1	1	1	S66.3	...	-	-	-
S55.0	...	12	12	12	S62.2	...	-	-	-	S66.4	...	-	-	-
S55.1	...	14	14	14	S62.3	...	1	1	1	S66.5	...	-	-	-
S55.2	...	-	-	-	S62.4	...	-	-	-	S66.6	...	-	-	-
S55.7	...	-	-	-	S62.5	...	3	3	3	S66.7	...	-	-	-
S55.8	...	-	-	-	S62.6	...	-	-	-	S66.8	...	-	-	-
S55.9	...	1	1	1	S62.7	...	-	-	-	S66.9	...	-	-	-
S56.0	...	-	-	-	S62.8	...	149	149	149	S67.0	...	-	-	-
S56.1	...	-	-	-	S63.0	...	1	1	1	S67.8	...	1	1	1
S56.2	...	-	-	-	S63.1	...	-	-	-	S68.0	...	-	-	-
S56.3	...	-	-	-	S63.2	...	-	-	-	S68.1	...	1	1	1
S56.4	...	-	-	-	S63.3	...	-	-	-	S68.2	...	-	-	-
S56.5	...	-	-	-	S63.4	...	-	-	-	S68.3	...	-	-	-
S56.7	...	-	-	-	S63.5	...	-	-	-	S68.4	...	-	-	-
S56.8	...	-	-	-	S63.6	...	-	-	-	S68.8	...	-	-	-
S57.0	...	-	-	-	S63.7	...	-	-	-	S68.9	...	4	4	4
S57.8	...	-	-	-	S64.0	...	-	-	-	S69.7	...	2	2	2
S57.9	...	-	-	-	S64.1	...	-	-	-	S69.8	...	-	-	-
S58.0	...	-	-	-	S64.2	...	-	-	-	S69.9	...	67	67	67
S58.1	...	-	-	-	S64.3	...	-	-	-	S70.0	...	7	7	7
S58.9	...	1	1	1	S64.4	...	-	-	-	S70.1	...	3	3	3
S59.7	...	-	-	-	S64.7	...	-	-	-	S70.7	...	2	2	2
S59.8	...	2	2	2	S64.8	...	-	-	-	S70.8	...	1	1	1
S59.9	...	21	21	21	S64.9	...	-	-	-	S70.9	...	32	32	32
S60.0	...	-	-	-	S65.0	...	-	-	-	S71.0	...	41	41	41
S60.1	...	-	-	-	S65.1	...	1	1	1	S71.1	...	131	131	131
S60.2	...	5	5	5	S65.2	...	-	-	-	S71.7	...	3	3	3
S60.7	...	-	-	-	S65.3	...	-	-	-	S71.8	...	-	-	-
S60.8	...	3	3	3	S65.4	...	-	-	-	S72.0	...	14,136	14,136	14,136

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record axis total mention	second-ary		Entity axis	UC	Record axis total mention		second-ary	Entity axis	UC	Record axis total mention	second-ary	Entity axis
S72.1	...	293	293	293	S80.1	...	1	1	1	S85.4	...	-	-	-
S72.2	...	20	20	20	S80.7	...	2	2	2	S85.5	...	-	-	-
S72.3	...	16	16	16	S80.8	...	-	-	-	S85.7	...	-	-	-
S72.4	...	27	27	27	S80.9	...	9	9	9	S85.8	...	-	-	-
S72.7	...	28	28	28	S81.0	...	11	11	11	S85.9	...	1	1	1
S72.8	...	8	8	8	S81.7	...	3	3	3	S86.0	...	5	5	5
S72.9	...	2,114	2,114	2,114	S81.8	...	1	1	1	S86.1	...	-	-	-
S73.0	...	83	83	83	S81.9	...	9	9	9	S86.2	...	-	-	-
S73.1	...	3	3	3	S82.0	...	87	87	87	S86.3	...	-	-	-
S74.0	...	-	-	-	S82.1	...	21	21	21	S86.7	...	-	-	-
S74.1	...	-	-	-	S82.2	...	380	380	380	S86.8	...	-	-	-
S74.2	...	-	-	-	S82.3	...	4	4	4	S86.9	...	1	1	1
S74.7	...	-	-	-	S82.4	...	235	235	235	S87.0	...	1	1	1
S74.8	...	-	-	-	S82.5	...	-	-	-	S87.8	...	1	1	1
S74.9	...	-	-	-	S82.6	...	1	1	1	S88.0	...	1	1	1
S75.0	...	59	59	59	S82.7	...	4	4	4	S88.1	...	1	1	1
S75.1	...	10	10	10	S82.8	...	304	304	304	S88.9	...	9	9	9
S75.2	...	-	-	-	S82.9	...	11	11	11	S89.7	...	2	2	2
S75.7	...	-	-	-	S83.0	...	1	1	1	S89.8	...	-	-	-
S75.8	...	-	-	-	S83.1	...	7	7	7	S89.9	...	41	41	41
S75.9	...	7	7	7	S83.2	...	3	3	3	S90.0	...	-	-	-
S76.0	...	-	-	-	S83.3	...	1	1	1	S90.1	...	-	-	-
S76.1	...	4	4	4	S83.4	...	-	-	-	S90.2	...	-	-	-
S76.2	...	-	-	-	S83.5	...	-	-	-	S90.3	...	1	1	1
S76.3	...	-	-	-	S83.6	...	5	5	5	S90.7	...	-	-	-
S76.4	...	2	2	2	S83.7	...	-	-	-	S90.8	...	-	-	-
S76.7	...	-	-	-	S84.0	...	-	-	-	S90.9	...	2	2	2
S77.0	...	-	-	-	S84.1	...	-	-	-	S91.0	...	6	6	6
S77.1	...	2	2	2	S84.2	...	-	-	-	S91.1	...	2	2	2
S78.0	...	-	-	-	S84.7	...	1	1	1	S91.2	...	-	-	-
S78.1	...	-	-	-	S84.8	...	-	-	-	S91.3	...	37	37	37
S78.9	...	3	3	3	S84.9	...	-	-	-	S91.7	...	1	1	1
S79.7	...	-	-	-	S85.0	...	2	2	2	S92.0	...	10	10	10
S79.8	...	47	47	47	S85.1	...	-	-	-	S92.1	...	-	-	-
S79.9	...	235	235	235	S85.2	...	1	1	1	S92.2	...	1	1	1
S80.0	...	4	4	4	S85.3	...	-	-	-	S92.3	...	5	5	5

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record axis total mention	second-ary		Entity axis	UC	Record axis total mention		second-ary	Entity axis	UC	Record axis total mention	second-ary	Entity axis
S92.4	...	1	1	1	S98.3	...	-	-	-	T06.3	...	14	14	14
S92.5	...	4	4	4	S98.4	...	3	3	3	T06.4	...	-	-	-
S92.7	...	-	-	-	S99.7	...	-	-	-	T06.5	...	649	649	649
S92.9	...	23	23	23	S99.8	...	1	1	1	T07	...	17,288	17,288	17,288
S93.0	...	3	3	3	S99.9	...	32	32	32	T08	...	738	738	738
S93.1	...	-	-	-	T00.2	...	-	-	-	T09.0	...	22	22	22
S93.2	...	-	-	-	T00.3	...	1	1	1	T09.1	...	1,239	1,239	1,239
S93.3	...	1	1	1	T00.8	...	1	1	1	T09.2	...	14	14	14
S93.4	...	6	6	6	T00.9	...	52	52	52	T09.3	...	890	890	890
S93.5	...	-	-	-	T01.2	...	26	26	26	T09.4	...	8	8	8
S93.6	...	-	-	-	T01.3	...	17	17	17	T09.5	...	1	1	1
S94.0	...	-	-	-	T01.9	...	3,891	3,891	3,891	T09.6	...	1	1	1
S94.1	...	-	-	-	T02.1	...	37	37	37	T09.8	...	5	5	5
S94.2	...	-	-	-	T02.2	...	9	9	9	T09.9	...	3,237	3,237	3,237
S94.3	...	-	-	-	T02.3	...	26	26	26	T10	...	174	174	174
S94.7	...	-	-	-	T02.4	...	20	20	20	T11.0	...	22	22	22
S94.8	...	-	-	-	T02.5	...	177	177	177	T11.1	...	375	375	375
S94.9	...	-	-	-	T02.8	...	2	2	2	T11.2	...	2	2	2
S95.0	...	-	-	-	T02.9	...	539	539	539	T11.3	...	-	-	-
S95.1	...	-	-	-	T03.1	...	-	-	-	T11.4	...	11	11	11
S95.2	...	-	-	-	T03.2	...	-	-	-	T11.5	...	1	1	1
S95.7	...	-	-	-	T03.3	...	-	-	-	T11.6	...	23	23	23
S95.8	...	-	-	-	T03.8	...	-	-	-	T11.8	...	2	2	2
S95.9	...	-	-	-	T03.9	...	-	-	-	T11.9	...	118	118	118
S96.0	...	1	1	1	T04.1	...	49	49	49	T12	...	355	355	355
S96.1	...	-	-	-	T04.2	...	5	5	5	T13.0	...	43	43	43
S96.2	...	-	-	-	T04.3	...	23	23	23	T13.1	...	245	245	245
S96.7	...	-	-	-	T04.8	...	2	2	2	T13.2	...	4	4	4
S96.8	...	1	1	1	T04.9	...	35	35	35	T13.3	...	-	-	-
S96.9	...	-	-	-	T05.0	...	-	-	-	T13.4	...	8	8	8
S97.0	...	-	-	-	T05.2	...	2	2	2	T13.5	...	1	1	1
S97.1	...	-	-	-	T05.3	...	-	-	-	T13.6	...	36	36	36
S97.8	...	-	-	-	T05.5	...	6	6	6	T13.8	...	5	5	5
S98.0	...	-	-	-	T05.8	...	7	7	7	T13.9	...	330	330	330
S98.1	...	-	-	-	T05.9	...	1	1	1	T14.0	...	304	304	304
S98.2	...	-	-	-	T06.2	...	-	-	-	T14.1	...	6,632	6,632	6,632

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record axis total mention	second-ary		Entity axis	UC	Record axis total mention		second-ary	Entity axis	UC	Record axis total mention	second-ary	Entity axis
T14.2	...	824	824	824	T20.1	...	1	1	1	T24.5	...	-	-	-
T14.3	...	54	54	54	T20.2	...	5	5	5	T24.6	...	-	-	-
T14.4	...	107	107	107	T20.3	...	12	12	12	T24.7	...	-	-	-
T14.5	...	260	260	260	T20.4	...	-	-	-	T25.0	...	4	4	4
T14.6	...	21	21	21	T20.5	...	-	-	-	T25.1	...	-	-	-
T14.7	...	398	398	398	T20.6	...	-	-	-	T25.2	...	2	2	2
T14.8	...	1,423	1,423	1,423	T20.7	...	-	-	-	T25.3	...	2	2	2
T14.9	...	11,700	11,700	11,700	T21.0	...	275	275	275	T25.4	...	-	-	-
T15.0	...	-	-	-	T21.1	...	1	1	1	T25.5	...	-	-	-
T15.1	...	1	1	1	T21.2	...	8	8	8	T25.6	...	-	-	-
T15.8	...	-	-	-	T21.3	...	35	35	35	T25.7	...	-	-	-
T15.9	...	1	1	1	T21.4	...	-	-	-	T26.0	...	-	-	-
T16	...	-	-	-	T21.5	...	-	-	-	T26.1	...	-	-	-
T17.0	...	1	1	1	T21.6	...	1	1	1	T26.2	...	-	-	-
T17.1	...	3	3	3	T21.7	...	-	-	-	T26.3	...	-	-	-
T17.2	...	19	19	19	T22.0	...	28	28	28	T26.4	...	-	-	-
T17.3	...	17	17	17	T22.1	...	-	-	-	T26.5	...	-	-	-
T17.4	...	37	37	37	T22.2	...	1	1	1	T26.6	...	-	-	-
T17.5	...	49	49	49	T22.3	...	5	5	5	T26.7	...	-	-	-
T17.8	...	270	270	270	T22.4	...	-	-	-	T26.8	...	-	-	-
T17.9	...	15,295	15,295	15,295	T22.5	...	-	-	-	T26.9	...	-	-	-
T18.0	...	7	7	7	T22.6	...	-	-	-	T27.0	...	3	3	3
T18.1	...	2	2	2	T22.7	...	-	-	-	T27.1	...	7	7	7
T18.2	...	2	2	2	T23.0	...	7	7	7	T27.2	...	-	-	-
T18.3	...	6	6	6	T23.1	...	-	-	-	T27.3	...	163	163	163
T18.4	...	2	2	2	T23.2	...	3	3	3	T27.4	...	-	-	-
T18.5	...	5	5	5	T23.3	...	-	-	-	T27.5	...	-	-	-
T18.8	...	-	-	-	T23.4	...	-	-	-	T27.6	...	-	-	-
T18.9	...	23	23	23	T23.5	...	-	-	-	T27.7	...	-	-	-
T19.0	...	-	-	-	T23.6	...	-	-	-	T28.0	...	2	2	2
T19.1	...	-	-	-	T23.7	...	-	-	-	T28.1	...	1	1	1
T19.2	...	-	-	-	T24.0	...	42	42	42	T28.2	...	2	2	2
T19.3	...	-	-	-	T24.1	...	1	1	1	T28.3	...	-	-	-
T19.8	...	-	-	-	T24.2	...	4	4	4	T28.4	...	-	-	-
T19.9	...	3	3	3	T24.3	...	4	4	4	T28.5	...	1	1	1
T20.0	...	66	66	66	T24.4	...	1	1	1	T28.6	...	3	3	3

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record axis total mention	second-ary		Entity axis	UC	Record axis total mention		second-ary	Entity axis	UC	Record axis total mention	second-ary	Entity axis
T28.7	...	1	1	1	T33.5	...	-	-	-	T37.3	...	-	-	-
T28.8	...	-	-	-	T33.6	...	-	-	-	T37.4	...	-	-	-
T28.9	...	-	-	-	T33.7	...	-	-	-	T37.5	...	1	1	1
T30.0	...	2,039	2,039	2,039	T33.8	...	-	-	-	T37.8	...	9	9	9
T30.1	...	3	3	3	T33.9	...	-	-	-	T37.9	...	-	-	-
T30.2	...	18	18	18	T34.0	...	-	-	-	T38.0	...	2	2	2
T30.3	...	77	77	77	T34.1	...	-	-	-	T38.1	...	3	3	3
T30.4	...	14	14	14	T34.2	...	1	1	1	T38.2	...	-	-	-
T30.5	...	-	-	-	T34.3	...	-	-	-	T38.3	...	107	107	107
T30.6	...	-	-	-	T34.4	...	-	-	-	T38.4	...	-	-	-
T30.7	...	-	-	-	T34.5	...	-	-	-	T38.5	...	1	1	1
T31.0	...	16	16	16	T34.6	...	-	-	-	T38.6	...	-	-	-
T31.1	...	34	34	34	T34.7	...	-	-	-	T38.7	...	1	1	1
T31.2	...	43	43	43	T34.8	...	-	-	-	T38.8	...	2	2	2
T31.3	...	41	41	41	T34.9	...	-	-	-	T38.9	...	-	-	-
T31.4	...	31	31	31	T35.0	...	-	-	-	T39.0	...	202	202	202
T31.5	...	37	37	37	T35.1	...	-	-	-	T39.1	...	680	680	680
T31.6	...	42	42	42	T35.2	...	-	-	-	T39.2	...	1	1	1
T31.7	...	40	40	40	T35.3	...	-	-	-	T39.3	...	242	242	242
T31.8	...	55	55	55	T35.4	...	3	3	3	T39.4	...	-	-	-
T31.9	...	284	284	284	T35.5	...	1	1	1	T39.8	...	32	32	32
T32.0	...	-	-	-	T35.6	...	-	-	-	T39.9	...	-	-	-
T32.1	...	-	-	-	T35.7	...	10	10	10	T40.0	...	6	6	6
T32.2	...	-	-	-	T36.0	...	2	2	2	T40.1	...	2,205	2,205	2,205
T32.3	...	-	-	-	T36.1	...	-	-	-	T40.2	...	5,162	5,162	5,162
T32.4	...	-	-	-	T36.2	...	-	-	-	T40.3	...	3,117	3,117	3,117
T32.5	...	-	-	-	T36.3	...	1	1	1	T40.4	...	1,470	1,470	1,470
T32.6	...	-	-	-	T36.4	...	-	-	-	T40.5	...	6,099	6,099	6,099
T32.7	...	-	-	-	T36.5	...	7	7	7	T40.6	...	3,306	3,306	3,306
T32.8	...	-	-	-	T36.6	...	1	1	1	T40.7	...	88	88	88
T32.9	...	-	-	-	T36.7	...	3	3	3	T40.8	...	2	2	2
T33.0	...	-	-	-	T36.8	...	6	6	6	T40.9	...	9	9	9
T33.1	...	-	-	-	T36.9	...	3	3	3	T41.0	...	31	31	31
T33.2	...	-	-	-	T37.0	...	-	-	-	T41.1	...	83	83	83
T33.3	...	-	-	-	T37.1	...	8	8	8	T41.2	...	32	32	32
T33.4	...	-	-	-	T37.2	...	7	7	7	T41.3	...	19	19	19

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record axis total mention	second-ary		Entity axis	UC	Record axis total mention		second-ary	Entity axis	UC	Record axis total mention	second-ary	Entity axis
T41.4	...	5	5	5	T45.6	...	-	-	-	T49.4	...	12	12	12
T41.5	...	5	5	5	T45.7	...	5	5	5	T49.5	...	1	1	1
T42.0	...	62	62	62	T45.8	...	3	3	3	T49.6	...	2	2	2
T42.1	...	55	55	55	T45.9	...	-	-	-	T49.7	...	1	1	1
T42.2	...	2	2	2	T46.0	...	247	247	247	T49.8	...	1	1	1
T42.3	...	275	275	275	T46.1	...	121	121	121	T49.9	...	3	3	3
T42.4	...	2,389	2,389	2,389	T46.2	...	133	133	133	T50.0	...	1	1	1
T42.5	...	2	2	2	T46.3	...	3	3	3	T50.1	...	1	1	1
T42.6	...	278	278	278	T46.4	...	7	7	7	T50.2	...	4	4	4
T42.7	...	52	52	52	T46.5	...	10	10	10	T50.3	...	21	21	21
T42.8	...	365	365	365	T46.6	...	-	-	-	T50.4	...	8	8	8
T43.0	...	1,325	1,325	1,325	T46.7	...	1	1	1	T50.5	...	25	25	25
T43.1	...	7	7	7	T46.8	...	-	-	-	T50.6	...	1	1	1
T43.2	...	1,582	1,582	1,582	T46.9	...	2	2	2	T50.7	...	1	1	1
T43.3	...	212	212	212	T47.0	...	1	1	1	T50.8	...	8	8	8
T43.4	...	11	11	11	T47.1	...	2	2	2	T50.9	...	14,596	14,596	14,596
T43.5	...	536	536	536	T47.2	...	-	-	-	T51.0	...	1,591	1,591	1,591
T43.6	...	1,517	1,517	1,517	T47.3	...	-	-	-	T51.1	...	27	27	27
T43.8	...	27	27	27	T47.4	...	1	1	1	T51.2	...	51	51	51
T43.9	...	5	5	5	T47.5	...	2	2	2	T51.3	...	1	1	1
T44.0	...	2	2	2	T47.6	...	4	4	4	T51.8	...	10	10	10
T44.1	...	1	1	1	T47.7	...	1	1	1	T51.9	...	953	953	953
T44.2	...	-	-	-	T47.8	...	-	-	-	T52.0	...	15	15	15
T44.3	...	17	17	17	T47.9	...	-	-	-	T52.1	...	1	1	1
T44.4	...	-	-	-	T48.0	...	-	-	-	T52.2	...	15	15	15
T44.5	...	1	1	1	T48.1	...	55	55	55	T52.3	...	3	3	3
T44.6	...	-	-	-	T48.2	...	1	1	1	T52.4	...	14	14	14
T44.7	...	49	49	49	T48.3	...	78	78	78	T52.8	...	96	96	96
T44.8	...	1	1	1	T48.4	...	19	19	19	T52.9	...	17	17	17
T44.9	...	110	110	110	T48.5	...	6	6	6	T53.0	...	-	-	-
T45.0	...	725	725	725	T48.6	...	32	32	32	T53.1	...	6	6	6
T45.1	...	107	107	107	T48.7	...	61	61	61	T53.2	...	1	1	1
T45.2	...	1	1	1	T49.0	...	13	13	13	T53.3	...	-	-	-
T45.3	...	2	2	2	T49.1	...	-	-	-	T53.4	...	-	-	-
T45.4	...	2	2	2	T49.2	...	4	4	4	T53.5	...	28	28	28
T45.5	...	202	202	202	T49.3	...	1	1	1	T53.6	...	4	4	4

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record axis total mention	second-ary		Entity axis	UC	Record axis total mention		second-ary	Entity axis	UC	Record axis total mention	second-ary	Entity axis
T53.7	...	-	-	-	T60.1	...	1	1	1	T67.0	...	250	250	250
T53.9	...	-	-	-	T60.2	...	7	7	7	T67.1	...	-	-	-
T54.0	...	2	2	2	T60.3	...	11	11	11	T67.2	...	-	-	-
T54.1	...	-	-	-	T60.4	...	4	4	4	T67.3	...	-	-	-
T54.2	...	32	32	32	T60.8	...	3	3	3	T67.4	...	-	-	-
T54.3	...	11	11	11	T60.9	...	12	12	12	T67.5	...	24	24	24
T54.9	...	4	4	4	T61.0	...	-	-	-	T67.6	...	-	-	-
T55	...	1	1	1	T61.1	...	-	-	-	T67.7	...	-	-	-
T56.0	...	2	2	2	T61.2	...	1	1	1	T67.8	...	9	9	9
T56.1	...	1	1	1	T61.8	...	-	-	-	T67.9	...	184	184	184
T56.2	...	-	-	-	T61.9	...	-	-	-	T68	...	1,160	1,160	1,160
T56.3	...	2	2	2	T62.0	...	3	3	3	T69.0	...	-	-	-
T56.4	...	-	-	-	T62.1	...	-	-	-	T69.1	...	1	1	1
T56.5	...	-	-	-	T62.2	...	5	5	5	T69.8	...	21	21	21
T56.6	...	-	-	-	T62.8	...	-	-	-	T69.9	...	297	297	297
T56.7	...	1	1	1	T62.9	...	6	6	6	T70.0	...	-	-	-
T56.8	...	58	58	58	T63.0	...	3	3	3	T70.1	...	-	-	-
T56.9	...	2	2	2	T63.1	...	-	-	-	T70.2	...	22	22	22
T57.0	...	4	4	4	T63.2	...	-	-	-	T70.3	...	6	6	6
T57.1	...	4	4	4	T63.3	...	17	17	17	T70.4	...	-	-	-
T57.2	...	-	-	-	T63.4	...	85	85	85	T70.8	...	1	1	1
T57.3	...	1	1	1	T63.5	...	-	-	-	T70.9	...	-	-	-
T57.8	...	9	9	9	T63.6	...	-	-	-	T71	...	10,182	10,182	10,182
T57.9	...	2	2	2	T63.8	...	-	-	-	T73.0	...	68	68	68
T58	...	2,649	2,649	2,649	T63.9	...	5	5	5	T73.1	...	2	2	2
T59.0	...	6	6	6	T64	...	-	-	-	T73.2	...	3	3	3
T59.1	...	-	-	-	T65.0	...	35	35	35	T73.3	...	17	17	17
T59.2	...	-	-	-	T65.1	...	7	7	7	T73.8	...	3	3	3
T59.3	...	-	-	-	T65.2	...	4	4	4	T73.9	...	1	1	1
T59.4	...	1	1	1	T65.3	...	2	2	2	T74.0	...	65	65	65
T59.5	...	1	1	1	T65.4	...	-	-	-	T74.1	...	28	28	28
T59.6	...	4	4	4	T65.5	...	-	-	-	T74.2	...	2	2	2
T59.7	...	18	18	18	T65.6	...	6	6	6	T74.3	...	-	-	-
T59.8	...	2,680	2,680	2,680	T65.8	...	12	12	12	T74.8	...	69	69	69
T59.9	...	602	602	602	T65.9	...	215	215	215	T74.9	...	73	73	73
T60.0	...	7	7	7	T66	...	55	55	55	T75.0	...	28	28	28

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record total mention	Record axis second- ary		Entity axis	UC	Record total mention		Record axis second- ary	Entity axis	UC	Record total mention	Record axis second- ary	Entity axis
T75.1	...	5,215	5,215	5,215	T81.5	...	1	1	1	T85.2	...	-	-	-
T75.2	...	-	-	-	T81.6	...	20	20	20	T85.3	...	1	1	1
T75.3	...	-	-	-	T81.7	...	1,549	1,549	1,549	T85.4	...	2	2	2
T75.4	...	427	427	427	T81.8	...	2,477	2,477	2,477	T85.5	...	37	37	37
T75.8	...	284	284	284	T81.9	...	429	429	429	T85.6	...	65	65	65
T78.0	...	10	10	10	T82.0	...	86	86	86	T85.7	...	178	178	178
T78.1	...	14	14	14	T82.1	...	86	86	86	T85.8	...	225	225	225
T78.2	...	152	152	152	T82.2	...	14	14	14	T85.9	...	152	152	152
T78.3	...	78	78	78	T82.3	...	32	32	32	T86.0	...	651	651	651
T78.4	...	81	81	81	T82.4	...	25	25	25	T86.1	...	328	328	328
T78.8	...	-	-	-	T82.5	...	36	36	36	T86.2	...	273	273	273
T78.9	...	-	-	-	T82.6	...	217	217	217	T86.3	...	12	12	12
T79.0	...	51	51	51	T82.7	...	1,398	1,398	1,398	T86.4	...	284	284	284
T79.1	...	138	138	138	T82.8	...	3,928	3,928	3,928	T86.8	...	343	343	343
T79.2	...	1	1	1	T82.9	...	190	190	190	T86.9	...	61	61	61
T79.3	...	40	40	40	T83.0	...	5	5	5	T87.0	...	-	-	-
T79.4	...	776	776	776	T83.1	...	1	1	1	T87.1	...	-	-	-
T79.5	...	2	2	2	T83.2	...	-	-	-	T87.2	...	-	-	-
T79.6	...	118	118	118	T83.3	...	-	-	-	T87.3	...	2	2	2
T79.7	...	145	145	145	T83.4	...	1	1	1	T87.4	...	133	133	133
T79.8	...	49	49	49	T83.5	...	318	318	318	T87.5	...	35	35	35
T79.9	...	20	20	20	T83.6	...	3	3	3	T87.6	...	67	67	67
T80.0	...	4	4	4	T83.8	...	46	46	46	T88.0	...	-	-	-
T80.1	...	2	2	2	T83.9	...	12	12	12	T88.1	...	3	3	3
T80.2	...	47	47	47	T84.0	...	24	24	24	T88.2	...	2	2	2
T80.3	...	1	1	1	T84.1	...	2	2	2	T88.3	...	3	3	3
T80.4	...	-	-	-	T84.2	...	-	-	-	T88.4	...	8	8	8
T80.5	...	2	2	2	T84.3	...	3	3	3	T88.5	...	13	13	13
T80.6	...	1	1	1	T84.4	...	-	-	-	T88.6	...	46	46	46
T80.8	...	87	87	87	T84.5	...	186	186	186	T88.7	...	361	361	361
T80.9	...	52	52	52	T84.6	...	16	16	16	T88.8	...	91	91	91
T81.0	...	910	910	910	T84.7	...	30	30	30	T88.9	...	458	458	458
T81.1	...	275	275	275	T84.8	...	295	295	295	T90.0	...	3	3	3
T81.2	...	536	536	536	T84.9	...	20	20	20	T90.1	...	80	80	80
T81.3	...	248	248	248	T85.0	...	33	33	33	T90.2	...	18	18	18
T81.4	...	2,024	2,024	2,024	T85.1	...	-	-	-	T90.3	...	7	7	7

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	UC	Record axis total mention	second-ary		Entity axis	UC	Record axis total mention		second-ary	Entity axis	UC	Record axis total mention	second-ary	Entity axis
T90.4	...	5	5	5	T95.4	...	4	4	4	V05.9	227	228	1	228
T90.5	...	482	482	482	T95.8	...	8	8	8	V06.0	3	3	-	3
T90.8	...	19	19	19	T95.9	...	21	21	21	V06.1	4	4	-	4
T90.9	...	630	630	630	T96	...	114	114	114	V06.9	-	-	-	-
T91.0	...	125	125	125	T97	...	56	56	56	V09.0	129	131	2	131
T91.1	...	161	161	161	T98.0	...	3	3	3	V09.1	163	164	1	164
T91.2	...	42	42	42	T98.1	...	118	118	118	V09.2	1,648	1,663	15	1,663
T91.3	...	615	615	615	T98.2	...	7	7	7	V09.3	27	28	1	28
T91.4	...	27	27	27	T98.3	...	862	862	862	V09.9	56	57	1	57
T91.5	...	20	20	20	U01.0	...	-	-	-	V10.0	-	-	-	-
T91.8	...	66	66	66	U01.1	...	-	-	-	V10.1	-	-	-	-
T91.9	...	170	170	170	U01.2	...	-	-	-	V10.2	-	-	-	-
T92.0	...	8	8	8	U01.3	...	-	-	-	V10.3	-	-	-	-
T92.1	...	24	24	24	U01.4	...	-	-	-	V10.4	1	1	-	1
T92.2	...	4	4	4	U01.5	...	-	-	-	V10.5	-	-	-	-
T92.3	...	1	1	1	U01.6	...	-	-	-	V10.9	1	1	-	1
T92.4	...	-	-	-	U01.7	...	-	-	-	V11.0	-	-	-	-
T92.5	...	-	-	-	U01.8	...	-	-	-	V11.1	-	-	-	-
T92.6	...	-	-	-	U01.9	...	-	-	-	V11.2	-	-	-	-
T92.8	...	3	3	3	U02	...	-	-	-	V11.3	-	-	-	-
T92.9	...	6	6	6	U03.0	...	-	-	-	V11.4	-	-	-	-
T93.0	...	29	29	29	U03.9	...	-	-	-	V11.5	-	-	-	-
T93.1	...	426	426	426	V01.0	...	1	1	1	V11.9	3	3	-	3
T93.2	...	38	38	38	V01.1	...	4	4	4	V12.0	-	-	-	-
T93.3	...	12	12	12	V01.9	...	-	1	1	V12.1	-	-	-	-
T93.4	...	-	-	-	V02.0	...	1	1	1	V12.2	-	-	-	-
T93.5	...	1	1	1	V02.1	...	21	21	21	V12.3	-	-	-	-
T93.6	...	1	1	1	V02.9	...	-	-	-	V12.4	2	2	-	2
T93.8	...	7	7	7	V03.0	...	211	221	10	221	-	-	-	-
T93.9	...	13	13	13	V03.1	...	2,980	3,003	23	3,003	-	-	-	-
T94.0	...	96	96	96	V03.9	...	21	22	1	22	-	-	-	-
T94.1	...	437	437	437	V04.0	...	46	47	1	47	-	-	-	-
T95.0	...	1	1	1	V04.1	...	267	268	1	268	-	-	-	-
T95.1	...	2	2	2	V04.9	...	14	14	-	14	-	-	-	-
T95.2	...	-	-	-	V05.0	...	95	95	-	95	-	-	-	-
T95.3	...	3	3	3	V05.1	...	73	73	-	73	-	-	-	-
										V13.4	207	207	-	207
										V13.5	4	4	-	4

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
V13.9	192	192	-	192	V19.0	1	1	-	1	V23.9	136	136	-	136
V14.0	-	-	-	-	V19.1	1	1	-	1	V24.0	-	-	-	-
V14.1	-	-	-	-	V19.2	4	4	-	4	V24.1	-	-	-	-
V14.2	-	-	-	-	V19.3	6	6	-	6	V24.2	1	1	-	1
V14.3	-	-	-	-	V19.4	58	58	-	58	V24.3	-	-	-	-
V14.4	21	21	-	21	V19.5	-	-	-	-	V24.4	85	85	-	85
V14.5	-	-	-	-	V19.6	70	70	-	70	V24.5	9	9	-	9
V14.9	18	18	-	18	V19.8	5	5	-	5	V24.9	12	12	-	12
V15.0	-	-	-	-	V19.9	57	58	1	58	V25.0	-	-	-	-
V15.1	-	-	-	-	V20.0	1	1	-	1	V25.1	-	-	-	-
V15.2	-	-	-	-	V20.1	-	-	-	-	V25.2	-	-	-	-
V15.3	-	-	-	-	V20.2	-	-	-	-	V25.3	-	-	-	-
V15.4	2	2	-	2	V20.3	-	-	-	-	V25.4	7	7	-	7
V15.5	-	-	-	-	V20.4	40	40	-	40	V25.5	-	-	-	-
V15.9	8	8	-	8	V20.5	7	7	-	7	V25.9	2	2	-	2
V16.0	-	-	-	-	V20.9	8	8	-	8	V26.0	-	-	-	-
V16.1	-	-	-	-	V21.0	-	-	-	-	V26.1	-	-	-	-
V16.2	-	-	-	-	V21.1	-	-	-	-	V26.2	-	-	-	-
V16.3	-	-	-	-	V21.2	-	-	-	-	V26.3	-	-	-	-
V16.4	-	-	-	-	V21.3	-	-	-	-	V26.4	6	6	-	6
V16.5	-	-	-	-	V21.4	2	2	-	2	V26.5	-	-	-	-
V16.9	2	2	-	2	V21.5	-	-	-	-	V26.9	2	2	-	2
V17.0	1	1	-	1	V21.9	-	-	-	-	V27.0	13	13	-	13
V17.1	-	-	-	-	V22.0	2	2	-	2	V27.1	1	1	-	1
V17.2	-	-	-	-	V22.1	-	-	-	-	V27.2	2	2	-	2
V17.3	-	-	-	-	V22.2	2	2	-	2	V27.3	-	-	-	-
V17.4	3	3	-	3	V22.3	-	-	-	-	V27.4	596	597	1	597
V17.5	-	-	-	-	V22.4	28	29	1	29	V27.5	37	37	-	37
V17.9	10	10	-	10	V22.5	2	2	-	2	V27.9	84	86	2	86
V18.0	3	4	1	4	V22.9	6	6	-	6	V28.0	10	10	-	10
V18.1	1	1	-	1	V23.0	3	3	-	3	V28.1	-	-	-	-
V18.2	10	11	1	11	V23.1	-	-	-	-	V28.2	6	6	-	6
V18.3	-	-	-	-	V23.2	1	1	-	1	V28.3	1	1	-	1
V18.4	15	16	1	16	V23.3	-	-	-	-	V28.4	413	415	2	415
V18.5	1	1	-	1	V23.4	957	960	3	960	V28.5	47	47	-	47
V18.9	46	48	2	48	V23.5	109	109	-	109	V28.9	91	94	3	94

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
V29.0	4	4	-	4	V33.0	-	-	-	-	V37.0	-	-	-	-
V29.1	2	2	-	2	V33.1	-	-	-	-	V37.1	-	-	-	-
V29.2	2	2	-	2	V33.2	-	-	-	-	V37.2	-	-	-	-
V29.3	10	11	1	11	V33.3	-	-	-	-	V37.3	-	-	-	-
V29.4	294	296	2	296	V33.4	-	-	-	-	V37.4	-	-	-	-
V29.5	32	32	-	32	V33.5	1	1	-	1	V37.5	-	-	-	-
V29.6	42	43	1	43	V33.6	-	-	-	-	V37.6	1	1	-	1
V29.8	6	6	-	6	V33.7	-	-	-	-	V37.7	-	-	-	-
V29.9	555	567	12	567	V33.9	1	1	-	1	V37.9	-	-	-	-
V30.0	-	-	-	-	V34.0	-	-	-	-	V38.0	1	1	-	1
V30.1	-	-	-	-	V34.1	-	-	-	-	V38.1	-	-	-	-
V30.2	-	-	-	-	V34.2	-	-	-	-	V38.2	-	-	-	-
V30.3	-	-	-	-	V34.3	-	-	-	-	V38.3	1	1	-	1
V30.4	-	-	-	-	V34.4	-	-	-	-	V38.4	-	-	-	-
V30.5	-	-	-	-	V34.5	1	1	-	1	V38.5	1	1	-	1
V30.6	-	-	-	-	V34.6	-	-	-	-	V38.6	1	1	-	1
V30.7	-	-	-	-	V34.7	-	-	-	-	V38.7	-	-	-	-
V30.9	-	-	-	-	V34.9	-	-	-	-	V38.9	-	-	-	-
V31.0	-	-	-	-	V35.0	-	-	-	-	V39.0	-	-	-	-
V31.1	-	-	-	-	V35.1	-	-	-	-	V39.1	-	-	-	-
V31.2	-	-	-	-	V35.2	-	-	-	-	V39.2	1	1	-	1
V31.3	-	-	-	-	V35.3	-	-	-	-	V39.3	1	1	-	1
V31.4	-	-	-	-	V35.4	-	-	-	-	V39.4	2	2	-	2
V31.5	-	-	-	-	V35.5	-	-	-	-	V39.5	-	-	-	-
V31.6	-	-	-	-	V35.6	-	-	-	-	V39.6	-	-	-	-
V31.7	-	-	-	-	V35.7	-	-	-	-	V39.8	-	-	-	-
V31.9	-	-	-	-	V35.9	-	-	-	-	V39.9	-	-	-	-
V32.0	-	-	-	-	V36.0	-	-	-	-	V40.0	-	-	-	-
V32.1	-	-	-	-	V36.1	-	-	-	-	V40.1	-	-	-	-
V32.2	-	-	-	-	V36.2	-	-	-	-	V40.2	-	-	-	-
V32.3	-	-	-	-	V36.3	-	-	-	-	V40.3	-	-	-	-
V32.4	-	-	-	-	V36.4	-	-	-	-	V40.4	-	-	-	-
V32.5	1	1	-	1	V36.5	-	-	-	-	V40.5	26	26	-	26
V32.6	-	-	-	-	V36.6	-	-	-	-	V40.6	15	15	-	15
V32.7	-	-	-	-	V36.7	-	-	-	-	V40.7	1	1	-	1
V32.9	-	-	-	-	V36.9	-	-	-	-	V40.9	7	7	-	7

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
V41.0	-	-	-	-	V45.0	3	3	-	3	V49.0	2	2	-	2
V41.1	-	-	-	-	V45.1	3	3	-	3	V49.1	5	5	-	5
V41.2	-	-	-	-	V45.2	-	-	-	-	V49.2	2	2	-	2
V41.3	-	-	-	-	V45.3	-	-	-	-	V49.3	13	15	2	15
V41.4	-	-	-	-	V45.4	1	1	-	1	V49.4	343	346	3	346
V41.5	1	1	-	1	V45.5	66	66	-	66	V49.5	355	357	2	357
V41.6	-	-	-	-	V45.6	20	20	-	20	V49.6	141	144	3	144
V41.7	-	-	-	-	V45.7	-	-	-	-	V49.8	22	24	2	24
V41.9	2	2	-	2	V45.9	28	28	-	28	V49.9	1,336	1,373	37	1,373
V42.0	-	-	-	-	V46.0	-	-	-	-	V50.0	-	-	-	-
V42.1	-	-	-	-	V46.1	-	-	-	-	V50.1	1	1	-	1
V42.2	-	-	-	-	V46.2	-	-	-	-	V50.2	-	-	-	-
V42.3	-	-	-	-	V46.3	-	-	-	-	V50.3	-	-	-	-
V42.4	-	-	-	-	V46.4	1	1	-	1	V50.4	-	-	-	-
V42.5	11	11	-	11	V46.5	7	7	-	7	V50.5	3	4	1	4
V42.6	3	3	-	3	V46.6	5	5	-	5	V50.6	3	3	-	3
V42.7	-	-	-	-	V46.7	-	-	-	-	V50.7	1	1	-	1
V42.9	5	5	-	5	V46.9	2	2	-	2	V50.9	1	1	-	1
V43.0	4	4	-	4	V47.0	17	17	-	17	V51.0	-	-	-	-
V43.1	3	3	-	3	V47.1	9	9	-	9	V51.1	-	-	-	-
V43.2	1	1	-	1	V47.2	1	1	-	1	V51.2	-	-	-	-
V43.3	-	1	1	1	V47.3	2	2	-	2	V51.3	-	-	-	-
V43.4	13	13	-	13	V47.4	2	3	1	3	V51.4	-	-	-	-
V43.5	3,412	3,451	39	3,451	V47.5	2,464	2,498	35	2,498	V51.5	-	-	-	-
V43.6	1,667	1,679	12	1,679	V47.6	937	943	6	943	V51.6	-	-	-	-
V43.7	-	-	-	-	V47.7	1	1	-	1	V51.7	-	-	-	-
V43.9	439	447	8	447	V47.9	336	344	8	344	V51.9	-	-	-	-
V44.0	1	1	-	1	V48.0	10	10	-	10	V52.0	-	-	-	-
V44.1	-	-	-	-	V48.1	3	3	-	3	V52.1	-	-	-	-
V44.2	-	-	-	-	V48.2	3	3	-	3	V52.2	-	-	-	-
V44.3	-	1	1	1	V48.3	4	5	1	5	V52.3	-	-	-	-
V44.4	2	2	-	2	V48.4	19	19	-	19	V52.4	-	-	-	-
V44.5	801	806	5	806	V48.5	1,603	1,613	10	1,613	V52.5	3	3	-	3
V44.6	301	303	2	303	V48.6	855	861	6	861	V52.6	1	1	-	1
V44.7	-	-	-	-	V48.7	4	4	-	4	V52.7	-	-	-	-
V44.9	84	84	-	84	V48.9	373	384	11	384	V52.9	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
V53.0	-	-	-	-	V57.0	4	4	-	4	V61.0	-	-	-	-
V53.1	1	1	-	1	V57.1	2	2	-	2	V61.1	-	-	-	-
V53.2	-	-	-	-	V57.2	-	-	-	-	V61.2	-	-	-	-
V53.3	-	-	-	-	V57.3	2	2	-	2	V61.3	-	-	-	-
V53.4	2	2	-	2	V57.4	-	-	-	-	V61.4	-	-	-	-
V53.5	682	693	11	693	V57.5	760	779	19	779	V61.5	-	-	-	-
V53.6	262	268	7	268	V57.6	201	202	1	202	V61.6	-	-	-	-
V53.7	1	1	-	1	V57.7	1	1	-	1	V61.7	-	-	-	-
V53.9	66	67	1	67	V57.9	53	55	2	55	V61.9	-	-	-	-
V54.0	-	-	-	-	V58.0	9	9	-	9	V62.0	-	-	-	-
V54.1	-	-	-	-	V58.1	8	8	-	8	V62.1	-	-	-	-
V54.2	-	-	-	-	V58.2	4	4	-	4	V62.2	-	-	-	-
V54.3	-	-	-	-	V58.3	6	6	-	6	V62.3	-	-	-	-
V54.4	-	-	-	-	V58.4	4	5	1	5	V62.4	-	-	-	-
V54.5	331	332	1	332	V58.5	785	798	13	798	V62.5	-	-	-	-
V54.6	111	112	1	112	V58.6	367	368	1	368	V62.6	-	-	-	-
V54.7	-	-	-	-	V58.7	9	9	-	9	V62.7	-	-	-	-
V54.9	22	22	-	22	V58.9	102	103	1	103	V62.9	-	-	-	-
V55.0	1	1	-	1	V59.0	1	1	-	1	V63.0	-	-	-	-
V55.1	1	1	-	1	V59.1	-	-	-	-	V63.1	-	-	-	-
V55.2	-	-	-	-	V59.2	2	2	-	2	V63.2	-	-	-	-
V55.3	-	-	-	-	V59.3	5	5	-	5	V63.3	-	-	-	-
V55.4	3	3	-	3	V59.4	89	91	2	91	V63.4	-	-	-	-
V55.5	41	41	-	41	V59.5	88	88	-	88	V63.5	29	29	-	29
V55.6	6	6	-	6	V59.6	22	22	-	22	V63.6	7	7	-	7
V55.7	-	-	-	-	V59.8	12	14	2	14	V63.7	-	-	-	-
V55.9	12	12	-	12	V59.9	67	68	1	68	V63.9	3	3	-	3
V56.0	-	-	-	-	V60.0	-	-	-	-	V64.0	-	-	-	-
V56.1	-	-	-	-	V60.1	-	-	-	-	V64.1	-	-	-	-
V56.2	-	-	-	-	V60.2	1	1	-	1	V64.2	-	-	-	-
V56.3	-	-	-	-	V60.3	-	-	-	-	V64.3	1	1	-	1
V56.4	-	-	-	-	V60.4	-	-	-	-	V64.4	1	1	-	1
V56.5	1	1	-	1	V60.5	1	1	-	1	V64.5	76	76	-	76
V56.6	2	2	-	2	V60.6	-	-	-	-	V64.6	6	6	-	6
V56.7	-	-	-	-	V60.7	-	-	-	-	V64.7	-	-	-	-
V56.9	1	1	-	1	V60.9	-	-	-	-	V64.9	17	18	1	18

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
V65.0	-	-	-	-	V69.0	-	-	-	-	V73.0	-	-	-	-
V65.1	1	1	-	1	V69.1	-	-	-	-	V73.1	-	-	-	-
V65.2	-	-	-	-	V69.2	-	-	-	-	V73.2	-	-	-	-
V65.3	-	-	-	-	V69.3	3	3	-	3	V73.3	-	-	-	-
V65.4	-	-	-	-	V69.4	3	3	-	3	V73.4	-	-	-	-
V65.5	7	7	-	7	V69.5	9	9	-	9	V73.5	2	2	-	2
V65.6	-	-	-	-	V69.6	2	2	-	2	V73.6	6	6	-	6
V65.7	-	-	-	-	V69.8	9	9	-	9	V73.7	-	-	-	-
V65.9	-	-	-	-	V69.9	23	23	-	23	V73.9	-	-	-	-
V66.0	-	-	-	-	V70.0	-	-	-	-	V74.0	-	-	-	-
V66.1	-	-	-	-	V70.1	-	-	-	-	V74.1	-	-	-	-
V66.2	-	-	-	-	V70.2	-	-	-	-	V74.2	-	-	-	-
V66.3	-	-	-	-	V70.3	-	-	-	-	V74.3	-	-	-	-
V66.4	-	-	-	-	V70.4	-	-	-	-	V74.4	-	-	-	-
V66.5	-	-	-	-	V70.5	-	-	-	-	V74.5	1	1	-	1
V66.6	-	-	-	-	V70.6	-	-	-	-	V74.6	1	1	-	1
V66.7	-	-	-	-	V70.7	-	-	-	-	V74.7	-	-	-	-
V66.9	-	-	-	-	V70.9	-	-	-	-	V74.9	6	6	-	6
V67.0	-	-	-	-	V71.0	-	-	-	-	V75.0	-	-	-	-
V67.1	-	-	-	-	V71.1	-	-	-	-	V75.1	-	-	-	-
V67.2	-	-	-	-	V71.2	-	-	-	-	V75.2	-	-	-	-
V67.3	-	-	-	-	V71.3	-	-	-	-	V75.3	-	-	-	-
V67.4	-	-	-	-	V71.4	-	-	-	-	V75.4	-	-	-	-
V67.5	75	77	2	77	V71.5	-	-	-	-	V75.5	-	-	-	-
V67.6	13	13	-	13	V71.6	-	-	-	-	V75.6	-	-	-	-
V67.7	-	-	-	-	V71.7	-	-	-	-	V75.7	-	-	-	-
V67.9	7	8	1	8	V71.9	-	-	-	-	V75.9	-	-	-	-
V68.0	2	2	-	2	V72.0	-	-	-	-	V76.0	-	-	-	-
V68.1	1	1	-	1	V72.1	-	-	-	-	V76.1	-	-	-	-
V68.2	-	-	-	-	V72.2	-	-	-	-	V76.2	-	-	-	-
V68.3	-	-	-	-	V72.3	-	-	-	-	V76.3	-	-	-	-
V68.4	2	2	-	2	V72.4	-	-	-	-	V76.4	-	-	-	-
V68.5	97	99	2	99	V72.5	-	-	-	-	V76.5	-	-	-	-
V68.6	13	14	1	14	V72.6	-	-	-	-	V76.6	-	-	-	-
V68.7	2	2	-	2	V72.7	-	-	-	-	V76.7	-	-	-	-
V68.9	31	31	-	31	V72.9	-	-	-	-	V76.9	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
V77.0	-	-	-	-	V80.9	14	15	1	15	V84.6	2	2	-	2
V77.1	1	1	-	1	V81.0	1	1	-	1	V84.7	5	6	1	6
V77.2	-	-	-	-	V81.1	2	2	-	2	V84.9	87	89	2	89
V77.3	-	-	-	-	V81.2	-	-	-	-	V85.0	8	8	-	8
V77.4	-	-	-	-	V81.3	-	-	-	-	V85.1	-	-	-	-
V77.5	2	2	-	2	V81.4	3	3	-	3	V85.2	-	-	-	-
V77.6	-	-	-	-	V81.5	1	1	-	1	V85.3	3	3	-	3
V77.7	-	-	-	-	V81.6	4	4	-	4	V85.4	-	-	-	-
V77.9	-	-	-	-	V81.7	2	2	-	2	V85.5	1	1	-	1
V78.0	-	-	-	-	V81.8	5	5	-	5	V85.6	1	1	-	1
V78.1	-	1	1	1	V81.9	6	7	1	7	V85.7	1	1	-	1
V78.2	1	1	-	1	V82.0	-	-	-	-	V85.9	6	6	-	6
V78.3	-	-	-	-	V82.1	-	-	-	-	V86.0	210	210	-	210
V78.4	2	2	-	2	V82.2	-	-	-	-	V86.1	33	33	-	33
V78.5	2	2	-	2	V82.3	-	-	-	-	V86.2	1	1	-	1
V78.6	2	2	-	2	V82.4	-	-	-	-	V86.3	103	105	2	105
V78.7	-	-	-	-	V82.5	-	-	-	-	V86.4	4	4	-	4
V78.9	1	1	-	1	V82.6	-	-	-	-	V86.5	198	197	-	197
V79.0	-	-	-	-	V82.7	-	-	-	-	V86.6	35	35	-	35
V79.1	-	-	-	-	V82.8	-	-	-	-	V86.7	5	5	-	5
V79.2	-	-	-	-	V82.9	2	2	-	2	V86.9	317	323	6	323
V79.3	2	2	-	2	V83.0	1	1	-	1	V87.0	61	61	-	61
V79.4	-	-	-	-	V83.1	1	1	-	1	V87.1	29	29	-	29
V79.5	-	-	-	-	V83.2	1	2	1	2	V87.2	119	119	-	119
V79.6	1	1	-	1	V83.3	-	-	-	-	V87.3	3	3	-	3
V79.8	2	2	-	2	V83.4	-	-	-	-	V87.4	64	64	-	64
V79.9	4	4	-	4	V83.5	1	1	-	1	V87.5	1	1	-	1
V80.0	80	80	-	80	V83.6	-	-	-	-	V87.6	11	11	-	11
V80.1	2	2	-	2	V83.7	3	3	-	3	V87.7	3,611	3,658	47	3,658
V80.2	-	-	-	-	V83.9	5	5	-	5	V87.8	43	44	1	44
V80.3	-	-	-	-	V84.0	43	43	-	43	V87.9	6	6	-	6
V80.4	3	3	-	3	V84.1	-	-	-	-	V88.0	1	1	-	1
V80.5	-	-	-	-	V84.2	2	2	-	2	V88.1	1	1	-	1
V80.6	-	-	-	-	V84.3	13	13	-	13	V88.2	-	-	-	-
V80.7	1	1	-	1	V84.4	-	-	-	-	V88.3	-	-	-	-
V80.8	1	1	-	1	V84.5	23	24	1	24	V88.4	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
V88.5	-	-	-	-	V92.6	6	6	-	6	V97.0	1	1	-	1
V88.6	3	3	-	3	V92.7	1	1	-	1	V97.1	-	-	-	-
V88.7	24	24	-	24	V92.8	10	11	1	11	V97.2	22	22	-	22
V88.8	5	5	-	5	V92.9	142	144	2	144	V97.3	3	3	-	3
V88.9	2	2	-	2	V93.0	1	1	-	1	V97.8	1	2	1	2
V89.0	75	78	3	78	V93.1	-	-	-	-	V98	2	2	-	2
V89.1	6	6	-	6	V93.2	-	-	-	-	V99	-	-	-	-
V89.2	9,534	9,863	330	9,863	V93.3	-	-	-	-	W00	103	124	21	124
V89.3	1	1	-	1	V93.4	2	2	-	2	W01	597	778	181	778
V89.9	393	408	15	408	V93.5	-	-	-	-	W02	49	50	1	50
V90.0	-	-	-	-	V93.6	-	-	-	-	W03	19	31	12	31
V90.1	-	-	-	-	V93.7	-	-	-	-	W04	12	19	7	19
V90.2	19	19	-	19	V93.8	1	1	-	1	W05	274	377	103	377
V90.3	1	1	-	1	V93.9	9	10	1	10	W06	594	828	234	828
V90.4	4	4	-	4	V94.0	-	-	-	-	W07	201	283	82	283
V90.5	32	32	-	32	V94.1	1	1	-	1	W08	43	58	15	58
V90.6	2	2	-	2	V94.2	-	-	-	-	W09	3	3	-	3
V90.7	-	-	-	-	V94.3	6	7	1	7	W10	1,588	1,725	137	1,725
V90.8	9	9	-	9	V94.4	-	-	-	-	W11	365	393	28	393
V90.9	140	140	-	140	V94.5	5	5	-	5	W12	52	57	5	57
V91.0	-	-	-	-	V94.6	1	1	-	1	W13	600	665	65	665
V91.1	11	11	-	11	V94.7	-	-	-	-	W14	102	106	4	106
V91.2	2	2	-	2	V94.8	3	3	-	3	W15	76	77	1	77
V91.3	19	19	-	19	V94.9	45	45	-	45	W16	80	87	7	87
V91.4	1	1	-	1	V95.0	79	79	-	79	W17	440	485	45	485
V91.5	-	-	-	-	V95.1	42	43	1	43	W18	3,725	4,800	1,075	4,800
V91.6	-	-	-	-	V95.2	66	66	-	66	W19	8,306	11,227	2,921	11,227
V91.7	2	2	-	2	V95.3	3	3	-	3	W20	692	697	5	697
V91.8	-	-	-	-	V95.4	-	-	-	-	W21	10	10	-	10
V91.9	52	52	-	52	V95.8	43	43	-	43	W22	107	122	15	122
V92.0	-	-	-	-	V95.9	471	471	-	471	W23	136	142	6	142
V92.1	2	2	-	2	V96.0	-	-	-	-	W24	115	120	5	120
V92.2	15	15	-	15	V96.1	3	3	-	3	W25	22	23	1	23
V92.3	7	9	2	9	V96.2	8	8	-	8	W26	8	9	1	9
V92.4	2	2	-	2	V96.8	-	-	-	-	W27	5	6	1	6
V92.5	20	19	-	19	V96.9	-	-	-	-	W28	53	54	1	54

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
W29	11	12	1	12	W73	271	275	4	275	X15	10	11	1	11
W30	271	276	5	276	W74	963	1,014	51	1,014	X16	16	24	8	24
W31	254	264	10	264	W75	497	513	16	513	X17	-	-	-	-
W32	83	86	3	86	W76	277	283	6	283	X18	-	-	-	-
W33	105	105	-	105	W77	46	46	-	46	X19	6	7	1	7
W34	542	571	29	571	W78	393	1,342	949	1,342	X20	2	3	1	3
W35	5	5	-	5	W79	875	1,400	525	1,400	X21	8	18	10	18
W36	8	8	-	8	W80	3,004	18,377	15,373	18,377	X22	-	-	-	-
W37	11	11	-	11	W81	16	17	1	17	X23	66	72	6	72
W38	6	7	1	7	W83	210	231	21	231	X24	-	-	-	-
W39	11	11	-	11	W84	261	300	39	300	X25	18	19	1	19
W40	147	151	4	151	W85	96	97	1	97	X26	-	-	-	-
W41	1	1	-	1	W86	108	111	3	111	X27	-	-	-	-
W42	-	-	-	-	W87	172	179	7	179	X28	-	-	-	-
W43	-	-	-	-	W88	-	-	-	-	X29	-	-	-	-
W44	20	31	11	31	W89	-	-	-	-	X30	273	372	99	372
W45	2	2	-	2	W90	-	-	-	-	X31	620	1,047	427	1,047
W49	33	39	6	39	W91	-	-	-	-	X32	3	4	1	4
W50	6	10	4	10	W92	7	9	2	9	X33	47	50	3	50
W51	11	11	-	11	W93	3	3	-	3	X34	2	2	-	2
W52	22	22	-	22	W94	10	21	11	21	X35	-	-	-	-
W53	-	1	1	1	W99	-	-	-	-	X36	30	30	-	30
W54	32	34	2	34	X00	2,761	2,802	41	2,802	X37	75	77	2	77
W55	78	84	6	84	X01	57	59	2	59	X38	26	26	-	26
W56	1	1	-	1	X02	35	38	3	38	X39	64	103	39	103
W57	12	16	4	16	X03	39	41	2	41	X40	210	261	51	261
W58	-	-	-	-	X04	55	61	6	61	X41	1,205	1,596	391	1,596
W59	-	-	-	-	X05	3	3	-	3	X42	9,231	10,431	1,200	10,431
W60	-	-	-	-	X06	104	112	8	112	X43	37	43	6	43
W64	9	10	1	10	X08	54	63	9	63	X44	7,611	8,741	1,131	8,741
W65	304	345	41	345	X09	261	330	69	330	X45	373	1,975	1,602	1,975
W66	28	32	4	32	X10	11	12	1	12	X46	60	72	12	72
W67	430	438	8	438	X11	26	29	3	29	X47	630	675	45	675
W68	85	85	-	85	X12	12	17	5	17	X48	3	8	5	8
W69	989	1,005	16	1,005	X13	5	5	-	5	X49	97	187	90	187
W70	236	243	7	243	X14	2	2	-	2	X50	14	23	9	23

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis		UC	Record axis total mention	second-ary	Entity axis
X51	-	-	-	-	X89	-	-	-	-	Y16	19	19	-	19
X52	-	-	-	-	X90	2	2	-	2	Y17	89	93	4	93
X53	31	46	15	46	X91	670	715	45	715	Y18	3	4	1	4
X54	-	1	1	1	X92	59	65	6	65	Y19	19	28	9	28
X57	3	6	3	6	X93	1,011	1,012	1	1,012	Y20	108	112	4	112
X58	33	45	12	45	X94	687	688	1	688	Y21	215	222	7	222
X59	6,630	17,081	10,453	17,081	X95	10,222	10,253	31	10,253	Y22	47	47	-	47
X60	242	249	7	249	X96	1	2	1	2	Y23	26	26	-	26
X61	850	898	48	898	X97	163	177	14	177	Y24	159	161	2	161
X62	546	580	34	580	X98	4	4	-	4	Y25	-	1	1	1
X63	11	11	-	11	X99	2,049	2,125	76	2,125	Y26	100	103	3	103
X64	2,241	2,345	104	2,345	Y00	129	137	8	137	Y27	1	1	-	1
X65	34	282	248	282	Y01	15	15	-	15	Y28	21	23	2	23
X66	72	73	1	73	Y02	4	4	-	4	Y29	4	5	1	5
X67	1,356	1,369	13	1,369	Y03	51	56	5	56	Y30	77	83	6	83
X68	19	22	3	22	Y04	93	103	10	103	Y31	22	22	-	22
X69	91	95	4	95	Y05	2	5	3	5	Y32	17	18	1	18
X70	6,635	6,662	27	6,662	Y06.0	-	-	-	-	Y33	137	181	44	181
X71	339	358	19	358	Y06.1	3	5	2	5	Y34	384	462	78	462
X72	3,672	3,678	6	3,678	Y06.2	-	-	-	-	Y35.0	347	347	-	347
X73	2,668	2,675	7	2,675	Y06.8	3	5	2	5	Y35.1	-	-	-	-
X74	10,567	10,605	38	10,605	Y06.9	29	53	24	53	Y35.2	-	-	-	-
X75	2	2	-	2	Y07.0	1	1	-	1	Y35.3	-	-	-	-
X76	150	155	5	155	Y07.1	7	7	-	7	Y35.4	-	-	-	-
X77	-	-	-	-	Y07.2	-	-	-	-	Y35.5	60	61	1	61
X78	571	606	35	606	Y07.3	-	-	-	-	Y35.6	13	18	5	18
X79	3	4	1	4	Y07.8	4	4	-	4	Y35.7	3	5	2	5
X80	723	732	9	732	Y07.9	171	183	12	183	Y36.0	-	-	-	-
X81	287	288	1	288	Y08	381	437	56	437	Y36.1	-	-	-	-
X82	104	106	2	106	Y09	1,670	1,794	124	1,794	Y36.2	1	3	2	3
X83	89	103	14	103	Y10	55	60	5	60	Y36.3	-	-	-	-
X84	150	198	48	198	Y11	239	273	34	273	Y36.4	-	-	-	-
X85	48	70	22	70	Y12	1,981	2,072	91	2,072	Y36.5	-	-	-	-
X86	2	4	2	4	Y13	8	9	1	9	Y36.6	-	-	-	-
X87	1	1	-	1	Y14	1,270	1,342	72	1,342	Y36.7	-	1	1	1
X88	28	32	4	32	Y15	17	142	125	142	Y36.8	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis		UC	Record total mention	Record axis second- ary	Entity axis
Y36.9	-	1	1	1	Y43.8	-	1	1	1	Y48.0	-	-	-	-
Y40.0	1	4	3	4	Y43.9	1	1	-	1	Y48.1	1	1	-	1
Y40.1	1	5	4	5	Y44.0	1	2	1	2	Y48.2	2	5	3	5
Y40.2	-	2	2	2	Y44.1	-	-	-	-	Y48.3	8	29	21	29
Y40.3	-	-	-	-	Y44.2	44	1,482	1,438	1,482	Y48.4	6	50	44	50
Y40.4	-	-	-	-	Y44.3	6	49	43	49	Y48.5	-	2	2	2
Y40.5	-	4	4	4	Y44.4	-	1	1	1	Y49.0	2	5	3	5
Y40.6	-	1	1	1	Y44.5	2	116	114	116	Y49.1	-	-	-	-
Y40.7	-	1	1	1	Y44.6	-	2	2	2	Y49.2	-	3	3	3
Y40.8	3	19	16	19	Y44.7	1	1	-	1	Y49.3	-	3	3	3
Y40.9	5	115	110	115	Y44.9	-	2	2	2	Y49.4	1	6	5	6
Y41.0	1	5	4	5	Y45.0	16	72	56	72	Y49.5	-	18	18	18
Y41.1	-	6	6	6	Y45.1	1	16	15	16	Y49.6	-	-	-	-
Y41.2	-	1	1	1	Y45.2	-	5	5	5	Y49.7	1	4	3	4
Y41.3	-	1	1	1	Y45.3	5	50	45	50	Y49.8	2	3	1	3
Y41.4	-	-	-	-	Y45.4	-	1	1	1	Y49.9	-	1	1	1
Y41.5	1	13	12	13	Y45.5	-	11	11	11	Y50.0	-	1	1	1
Y41.8	2	7	5	7	Y45.8	3	12	9	12	Y50.1	-	-	-	-
Y41.9	-	5	5	5	Y45.9	-	6	6	6	Y50.2	-	-	-	-
Y42.0	-	33	33	33	Y46.0	-	-	-	-	Y50.8	-	1	1	1
Y42.1	1	1	-	1	Y46.1	-	-	-	-	Y50.9	1	3	2	3
Y42.2	-	9	9	9	Y46.2	2	16	14	16	Y51.0	-	-	-	-
Y42.3	8	36	28	36	Y46.3	-	-	-	-	Y51.1	-	-	-	-
Y42.4	1	2	1	2	Y46.4	-	1	1	1	Y51.2	-	-	-	-
Y42.5	-	2	2	2	Y46.5	-	3	3	3	Y51.3	-	2	2	2
Y42.6	-	2	2	2	Y46.6	-	4	4	4	Y51.4	-	-	-	-
Y42.7	3	329	326	329	Y46.7	-	-	-	-	Y51.5	-	1	1	1
Y42.8	-	4	4	4	Y46.8	-	-	-	-	Y51.6	-	-	-	-
Y42.9	-	-	-	-	Y47.0	-	-	-	-	Y51.7	-	2	2	2
Y43.0	-	3	3	3	Y47.1	3	6	3	6	Y51.8	-	-	-	-
Y43.1	1	42	41	42	Y47.2	-	-	-	-	Y51.9	1	7	6	7
Y43.2	-	-	-	-	Y47.3	-	-	-	-	Y52.0	2	7	5	7
Y43.3	5	1,296	1,291	1,296	Y47.4	-	-	-	-	Y52.1	-	1	1	1
Y43.4	1	614	613	614	Y47.5	-	-	-	-	Y52.2	2	61	59	61
Y43.5	3	3	1	3	Y47.8	-	1	1	1	Y52.3	-	2	2	2
Y43.6	-	1	1	1	Y47.9	2	7	5	7	Y52.4	2	13	11	13

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	total mention	second- ary	Entity axis		UC	total mention	second- ary	Entity axis		UC	total mention	second- ary	Entity axis
Y52.5	2	3	1	3	Y56.3	-	1	1	1	Y60.4	11	63	52	63
Y52.6	-	5	5	5	Y56.4	-	-	-	-	Y60.5	9	46	37	46
Y52.7	-	1	1	1	Y56.5	-	-	-	-	Y60.6	17	48	31	48
Y52.8	-	-	-	-	Y56.6	-	-	-	-	Y60.7	2	3	1	3
Y52.9	-	3	3	3	Y56.7	-	-	-	-	Y60.8	38	99	61	99
Y53.0	-	-	-	-	Y56.8	-	-	-	-	Y60.9	16	47	31	47
Y53.1	-	1	1	1	Y56.9	-	-	-	-	Y61.0	-	2	2	2
Y53.2	-	-	-	-	Y57.0	-	2	2	2	Y61.1	-	-	-	-
Y53.3	-	-	-	-	Y57.1	-	-	-	-	Y61.2	-	-	-	-
Y53.4	-	2	2	2	Y57.2	-	1	1	1	Y61.3	-	-	-	-
Y53.5	-	-	-	-	Y57.3	-	1	1	1	Y61.4	-	1	1	1
Y53.6	-	-	-	-	Y57.4	-	-	-	-	Y61.5	-	3	3	3
Y53.7	-	-	-	-	Y57.5	6	60	54	60	Y61.6	-	1	1	1
Y53.8	-	-	-	-	Y57.6	4	15	11	15	Y61.7	-	-	-	-
Y53.9	-	-	-	-	Y57.7	-	-	-	-	Y61.8	-	1	1	1
Y54.0	-	-	-	-	Y57.8	11	30	19	30	Y61.9	1	2	1	2
Y54.1	-	2	2	2	Y57.9	131	423	293	423	Y62.0	-	-	-	-
Y54.2	-	1	1	1	Y58.0	-	-	-	-	Y62.1	-	-	-	-
Y54.3	-	-	-	-	Y58.1	-	-	-	-	Y62.2	-	-	-	-
Y54.4	-	-	-	-	Y58.2	-	-	-	-	Y62.3	-	-	-	-
Y54.5	-	11	11	11	Y58.3	-	-	-	-	Y62.4	-	-	-	-
Y54.6	-	-	-	-	Y58.4	-	-	-	-	Y62.5	-	-	-	-
Y54.7	-	-	-	-	Y58.5	-	-	-	-	Y62.6	-	-	-	-
Y54.8	2	6	4	6	Y58.6	-	-	-	-	Y62.8	-	-	-	-
Y54.9	-	3	3	3	Y58.8	-	-	-	-	Y62.9	-	-	-	-
Y55.0	-	1	1	1	Y58.9	-	-	-	-	Y63.0	-	-	-	-
Y55.1	-	-	-	-	Y59.0	2	6	4	6	Y63.1	-	-	-	-
Y55.2	-	1	1	1	Y59.1	-	-	-	-	Y63.2	-	5	5	5
Y55.3	-	-	-	-	Y59.2	-	-	-	-	Y63.3	-	2	2	2
Y55.4	-	-	-	-	Y59.3	-	2	2	2	Y63.4	1	1	-	1
Y55.5	-	-	-	-	Y59.8	-	-	-	-	Y63.5	-	-	-	-
Y55.6	-	2	2	2	Y59.9	2	4	2	4	Y63.6	-	-	-	-
Y55.7	-	-	-	-	Y60.0	38	222	184	222	Y63.8	-	-	-	-
Y56.0	2	7	5	7	Y60.1	-	3	3	3	Y63.9	-	-	-	-
Y56.1	-	-	-	-	Y60.2	3	16	13	16	Y64.0	-	30	30	30
Y56.2	-	-	-	-	Y60.3	1	1	-	1	Y64.1	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2003

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	UC	total mention	second- ary	Entity axis		UC	total mention	second- ary	Entity axis		UC	total mention	second- ary	Entity axis
Y64.8	-	2	2	2	Y75.0	-	-	-	-	Y82.1	1	1	-	1
Y64.9	-	-	-	-	Y75.1	-	-	-	-	Y82.2	1	1	-	1
Y65.0	1	2	1	2	Y75.2	-	-	-	-	Y82.3	1	1	-	1
Y65.1	-	-	-	-	Y75.3	-	-	-	-	Y82.8	-	4	-	4
Y65.2	-	-	-	-	Y75.8	-	-	-	-	Y83.0	58	1,464	1,406	1,464
Y65.3	-	1	1	1	Y76.0	-	-	-	-	Y83.1	347	3,085	2,738	3,085
Y65.4	1	3	2	3	Y76.1	-	-	-	-	Y83.2	184	4,194	4,010	4,194
Y65.5	-	-	-	-	Y76.2	-	-	-	-	Y83.3	102	562	460	562
Y65.8	22	74	52	74	Y76.3	-	-	-	-	Y83.4	112	1,535	1,423	1,535
Y66	-	-	-	-	Y76.8	-	-	-	-	Y83.5	139	684	545	684
Y69	3	7	4	7	Y77.0	-	-	-	-	Y83.6	145	2,674	2,529	2,674
Y70.0	-	-	-	-	Y77.1	-	-	-	-	Y83.8	119	1,150	1,031	1,150
Y70.1	-	-	-	-	Y77.2	-	-	-	-	Y83.9	654	4,469	3,815	4,469
Y70.2	-	-	-	-	Y77.3	-	-	-	-	Y84.0	11	112	101	112
Y70.3	-	-	-	-	Y77.8	-	-	-	-	Y84.1	31	496	465	496
Y70.8	-	-	-	-	Y78.0	-	-	-	-	Y84.2	13	1,211	1,198	1,211
Y71.0	-	-	-	-	Y78.1	-	-	-	-	Y84.3	1	5	4	5
Y71.1	-	-	-	-	Y78.2	-	-	-	-	Y84.4	3	36	33	36
Y71.2	-	-	-	-	Y78.3	-	-	-	-	Y84.5	-	2	2	2
Y71.3	-	-	-	-	Y78.8	-	-	-	-	Y84.6	65	389	324	389
Y71.8	-	-	-	-	Y79.0	-	-	-	-	Y84.7	1	1	-	1
Y72.0	-	-	-	-	Y79.1	-	-	-	-	Y84.8	296	2,253	1,957	2,253
Y72.1	-	-	-	-	Y79.2	-	-	-	-	Y84.9	9	108	99	108
Y72.2	-	-	-	-	Y79.3	-	-	-	-	Y85.0	624	749	125	749
Y72.3	-	-	-	-	Y79.8	-	-	-	-	Y85.9	16	21	5	21
Y72.8	-	-	-	-	Y80.0	1	1	-	1	Y86	1,008	1,923	915	1,923
Y73.0	-	-	-	-	Y80.1	-	-	-	-	Y87.0	62	65	3	65
Y73.1	-	-	-	-	Y80.2	-	-	-	-	Y87.1	222	241	19	241
Y73.2	1	1	-	1	Y80.3	-	-	-	-	Y87.2	50	66	16	66
Y73.3	-	1	1	1	Y80.8	-	1	1	1	Y88.0	3	65	62	65
Y73.8	-	-	-	-	Y81.0	-	2	2	2	Y88.1	1	34	33	34
Y74.0	-	-	-	-	Y81.1	-	-	-	-	Y88.2	-	1	1	1
Y74.1	-	-	-	-	Y81.2	-	-	-	-	Y88.3	74	1,130	1,056	1,130
Y74.2	-	-	-	-	Y81.3	-	1	1	1	Y89.0	-	-	-	-
Y74.3	-	-	-	-	Y81.8	-	4	4	4	Y89.1	13	39	26	39
Y74.8	-	1	1	1	Y82.0	-	-	-	-	Y89.9	4	6	2	6