

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
A00.0	-	-	-	-	A06.0	-	-	-	A18.2	1	1	-	2
A00.1	-	-	-	-	A06.1	-	-	-	A18.3	1	10	9	10
A00.9	-	-	-	-	A06.2	-	-	-	A18.4	-	4	4	4
A01.0	-	-	-	-	A06.3	-	-	-	A18.5	-	-	-	-
A01.1	-	-	-	-	A06.4	1	2	1	A18.6	-	-	-	-
A01.2	-	-	-	-	A06.5	-	-	-	A18.7	2	1	1	1
A01.3	-	-	-	-	A06.6	-	-	-	A18.8	2	2	1	1
A01.4	-	-	-	-	A06.7	-	-	-	A19.0	1	1	-	1
A02.0	6	17	11	17	A06.8	-	-	-	A19.1	-	-	-	-
A02.1	20	23	7	26	A06.9	-	-	-	A19.2	-	-	-	-
A02.2	-	-	-	-	A07.0	-	-	-	A19.8	-	-	-	-
A02.8	-	-	-	-	A07.1	-	1	1	A19.9	70	94	24	108
A02.9	4	8	4	11	A07.2	2	8	6	A20.0	-	-	-	-
A03.0	1	2	1	2	A07.3	2	3	1	A20.1	-	-	-	-
A03.1	-	-	-	-	A07.8	-	-	-	A20.2	-	2	2	2
A03.2	-	-	-	-	A07.9	-	-	-	A20.3	-	-	-	-
A03.3	1	1	-	1	A08.0	5	6	1	A20.7	1	1	-	1
A03.8	1	1	-	1	A08.1	4	4	-	A20.8	-	-	-	-
A03.9	6	8	2	8	A08.2	-	-	-	A20.9	-	-	-	-
A04.0	-	-	-	-	A08.3	1	5	4	A21.0	-	-	-	-
A04.1	-	1	1	1	A08.4	96	146	50	A21.1	-	-	-	-
A04.2	-	-	-	-	A08.5	2	2	-	A21.2	-	-	-	-
A04.3	-	-	-	-	A09	132	184	52	A21.3	-	-	-	-
A04.4	5	6	1	6	A16.2	269	379	164	A21.7	-	-	-	-
A04.5	2	2	-	2	A16.3	-	1	1	A21.8	-	-	-	-
A04.6	2	3	2	3	A16.4	-	-	-	A21.9	-	-	-	-
A04.7	5,332	8,513	3,181	8,536	A16.5	6	11	8	A22.0	-	-	-	-
A04.8	69	114	45	114	A16.7	3	4	1	A22.1	-	-	-	-
A04.9	13	25	12	25	A16.8	-	-	-	A22.2	-	-	-	-
A05.0	-	-	-	-	A16.9	202	614	413	A22.7	-	-	-	-
A05.1	5	5	-	5	A17.0	10	13	4	A22.8	-	-	-	-
A05.2	-	-	-	-	A17.1	-	-	-	A22.9	-	-	-	-
A05.3	1	1	-	1	A17.8	7	11	6	A23.0	-	-	-	-
A05.4	-	-	-	-	A17.9	-	-	-	A23.1	-	-	-	-
A05.8	-	-	-	-	A18.0	70	118	49	A23.2	-	-	-	-
A05.9	1	1	-	1	A18.1	4	8	4	A23.3	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis			
A23.8	-	-	-	-	A32.7	9	19	12	21	A41.5	819	3,356	2,538	3,419
A23.9	2	2	-	2	A32.8	1	3	2	3	A41.8	85	316	231	323
A24.0	-	-	-	-	A32.9	1	8	7	8	A41.9	31,205	142,744	111,545	145,039
A24.1	-	-	-	-	A33	-	-	-	-	A42.0	4	7	4	5
A24.2	-	-	-	-	A34	-	-	-	-	A42.1	2	2	-	1
A24.3	-	-	-	-	A35	1	2	1	2	A42.2	-	-	-	-
A24.4	-	-	-	-	A36.0	-	-	-	-	A42.7	-	1	1	1
A25.0	-	-	-	-	A36.1	-	-	-	-	A42.8	-	2	2	2
A25.1	-	-	-	-	A36.2	-	-	-	-	A42.9	2	10	8	13
A25.9	-	-	-	-	A36.3	-	-	-	-	A43.0	35	65	30	61
A26.0	-	-	-	-	A36.8	-	-	-	-	A43.1	-	1	1	1
A26.7	-	-	-	-	A36.9	-	2	2	2	A43.8	3	6	3	6
A26.8	-	-	-	-	A37.0	2	2	-	2	A43.9	17	41	24	51
A26.9	-	-	-	-	A37.1	-	-	-	-	A44.0	-	-	-	-
A27.0	-	-	-	-	A37.8	-	-	-	-	A44.1	-	-	-	-
A27.8	-	-	-	-	A37.9	29	31	2	31	A44.8	-	-	-	-
A27.9	4	5	1	5	A38	1	7	6	7	A44.9	-	-	-	1
A28.0	25	32	7	32	A39.0	27	33	6	34	A46	2	5	3	5
A28.1	1	2	1	2	A39.1	17	21	4	21	A48.0	13	47	34	47
A28.2	1	1	-	1	A39.2	2	-	-	-	A48.1	78	97	19	98
A28.8	4	6	2	6	A39.3	-	-	-	-	A48.2	-	-	-	-
A28.9	-	-	-	-	A39.4	73	78	5	79	A48.3	55	68	13	68
A30.0	-	-	-	-	A39.5	-	-	-	-	A48.4	-	-	-	-
A30.1	-	-	-	-	A39.8	1	3	2	3	A48.8	7	17	10	17
A30.2	-	-	-	-	A39.9	3	6	3	6	A49.0	412	2,539	2,127	2,563
A30.3	-	-	-	-	A40.0	28	58	30	59	A49.1	90	687	597	693
A30.4	-	-	-	-	A40.1	28	58	30	58	A49.2	4	16	12	17
A30.5	-	1	1	1	A40.2	132	577	445	600	A49.3	4	10	6	10
A30.8	-	-	-	-	A40.3	166	452	286	471	A49.8	116	958	842	969
A30.9	1	6	5	6	A40.8	17	43	26	44	A49.9	465	3,623	3,158	3,728
A31.0	214	433	220	590	A40.9	125	366	241	376	A50.0	-	-	-	-
A31.1	-	-	-	-	A41.0	801	2,726	1,925	2,774	A50.1	-	-	-	-
A31.8	8	10	2	12	A41.1	34	90	56	91	A50.2	-	-	-	-
A31.9	52	100	48	127	A41.2	575	1,732	1,157	1,771	A50.3	-	-	-	-
A32.0	-	-	-	-	A41.3	6	21	15	21	A50.4	-	-	-	-
A32.1	20	27	7	28	A41.4	115	303	189	304	A50.5	1	2	1	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
A50.6	-	-	-	-	A58	-	-	-	A71.1	-	-	-
A50.7	-	-	-	-	A59.0	-	-	-	A71.9	-	1	1
A50.9	1	2	1	2	A59.8	-	-	-	A74.0	-	-	-
A51.0	-	-	-	-	A59.9	-	1	1	A74.8	-	-	-
A51.1	-	-	-	-	A60.0	-	4	4	A74.9	-	-	-
A51.2	-	-	-	-	A60.1	-	-	-	A75.0	-	-	-
A51.3	-	-	-	-	A60.9	-	-	-	A75.1	-	-	-
A51.4	-	-	-	-	A63.0	1	3	2	A75.2	-	-	-
A51.5	-	-	-	-	A63.8	-	-	-	A75.3	-	-	-
A51.9	-	1	1	1	A64	3	10	7	A75.9	-	-	-
A52.0	4	6	3	6	A65	-	-	-	A77.0	6	6	-
A52.1	9	22	13	23	A66.0	-	-	-	A77.1	-	-	-
A52.2	-	-	-	-	A66.1	-	-	-	A77.2	-	-	-
A52.3	23	63	40	67	A66.2	-	-	-	A77.3	-	-	-
A52.7	1	1	-	1	A66.3	-	-	-	A77.8	3	3	4
A52.8	-	1	1	1	A66.4	-	-	-	A77.9	-	-	-
A52.9	6	16	10	18	A66.5	-	-	-	A78	2	2	-
A53.0	-	4	4	5	A66.6	-	-	-	A79.0	-	-	-
A53.9	2	25	23	31	A66.7	-	-	-	A79.1	-	-	-
A54.0	-	-	-	-	A66.8	-	-	-	A79.8	-	-	-
A54.1	-	-	-	-	A66.9	-	-	-	A79.9	-	-	-
A54.2	-	1	1	1	A67.0	-	-	-	A80.0	-	-	-
A54.3	-	-	-	-	A67.1	-	-	-	A80.1	-	-	-
A54.4	-	-	-	-	A67.2	-	-	-	A80.2	-	-	-
A54.5	-	-	-	-	A67.3	-	-	-	A80.3	-	-	-
A54.6	-	-	-	-	A67.9	-	-	-	A80.4	-	-	-
A54.8	3	3	-	3	A68.0	-	-	-	A80.9	-	2	2
A54.9	-	-	-	-	A68.1	-	-	-	A81.0	248	259	11
A55	-	-	-	-	A68.9	-	-	-	A81.1	2	2	2
A56.0	-	-	-	-	A69.0	-	-	-	A81.2	31	65	34
A56.1	-	-	-	-	A69.1	1	1	-	A81.8	-	-	-
A56.2	-	-	-	-	A69.2	7	37	30	A81.9	2	2	2
A56.3	-	-	-	-	A69.8	-	-	-	A82.0	-	-	-
A56.4	-	-	-	-	A69.9	-	-	-	A82.1	-	-	-
A56.8	-	-	-	-	A70	-	-	-	A82.9	1	1	1
A57	-	-	-	-	A71.0	-	-	-	A83.0	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
A83.1	-	-	-	-	A93.1	-	-	-	B02.2	19	116	97	116
A83.2	2	2	-	2	A93.2	-	-	-	B02.3	4	16	12	17
A83.3	1	3	2	3	A93.8	-	-	-	B02.7	22	45	23	47
A83.4	-	-	-	-	A94	-	-	-	B02.8	-	4	4	4
A83.5	1	1	-	1	A95.0	-	-	-	B02.9	100	381	281	406
A83.6	-	-	-	-	A95.1	-	-	-	B03	-	-	-	-
A83.8	-	-	-	-	A95.9	-	-	-	B04	-	-	-	-
A83.9	1	1	-	1	A96.0	-	-	-	B05.0	1	2	1	1
A84.0	-	-	-	-	A96.1	-	-	-	B05.1	-	-	-	-
A84.1	-	-	-	-	A96.2	-	-	-	B05.2	-	-	-	-
A84.8	-	-	-	-	A96.8	-	-	-	B05.3	-	-	-	-
A84.9	-	-	-	-	A96.9	-	-	-	B05.4	-	-	-	-
A85.0	2	2	-	2	A98.0	-	-	-	B05.8	-	-	-	-
A85.1	-	-	-	-	A98.1	-	-	-	B05.9	-	1	1	2
A85.2	-	-	-	-	A98.2	-	-	-	B06.0	-	-	-	-
A85.8	3	5	2	6	A98.3	-	-	-	B06.8	-	-	-	-
A86	104	125	21	132	A98.4	-	-	-	B06.9	-	-	-	-
A87.0	1	1	-	1	A98.5	-	-	-	B07	-	1	1	1
A87.1	-	-	-	-	A98.8	-	-	-	B08.0	-	-	-	-
A87.2	4	6	2	7	A99	-	-	-	B08.1	-	2	2	2
A87.8	-	1	1	1	B00.0	-	-	-	B08.2	-	-	-	-
A87.9	40	55	15	55	B00.1	-	2	2	B08.3	-	-	-	-
A88.0	-	-	-	-	B00.2	1	4	3	B08.4	-	-	-	-
A88.1	-	-	-	-	B00.3	2	3	1	B08.5	-	-	-	-
A88.8	-	1	1	1	B00.4	115	160	45	B08.8	-	2	2	2
A89	9	12	3	14	B00.5	-	-	-	B09	-	1	1	1
A90	2	2	-	2	B00.7	11	15	7	B15.0	3	2	-	-
A91	-	-	-	-	B00.8	12	44	32	B15.9	40	98	58	106
A92.0	-	-	-	-	B00.9	34	116	82	B16.0	-	-	-	-
A92.1	-	-	-	-	B01.0	-	-	-	B16.1	-	-	-	-
A92.2	-	-	-	-	B01.1	5	6	1	B16.2	32	32	-	-
A92.3	96	117	21	118	B01.2	4	6	2	B16.9	521	1,470	950	1,654
A92.4	-	-	-	-	B01.8	-	-	-	B17.0	-	-	-	-
A92.8	-	-	-	-	B01.9	4	18	14	B17.1	69	152	83	159
A92.9	-	-	-	-	B02.0	16	26	10	B17.2	-	4	4	4
A93.0	-	-	-	-	B02.1	1	2	1	B17.8	1	13	12	13

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis			Entity axis		Record axis			Entity axis		Record axis			Entity axis
	Total UC	Second-mention	Ary	Entity axis		Total UC	Second-mention	Ary	Entity axis		Total UC	Second-mention	Ary	Entity axis
B18.0	-	-	-	1	B25.8	24	54	30	91	B35.6	-	1	1	1
B18.1	89	229	140	255	B25.9	38	135	97	188	B35.8	-	-	-	-
B18.2	4,698	11,654	6,958	12,397	B26.0	-	-	-	-	B35.9	-	-	-	-
B18.8	-	2	2	2	B26.1	-	-	-	-	B36.0	2	2	-	2
B18.9	12	23	11	25	B26.2	-	-	-	-	B36.1	-	-	-	-
B19.0	1	1	-	-	B26.3	-	-	-	-	B36.2	-	-	-	-
B19.9	63	113	50	127	B26.8	-	-	-	-	B36.3	-	-	-	-
B20.0	112	119	15	3	B26.9	-	2	2	2	B36.8	-	-	-	-
B20.1	1,049	1,115	207	-	B27.0	18	30	12	30	B36.9	-	6	6	6
B20.2	26	26	3	-	B27.1	-	-	-	-	B37.0	5	56	51	67
B20.3	727	613	74	1	B27.8	-	-	-	-	B37.1	15	62	48	62
B20.4	11	14	7	2	B27.9	2	5	3	5	B37.2	2	4	2	3
B20.5	235	237	14	-	B30.0	-	-	-	-	B37.3	-	-	-	-
B20.6	433	393	10	2	B30.1	-	-	-	-	B37.4	12	49	37	49
B20.7	1,140	1,129	136	-	B30.2	-	-	-	-	B37.5	1	2	1	2
B20.8	1,055	1,094	147	2	B30.3	-	-	-	-	B37.6	9	13	5	13
B20.9	20	23	6	-	B30.8	-	-	-	-	B37.7	166	641	483	651
B21.0	92	91	6	-	B30.9	-	-	-	-	B37.8	32	175	144	201
B21.1	50	46	1	-	B33.0	-	-	-	-	B37.9	21	200	179	227
B21.2	389	374	11	-	B33.1	-	-	-	-	B38.0	4	11	7	13
B21.3	49	45	2	-	B33.2	54	67	13	67	B38.1	-	3	3	3
B21.7	28	28	5	-	B33.3	6	19	13	20	B38.2	27	42	16	42
B21.8	282	665	401	-	B33.8	10	16	6	18	B38.3	-	-	-	-
B21.9	56	65	13	-	B34.0	16	31	15	32	B38.4	6	10	4	11
B22.0	188	237	65	-	B34.1	9	10	1	10	B38.7	18	27	9	37
B22.1	-	-	-	-	B34.2	-	-	-	-	B38.8	-	1	1	1
B22.2	187	196	20	10	B34.3	1	5	4	7	B38.9	21	61	40	73
B22.7	877	1,094	269	-	B34.4	-	-	-	-	B39.0	-	-	-	-
B23.0	-	-	-	-	B34.8	50	86	36	86	B39.1	-	-	-	-
B23.1	1	1	-	-	B34.9	278	418	140	472	B39.2	6	15	9	11
B23.2	227	211	89	1	B35.0	-	-	-	-	B39.3	1	1	-	1
B23.8	1,843	2,697	1,157	1	B35.1	-	5	5	5	B39.4	-	-	-	-
B24	3,466	4,329	929	14,073	B35.2	-	-	-	-	B39.5	-	-	-	-
B25.0	36	88	55	102	B35.3	-	1	1	1	B39.9	24	93	69	157
B25.1	1	4	3	4	B35.4	-	1	1	1	B40.0	-	-	-	-
B25.2	-	-	-	-	B35.5	-	-	-	-	B40.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis		
	Total UC	Second-mention	Entity axis	Total UC	Second-mention	Entity axis	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	Total UC	
B40.2	8	18	10	18	B46.4	2	7	5	7	B57.1	-	-	-	-	
B40.3	1	2	1	2	B46.5	13	51	38	52	B57.2	1	2	1	3	
B40.7	2	2	-	2	B46.8	1	1	-	1	B57.3	1	1	-	-	
B40.8	-	2	2	2	B46.9	1	6	5	7	B57.4	-	-	-	-	
B40.9	21	36	15	36	B47.0	-	-	-	-	B57.5	-	-	-	-	
B41.0	-	-	-	-	B47.1	-	-	-	-	B58.0	-	-	-	-	
B41.7	-	-	-	-	B47.9	2	11	9	11	B58.1	-	-	-	-	
B41.8	-	-	-	-	B48.0	-	-	-	-	B58.2	7	18	12	77	
B41.9	-	1	1	1	B48.1	-	-	-	-	B58.3	-	1	1	-	
B42.0	-	-	-	-	B48.2	-	-	-	-	B58.8	2	6	5	33	
B42.1	-	-	-	-	B48.3	-	-	-	-	B58.9	5	29	24	88	
B42.7	-	-	-	-	B48.4	-	1	1	1	B59	132	350	219	962	
B42.8	-	-	-	-	B48.7	-	6	6	6	B60.0	4	6	2	6	
B42.9	1	2	1	2	B48.8	3	6	3	6	B60.1	-	-	-	-	
B43.0	-	-	-	-	B49	345	1,612	1,267	1,704	B60.2	2	2	-	2	
B43.1	-	-	-	-	B50.0	1	1	-	1	B60.8	-	2	2	2	
B43.2	-	-	-	-	B50.8	-	-	-	-	B64	-	-	-	-	
B43.8	-	-	-	-	B50.9	3	3	-	3	B65.0	-	-	-	-	
B43.9	-	-	-	-	B51.0	-	-	-	-	B65.1	-	-	-	-	
B44.0	8	35	27	38	B51.8	-	-	-	-	B65.2	-	-	-	-	
B44.1	108	401	293	349	B51.9	-	-	-	-	B65.3	-	-	-	-	
B44.2	-	-	-	-	B52.0	-	-	-	-	B65.8	-	-	-	-	
B44.7	3	29	26	30	B52.8	-	-	-	-	B65.9	1	2	1	2	
B44.8	1	17	16	17	B52.9	-	-	-	-	B66.0	-	-	-	-	
B44.9	44	247	203	330	B53.0	-	-	-	-	B66.1	-	-	-	-	
B45.0	9	28	19	36	B53.1	-	-	-	-	B66.2	-	-	-	-	
B45.1	73	175	105	393	B53.8	-	-	-	-	B66.3	-	-	-	-	
B45.2	-	-	-	-	B54	2	4	2	5	B66.4	-	-	-	-	
B45.3	-	-	-	-	B55.0	-	-	-	1	B66.5	-	-	-	-	
B45.7	11	35	24	72	B55.1	-	-	-	-	B66.8	-	-	-	-	
B45.8	-	-	-	-	B55.2	-	-	-	-	B66.9	-	-	-	-	
B45.9	7	37	31	61	B55.9	-	1	1	1	B67.0	-	-	-	-	
B46.0	1	9	8	9	B56.0	-	-	-	-	B67.1	-	-	-	-	
B46.1	3	7	4	7	B56.1	-	-	-	-	B67.2	-	-	-	-	
B46.2	-	2	2	2	B56.9	-	-	-	-	B67.3	-	-	-	-	
B46.3	-	1	1	1	B57.0	-	-	-	-	B67.4	-	-	-	-	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field						
	Record axis		Total mention	Second-ary		Record axis		Total mention	Second-ary		Record axis		Total mention	Second-ary	Entity axis		
	UC					UC					UC						
B67.5	-	-	-	-	B78.1	-	-	-	-	B88.3	-	-	-	-	-		
B67.6	-	-	-	-	B78.7	5	8	3	6	B88.8	-	-	-	-	-		
B67.7	-	-	-	-	B78.9	4	13	9	15	B88.9	-	-	-	-	-		
B67.8	-	-	-	-	B79	-	-	-	-	B89	4	6	2	6	-		
B67.9	-	-	-	-	B80	-	-	-	-	B90.0	-	-	-	-	-		
B68.0	-	-	-	-	B81.0	-	-	-	-	B90.1	-	-	-	-	-		
B68.1	-	-	-	-	B81.1	-	-	-	-	B90.2	-	2	2	2	-		
B68.9	-	-	-	-	B81.2	-	1	1	1	B90.8	-	1	1	1	-		
B69.0	4	7	3	7	B81.3	-	-	-	-	B90.9	71	200	129	200	-		
B69.1	-	-	-	-	B81.4	-	-	-	-	B91	350	996	646	996	-		
B69.8	-	-	-	-	B81.8	-	-	-	-	B92	-	-	-	-	-		
B69.9	2	4	2	4	B82.0	-	-	-	-	B94.0	-	-	-	-	-		
B70.0	-	-	-	-	B82.9	1	1	-	1	B94.1	9	15	6	15	-		
B70.1	-	-	-	-	B83.0	-	-	-	-	B94.2	2,008	2,751	743	2,751	-		
B71.0	-	-	-	-	B83.1	-	-	-	-	B94.8	639	1,449	810	1,449	-		
B71.1	-	-	-	-	B83.2	-	-	-	-	B94.9	4	13	9	14	-		
B71.8	-	-	-	-	B83.3	-	-	-	-	B99	307	1,213	908	1,710	-		
B71.9	-	-	-	-	B83.4	-	-	-	-	C00.0	-	1	1	1	-		
B72	-	-	-	-	B83.8	-	-	-	-	C00.1	9	14	5	14	-		
B73	-	-	-	-	B83.9	-	-	-	-	C00.2	-	-	-	-	-		
B74.0	-	-	-	-	B85.0	-	-	-	-	C00.3	-	-	-	-	-		
B74.1	-	-	-	-	B85.1	-	-	-	-	C00.4	-	-	-	-	-		
B74.2	-	-	-	-	B85.2	-	-	-	-	C00.5	-	-	-	-	-		
B74.3	-	-	-	-	B85.3	-	-	-	-	C00.6	-	-	-	-	-		
B74.4	-	-	-	-	B85.4	-	-	-	-	C00.8	-	-	-	-	-		
B74.8	-	-	-	-	B86	-	6	6	6	C00.9	51	73	22	74	-		
B74.9	-	-	-	-	B87.0	-	-	-	-	C01	144	162	18	162	-		
B75	-	-	-	-	B87.1	-	-	-	-	C02.0	-	-	-	-	-		
B76.0	-	-	-	-	B87.2	-	-	-	-	C02.1	-	-	-	-	-		
B76.1	-	-	-	-	B87.3	-	-	-	-	C02.2	-	-	-	-	-		
B76.8	-	-	-	-	B87.4	-	-	-	-	C02.3	-	2	2	2	-		
B76.9	-	-	-	-	B87.8	-	-	-	-	C02.4	1	1	-	1	-		
B77.0	-	-	-	-	B87.9	1	4	3	4	C02.8	-	-	-	-	-		
B77.8	-	-	-	-	B88.0	-	-	-	-	C02.9	1,803	2,177	381	2,190	-		
B77.9	-	-	-	-	B88.1	-	-	-	-	C03.0	8	15	7	15	-		
B78.0	-	-	-	-	B88.2	-	-	-	-	C03.1	3	7	4	7	-		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis			
C03.9	40	53	13	53	C11.9	603	680	78	683	C18.3	7	10	3	10
C04.0	-	-	-	-	C12	83	94	11	94	C18.4	42	57	15	57
C04.1	-	-	-	-	C13.0	3	3	-	3	C18.5	11	11	-	11
C04.8	-	-	-	-	C13.1	-	1	1	1	C18.6	57	71	14	71
C04.9	135	162	27	162	C13.2	-	-	-	-	C18.7	331	408	77	417
C05.0	40	44	4	44	C13.8	1	1	-	1	C18.8	-	-	-	-
C05.1	50	77	27	77	C13.9	194	239	45	240	C18.9	42,657	51,026	8,394	51,325
C05.2	11	17	6	17	C14.0	1,612	2,174	565	2,196	C19	2,490	2,698	212	2,510
C05.8	1	1	-	1	C14.2	1	1	-	1	C20	6,190	7,157	990	7,411
C05.9	68	94	26	94	C14.8	-	-	-	-	C21.0	485	576	106	619
C06.0	22	28	6	28	C15.0	8	8	-	8	C21.1	48	54	7	56
C06.1	-	-	-	-	C15.1	5	6	1	6	C21.2	8	9	1	9
C06.2	27	33	6	33	C15.2	-	-	-	-	C21.8	42	45	3	45
C06.8	-	1	1	1	C15.3	6	6	-	6	C22.0	6,528	7,119	640	7,198
C06.9	848	1,066	218	1,132	C15.4	-	-	-	-	C22.1	3,531	3,685	161	3,692
C07	517	622	105	622	C15.5	68	74	6	78	C22.2	32	35	3	35
C08.0	33	42	9	42	C15.8	-	-	-	-	C22.3	23	26	3	26
C08.1	1	1	-	1	C15.9	13,412	14,590	1,194	14,739	C22.4	4	5	1	5
C08.8	-	-	-	-	C16.0	749	803	54	681	C22.7	1	-	-	-
C08.9	150	171	21	173	C16.1	3	3	-	3	C22.9	5,957	6,401	465	6,439
C09.0	18	23	5	23	C16.2	1	1	-	1	C23	1,989	2,105	117	2,106
C09.1	5	5	-	5	C16.3	4	6	2	6	C24.0	679	753	74	753
C09.8	-	-	-	-	C16.4	2	2	-	2	C24.1	159	178	19	178
C09.9	624	747	124	751	C16.5	1	1	-	1	C24.8	2	2	-	2
C10.0	6	8	2	8	C16.6	1	1	-	1	C24.9	624	720	96	746
C10.1	1	1	-	1	C16.8	-	-	-	-	C25.0	113	123	10	124
C10.2	-	-	-	-	C16.9	10,753	11,726	983	11,876	C25.1	8	9	1	9
C10.3	-	-	-	-	C17.0	595	660	65	660	C25.2	16	20	4	20
C10.4	1	2	1	2	C17.1	35	39	4	39	C25.3	18	19	1	19
C10.8	-	-	-	-	C17.2	43	56	13	56	C25.4	104	111	7	111
C10.9	647	749	102	751	C17.3	-	-	-	-	C25.7	1	1	-	1
C11.0	-	-	-	-	C17.8	-	-	-	-	C25.8	1	1	-	1
C11.1	12	15	3	15	C17.9	444	494	50	500	C25.9	32,499	33,749	1,270	33,786
C11.2	-	-	-	-	C18.0	285	362	77	362	C26.0	338	417	79	424
C11.3	-	-	-	-	C18.1	311	337	26	338	C26.1	17	29	12	29
C11.8	-	-	-	-	C18.2	288	357	69	357	C26.8	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis			Entity axis		Record axis			Entity axis		Record axis			Entity axis		
	Total	Second-	UC	mention		ary	axis	Total			Second-	UC	mention	ary	axis	
C26.9	670	574	57	597	C40.8	-	-	-	-	C46.2	-	-	-	-	-	
C30.0	37	45	8	45	C40.9	1	1	-	1	C46.3	-	-	-	-	-	
C30.1	7	10	3	10	C41.0	59	68	9	68	C46.7	3	7	4	30	-	
C31.0	170	186	16	186	C41.1	105	134	29	134	C46.8	-	-	-	-	-	
C31.1	26	28	2	28	C41.2	115	146	31	147	C46.9	44	91	47	235	-	
C31.2	2	3	1	3	C41.3	7	11	4	11	C47.0	2	2	-	2	-	
C31.3	10	14	4	14	C41.4	63	75	12	75	C47.1	1	3	2	3	-	
C31.8	-	-	-	-	C41.8	1	1	-	1	C47.2	3	4	1	4	-	
C31.9	232	264	33	264	C41.9	958	1,058	100	1,066	C47.3	-	-	-	-	-	
C32.0	90	139	49	139	C43.0	2	2	-	2	C47.4	1	1	-	1	-	
C32.1	193	246	55	249	C43.1	4	8	4	8	C47.5	3	3	-	3	-	
C32.2	9	12	3	12	C43.2	17	20	3	20	C47.6	-	-	-	-	-	
C32.3	4	6	2	6	C43.3	69	88	19	88	C47.8	-	-	-	-	-	
C32.8	-	-	-	-	C43.4	116	135	20	136	C47.9	89	96	7	98	-	
C32.9	3,501	4,600	1,106	4,633	C43.5	178	195	17	195	C48.0	238	287	49	287	-	
C33	72	94	22	94	C43.6	101	118	18	119	C48.1	25	40	15	40	-	
C34.0	33	42	9	42	C43.7	126	144	18	144	C48.2	623	670	47	672	-	
C34.1	553	634	82	635	C43.8	2	2	-	2	C48.8	-	-	-	-	-	
C34.2	35	45	10	45	C43.9	7,730	8,525	803	8,886	C49.0	84	95	12	96	-	
C34.3	227	267	40	267	C44.0	5	9	4	9	C49.1	51	72	21	72	-	
C34.8	3	4	1	4	C44.1	8	18	10	18	C49.2	243	288	45	288	-	
C34.9	158,369	167,866	9,690	168,238	C44.2	110	166	56	166	C49.3	83	95	12	95	-	
C37	193	215	22	216	C44.3	214	343	129	347	C49.4	279	303	24	304	-	
C38.0	74	95	21	95	C44.4	1,035	1,291	260	1,300	C49.5	104	119	15	119	-	
C38.1	2	3	1	3	C44.5	41	63	22	63	C49.6	13	16	3	16	-	
C38.2	-	-	-	-	C44.6	40	53	13	53	C49.8	-	-	-	-	-	
C38.3	99	116	17	116	C44.7	44	67	24	68	C49.9	2,819	3,231	417	3,382	-	
C38.4	67	86	19	86	C44.8	-	-	-	-	C50.0	5	7	2	7	-	
C38.8	1	1	-	1	C44.9	956	1,547	591	1,634	C50.1	-	-	-	-	-	
C39.0	2	2	-	2	C45.0	174	186	12	186	C50.2	-	-	-	-	-	
C39.8	-	-	-	-	C45.1	98	107	9	107	C50.3	-	-	-	-	-	
C39.9	11	17	6	18	C45.2	1	1	-	1	C50.4	-	-	-	-	-	
C40.0	21	21	-	21	C45.7	306	325	19	325	C50.5	-	-	-	-	-	
C40.1	-	-	-	-	C45.9	1,974	2,096	125	2,104	C50.6	-	-	-	-	-	
C40.2	59	71	12	71	C46.0	-	1	1	1	C50.8	1	2	1	2	-	
C40.3	2	3	1	3	C46.1	-	-	-	-	C50.9	41,485	50,650	9,183	50,687	-	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
C51.0	11	14	3	C63.0	-	-	-	C71.1	94	101	7	101
C51.1	-	1	1	C63.1	2	2	-	C71.2	73	79	6	79
C51.2	-	1	1	C63.2	9	10	1	C71.3	44	50	6	50
C51.8	-	-	-	C63.7	2	3	1	C71.4	17	19	2	19
C51.9	798	949	152	C63.8	-	-	-	C71.5	14	15	1	15
C52	382	461	79	C63.9	20	26	6	C71.6	164	180	16	181
C53.0	33	36	4	C64	12,367	14,393	2,039	C71.7	224	229	5	229
C53.1	-	-	-	C65	150	165	15	C71.8	15	16	1	16
C53.8	-	-	-	C66	347	459	112	C71.9	12,072	12,562	494	12,589
C53.9	3,891	4,315	440	C67.0	-	1	1	C72.0	51	63	12	63
C54.0	1	1	-	C67.1	1	1	-	C72.1	2	3	1	3
C54.1	3,192	3,654	463	C67.2	1	3	2	C72.2	-	-	-	-
C54.2	-	-	-	C67.3	-	-	-	C72.3	4	10	6	10
C54.3	-	-	-	C67.4	-	-	-	C72.4	1	3	2	3
C54.8	-	-	-	C67.5	4	6	2	C72.5	5	6	1	6
C54.9	66	71	5	C67.6	1	1	-	C72.8	-	-	-	-
C55	3,837	4,587	750	C67.7	21	23	2	C72.9	41	59	18	63
C56	14,787	15,813	1,028	C67.8	1	1	-	C73	1,462	1,839	378	1,841
C57.0	163	179	16	C67.9	13,224	17,312	4,092	C74.0	74	75	2	76
C57.1	-	-	-	C68.0	181	208	28	C74.1	34	38	4	38
C57.2	-	-	-	C68.1	-	-	-	C74.9	452	521	69	522
C57.3	-	-	-	C68.8	-	-	-	C75.0	20	22	2	22
C57.4	2	2	-	C68.9	106	66	14	C75.1	32	41	9	41
C57.7	8	9	1	C69.0	1	3	2	C75.2	2	2	-	2
C57.8	3	3	-	C69.1	1	1	-	C75.3	19	21	2	21
C57.9	69	76	8	C69.2	20	32	12	C75.4	2	3	1	3
C58	16	16	-	C69.3	11	16	5	C75.5	19	22	3	22
C60.0	-	-	-	C69.4	1	3	2	C75.8	1	1	-	1
C60.1	-	-	-	C69.5	13	13	-	C75.9	45	56	11	56
C60.2	-	-	-	C69.6	54	71	17	C76.0	561	754	194	756
C60.8	-	-	-	C69.8	-	-	-	C76.1	83	114	31	115
C60.9	217	275	59	C69.9	151	227	76	C76.2	745	840	95	840
C61	28,905	41,586	12,696	C70.0	17	23	6	C76.3	222	265	43	266
C62.0	1	1	-	C70.1	1	1	-	C76.4	10	14	4	14
C62.1	-	-	-	C70.9	91	118	27	C76.5	33	46	13	46
C62.9	358	470	114	C71.0	222	239	18	C76.7	111	145	34	145

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
C76.8	1	1	-	C82.2	13	16	3	C91.4	116	174	58	174
C77.0	6	62	56	C82.7	3	3	-	C91.5	63	79	16	79
C77.1	2	53	51	C82.9	206	261	55	C91.7	-	1	1	1
C77.2	2	81	79	C83.0	250	344	94	C91.9	187	257	70	263
C77.3	-	17	17	C83.1	572	649	77	C92.0	7,922	8,390	469	8,454
C77.4	-	9	9	C83.2	21	26	5	C92.1	1,067	1,371	305	1,373
C77.5	-	7	7	C83.3	961	1,121	161	C92.2	1	1	-	1
C77.8	-	1	1	C83.4	7	9	2	C92.3	16	21	5	21
C77.9	23	770	747	C83.5	76	78	2	C92.4	126	141	15	141
C78.0	323	15,750	15,427	C83.6	2	2	-	C92.5	192	223	31	223
C78.1	17	296	279	C83.7	256	285	30	C92.7	389	450	61	450
C78.2	145	2,123	1,978	C83.8	40	51	11	C92.9	238	264	26	276
C78.3	3	134	131	C83.9	33	37	4	C93.0	104	109	5	110
C78.4	-	95	95	C84.0	85	115	30	C93.1	7	12	5	12
C78.5	45	1,456	1,411	C84.1	10	14	4	C93.2	-	-	-	-
C78.6	400	1,731	1,331	C84.2	1	1	-	C93.7	-	-	-	-
C78.7	2,219	19,164	16,951	C84.3	1	1	-	C93.9	20	24	5	25
C78.8	46	1,154	1,108	C84.4	49	59	10	C94.0	19	25	6	25
C79.0	9	448	439	C84.5	755	868	114	C94.1	-	-	-	-
C79.1	10	509	499	C85.0	33	40	7	C94.2	8	8	-	8
C79.2	14	357	343	C85.1	1,544	1,763	219	C94.3	2	2	-	2
C79.3	783	14,990	14,210	C85.7	9	12	3	C94.4	-	-	-	-
C79.4	9	739	730	C85.9	15,934	19,683	3,754	C94.5	3	6	3	6
C79.5	429	10,265	9,836	C88.0	349	516	168	C94.7	28	33	5	33
C79.6	7	251	244	C88.1	-	-	-	C95.0	2,225	2,409	184	2,493
C79.7	-	553	553	C88.2	-	-	-	C95.1	184	295	111	295
C79.8	3,121	9,042	5,929	C88.3	-	-	-	C95.2	-	-	-	-
C80	26,371	26,465	2,816	C88.7	-	-	-	C95.7	6	8	2	8
C81.0	1	1	-	C88.9	-	1	1	C95.9	2,776	3,492	716	3,689
C81.1	19	23	4	C90.0	10,657	12,538	1,881	C96.0	-	-	-	-
C81.2	4	4	-	C90.1	93	142	49	C96.1	10	10	-	10
C81.3	1	1	-	C90.2	101	169	68	C96.2	6	8	2	8
C81.7	1	1	-	C91.0	1,460	1,591	131	C96.3	-	-	-	-
C81.9	1,246	1,719	474	C91.1	4,391	6,638	2,247	C96.7	1	2	1	2
C82.0	8	8	-	C91.2	-	-	-	C96.9	43	66	23	83
C82.1	4	5	1	C91.3	73	90	17	C97	4,358	3	-	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
D00.0	-	-	-	D05.0	-	-	-	D12.3	-	-	-	-
D00.1	1	5	4	D05.1	1	3	2	D12.4	-	-	-	-
D00.2	1	1	-	D05.7	-	-	-	D12.5	1	2	1	2
D01.0	-	4	4	D05.9	2	9	7	D12.6	27	105	78	105
D01.1	-	1	1	D06.0	-	-	-	D12.7	1	2	1	2
D01.2	-	-	-	D06.1	-	-	-	D12.8	1	3	2	3
D01.3	-	-	-	D06.7	-	-	-	D12.9	-	-	-	-
D01.4	-	-	-	D06.9	-	-	-	D13.0	-	1	1	1
D01.5	2	2	-	D07.0	-	-	-	D13.1	9	15	6	15
D01.7	-	1	1	D07.1	1	2	1	D13.2	4	7	3	7
D01.9	-	-	-	D07.2	-	-	-	D13.3	1	2	1	2
D02.0	1	3	2	D07.3	-	1	1	D13.4	7	11	4	11
D02.1	-	-	-	D07.4	-	-	-	D13.5	4	5	1	5
D02.2	4	6	2	D07.5	-	1	1	D13.6	7	13	6	13
D02.3	-	-	-	D07.6	-	-	-	D13.7	18	35	17	35
D02.4	-	-	-	D09.0	2	2	-	D13.9	-	-	-	-
D03.0	-	-	-	D09.1	-	-	-	D14.0	4	4	-	4
D03.1	-	-	-	D09.2	-	-	-	D14.1	2	5	3	5
D03.2	-	-	-	D09.3	-	-	-	D14.2	-	1	1	1
D03.3	-	-	-	D09.7	-	-	-	D14.3	7	11	4	11
D03.4	-	-	-	D09.9	-	1	1	D14.4	-	-	-	-
D03.5	-	-	-	D10.0	-	-	-	D15.0	31	65	34	65
D03.6	-	-	-	D10.1	-	-	-	D15.1	55	111	56	111
D03.7	-	-	-	D10.2	-	-	-	D15.2	-	-	-	-
D03.8	1	3	2	D10.3	1	1	-	D15.7	1	1	-	1
D03.9	-	1	1	D10.4	-	-	-	D15.9	-	-	-	-
D04.0	-	-	-	D10.5	-	1	1	D16.0	-	1	1	1
D04.1	-	-	-	D10.6	1	2	1	D16.1	-	-	-	-
D04.2	-	-	-	D10.7	-	-	-	D16.2	-	-	-	-
D04.3	-	-	-	D10.9	-	2	2	D16.3	-	-	-	-
D04.4	-	-	-	D11.0	1	5	4	D16.4	1	3	2	3
D04.5	-	-	-	D11.7	1	1	-	D16.5	5	8	3	8
D04.6	-	-	-	D11.9	1	3	2	D16.6	1	4	3	4
D04.7	-	-	-	D12.0	2	4	2	D16.7	-	-	-	-
D04.8	-	-	-	D12.1	-	-	-	D16.8	-	-	-	-
D04.9	1	2	1	D12.2	1	1	-	D16.9	1	3	2	3

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
D17.0	-	1	1	D23.2	-	-	-	D31.0	-	-	-	-
D17.1	-	-	-	D23.3	-	-	-	D31.1	-	-	-	-
D17.2	-	-	-	D23.4	-	-	-	D31.2	-	-	-	-
D17.3	-	-	-	D23.5	1	1	-	D31.3	1	1	-	1
D17.4	1	2	1	D23.6	-	-	-	D31.4	1	2	1	2
D17.5	1	2	1	D23.7	4	4	-	D31.5	-	-	-	-
D17.6	-	-	-	D23.9	11	20	9	D31.6	1	1	-	1
D17.7	5	17	12	D24	2	4	2	D31.9	-	-	-	-
D17.9	9	20	11	D25.0	-	-	-	D32.0	186	290	104	290
D18.0	52	98	46	D25.1	-	1	1	D32.1	2	4	2	4
D18.1	23	63	40	D25.2	-	-	-	D32.9	547	976	429	980
D19.0	2	2	-	D25.9	28	72	44	D33.0	12	14	2	14
D19.1	-	1	1	D26.0	-	-	-	D33.1	5	9	4	9
D19.7	-	-	-	D26.1	-	-	-	D33.2	65	105	40	105
D19.9	1	1	-	D26.7	-	-	-	D33.3	25	68	43	68
D20.0	-	-	-	D26.9	3	6	3	D33.4	4	4	-	4
D20.1	1	1	-	D27	10	27	17	D33.7	-	-	-	-
D21.0	-	-	-	D28.0	-	-	-	D33.9	1	1	-	1
D21.1	-	-	-	D28.1	-	-	-	D34	1	13	12	13
D21.2	-	-	-	D28.2	-	-	-	D35.0	39	91	52	91
D21.3	-	1	1	D28.7	-	1	1	D35.1	6	45	39	45
D21.4	-	-	-	D28.9	-	-	-	D35.2	73	189	116	189
D21.5	-	-	-	D29.0	-	-	-	D35.3	-	-	-	-
D21.6	-	-	-	D29.1	-	1	1	D35.4	1	1	-	1
D21.9	19	40	21	D29.2	-	1	1	D35.5	-	-	-	-
D22.0	-	-	-	D29.3	-	-	-	D35.6	-	-	-	-
D22.1	-	-	-	D29.4	-	1	1	D35.7	-	-	-	-
D22.2	-	-	-	D29.7	-	-	-	D35.8	-	-	-	-
D22.3	-	-	-	D29.9	-	-	-	D35.9	-	-	-	-
D22.4	-	-	-	D30.0	3	7	4	D36.0	-	-	-	-
D22.5	-	1	1	D30.1	-	-	-	D36.1	19	37	18	37
D22.6	-	-	-	D30.2	-	1	1	D36.7	1	3	2	3
D22.7	-	-	-	D30.3	-	-	-	D36.9	18	62	44	64
D22.9	-	4	4	D30.4	-	-	-	D37.0	66	98	32	106
D23.0	-	-	-	D30.7	-	-	-	D37.1	81	106	25	109
D23.1	-	-	-	D30.9	-	-	-	D37.2	22	35	13	35

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
D37.3	3	12	9	D43.4	37	52	15	D50.0	109	550	481	550	
D37.4	102	166	64	D43.7	1	1	-	D50.1	-	-	-	-	
D37.5	27	41	14	D43.9	34	42	8	D50.8	8	61	54	60	
D37.6	193	261	68	D44.0	7	23	16	D50.9	60	664	609	664	
D37.7	210	303	93	D44.1	9	20	11	D51.0	55	686	631	686	
D37.9	53	62	9	D44.2	-	2	2	D51.1	-	5	5	-	
D38.0	21	33	12	D44.3	84	167	83	D51.2	-	-	-	-	
D38.1	599	831	232	D44.4	57	86	29	D51.3	-	2	2	2	
D38.2	2	3	1	D44.5	7	13	6	D51.8	-	-	-	-	
D38.3	46	65	19	D44.6	3	6	3	D51.9	2	15	13	15	
D38.4	1	1	-	D44.7	8	14	6	D52.0	-	-	-	-	
D38.5	10	16	6	D44.8	1	5	4	D52.1	-	-	-	-	
D38.6	2	3	1	D44.9	8	17	9	D52.8	-	1	1	1	
D39.0	31	49	18	D45	290	982	692	D52.9	7	64	57	64	
D39.1	46	90	44	D46.0	-	-	-	D53.0	15	1	-	-	
D39.2	2	2	-	D46.1	3	7	4	D53.1	4	18	14	18	
D39.7	6	7	1	D46.2	16	21	5	D53.2	-	-	-	-	
D39.9	3	5	2	D46.3	-	2	2	D53.8	-	2	2	2	
D40.0	19	34	15	D46.4	107	190	83	D53.9	24	44	42	45	
D40.1	4	8	4	D46.7	7	17	10	D55.0	1	3	2	3	
D40.7	-	-	-	D46.9	4,680	8,718	4,041	8,858	D55.1	-	-	-	-
D40.9	1	1	-	D47.0	-	-	-	D55.2	-	-	-	-	
D41.0	68	155	87	D47.1	1,354	2,280	926	2,280	D55.3	-	-	-	-
D41.1	-	-	-	D47.2	77	262	185	262	D55.8	-	-	-	-
D41.2	2	5	3	D47.3	14	48	34	D55.9	-	-	-	-	
D41.3	2	4	2	D47.7	7	10	3	D56.0	3	5	2	5	
D41.4	92	203	111	D47.9	101	171	71	D56.1	16	35	19	35	
D41.7	-	-	-	D48.0	38	84	46	D56.2	1	1	-	1	
D41.9	1	2	1	D48.1	185	242	57	D56.3	-	5	5	5	
D42.0	2	5	3	D48.2	8	12	4	D56.4	-	1	1	1	
D42.1	-	-	-	D48.3	15	27	12	D56.8	3	3	2	3	
D42.9	12	20	8	D48.4	3	9	6	D56.9	13	95	82	95	
D43.0	147	188	41	D48.5	7	21	14	D57.0	97	111	14	111	
D43.1	96	113	17	D48.6	57	79	22	D57.1	382	662	280	662	
D43.2	2,639	3,136	497	3,776	D48.7	241	381	140	D57.2	8	14	6	14
D43.3	1	4	3	D48.9	235	352	117	D57.3	7	55	48	55	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
D57.8	-	-	-	D68.0	12	61	49	61	D75.8	82	536	454	537
D58.0	3	16	13	D68.1	-	2	2	2	D75.9	55	197	142	275
D58.1	-	3	3	D68.2	52	161	109	161	D76.0	25	45	20	45
D58.2	5	15	10	D68.3	-	-	-	-	D76.1	18	28	10	28
D58.8	-	-	-	D68.4	10	40	30	40	D76.2	6	8	2	8
D58.9	153	456	303	D68.8	108	313	205	314	D76.3	24	32	8	32
D59.0	-	-	-	D68.9	993	5,329	4,336	5,472	D80.0	4	5	1	5
D59.1	105	295	190	D69.0	4	17	13	17	D80.1	19	87	68	87
D59.2	-	3	3	D69.1	3	9	6	9	D80.2	2	9	7	9
D59.3	30	69	39	D69.2	3	23	20	25	D80.3	3	11	8	11
D59.4	8	127	119	D69.3	304	767	463	767	D80.4	1	4	3	4
D59.5	12	28	16	D69.4	42	96	54	96	D80.5	-	1	1	1
D59.6	-	-	-	D69.5	55	942	887	952	D80.6	-	-	-	-
D59.8	-	1	1	D69.6	454	3,729	3,275	3,749	D80.7	-	-	-	-
D59.9	17	38	21	D69.8	1	1	-	1	D80.8	1	2	1	2
D60.0	-	-	-	D69.9	31	139	108	145	D80.9	6	14	8	14
D60.1	-	-	-	D70	323	2,560	2,237	2,564	D81.0	-	-	-	-
D60.8	-	-	-	D71	13	24	11	24	D81.1	-	-	-	-
D60.9	7	32	25	D72.0	1	1	-	1	D81.2	-	-	-	-
D61.0	14	28	14	D72.1	14	36	22	36	D81.3	1	1	-	1
D61.1	-	2	2	D72.8	76	476	400	476	D81.4	-	-	-	-
D61.2	-	3	3	D72.9	1	5	4	5	D81.5	-	-	-	-
D61.3	4	4	-	D73.0	2	9	7	9	D81.6	-	-	-	-
D61.8	-	2	2	D73.1	30	178	148	178	D81.7	-	-	-	-
D61.9	901	4,190	3,289	D73.2	1	18	17	18	D81.8	-	1	1	1
D62	30	180	150	D73.3	7	27	20	27	D81.9	18	29	11	30
D64.0	-	-	-	D73.4	-	2	2	2	D82.0	8	18	10	5
D64.1	1	1	-	D73.5	45	204	159	205	D82.1	10	42	32	42
D64.2	-	-	-	D73.8	5	42	37	42	D82.2	-	-	-	-
D64.3	38	109	71	D73.9	41	146	105	149	D82.3	5	8	3	8
D64.4	-	-	-	D74.0	-	-	-	-	D82.4	-	-	-	-
D64.8	47	90	44	D74.8	-	-	-	-	D82.8	-	-	-	-
D64.9	2,434	39,929	37,495	D74.9	-	2	2	2	D82.9	-	-	-	-
D65	531	3,319	2,788	D75.0	1	2	1	2	D83.0	-	-	-	-
D66	85	183	98	D75.1	4	58	54	58	D83.1	-	-	-	-
D67	4	15	11	D75.2	31	159	128	159	D83.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis			
	UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		
D83.8	-	-	-	-	E04.2	11	57	46	60	E11.4	128	306	181	2		
D83.9	11	26	15	26	E04.8	-	-	-	-	E11.5	1,798	3,911	2,133	2		
D84.0	-	-	-	-	E04.9	46	271	225	279	E11.6	46	141	96	1		
D84.1	15	23	8	23	E05.0	46	192	146	187	E11.7	176	291	117	3		
D84.8	2	7	5	7	E05.1	-	-	-	-	E11.8	1	1	-	3		
D84.9	394	1,010	616	1,048	E05.2	6	25	19	22	E11.9	13,877	51,905	38,054	57,681		
D86.0	138	184	46	188	E05.3	-	-	-	-	E12.0	-	-	-	-		
D86.1	-	-	-	-	E05.4	-	-	-	-	E12.1	-	-	-	-		
D86.2	-	-	-	-	E05.5	28	35	7	35	E12.2	-	-	-	-		
D86.3	-	1	1	1	E05.8	1	2	1	2	E12.3	-	-	-	-		
D86.8	77	94	21	75	E05.9	228	1,250	1,022	1,287	E12.4	-	-	-	-		
D86.9	703	1,241	538	1,281	E06.0	-	1	1	1	E12.5	-	-	-	-		
D89.0	5	20	15	20	E06.1	-	1	1	1	E12.6	-	-	-	-		
D89.1	28	76	48	76	E06.2	-	-	-	-	E12.7	-	-	-	-		
D89.2	5	33	28	33	E06.3	7	48	41	48	E12.8	-	-	-	-		
D89.8	1	1	-	1	E06.4	-	-	-	-	E12.9	-	4	4	4		
D89.9	13	30	17	30	E06.5	1	21	20	21	E13.0	-	-	-	-		
E00.0	-	-	-	-	E06.9	2	29	27	29	E13.1	1	1	-	1		
E00.1	-	-	-	-	E07.0	-	-	-	-	E13.2	-	-	-	-		
E00.2	-	-	-	-	E07.1	-	-	-	-	E13.3	-	-	-	-		
E00.9	-	3	3	3	E07.8	-	9	9	9	E13.4	-	-	-	-		
E01.0	-	-	-	-	E07.9	38	247	209	264	E13.5	1	1	-	-		
E01.1	1	1	-	1	E10.0	43	56	14	1	E13.6	-	1	1	1		
E01.2	-	-	-	-	E10.1	175	211	37	1	E13.7	-	-	-	-		
E01.8	-	-	-	-	E10.2	143	222	80	2	E13.8	-	6	6	6		
E02	-	1	1	1	E10.3	15	18	4	1	E13.9	9	78	69	79		
E03.0	-	-	-	-	E10.4	52	92	40	-	E14.0	345	512	168	364		
E03.1	6	16	10	16	E10.5	567	1,055	494	-	E14.1	1,632	2,246	615	1,791		
E03.2	1	2	1	2	E10.6	25	40	15	2	E14.2	1,280	2,247	967	1,434		
E03.3	-	-	-	-	E10.7	87	143	57	1	E14.3	13	41	28	76		
E03.4	1	47	46	47	E10.8	-	-	-	-	E14.4	255	624	371	373		
E03.5	22	10	1	10	E10.9	4,382	11,313	6,940	13,144	E14.5	5,071	10,259	5,236	322		
E03.8	-	1	1	1	E11.0	75	111	38	3	E14.6	185	461	277	81		
E03.9	1,528	19,966	18,437	19,969	E11.1	114	260	146	1	E14.7	417	633	219	2		
E04.0	-	-	-	-	E11.2	397	736	341	-	E14.8	14	23	9	27		
E04.1	3	29	26	29	E11.3	9	33	24	-	E14.9	43,786	145,743	102,032	161,203		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis			
	UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		
E15	19	28	14	85	E25.0	11	22	11	22	E32.9	-	1	1	1		
E16.0	5	14	9	14	E25.8	-	-	-	-	E34.0	59	105	46	105		
E16.1	2	12	10	12	E25.9	-	1	1	1	E34.1	-	-	-	-		
E16.2	249	1,602	1,353	1,605	E26.0	4	10	6	10	E34.2	1	1	-	1		
E16.3	-	-	-	-	E26.1	-	-	-	-	E34.3	11	43	32	43		
E16.4	7	21	14	21	E26.8	1	2	1	2	E34.4	-	-	-	-		
E16.8	-	-	-	-	E26.9	3	12	9	13	E34.5	-	-	-	-		
E16.9	-	-	-	-	E27.0	1	1	-	1	E34.8	3	5	2	5		
E20.0	-	1	1	1	E27.1	98	358	260	358	E34.9	1	6	5	12		
E20.1	-	-	-	-	E27.2	12	41	29	41	E40	1	7	6	8		
E20.8	-	1	1	1	E27.3	-	-	-	-	E41	118	845	727	312		
E20.9	8	72	64	72	E27.4	114	872	758	882	E42	1	2	1	1		
E21.0	5	16	11	16	E27.5	-	1	1	1	E43	327	943	617	952		
E21.1	-	7	7	7	E27.8	3	18	15	18	E44.0	3	17	14	17		
E21.2	-	-	-	-	E27.9	16	97	81	105	E44.1	-	4	4	4		
E21.3	87	463	376	463	E28.0	-	-	-	-	E45	206	207	1	1		
E21.4	1	1	-	1	E28.1	-	-	-	-	E46	2,347	17,760	15,415	18,569		
E21.5	3	12	9	12	E28.2	2	9	7	9	E50.0	-	-	-	-		
E22.0	7	44	37	44	E28.3	-	3	3	3	E50.1	-	-	-	-		
E22.1	-	-	-	-	E28.8	-	-	-	-	E50.2	-	-	-	-		
E22.2	57	341	284	341	E28.9	-	-	-	-	E50.3	-	-	-	-		
E22.8	-	-	-	-	E29.0	-	1	1	1	E50.4	-	-	-	-		
E22.9	-	1	1	1	E29.1	1	28	27	28	E50.5	-	-	-	-		
E23.0	92	420	328	420	E29.8	-	-	-	-	E50.6	-	-	-	-		
E23.1	-	-	-	-	E29.9	-	-	-	-	E50.7	-	-	-	-		
E23.2	50	195	145	195	E30.0	-	-	-	-	E50.8	-	-	-	-		
E23.3	1	11	10	11	E30.1	-	-	-	-	E50.9	-	-	-	-		
E23.6	8	19	11	19	E30.8	-	-	-	-	E51.1	1	2	1	2		
E23.7	15	26	11	28	E30.9	-	-	-	-	E51.2	9	62	53	62		
E24.0	-	-	-	-	E31.0	3	8	5	8	E51.8	-	-	-	-		
E24.1	-	-	-	-	E31.1	-	-	-	-	E51.9	1	2	1	3		
E24.2	1	12	11	12	E31.8	-	-	-	-	E52	-	-	-	-		
E24.3	-	2	2	2	E31.9	-	1	1	1	E53.0	-	2	2	2		
E24.4	-	-	-	-	E32.0	1	6	5	6	E53.1	-	-	-	-		
E24.8	-	-	-	-	E32.1	-	-	-	-	E53.8	27	448	421	450		
E24.9	18	97	79	99	E32.8	-	1	1	1	E53.9	1	8	7	8		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
E54	-	7	7	E67.0	-	-	-	E75.1	6	8	2	8	
E55.0	1	9	8	E67.1	-	-	-	E75.2	140	184	44	184	
E55.9	3	9	6	E67.2	-	-	-	E75.3	-	-	-	-	
E56.0	-	-	-	E67.3	-	-	-	E75.4	29	32	3	32	
E56.1	-	4	4	E67.8	-	-	-	E75.5	4	5	1	5	
E56.8	-	3	3	E68	-	1	1	E75.6	12	32	20	32	
E56.9	-	9	9	E70.0	-	-	-	E76.0	9	11	2	11	
E58	-	-	-	E70.1	3	5	2	E76.1	26	27	1	27	
E59	-	-	-	E70.2	2	4	2	E76.2	20	26	6	26	
E60	-	-	-	E70.3	2	9	7	E76.3	9	13	4	13	
E61.0	-	-	-	E70.8	-	-	-	E76.8	-	-	-	-	
E61.1	8	148	140	148	E70.9	-	-	E76.9	-	-	-	-	
E61.2	-	-	-	E71.0	-	-	-	E77.0	8	8	-	8	
E61.3	-	-	-	E71.1	13	14	1	E77.1	6	6	-	6	
E61.4	-	-	-	E71.2	-	-	-	E77.8	25	145	120	145	
E61.5	1	1	-	E71.3	42	55	13	E77.9	1	1	-	1	
E61.6	-	-	-	E72.0	8	19	11	E78.0	1,831	9,160	7,329	9,173	
E61.7	-	-	-	E72.1	12	40	28	E78.1	50	146	96	159	
E61.8	-	2	2	E72.2	39	74	35	E78.2	25	85	60	72	
E61.9	-	-	-	E72.3	6	7	1	E78.3	-	1	1	1	
E63.0	1	1	-	E72.4	6	14	8	E78.4	1	3	2	3	
E63.1	-	-	-	E72.5	3	9	6	E78.5	5,216	27,282	22,066	27,282	
E63.8	-	2	2	E72.8	1	1	-	E78.6	17	56	39	56	
E63.9	125	795	671	812	E72.9	2	3	1	E78.8	3	4	1	4
E64.0	1	3	2	3	E73.0	1	1	-	E78.9	22	135	113	136
E64.1	-	-	-	-	E73.1	-	-	-	E79.0	4	43	39	43
E64.2	-	-	-	-	E73.8	-	-	-	E79.1	3	4	1	4
E64.3	-	-	-	-	E73.9	-	6	6	E79.8	-	-	-	-
E64.8	1	1	-	1	E74.0	13	29	16	E79.9	-	-	-	-
E64.9	-	-	-	-	E74.1	-	1	1	E80.0	-	-	-	-
E65	1	3	2	3	E74.2	1	2	1	E80.1	-	7	7	7
E66.0	35	250	215	250	E74.3	18	181	163	E80.2	9	33	24	33
E66.1	-	-	-	-	E74.4	8	13	5	E80.3	-	1	1	1
E66.2	119	218	99	218	E74.8	14	48	34	E80.4	1	1	-	1
E66.8	2,891	9,191	6,300	9,191	E74.9	-	1	1	E80.5	-	-	-	-
E66.9	1,604	11,555	9,951	11,729	E75.0	17	18	1	E80.6	-	2	2	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis			
E80.7	1	3	2	3	E89.1	...	4	4	4	F10.0	677	4,744	4,067	4,783
E83.0	28	47	19	47	E89.2	...	-	-	-	F10.1	1,910	7,688	5,778	10,041
E83.1	199	617	418	617	E89.3	...	4	4	4	F10.2	4,045	12,261	8,216	14,520
E83.2	-	-	-	-	E89.4	...	-	-	-	F10.3	84	259	175	305
E83.3	4	42	38	42	E89.5	...	-	-	-	F10.4	107	217	116	222
E83.4	11	73	62	73	E89.6	...	-	-	-	F10.5	-	3	3	2
E83.5	222	2,385	2,163	2,385	E89.8	...	83	83	83	F10.6	22	66	44	70
E83.8	1	1	-	1	E89.9	...	6	6	6	F10.7	172	358	206	152
E83.9	-	-	-	-	F01.0	4	4	-	4	F10.8	3	8	5	-
E84.0	244	284	40	4	F01.1	1,948	5,401	3,453	5,401	F10.9	369	3,916	3,547	5,716
E84.1	11	18	7	4	F01.2	-	-	-	-	F11.0	-	-	-	-
E84.8	27	-	-	-	F01.3	6	10	4	10	F11.1	119	428	309	428
E84.9	132	146	18	440	F01.8	5	12	7	12	F11.2	85	171	86	171
E85.0	1	6	5	6	F01.9	2,262	6,476	4,215	6,489	F11.3	1	2	1	2
E85.1	6	2	-	2	F03	51,926	146,377	94,455	147,328	F11.4	-	1	1	-
E85.2	14	16	2	16	F04	-	1	1	1	F11.5	-	-	-	-
E85.3	-	2	2	2	F05.0	-	1	1	1	F11.6	-	-	-	-
E85.4	429	497	158	391	F05.1	96	260	164	-	F11.7	-	-	-	-
E85.8	1	11	10	11	F05.8	2	3	1	3	F11.8	-	1	1	1
E85.9	505	893	389	1,014	F05.9	190	742	559	1,006	F11.9	125	909	784	934
E86	4,030	24,470	20,440	24,537	F06.0	-	-	-	-	F12.0	-	4	4	4
E87.0	453	2,093	1,641	2,096	F06.1	-	-	-	-	F12.1	-	33	33	33
E87.1	270	2,021	1,751	2,027	F06.2	-	3	3	3	F12.2	-	12	12	12
E87.2	1,024	6,675	5,653	7,831	F06.3	1	20	19	20	F12.3	-	-	-	-
E87.3	6	51	45	51	F06.4	-	-	-	-	F12.4	-	-	-	-
E87.4	2	6	4	6	F06.5	-	-	-	-	F12.5	-	-	-	-
E87.5	485	5,062	4,577	5,081	F06.6	-	-	-	-	F12.6	-	-	-	-
E87.6	140	982	842	984	F06.7	-	2	2	2	F12.7	-	-	-	-
E87.7	69	573	504	576	F06.8	1	2	1	2	F12.8	-	-	-	-
E87.8	376	3,452	3,076	3,516	F06.9	1,391	4,708	3,317	4,709	F12.9	1	69	68	71
E88.0	244	1,021	777	1,021	F07.0	3	9	6	9	F13.0	-	-	-	-
E88.1	1	5	4	5	F07.1	1	1	-	1	F13.1	-	22	22	22
E88.2	-	2	2	2	F07.2	5	26	21	26	F13.2	-	8	8	8
E88.8	21	217	196	223	F07.8	-	-	-	-	F13.3	1	2	1	2
E88.9	599	2,235	1,637	2,635	F07.9	-	10	10	10	F13.4	-	-	-	-
E89.0	...	6	6	6	F09	9	893	884	1,271	F13.5	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis			
F13.6	-	-	-	-	F17.2	31	2,226	2,195	2,226	F20.9	307	2,821	2,514	2,827
F13.7	-	-	-	-	F17.3	-	-	-	-	F21	-	1	1	1
F13.8	-	-	-	-	F17.4	-	-	-	-	F22.0	13	214	201	214
F13.9	4	89	85	89	F17.5	-	-	-	-	F22.8	-	-	-	-
F14.0	15	24	9	24	F17.6	-	-	-	-	F22.9	-	-	-	-
F14.1	333	1,209	876	1,209	F17.7	2	1	1	-	F23.0	-	-	-	-
F14.2	68	161	93	161	F17.8	-	-	-	-	F23.1	-	-	-	-
F14.3	1	1	-	1	F17.9	1,096	153,057	151,961	156,395	F23.2	1	4	3	4
F14.4	-	-	-	-	F18.0	-	-	-	-	F23.3	-	2	2	2
F14.5	-	2	2	2	F18.1	2	4	2	4	F23.8	-	-	-	-
F14.6	-	-	-	-	F18.2	-	-	-	-	F23.9	5	26	21	26
F14.7	-	-	-	-	F18.3	-	-	-	-	F24	-	-	-	-
F14.8	-	1	1	1	F18.4	-	-	-	-	F25.0	-	-	-	-
F14.9	211	1,477	1,266	1,548	F18.5	-	-	-	-	F25.1	-	-	-	-
F15.0	3	4	1	4	F18.6	-	-	-	-	F25.2	-	6	6	6
F15.1	57	240	183	240	F18.7	-	-	-	-	F25.8	1	1	-	1
F15.2	19	60	41	60	F18.8	-	-	-	-	F25.9	32	345	313	345
F15.3	-	-	-	-	F18.9	-	2	2	2	F28	-	2	2	2
F15.4	1	1	-	-	F19.0	-	9	9	9	F29	41	529	488	530
F15.5	-	-	-	-	F19.1	1,173	7,091	5,918	7,091	F30.0	-	-	-	-
F15.6	-	-	-	-	F19.2	203	451	248	466	F30.1	-	-	-	-
F15.7	-	-	-	-	F19.3	5	13	8	13	F30.2	-	1	1	1
F15.8	-	-	-	-	F19.4	-	-	-	-	F30.8	4	7	3	7
F15.9	32	220	188	228	F19.5	1	1	-	1	F30.9	1	11	10	11
F16.0	1	1	-	1	F19.6	-	-	-	-	F31.0	-	-	-	-
F16.1	1	4	3	4	F19.7	-	-	-	-	F31.1	2	4	2	4
F16.2	-	-	-	-	F19.8	-	-	-	-	F31.2	1	1	-	1
F16.3	1	2	1	2	F19.9	150	2,611	2,461	2,816	F31.3	-	-	-	-
F16.4	-	-	-	-	F20.0	53	335	283	335	F31.4	-	-	-	-
F16.5	-	-	-	-	F20.1	-	-	-	-	F31.5	-	-	-	-
F16.6	-	-	-	-	F20.2	11	31	20	31	F31.6	-	-	-	-
F16.7	-	-	-	-	F20.3	1	6	5	6	F31.7	-	-	-	-
F16.8	-	-	-	-	F20.4	1	-	-	-	F31.8	-	1	1	1
F16.9	1	6	5	6	F20.5	47	289	242	289	F31.9	112	1,856	1,744	1,856
F17.0	2	18	16	18	F20.6	-	-	-	-	F32.0	1	5	4	5
F17.1	137	7,893	7,756	7,893	F20.8	-	1	1	1	F32.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis			
	UC	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis		
F32.2	76	477	401	477	F43.1	28	333	305	333	F51.3	-	1	1	1		
F32.3	5	32	28	32	F43.2	10	61	51	61	F51.4	-	-	-	-		
F32.8	1	17	16	17	F43.8	-	-	-	-	F51.5	-	-	-	-		
F32.9	580	13,169	12,589	13,175	F43.9	58	300	242	301	F51.8	-	-	-	-		
F33.0	-	-	-	-	F44.0	-	-	-	-	F51.9	-	-	-	-		
F33.1	-	-	-	-	F44.1	-	-	-	-	F52.0	-	-	-	-		
F33.2	3	20	17	20	F44.2	1	2	1	2	F52.1	-	-	-	-		
F33.3	-	-	-	-	F44.3	-	-	-	-	F52.2	-	-	-	-		
F33.4	-	-	-	-	F44.4	2	3	1	3	F52.3	-	-	-	-		
F33.8	-	-	-	-	F44.5	-	-	-	-	F52.4	-	-	-	-		
F33.9	4	42	38	42	F44.6	-	-	-	-	F52.5	-	-	-	-		
F34.0	-	26	26	26	F44.7	-	-	-	-	F52.6	-	-	-	-		
F34.1	1	13	12	13	F44.8	5	16	11	16	F52.7	-	-	-	-		
F34.8	-	-	-	-	F44.9	-	3	3	3	F52.8	-	-	-	-		
F34.9	-	-	-	-	F45.0	-	-	-	-	F52.9	-	-	-	-		
F38.0	-	-	-	-	F45.1	-	1	1	1	F53.0	-	5	5	5		
F38.1	-	-	-	-	F45.2	-	1	1	1	F53.1	-	-	-	-		
F38.8	-	-	-	-	F45.3	3	47	44	47	F53.8	-	-	-	-		
F39	3	66	63	79	F45.4	-	-	-	-	F53.9	-	-	-	-		
F40.0	-	10	10	10	F45.8	1	9	8	9	F54	169	547	378	-		
F40.1	-	2	2	2	F45.9	-	3	3	3	F55	9	41	32	41		
F40.2	-	1	1	1	F48.0	5	11	6	11	F59	-	-	-	-		
F40.8	-	1	1	1	F48.1	-	-	-	-	F60.0	1	5	4	5		
F40.9	-	-	-	-	F48.8	2	6	4	6	F60.1	-	7	7	7		
F41.0	2	59	57	59	F48.9	4	31	27	38	F60.2	-	1	1	1		
F41.1	5	83	78	83	F50.0	39	69	30	69	F60.3	-	10	10	10		
F41.2	10	49	49	49	F50.1	-	-	-	-	F60.4	-	-	-	-		
F41.3	-	-	-	-	F50.2	11	35	24	35	F60.5	-	2	2	2		
F41.8	-	5	5	5	F50.3	-	-	-	-	F60.6	-	-	-	-		
F41.9	30	1,739	1,709	1,760	F50.4	-	-	-	-	F60.7	-	1	1	1		
F42.0	-	-	-	-	F50.5	1	1	-	1	F60.8	-	2	2	2		
F42.1	-	-	-	-	F50.8	70	182	112	182	F60.9	-	51	51	51		
F42.2	-	-	-	-	F50.9	5	32	27	33	F61	-	-	-	-		
F42.8	-	-	-	-	F51.0	-	-	-	-	F62.0	-	-	-	-		
F42.9	4	60	56	60	F51.1	-	-	-	-	F62.1	-	-	-	-		
F43.0	-	3	3	3	F51.2	-	-	-	-	F62.8	-	1	1	1		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
F62.9	-	-	-	-	F80.0	-	-	-	F92.9	-	-	-
F63.0	-	-	-	-	F80.1	-	1	1	F93.0	-	-	-
F63.1	-	-	-	-	F80.2	-	-	-	F93.1	-	-	-
F63.2	-	-	-	-	F80.3	-	-	-	F93.2	-	1	1
F63.3	-	-	-	-	F80.8	-	-	-	F93.3	-	-	-
F63.8	-	-	-	-	F80.9	-	-	-	F93.8	-	-	-
F63.9	1	6	5	6	F81.0	-	-	-	F93.9	-	-	-
F64.0	-	-	-	-	F81.1	-	-	-	F94.0	-	-	-
F64.1	-	-	-	-	F81.2	1	1	-	F94.1	-	-	-
F64.2	-	-	-	-	F81.3	-	-	-	F94.2	-	-	-
F64.8	-	-	-	-	F81.8	-	-	-	F94.8	-	1	1
F64.9	-	-	-	-	F81.9	1	8	7	F94.9	-	-	-
F65.0	-	-	-	-	F82	6	35	29	F95.0	-	-	-
F65.1	-	-	-	-	F83	-	-	-	F95.1	-	-	-
F65.2	-	-	-	-	F84.0	6	71	65	F95.2	-	11	11
F65.3	-	-	-	-	F84.1	-	-	-	F95.8	-	-	-
F65.4	-	-	-	-	F84.2	22	38	16	F95.9	-	-	-
F65.5	-	-	-	-	F84.3	-	-	-	F98.0	-	-	-
F65.6	-	-	-	-	F84.4	-	-	-	F98.1	-	-	-
F65.8	-	1	1	1	F84.5	-	6	6	F98.2	-	4	4
F65.9	-	-	-	-	F84.8	-	-	-	F98.3	-	-	-
F66.0	-	-	-	-	F84.9	2	2	-	F98.4	-	-	-
F66.1	-	-	-	-	F88	-	2	2	F98.5	-	1	1
F66.2	-	-	-	-	F89	2	26	24	F98.6	-	-	-
F66.8	-	-	-	-	F90.0	-	18	18	F98.8	1	5	4
F66.9	-	-	-	-	F90.1	-	-	-	F98.9	-	-	-
F68.0	-	-	-	-	F90.8	-	-	-	F99	18	17	-
F68.1	1	5	4	5	F90.9	-	4	4	G00.0	1	3	2
F68.8	-	-	-	-	F91.0	-	-	-	G00.1	94	133	39
F69	-	16	16	16	F91.1	-	-	-	G00.2	65	104	39
F70	4	39	35	39	F91.2	-	-	-	G00.3	13	44	31
F71	4	17	13	17	F91.3	-	-	-	G00.8	12	39	27
F72	74	259	185	259	F91.8	-	5	5	G00.9	173	275	102
F73	51	195	144	195	F91.9	6	77	71	G03.0	10	30	20
F78	-	1	1	1	F92.0	-	-	-	G03.1	6	10	4
F79	363	2,037	1,674	2,037	F92.8	-	-	-	G03.2	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
G03.8	-	2	2	G23.9	131	174	43	178	G37.4	-	-	-
G03.9	295	918	623	G24.0	-	1	1	1	G37.5	-	-	-
G04.0	9	10	1	G24.1	5	9	4	9	G37.8	12	20	8
G04.1	3	3	-	G24.2	-	-	-	-	G37.9	47	76	29
G04.2	2	6	4	G24.3	1	7	6	7	G40.0	2	2	2
G04.8	7	18	11	G24.4	20	75	55	75	G40.1	-	3	3
G04.9	261	612	351	G24.5	-	2	2	2	G40.2	1	5	4
G06.0	132	305	173	G24.8	1	6	5	6	G40.3	29	67	38
G06.1	28	64	36	G24.9	20	72	52	72	G40.4	13	19	6
G06.2	118	223	105	G25.0	3	102	99	102	G40.5	5	6	2
G08	22	62	40	G25.1	-	-	-	-	G40.6	181	317	136
G09	82	147	65	G25.2	-	7	7	7	G40.7	-	6	6
G10	822	1,006	184	G25.3	2	30	28	30	G40.8	-	1	1
G11.0	-	-	-	G25.4	-	-	-	-	G40.9	718	1,339	621
G11.1	81	114	33	G25.5	18	44	26	44	G41.0	1	1	-
G11.2	1	1	-	G25.6	-	-	-	-	G41.1	-	-	-
G11.3	8	15	8	G25.8	11	72	61	72	G41.2	-	1	1
G11.4	6	15	9	G25.9	28	57	29	60	G41.8	-	-	-
G11.8	2	2	-	G30.0	12	40	28	40	G41.9	520	1,016	496
G11.9	70	131	61	G30.1	2,123	4,223	2,100	2,788	G43.0	-	-	-
G12.0	21	21	-	G30.8	27	35	8	35	G43.1	-	-	-
G12.1	7	17	10	G30.9	69,437	103,256	34,644	104,681	G43.2	-	-	-
G12.2	5,872	6,495	619	G31.0	235	303	68	303	G43.3	-	-	-
G12.8	-	-	-	G31.1	21	32	16	32	G43.8	1	2	1
G12.9	120	137	17	G31.2	96	142	57	126	G43.9	1	136	135
G20	19,427	35,930	16,483	G31.8	224	364	140	364	G44.0	-	3	3
G21.0	30	41	11	G31.9	1,247	2,090	843	2,226	G44.1	-	2	2
G21.1	2	5	3	G35	3,487	5,245	1,756	5,243	G44.2	-	1	1
G21.2	-	-	-	G36.0	4	7	3	7	G44.3	-	-	-
G21.3	-	-	-	G36.1	1	1	-	1	G44.4	-	-	-
G21.8	43	37	8	G36.8	-	-	-	-	G44.8	-	-	-
G21.9	42	271	229	G36.9	-	-	-	-	G45.0	15	55	40
G23.0	8	8	-	G37.0	-	2	2	2	G45.1	-	10	10
G23.1	4	6	2	G37.1	2	2	-	2	G45.2	-	-	-
G23.2	9	10	1	G37.2	25	32	7	32	G45.3	-	1	1
G23.8	90	104	14	G37.3	68	129	61	129	G45.4	-	2	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis			UC		Record axis			UC		Record axis			UC		
	Total	Second-ary	Entity axis			Total	Second-ary	Entity axis			Total	Second-ary	Entity axis			
ICD-10 code	UC	mention	Entity axis	ICD-10 code	UC	mention	Entity axis	ICD-10 code	UC	mention	Entity axis	ICD-10 code	UC			
G45.8	-	15	15	15	G54.9	-	1	1	G64	-	-	-	G64	-		
G45.9	179	2,486	2,307	2,490	G56.0	-	17	17	G70.0	533	1,136	603	G70.0	533		
G47.0	3	74	71	74	G56.1	-	-	-	G70.1	-	-	-	G70.1	-		
G47.1	-	4	4	4	G56.2	-	1	1	G70.2	2	2	-	G70.2	2		
G47.2	-	-	-	-	G56.3	-	-	-	G70.8	4	5	1	G70.8	4		
G47.3	673	6,701	6,028	6,702	G56.4	-	-	-	G70.9	227	313	87	G70.9	227		
G47.4	6	68	62	68	G56.8	-	-	-	G71.0	802	1,072	270	G71.0	802		
G47.8	-	1	1	1	G56.9	-	1	1	G71.1	211	298	87	G71.1	211		
G47.9	2	21	19	21	G57.0	-	1	1	G71.2	111	121	10	G71.2	111		
G50.0	8	103	95	103	G57.1	-	-	-	G71.3	21	25	4	G71.3	21		
G50.1	-	-	-	-	G57.2	-	-	-	G71.8	18	26	8	G71.8	18		
G50.8	-	-	-	-	G57.3	-	-	-	G71.9	4	4	1	G71.9	4		
G50.9	-	1	1	1	G57.4	-	-	-	G72.0	3	39	36	G72.0	3		
G51.0	4	69	65	69	G57.5	-	-	-	G72.1	4	5	1	G72.1	4		
G51.1	-	-	-	-	G57.6	-	-	-	G72.2	1	2	1	G72.2	1		
G51.2	-	-	-	-	G57.8	-	-	-	G72.3	3	4	1	G72.3	3		
G51.3	-	-	-	-	G57.9	1	1	-	G72.4	6	15	9	G72.4	6		
G51.4	-	-	-	-	G58.0	-	-	-	G72.8	28	47	19	G72.8	28		
G51.8	-	2	2	2	G58.7	1	3	2	G72.9	76	219	144	G72.9	76		
G51.9	-	2	2	2	G58.8	4	20	16	G80.0	14	23	9	G80.0	14		
G52.0	-	-	-	-	G58.9	25	58	33	G80.1	2	1	-	G80.1	2		
G52.1	1	2	1	2	G60.0	63	157	94	G80.2	1	-	-	G80.2	1		
G52.2	1	3	2	3	G60.1	1	1	-	G80.3	4	4	1	G80.3	4		
G52.3	1	1	-	1	G60.2	2	3	1	G80.4	-	-	-	G80.4	-		
G52.7	-	1	1	1	G60.3	5	8	3	G80.8	52	29	16	G80.8	52		
G52.8	1	1	-	1	G60.8	2	7	5	G80.9	1,339	2,434	1,095	G80.9	1,339		
G52.9	4	8	4	8	G60.9	19	45	26	G81.0	-	1	1	G81.0	-		
G54.0	-	5	5	5	G61.0	211	403	192	G81.1	1	17	16	G81.1	1		
G54.1	-	-	-	-	G61.1	-	-	-	G81.9	106	3,424	3,319	G81.9	106		
G54.2	1	3	2	3	G61.8	4	10	6	G82.0	-	-	-	G82.0	-		
G54.3	-	-	-	-	G61.9	3	5	2	G82.1	11	36	25	G82.1	11		
G54.4	-	-	-	-	G62.0	1	2	1	G82.2	273	1,349	1,076	G82.2	273		
G54.5	1	2	1	2	G62.1	4	6	3	G82.3	1	2	1	G82.3	1		
G54.6	-	1	1	1	G62.2	-	1	1	G82.4	47	174	127	G82.4	47		
G54.7	-	-	-	-	G62.8	88	149	61	G82.5	423	1,384	961	G82.5	423		
G54.8	-	-	-	-	G62.9	254	1,365	1,113	G83.0	-	6	6	G83.0	-		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis			
	UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		
G83.1	3	42	39	42	G96.8	11	54	43	54	H05.3	-	1	1	1		
G83.2	-	6	6	6	G96.9	24	81	57	100	H05.4	-	-	-	-		
G83.3	-	5	5	5	G97.0	...	1	1	1	H05.5	-	-	-	-		
G83.4	7	38	31	38	G97.1	...	-	-	-	H05.8	-	-	-	-		
G83.8	153	245	92	245	G97.2	...	-	-	-	H05.9	2	3	1	3		
G83.9	43	316	273	329	G97.8	...	157	157	157	H10.0	-	-	-	-		
G90.0	3	4	1	4	G97.9	...	4	4	4	H10.1	-	1	1	1		
G90.1	19	26	7	26	G98	81	148	67	227	H10.2	-	-	-	-		
G90.2	-	3	3	3	H00.0	-	1	1	1	H10.3	1	1	-	1		
G90.3	179	310	134	281	H00.1	-	-	-	-	H10.4	-	2	2	2		
G90.8	55	132	77	133	H01.0	-	3	3	3	H10.5	-	-	-	-		
G90.9	10	31	21	69	H01.1	-	1	1	1	H10.8	-	-	-	-		
G91.0	11	32	21	32	H01.8	-	-	-	-	H10.9	-	7	7	7		
G91.1	41	130	89	131	H01.9	-	-	-	-	H11.0	1	2	1	2		
G91.2	331	846	516	847	H02.0	-	-	-	-	H11.1	-	-	-	-		
G91.3	-	5	5	5	H02.1	-	1	1	1	H11.2	-	-	-	-		
G91.8	13	32	19	32	H02.2	-	-	-	-	H11.3	-	-	-	-		
G91.9	377	1,301	924	1,322	H02.3	-	1	1	1	H11.4	-	-	-	-		
G92	64	111	47	111	H02.4	-	3	3	3	H11.8	1	1	-	1		
G93.0	42	64	22	64	H02.5	-	-	-	-	H11.9	-	2	2	2		
G93.1	4,484	20,795	16,333	20,894	H02.6	-	-	-	-	H15.0	-	1	1	1		
G93.2	49	797	748	803	H02.7	-	-	-	-	H15.1	-	-	-	-		
G93.3	2	12	10	12	H02.8	-	-	-	-	H15.8	-	-	-	-		
G93.4	880	4,824	3,945	4,985	H02.9	-	1	1	1	H15.9	-	-	-	-		
G93.5	178	3,202	3,024	3,247	H04.0	-	-	-	-	H16.0	-	4	4	4		
G93.6	197	2,124	1,927	2,157	H04.1	-	-	-	-	H16.1	-	-	-	-		
G93.7	5	6	1	6	H04.2	-	-	-	-	H16.2	-	-	-	-		
G93.8	189	961	772	965	H04.3	-	-	-	-	H16.3	1	3	2	3		
G93.9	294	778	485	1,271	H04.4	-	-	-	-	H16.4	-	3	3	3		
G95.0	35	67	32	67	H04.5	-	1	1	1	H16.8	-	1	1	1		
G95.1	45	135	90	135	H04.6	-	-	-	-	H16.9	-	1	1	2		
G95.2	55	512	457	513	H04.8	-	-	-	-	H17.0	-	-	-	-		
G95.8	18	40	22	40	H04.9	-	1	1	1	H17.1	-	-	-	-		
G95.9	106	325	219	359	H05.0	9	29	20	29	H17.8	-	-	-	-		
G96.0	6	20	14	20	H05.1	-	1	1	1	H17.9	-	3	3	3		
G96.1	9	12	3	12	H05.2	1	4	3	4	H18.0	-	-	-	-		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis			
H18.1	-	1	1	H27.8	-	-	-	H40.1	-	6	6	6		
H18.2	-	1	1	H27.9	-	-	-	H40.2	-	1	1	1		
H18.3	-	-	-	H30.0	-	-	-	H40.3	-	1	1	1		
H18.4	-	1	1	H30.1	-	-	-	H40.4	-	-	-	-		
H18.5	-	1	1	H30.2	-	-	-	H40.5	-	-	-	-		
H18.6	-	-	-	H30.8	-	-	-	H40.6	-	-	-	-		
H18.7	-	-	-	H30.9	-	10	10	12	H40.8	-	1	1	1	
H18.8	-	-	-	H31.0	-	-	-	H40.9	2	906	904	906		
H18.9	-	4	4	H31.1	-	-	-	H43.0	-	-	-	-		
H20.0	-	-	-	H31.2	-	-	-	H43.1	-	-	-	-		
H20.1	-	-	-	H31.3	-	2	2	2	H43.2	-	-	-	-	
H20.2	-	-	-	H31.4	-	-	-	H43.3	-	-	-	-		
H20.8	-	-	-	H31.8	-	-	-	H43.8	-	1	1	1		
H20.9	-	4	4	5	H31.9	-	-	-	H43.9	-	-	-	-	
H21.0	-	-	-	H33.0	-	-	-	H44.0	6	16	10	17		
H21.1	-	-	-	H33.1	-	-	-	H44.1	-	-	-	-		
H21.2	-	-	-	H33.2	1	13	12	13	H44.2	-	-	-	-	
H21.3	-	-	-	H33.3	-	-	-	H44.3	-	-	-	-		
H21.4	-	-	-	H33.4	-	-	-	H44.4	-	-	-	-		
H21.5	-	-	-	H33.5	-	-	-	H44.5	-	1	1	1		
H21.8	-	-	-	H34.0	-	-	-	H44.6	-	-	-	-		
H21.9	-	1	1	1	H34.1	-	-	-	H44.7	-	-	-	-	
H25.0	-	-	-	H34.2	1	3	2	3	H44.8	-	-	-	-	
H25.1	-	-	-	H34.8	-	2	2	2	H44.9	1	1	-	1	
H25.2	-	-	-	H34.9	-	-	-	H46	-	7	7	7		
H25.8	-	-	-	H35.0	-	18	18	117	H47.0	-	1	1	1	
H25.9	-	1	1	1	H35.1	-	8	8	3	H47.1	-	-	-	-
H26.0	-	1	1	1	H35.2	-	1	1	1	H47.2	-	3	3	3
H26.1	-	-	-	H35.3	5	570	565	570	H47.3	-	-	-	-	
H26.2	-	1	1	1	H35.4	-	4	4	4	H47.4	-	-	-	-
H26.3	-	-	-	H35.5	1	22	21	22	H47.5	-	-	-	-	
H26.4	-	-	-	H35.6	-	4	4	6	H47.6	-	-	-	-	
H26.8	-	-	-	H35.7	-	-	-	H47.7	-	-	-	-		
H26.9	1	84	83	104	H35.8	-	-	-	H49.0	-	-	-	-	
H27.0	-	-	-	-	H35.9	-	4	4	4	H49.1	-	-	-	-
H27.1	-	-	-	-	H40.0	-	3	3	3	H49.2	1	3	2	3

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
H49.3	-	-	-	-	H54.1	-	-	-	H66.1	-	-	-
H49.4	-	-	-	-	H54.2	-	1	1	H66.2	-	-	-
H49.8	1	5	4	5	H54.3	-	-	-	H66.3	-	-	-
H49.9	3	4	1	4	H54.4	-	33	33	H66.4	1	2	1
H50.0	-	-	-	-	H54.5	-	-	-	H66.9	39	83	44
H50.1	-	1	1	1	H54.6	-	-	-	H68.0	-	-	-
H50.2	-	-	-	-	H54.7	-	20	20	H68.1	-	-	-
H50.3	-	-	-	-	H55	-	1	1	H69.0	-	-	-
H50.4	-	-	-	-	H57.0	-	2	2	H69.8	-	-	-
H50.5	-	-	-	-	H57.1	-	1	1	H69.9	-	-	-
H50.6	-	-	-	-	H57.8	-	3	3	H70.0	1	2	1
H50.8	-	-	-	-	H57.9	-	6	6	H70.1	1	5	4
H50.9	-	1	1	1	H59.0	...	-	-	H70.2	-	-	-
H51.0	-	-	-	-	H59.8	...	-	-	H70.8	-	1	1
H51.1	-	-	-	-	H59.9	...	-	-	H70.9	11	36	25
H51.2	-	-	-	-	H60.0	-	-	-	H71	-	2	2
H51.8	-	-	-	-	H60.1	1	4	3	H72.0	-	-	-
H51.9	-	-	-	-	H60.2	1	3	2	H72.1	-	-	-
H52.0	-	-	-	-	H60.3	-	-	-	H72.2	-	-	-
H52.1	1	4	3	4	H60.4	-	-	-	H72.8	-	-	-
H52.2	-	4	4	4	H60.5	-	-	-	H72.9	-	1	1
H52.3	-	-	-	-	H60.8	-	2	2	H73.0	-	-	-
H52.4	-	2	2	2	H60.9	-	6	6	H73.1	-	-	-
H52.5	-	-	-	-	H61.0	-	-	-	H73.8	-	-	-
H52.6	-	-	-	-	H61.1	-	-	-	H73.9	-	-	-
H52.7	-	-	-	-	H61.2	-	-	-	H74.0	-	-	-
H53.0	-	3	3	3	H61.3	-	-	-	H74.1	-	-	-
H53.1	-	18	18	18	H61.8	-	-	-	H74.2	-	-	-
H53.2	-	2	2	2	H61.9	-	-	-	H74.3	-	-	-
H53.3	-	-	-	-	H65.0	-	-	-	H74.4	-	-	-
H53.4	-	1	1	1	H65.1	-	-	-	H74.8	-	-	-
H53.5	-	-	-	-	H65.2	-	-	-	H74.9	-	-	-
H53.6	-	-	-	-	H65.3	-	-	-	H80.0	-	-	-
H53.8	-	-	-	-	H65.4	-	-	-	H80.1	-	-	-
H53.9	-	1	1	1	H65.9	-	-	-	H80.2	-	-	-
H54.0	5	834	829	834	H66.0	-	1	1	H80.8	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
H80.9	-	1	1	I93.8	-	1	1	I09.1	137	275	138	275
H81.0	1	34	33	I93.9	-	1	1	I09.2	-	1	1	1
H81.1	-	3	3	I95.0	...	-	-	I09.8	5	18	13	29
H81.2	-	-	-	I95.1	...	-	-	I09.9	360	912	552	975
H81.3	-	-	-	I95.8	...	-	-	I10	14,857	265,061	250,209	275,020
H81.4	-	-	-	I95.9	...	1	1	I11.0	10,496	4,504	1,612	98
H81.8	-	-	-	I00	6	53	47	I11.9	18,786	37,504	20,057	44,521
H81.9	-	-	-	I01.0	-	1	1	I12.0	9,734	10,874	7,171	35
H83.0	1	9	8	I01.1	13	17	4	I12.9	311	988	743	2,455
H83.1	-	-	-	I01.2	-	1	1	I13.0	49	35	20	-
H83.2	-	-	-	I01.8	8	9	1	I13.1	1,187	2,292	1,178	-
H83.3	-	1	1	I01.9	2	2	-	I13.2	1,875	756	308	4
H83.8	-	2	2	I02.0	-	-	-	I13.9	61	134	77	145
H83.9	-	-	-	I02.9	-	-	-	I20.0	41	261	220	261
H90.0	-	1	1	I05.0	462	749	289	I20.1	17	66	49	66
H90.1	-	-	-	I05.1	52	89	38	I20.8	-	2	2	2
H90.2	-	-	-	I05.2	18	23	5	I20.9	171	1,130	959	1,130
H90.3	-	2	2	I05.8	10	19	9	I21.0	13	20	7	20
H90.4	-	-	-	I05.9	1,009	2,236	1,229	I21.1	13	20	7	20
H90.5	1	21	20	I06.0	63	94	33	I21.2	7	10	3	10
H90.6	-	-	-	I06.1	6	14	8	I21.3	19	27	8	27
H90.7	-	-	-	I06.2	6	6	-	I21.4	220	400	180	400
H90.8	-	-	-	I06.8	-	-	-	I21.9	150,667	189,964	39,384	190,226
H91.0	-	-	-	I06.9	21	51	31	I22.0	2	2	-	2
H91.1	-	17	17	I07.0	4	6	2	I22.1	2	2	-	2
H91.2	-	-	-	I07.1	193	455	262	I22.8	-	-	-	-
H91.3	-	17	17	I07.2	-	-	-	I22.9	61	86	25	86
H91.8	-	1	1	I07.8	21	31	10	I24.1	1	6	5	6
H91.9	-	349	349	I07.9	19	39	20	I24.8	1,825	4,316	2,491	4,319
H92.0	-	2	2	I08.0	767	1,268	502	I24.9	1,739	4,152	2,414	4,162
H92.1	-	-	-	I08.1	83	156	73	I25.0	62,799	86,449	23,666	86,466
H92.2	-	-	-	I08.2	11	20	10	I25.1	200,721	365,691	165,234	365,732
H93.0	-	-	-	I08.3	47	78	31	I25.2	241	1,737	1,496	1,737
H93.1	-	4	4	I08.8	10	7	-	I25.3	78	271	193	271
H93.2	-	-	-	I08.9	2	3	1	I25.4	12	43	31	43
H93.3	-	-	-	I09.0	30	49	19	I25.5	12,678	27,808	15,131	27,820

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
I25.6	-	1	1	I36.0	-	1	1	I45.3	3	7	4	7
I25.8	1,588	3,672	2,084	I36.1	15	88	73	I45.4	6	40	34	40
I25.9	12,772	19,834	7,070	I36.2	-	-	-	I45.5	11	52	41	52
I26.0	19	51	32	I36.8	3	7	4	I45.6	33	88	55	88
I26.9	8,264	27,265	19,007	I36.9	2	18	16	I45.8	334	1,999	1,666	2,018
I27.0	302	346	45	I37.0	7	12	5	I45.9	126	762	636	788
I27.1	55	143	90	I37.1	2	8	6	I46.0	-	11	11	11
I27.2	3,594	11,364	7,772	I37.2	-	-	-	I46.1	2,543	12,808	10,268	12,844
I27.8	1	4	3	I37.8	2	6	4	I46.9	12,988	321,489	308,501	321,839
I27.9	1,204	5,176	3,975	I37.9	9	19	10	I47.0	1	9	8	9
I28.0	1	8	7	I38	5,109	10,413	5,313	I47.1	118	1,368	1,250	1,369
I28.1	8	13	5	I40.0	208	310	102	I47.2	464	4,955	4,491	4,966
I28.8	18	89	71	I40.1	13	15	2	I47.9	3	18	15	19
I28.9	38	106	68	I40.8	-	2	2	I48	11,555	87,968	76,413	87,981
I30.0	1	1	-	I40.9	67	89	22	I49.0	1,076	10,586	9,510	10,608
I30.1	29	61	33	I42.0	5,600	9,886	4,295	I49.1	3	14	11	14
I30.8	6	29	23	I42.1	185	304	118	I49.2	-	-	-	-
I30.9	17	74	57	I42.2	1,087	1,894	810	I49.3	6	114	108	114
I31.0	5	21	16	I42.3	7	10	3	I49.4	-	-	-	-
I31.1	55	136	81	I42.4	64	90	26	I49.5	413	2,792	2,379	2,794
I31.2	40	786	746	I42.5	165	203	38	I49.8	89	1,046	957	1,047
I31.3	190	1,209	1,019	I42.6	414	417	85	I49.9	8,374	53,327	44,957	57,762
I31.8	-	5	5	I42.7	13	57	44	I50.0	54,881	269,978	215,103	275,029
I31.9	233	1,830	1,598	I42.8	39	59	20	I50.1	127	510	474	525
I33.0	1,169	2,485	1,318	I42.9	17,931	38,228	20,294	I50.9	3,925	21,811	17,889	24,146
I33.9	40	88	48	I44.0	2	22	20	I51.0	15	206	191	206
I34.0	2,138	5,107	2,969	I44.1	9	59	50	I51.1	9	18	9	18
I34.1	276	625	349	I44.2	315	1,607	1,293	I51.2	10	71	61	71
I34.2	21	79	58	I44.3	21	183	162	I51.3	14	41	27	41
I34.8	91	233	142	I44.4	-	3	3	I51.4	525	1,107	608	1,128
I34.9	79	256	177	I44.5	-	-	-	I51.5	171	519	348	519
I35.0	10,945	21,762	10,820	I44.6	-	1	1	I51.6	4,396	9,383	4,988	9,395
I35.1	499	1,322	823	I44.7	8	162	154	I51.7	1,611	7,586	6,022	7,774
I35.2	73	157	84	I45.0	-	-	-	I51.8	832	4,240	3,408	4,246
I35.8	221	411	190	I45.1	1	73	72	I51.9	3,593	9,022	5,442	13,498
I35.9	1,399	3,810	2,413	I45.2	1	13	12	I60.0	89	100	11	72

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
I60.1	1	1	-	I67.5	19	26	7	I74.0	31	90	59	90
I60.2	3	3	-	I67.6	1	1	-	I74.1	148	363	215	365
I60.3	-	-	-	I67.7	62	97	35	I74.2	7	51	44	51
I60.4	-	3	3	I67.8	978	2,820	1,842	I74.3	116	468	352	468
I60.5	2	2	-	I67.9	5,836	13,957	8,128	I74.4	16	104	88	106
I60.6	55	13	1	I69.0	73	112	39	I74.5	20	79	59	79
I60.7	476	485	8	I69.1	182	305	123	I74.8	34	132	98	132
I60.8	202	225	25	I69.2	156	435	279	I74.9	311	1,399	1,088	1,584
I60.9	5,267	6,870	1,279	I69.3	739	1,259	520	I77.0	48	132	85	133
I61.0	202	283	81	I69.4	10,056	19,376	9,325	I77.1	102	308	206	308
I61.1	205	291	86	I69.8	8,008	10,030	2,024	I77.2	143	303	160	303
I61.2	34	44	10	I70.0	49	506	457	I77.3	3	5	2	5
I61.3	709	970	261	I70.1	65	475	412	I77.4	3	5	2	5
I61.4	582	814	233	I70.2	352	1,792	1,440	I77.5	-	6	6	6
I61.5	744	1,195	453	I70.8	6	25	19	I77.6	416	1,086	672	1,123
I61.6	-	-	-	I70.9	11,369	51,626	40,261	I77.8	24	51	27	51
I61.8	72	119	48	I71.0	3,502	3,904	403	I77.9	246	488	255	1,011
I61.9	15,835	21,996	6,172	I71.1	877	923	48	I78.0	33	85	52	85
I62.0	2,020	3,782	1,765	I71.2	744	1,509	766	I78.1	12	32	20	32
I62.1	17	46	29	I71.3	4,209	4,414	205	I78.8	8	11	3	11
I62.9	7,365	10,142	2,781	I71.4	2,049	5,715	3,667	I78.9	1	3	2	3
I63.0	150	208	58	I71.5	122	133	11	I80.0	-	-	-	-
I63.1	22	42	20	I71.6	177	261	84	I80.1	19	86	67	86
I63.2	676	1,704	1,028	I71.8	1,356	1,413	68	I80.2	2,779	11,575	8,798	11,599
I63.3	1,209	1,964	755	I71.9	807	2,143	1,336	I80.3	220	566	346	600
I63.4	546	1,717	1,172	I72.0	20	44	24	I80.8	10	32	22	32
I63.5	244	403	159	I72.1	-	1	1	I80.9	80	382	302	404
I63.6	-	-	-	I72.2	41	69	28	I81	92	300	209	303
I63.8	152	156	66	I72.3	148	257	109	I82.0	30	118	88	119
I63.9	4,564	8,299	3,740	I72.4	46	94	48	I82.1	2	26	24	26
I64	74,416	138,563	64,181	I72.8	92	122	30	I82.2	26	158	132	158
I67.0	17	26	9	I72.9	357	553	197	I82.3	6	26	20	26
I67.1	377	655	281	I73.0	10	101	91	I82.8	89	392	303	392
I67.2	1,134	3,195	2,080	I73.1	15	41	26	I82.9	82	512	430	642
I67.3	20	40	20	I73.8	26	52	26	I83.0	46	191	146	197
I67.4	62	72	28	I73.9	7,297	26,342	19,110	I83.1	14	75	61	71

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis			
	UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		
I83.2	5	11	6	4	I95.8	10	81	71	82	J12.0	10	21	11	22		
I83.9	300	519	219	526	I95.9	210	12,499	12,289	12,506	J12.1	19	38	19	38		
I84.0	-	-	-	-	I97.0	...	11	11	11	J12.2	2	7	5	7		
I84.1	-	1	1	1	I97.1	...	41	41	41	J12.8	3	3	-	4		
I84.2	3	9	6	9	I97.2	...	2	2	2	J12.9	239	358	120	374		
I84.3	-	-	-	-	I97.8	...	161	161	161	J13	410	644	236	665		
I84.4	-	-	-	-	I97.9	...	12	12	12	J14	42	79	37	80		
I84.5	-	-	-	-	I99	263	4,971	4,708	5,532	J15.0	161	401	240	407		
I84.6	-	-	-	-	J00	1	6	5	6	J15.1	344	1,095	753	1,142		
I84.7	-	-	-	-	J01.0	2	5	3	5	J15.2	1,371	3,335	1,966	3,402		
I84.8	2	14	12	14	J01.1	-	-	-	-	J15.3	5	9	4	9		
I84.9	6	37	31	38	J01.2	-	-	-	-	J15.4	307	554	248	569		
I85.0	148	1,585	1,437	537	J01.3	-	-	-	-	J15.5	21	79	58	80		
I85.9	43	817	774	1,877	J01.4	-	-	-	-	J15.6	39	113	74	117		
I86.0	-	-	-	-	J01.8	-	-	-	-	J15.7	9	25	16	25		
I86.1	-	-	-	-	J01.9	2	7	5	7	J15.8	24	64	40	68		
I86.2	1	1	-	1	J02.0	8	15	7	15	J15.9	2,038	3,896	1,861	4,009		
I86.3	-	-	-	-	J02.8	1	3	2	3	J16.0	2	3	1	3		
I86.4	36	232	196	232	J02.9	9	25	16	25	J16.8	3	10	7	10		
I86.8	5	27	22	27	J03.0	-	-	-	-	J18.0	1,389	5,776	4,389	5,880		
I87.0	-	-	-	-	J03.8	-	-	-	-	J18.1	1,689	2,930	1,244	3,043		
I87.1	31	489	458	490	J03.9	3	8	5	8	J18.2	46	499	453	500		
I87.2	54	412	358	412	J04.0	5	13	8	17	J18.8	21	118	97	125		
I87.8	61	337	276	337	J04.1	14	46	32	51	J18.9	52,995	190,063	137,102	192,864		
I87.9	14	50	36	59	J04.2	6	14	8	10	J20.0	-	-	-	-		
I88.0	2	4	2	4	J05.0	2	5	3	6	J20.1	1	1	-	1		
I88.1	-	-	-	-	J05.1	21	36	16	39	J20.2	2	3	1	3		
I88.8	-	1	1	1	J06.0	1	6	5	6	J20.3	-	-	-	-		
I88.9	3	9	6	9	J06.8	-	-	-	-	J20.4	-	-	-	-		
I89.0	60	333	273	335	J06.9	131	578	447	589	J20.5	-	-	-	-		
I89.1	2	34	32	35	J10.0	170	172	10	7	J20.6	-	-	-	-		
I89.8	32	109	77	109	J10.1	222	298	77	466	J20.7	-	-	-	-		
I89.9	5	34	29	36	J10.8	6	4	1	1	J20.8	20	28	8	38		
I95.0	3	3	-	3	J11.0	719	823	125	175	J20.9	195	595	401	942		
I95.1	18	209	191	239	J11.1	668	978	317	1,653	J21.0	18	28	10	28		
I95.2	1	2	1	2	J11.8	27	27	9	7	J21.8	3	9	6	9		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis			
J21.9	44	112	68	130	J38.1	4	8	4	8	J62.8	75	159	84	160
J22	121	276	155	330	J38.2	1	1	-	1	J63.0	1	1	-	1
J30.0	-	-	-	-	J38.3	5	14	9	14	J63.1	-	-	-	-
J30.1	-	6	6	6	J38.4	16	56	40	56	J63.2	10	14	4	14
J30.2	1	4	3	4	J38.5	6	24	18	24	J63.3	-	-	-	-
J30.3	-	6	6	8	J38.6	22	66	44	66	J63.4	3	3	-	3
J30.4	5	66	61	74	J38.7	28	91	63	94	J63.5	-	-	-	-
J31.0	1	21	20	21	J39.0	11	23	12	23	J63.8	-	1	1	1
J31.1	-	-	-	-	J39.1	4	13	9	13	J64	84	189	105	197
J31.2	-	1	1	1	J39.2	59	173	114	174	J65	3	7	4	1
J32.0	7	11	4	11	J39.3	1	1	-	1	J66.0	5	6	1	6
J32.1	-	-	-	-	J39.8	139	537	398	538	J66.1	-	-	-	-
J32.2	2	5	3	5	J39.9	5	12	7	12	J66.2	-	-	-	-
J32.3	2	4	2	6	J40	478	1,322	910	1,953	J66.8	1	1	-	1
J32.4	6	18	12	18	J41.0	-	8	8	9	J67.0	14	24	10	24
J32.8	-	-	-	-	J41.1	13	25	12	42	J67.1	1	1	-	1
J32.9	65	239	174	243	J41.8	-	-	-	1	J67.2	2	2	-	2
J33.0	-	-	-	-	J42	375	1,125	756	1,823	J67.3	-	-	-	-
J33.1	-	-	-	-	J43.0	-	-	-	1	J67.4	-	-	-	-
J33.8	-	1	1	1	J43.1	8	23	16	27	J67.5	-	-	-	-
J33.9	1	5	4	5	J43.2	12	70	58	73	J67.6	-	-	-	-
J34.0	-	2	2	2	J43.8	5	8	3	8	J67.7	1	2	1	2
J34.1	-	-	-	-	J43.9	13,977	25,453	12,532	29,525	J67.8	-	-	-	-
J34.2	-	-	-	-	J44.0	318	412	95	2	J67.9	29	38	9	39
J34.3	-	-	-	-	J44.1	87	136	49	136	J68.0	18	24	6	24
J34.8	5	18	13	18	J44.8	3,528	8,109	4,607	699	J68.1	1	1	-	1
J35.0	-	2	2	2	J44.9	107,276	221,272	114,051	228,779	J68.2	1	1	-	1
J35.1	3	6	3	9	J45.0	159	237	84	236	J68.3	-	-	-	-
J35.2	-	2	2	5	J45.1	2	5	4	8	J68.4	1	4	3	4
J35.3	-	3	3	-	J45.8	1	-	-	1	J68.8	1	1	-	1
J35.8	2	7	5	7	J45.9	3,429	8,867	6,012	11,296	J68.9	-	-	-	-
J35.9	3	24	21	25	J46	293	327	38	359	J69.0	17,276	57,581	40,335	57,810
J36	3	8	5	8	J47	972	2,069	1,098	2,080	J69.1	3	8	5	8
J37.0	3	7	4	7	J60	271	653	382	654	J69.8	-	1	1	1
J37.1	-	-	-	-	J61	532	1,416	884	1,423	J70.0	25	258	233	258
J38.0	54	195	141	195	J62.0	-	2	2	2	J70.1	7	63	56	63

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
J70.2	-	-	-	J95.8	...	2,400	2,400	2,402	K03.3	-	-	-
J70.3	1	1	-	J95.9	...	22	22	22	K03.4	-	-	-
J70.4	-	1	1	J96.0	289	19,342	19,053	19,379	K03.5	-	-	-
J70.8	1	1	-	J96.1	436	4,459	4,023	4,465	K03.6	-	-	-
J70.9	2	10	8	J96.9	2,858	152,606	149,748	152,892	K03.7	-	-	-
J80	1,567	9,824	8,258	J98.0	83	472	389	493	K03.8	-	-	-
J81	541	10,565	10,024	J98.1	164	1,080	916	1,083	K03.9	-	-	-
J82	160	390	230	J98.2	27	56	29	57	K04.0	-	1	1
J84.0	146	199	56	J98.3	-	1	1	1	K04.1	-	-	-
J84.1	11,789	18,230	6,435	J98.4	2,830	8,959	6,148	11,945	K04.2	-	-	-
J84.8	29	50	21	J98.5	134	405	271	407	K04.3	-	-	-
J84.9	2,412	3,867	1,450	J98.6	35	131	96	131	K04.4	-	-	-
J85.0	110	261	151	J98.8	430	1,712	1,283	1,821	K04.5	-	-	-
J85.1	54	190	137	J98.9	204	661	459	1,086	K04.6	-	-	-
J85.2	111	420	311	K00.0	-	-	-	-	K04.7	42	81	39
J85.3	5	18	13	K00.1	-	-	-	-	K04.8	-	-	-
J86.0	74	445	372	K00.2	-	-	-	-	K04.9	-	-	-
J86.9	341	1,155	814	K00.3	-	-	-	-	K05.0	-	-	-
J90	1,016	9,066	8,050	K00.4	-	-	-	-	K05.1	4	11	7
J92.0	3	9	6	K00.5	-	-	-	-	K05.2	2	5	3
J92.9	3	16	13	K00.6	-	-	-	-	K05.3	-	2	2
J93.0	36	239	203	K00.7	-	5	5	5	K05.4	-	1	1
J93.1	33	238	205	K00.8	-	-	-	-	K05.5	-	-	-
J93.8	6	52	46	K00.9	-	-	-	-	K05.6	1	8	7
J93.9	242	2,000	1,758	K01.0	-	-	-	-	K06.0	-	-	-
J94.0	4	15	11	K01.1	-	-	-	-	K06.1	-	1	1
J94.1	16	62	46	K02.0	-	-	-	-	K06.2	-	-	-
J94.2	88	507	419	K02.1	-	-	-	-	K06.8	1	2	1
J94.8	20	175	155	K02.2	-	-	-	-	K06.9	1	3	2
J94.9	7	48	41	K02.3	-	-	-	-	K07.0	1	9	8
J95.0	...	84	84	K02.4	-	-	-	-	K07.1	-	3	3
J95.1	...	-	-	K02.8	-	-	-	-	K07.2	-	-	-
J95.2	...	7	7	K02.9	5	18	13	18	K07.3	-	-	-
J95.3	...	-	-	K03.0	-	-	-	-	K07.4	-	-	-
J95.4	...	3	3	K03.1	-	-	-	-	K07.5	-	-	-
J95.5	...	2	2	K03.2	-	-	-	-	K07.6	1	3	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
K07.8	-	-	-	-	K13.4	-	-	-	K26.2	-	-	-
K07.9	-	1	1	1	K13.5	-	-	-	K26.3	1	3	2
K08.0	-	-	-	-	K13.6	-	-	-	K26.4	521	827	306
K08.1	-	1	1	1	K13.7	11	38	27	K26.5	585	929	344
K08.2	-	-	-	-	K14.0	-	5	5	K26.6	45	67	22
K08.3	-	-	-	-	K14.1	-	-	-	K26.7	2	9	7
K08.8	65	177	112	180	K14.2	-	-	-	K26.9	83	411	330
K08.9	2	9	7	9	K14.3	-	-	-	K27.0	8	12	4
K09.0	-	-	-	-	K14.4	-	-	-	K27.1	-	1	1
K09.1	-	-	-	-	K14.5	-	-	-	K27.2	-	-	-
K09.2	-	-	-	-	K14.6	-	-	-	K27.3	1	2	1
K09.8	-	-	-	-	K14.8	-	13	13	K27.4	693	1,161	469
K09.9	-	-	-	-	K14.9	-	18	18	K27.5	235	406	171
K10.0	-	-	-	-	K20	158	798	641	K27.6	22	33	11
K10.1	-	-	-	-	K21.0	37	190	153	K27.7	7	46	39
K10.2	3	15	12	15	K21.9	555	5,996	5,441	K27.9	198	1,833	1,635
K10.3	-	-	-	-	K22.0	119	252	133	K28.0	-	-	-
K10.8	-	-	-	-	K22.1	97	454	357	K28.1	-	-	-
K10.9	-	6	6	7	K22.2	269	926	657	K28.2	-	-	-
K11.0	-	-	-	-	K22.3	198	342	144	K28.3	-	-	-
K11.1	-	1	1	1	K22.4	200	437	237	K28.4	19	32	13
K11.2	76	209	133	209	K22.5	73	128	55	K28.5	1	3	2
K11.3	3	17	14	17	K22.6	60	143	83	K28.6	1	1	-
K11.4	-	-	-	-	K22.8	144	667	523	K28.7	-	1	1
K11.5	-	-	-	-	K22.9	64	149	88	K28.9	6	24	18
K11.6	-	-	-	-	K25.0	11	22	11	K29.0	7	24	17
K11.7	3	8	5	8	K25.1	-	1	1	K29.1	11	41	30
K11.8	-	2	2	2	K25.2	1	1	-	K29.2	25	35	10
K11.9	-	19	19	20	K25.3	2	10	8	K29.3	-	-	-
K12.0	1	4	3	4	K25.4	481	787	307	K29.4	3	16	13
K12.1	8	44	36	45	K25.5	376	577	201	K29.5	15	107	92
K12.2	10	25	15	25	K25.6	29	38	9	K29.6	92	255	163
K13.0	1	2	1	2	K25.7	2	23	21	K29.7	172	935	763
K13.1	-	-	-	-	K25.9	139	591	457	K29.8	5	32	27
K13.2	-	3	3	3	K26.0	5	9	4	K29.9	3	6	3
K13.3	-	-	-	-	K26.1	4	6	2	K30	11	34	34

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
K31.0	2	8	6	K43.0	218	294	76	K56.2	589	944	355	995
K31.1	70	394	324	K43.1	26	27	1	K56.3	19	24	12	24
K31.2	-	-	-	K43.9	111	285	175	K56.4	118	269	151	271
K31.3	-	-	-	K44.0	75	100	27	K56.5	354	656	303	169
K31.4	3	5	2	K44.1	7	7	-	K56.6	4,161	12,006	7,855	12,752
K31.5	7	59	52	K44.9	358	991	633	K56.7	370	1,800	1,430	1,815
K31.6	21	106	85	K45.0	8	10	2	K57.0	11	13	2	5
K31.7	5	19	14	K45.1	-	-	-	K57.1	17	26	9	34
K31.8	276	998	722	K45.8	4	10	7	K57.2	294	353	60	256
K31.9	159	493	335	K46.0	309	479	170	K57.3	164	358	196	473
K35.0	283	481	198	K46.1	44	44	-	K57.4	1	1	-	1
K35.1	16	38	22	K46.9	129	339	211	K57.5	-	-	-	-
K35.9	58	107	49	K50.0	9	20	11	K57.8	1,178	1,469	294	772
K36	-	-	-	K50.1	24	64	40	K57.9	1,487	3,380	1,898	4,214
K37	76	178	102	K50.8	-	2	2	K58.0	-	3	3	-
K38.0	-	-	-	K50.9	559	1,555	997	K58.9	20	243	223	246
K38.1	-	-	-	K51.0	1	1	-	K59.0	155	570	415	570
K38.2	-	-	-	K51.1	1	-	-	K59.1	1	1	-	1
K38.3	-	-	-	K51.2	1	3	2	K59.2	4	10	6	10
K38.8	2	4	2	K51.3	-	-	-	K59.3	307	715	408	725
K38.9	4	10	6	K51.4	-	-	-	K59.4	-	-	-	-
K40.0	4	5	1	K51.5	2	5	3	K59.8	21	56	35	56
K40.1	1	1	-	K51.8	2	4	2	K59.9	14	46	32	48
K40.2	-	3	3	K51.9	298	956	658	K60.0	-	-	-	-
K40.3	168	229	61	K52.0	19	125	106	K60.1	-	1	1	1
K40.4	22	22	-	K52.1	12	45	33	K60.2	-	2	2	2
K40.9	44	156	112	K52.2	-	1	1	K60.3	-	12	12	12
K41.0	-	-	-	K52.8	4	11	7	K60.4	18	49	31	49
K41.1	-	-	-	K52.9	2,193	5,532	3,339	K60.5	-	1	1	1
K41.2	-	-	-	K55.0	2,510	4,830	2,297	K61.0	6	12	6	12
K41.3	36	51	15	K55.1	148	234	86	K61.1	62	140	78	141
K41.4	3	3	-	K55.2	51	130	79	K61.2	-	-	-	-
K41.9	2	7	5	K55.8	3	6	3	K61.3	-	5	5	5
K42.0	47	75	28	K55.9	6,057	11,512	5,460	K61.4	-	-	-	-
K42.1	3	3	-	K56.0	44	211	167	K62.0	-	1	1	1
K42.9	20	63	43	K56.1	18	27	9	K62.1	1	10	9	10

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
K62.2	-	1	1	K71.7	-	-	-	K80.1	162	239	83	16
K62.3	30	79	49	K71.8	2	3	1	K80.2	597	1,439	842	1,779
K62.4	7	35	28	K71.9	4	9	5	K80.3	50	55	5	2
K62.5	135	545	410	K72.0	306	1,444	1,133	K80.4	42	53	11	1
K62.6	11	32	21	K72.1	78	452	374	K80.5	94	216	122	321
K62.7	3	42	39	K72.9	3,651	26,908	23,127	K80.8	2	3	1	3
K62.8	18	56	38	K73.0	-	2	2	K81.0	863	1,313	450	1,442
K62.9	59	158	99	K73.1	-	-	-	K81.1	42	152	110	177
K63.0	32	144	112	K73.2	15	63	48	K81.8	5	10	5	10
K63.1	1,729	4,853	3,133	K73.8	2	3	1	K81.9	825	1,535	710	1,805
K63.2	223	808	585	K73.9	82	280	198	K82.0	7	18	11	18
K63.3	30	86	56	K74.0	18	102	84	K82.1	-	8	8	8
K63.4	1	6	5	K74.1	12	29	17	K82.2	42	89	47	89
K63.5	36	240	204	K74.2	-	-	-	K82.3	7	12	5	12
K63.8	72	218	146	K74.3	381	498	118	K82.4	1	5	4	5
K63.9	430	1,115	689	K74.4	2	17	15	K82.8	8	32	24	32
K65.0	580	2,577	1,997	K74.5	104	163	59	K82.9	231	725	494	730
K65.8	39	147	108	K74.6	13,986	31,059	17,076	K83.0	656	1,288	633	1,351
K65.9	885	3,794	2,913	K75.0	134	327	193	K83.1	415	1,742	1,327	1,742
K66.0	82	291	210	K75.1	-	2	2	K83.2	4	5	1	5
K66.1	165	534	369	K75.2	-	-	-	K83.3	2	13	11	13
K66.8	45	159	114	K75.3	3	9	6	K83.4	-	-	-	-
K66.9	33	94	61	K75.4	353	534	181	K83.5	-	-	-	-
K70.0	184	71	15	K75.8	11	23	12	K83.8	23	49	26	49
K70.1	754	916	205	K75.9	342	1,141	799	K83.9	21	67	46	90
K70.2	8	4	-	K76.0	539	2,283	1,744	K85	2,757	5,753	3,000	5,988
K70.3	8,730	8,791	922	K76.1	31	169	138	K86.0	359	297	29	49
K70.4	1,369	508	54	K76.2	-	-	-	K86.1	257	1,025	768	1,100
K70.9	1,883	2,284	876	K76.3	8	43	35	K86.2	7	32	25	32
K71.0	-	-	-	K76.4	3	4	1	K86.3	50	143	93	144
K71.1	7	11	4	K76.5	4	19	15	K86.8	54	283	229	283
K71.2	-	-	-	K76.6	106	1,012	906	K86.9	277	676	399	791
K71.3	-	-	-	K76.7	447	4,022	3,575	K90.0	26	93	67	93
K71.4	-	-	-	K76.8	118	768	650	K90.1	32	110	78	110
K71.5	-	-	-	K76.9	3,099	5,673	2,595	K90.2	165	383	218	383
K71.6	7	17	10	K80.0	94	120	27	K90.3	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis			
	UC	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis		
K90.4	17	56	39	56	L04.8	1	1	-	1	L21.9	1	6	5	6		
K90.8	3	19	16	19	L04.9	-	3	3	3	L22	-	-	-	-		
K90.9	66	221	155	236	L05.0	3	4	1	4	L23.0	-	-	-	-		
K91.0	...	3	3	3	L05.9	2	4	2	5	L23.1	-	-	-	-		
K91.1	...	16	16	16	L08.0	-	2	2	2	L23.2	-	-	-	-		
K91.2	...	29	29	29	L08.1	-	-	-	-	L23.3	-	-	-	-		
K91.3	...	186	186	186	L08.8	3	7	4	7	L23.4	-	-	-	-		
K91.4	...	54	54	54	L08.9	451	1,794	1,343	1,826	L23.5	-	-	-	-		
K91.5	...	1	1	1	L10.0	9	28	19	28	L23.6	-	-	-	-		
K91.8	...	595	595	595	L10.1	-	-	-	-	L23.7	-	-	-	-		
K91.9	...	33	33	34	L10.2	-	1	1	1	L23.8	-	-	-	-		
K92.0	47	214	167	240	L10.3	-	-	-	-	L23.9	-	2	2	2		
K92.1	15	77	62	78	L10.4	-	1	1	1	L24.0	-	-	-	-		
K92.2	7,545	29,171	21,644	32,834	L10.5	-	1	1	1	L24.1	-	-	-	-		
K92.8	44	95	51	95	L10.8	4	7	3	7	L24.2	-	-	-	-		
K92.9	63	133	74	196	L10.9	33	117	84	117	L24.3	-	-	-	-		
L00	5	8	3	8	L11.0	-	-	-	-	L24.4	-	-	-	-		
L01.0	-	3	3	3	L11.1	-	1	1	1	L24.5	-	-	-	-		
L01.1	-	-	-	-	L11.8	-	-	-	-	L24.6	-	-	-	-		
L02.0	4	10	6	10	L11.9	-	-	-	-	L24.7	-	-	-	-		
L02.1	14	49	35	50	L12.0	49	209	160	209	L24.8	-	1	1	1		
L02.2	52	178	126	178	L12.1	5	9	4	9	L24.9	-	1	1	1		
L02.3	11	47	36	47	L12.2	-	-	-	-	L25.0	-	-	-	-		
L02.4	60	250	190	250	L12.3	-	-	-	-	L25.1	-	-	-	-		
L02.8	8	25	17	25	L12.8	1	1	-	1	L25.2	-	-	-	-		
L02.9	55	286	232	293	L12.9	15	47	32	47	L25.3	-	-	-	-		
L03.0	6	23	17	23	L13.0	-	4	4	4	L25.4	-	-	-	-		
L03.1	415	1,608	1,193	1,613	L13.1	-	-	-	-	L25.5	-	-	-	-		
L03.2	5	41	36	42	L13.8	-	-	-	-	L25.8	-	-	-	-		
L03.3	44	147	103	147	L13.9	2	9	7	9	L25.9	-	-	-	-		
L03.8	12	48	36	48	L20.0	-	-	-	-	L26	10	19	9	19		
L03.9	549	2,262	1,713	2,273	L20.8	-	1	1	1	L27.0	-	4	4	4		
L04.0	-	-	-	-	L20.9	1	9	8	9	L27.1	-	-	-	-		
L04.1	2	2	-	2	L21.0	-	-	-	-	L27.2	-	1	1	1		
L04.2	-	2	2	2	L21.1	-	-	-	-	L27.8	-	1	1	-		
L04.3	-	-	-	-	L21.8	-	-	-	-	L27.9	-	-	-	-		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
L28.0	1	7	6	L43.2	-	-	-	L55.9	1	2	1	2
L28.1	-	-	-	L43.3	-	-	-	L56.0	-	-	-	-
L28.2	-	-	-	L43.8	-	-	-	L56.1	-	-	-	-
L29.0	-	-	-	L43.9	-	6	6	L56.2	-	-	-	-
L29.1	-	-	-	L44.0	-	2	2	L56.3	-	-	-	-
L29.2	-	-	-	L44.1	-	-	-	L56.4	-	-	-	-
L29.3	-	-	-	L44.2	-	-	-	L56.8	-	-	-	-
L29.8	-	1	1	L44.3	-	-	-	L56.9	-	-	-	-
L29.9	1	3	2	L44.4	-	-	-	L57.0	1	4	3	4
L30.0	-	-	-	L44.8	-	-	-	L57.1	-	-	-	-
L30.1	-	-	-	L44.9	-	-	-	L57.2	-	-	-	-
L30.2	-	1	1	L50.0	-	1	1	L57.3	-	-	-	-
L30.3	-	-	-	L50.1	-	-	-	L57.4	-	-	-	-
L30.4	-	-	-	L50.2	-	-	-	L57.5	-	-	-	-
L30.5	-	-	-	L50.3	-	-	-	L57.8	-	-	-	-
L30.8	2	5	3	L50.4	-	-	-	L57.9	-	-	-	-
L30.9	11	97	86	L50.5	-	-	-	L58.0	-	-	-	-
L40.0	-	-	-	L50.6	-	-	-	L58.1	-	-	-	-
L40.1	1	4	3	L50.8	-	1	1	L58.9	-	-	-	-
L40.2	-	-	-	L50.9	1	6	5	L59.0	-	-	-	-
L40.3	2	2	-	L51.0	-	-	-	L59.8	-	4	4	4
L40.4	-	-	-	L51.1	45	122	77	L59.9	-	-	-	-
L40.5	11	92	81	L51.2	56	106	50	L60.0	-	-	-	-
L40.8	3	9	6	L51.8	-	-	-	L60.1	-	-	-	-
L40.9	34	270	236	L51.9	2	11	9	L60.2	-	-	-	-
L41.0	-	1	1	L52	-	2	2	L60.3	-	-	-	-
L41.1	-	-	-	L53.0	-	-	-	L60.4	-	-	-	-
L41.2	-	1	1	L53.1	-	1	1	L60.5	1	7	6	7
L41.3	-	-	-	L53.2	-	-	-	L60.8	-	-	-	-
L41.4	-	-	-	L53.3	-	-	-	L60.9	-	-	-	-
L41.5	-	-	-	L53.8	1	2	1	L63.0	-	-	-	-
L41.8	-	1	1	L53.9	14	150	136	L63.1	-	-	-	-
L41.9	-	2	2	L55.0	-	-	-	L63.2	-	-	-	-
L42	-	2	2	L55.1	-	1	1	L63.8	-	-	-	-
L43.0	-	-	-	L55.2	-	-	-	L63.9	-	-	-	-
L43.1	-	-	-	L55.8	-	-	-	L64.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
L64.8	-	-	-	L72.0	-	2	2	L85.0	-	-	-	-
L64.9	-	-	-	L72.1	-	4	4	L85.1	-	-	-	-
L65.0	-	-	-	L72.2	-	-	-	L85.2	-	-	-	-
L65.1	-	-	-	L72.8	-	-	-	L85.3	-	2	2	2
L65.2	-	-	-	L72.9	-	1	1	L85.8	-	-	-	-
L65.8	-	-	-	L73.0	-	-	-	L85.9	-	1	1	1
L65.9	-	-	-	L73.1	-	-	-	L87.0	1	1	-	1
L66.0	-	-	-	L73.2	4	29	25	L87.1	-	-	-	-
L66.1	-	-	-	L73.8	-	-	-	L87.2	-	-	-	-
L66.2	-	-	-	L73.9	1	4	3	L87.8	-	-	-	-
L66.3	-	-	-	L74.0	-	2	2	L87.9	-	-	-	-
L66.4	-	-	-	L74.1	-	-	-	L88	7	41	34	41
L66.8	-	-	-	L74.2	-	-	-	L89	1,672	8,462	6,796	10,375
L66.9	-	-	-	L74.3	-	-	-	L90.0	-	-	-	-
L67.0	-	-	-	L74.4	-	1	1	L90.1	-	-	-	-
L67.1	-	-	-	L74.8	-	-	-	L90.2	-	-	-	-
L67.8	-	-	-	L74.9	-	-	-	L90.3	-	-	-	-
L67.9	-	-	-	L75.0	-	-	-	L90.4	-	-	-	-
L68.0	2	2	2	L75.1	-	-	-	L90.5	1	59	58	59
L68.1	-	-	-	L75.2	-	-	-	L90.6	-	-	-	-
L68.2	-	-	-	L75.8	-	-	-	L90.8	-	-	-	-
L68.3	-	-	-	L75.9	-	-	-	L90.9	-	-	-	-
L68.8	-	-	-	L80	1	3	2	L91.0	1	3	2	3
L68.9	-	-	-	L81.0	-	-	-	L91.8	-	-	-	-
L70.0	-	-	-	L81.1	-	-	-	L91.9	-	-	-	-
L70.1	-	-	-	L81.2	-	-	-	L92.0	-	1	1	1
L70.2	-	-	-	L81.3	-	-	-	L92.1	-	-	-	2
L70.3	-	-	-	L81.4	-	4	4	L92.2	-	1	1	1
L70.4	-	-	-	L81.5	-	1	1	L92.3	-	-	-	-
L70.5	-	-	-	L81.6	-	-	-	L92.8	-	4	4	4
L70.8	-	-	-	L81.7	-	-	-	L92.9	8	51	43	51
L70.9	-	-	-	L81.8	-	1	1	L93.0	165	925	760	925
L71.0	-	-	-	L81.9	1	2	1	L93.1	-	1	1	1
L71.1	-	-	-	L82	-	-	-	L93.2	-	2	2	2
L71.8	-	-	-	L83	-	-	-	L94.0	1	3	2	3
L71.9	4	4	4	L84	-	-	-	L94.1	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
L94.2	-	5	5	M05.8	-	-	-	M13.8	-	3	3	3	
L94.3	-	3	3	M05.9	1	1	-	M13.9	296	3,081	2,786	3,676	
L94.4	-	-	-	M06.0	1	5	4	M15.0	-	-	-	-	
L94.5	-	-	-	M06.1	1	1	-	M15.1	-	-	-	-	
L94.6	-	-	-	M06.2	-	-	-	M15.2	-	-	-	-	
L94.8	-	1	1	M06.3	-	1	1	M15.3	-	-	-	-	
L94.9	-	2	2	M06.4	9	38	29	M15.4	-	-	-	-	
L95.0	-	-	-	M06.8	-	2	2	M15.8	-	-	-	-	
L95.1	-	-	-	M06.9	2,238	8,765	6,529	8,948	M15.9	14	178	164	178
L95.8	-	-	-	M08.0	15	41	26	M16.0	-	-	-	-	
L95.9	-	1	1	M08.1	-	-	-	M16.1	-	-	-	-	
L97	161	994	834	1,386	M08.2	3	9	6	M16.2	-	-	-	-
L98.0	-	-	-	M08.3	-	-	-	M16.3	-	-	-	-	
L98.1	-	-	-	M08.4	-	-	-	M16.4	-	-	-	-	
L98.2	1	10	9	10	M08.8	-	-	-	M16.5	-	-	-	-
L98.3	-	-	-	M08.9	-	2	2	M16.6	-	-	-	-	
L98.4	152	1,000	848	1,218	M10.0	18	126	108	M16.7	-	-	-	-
L98.5	3	5	2	5	M10.1	-	-	-	M16.9	23	117	94	117
L98.6	-	-	-	M10.2	-	-	-	M17.0	-	-	-	-	
L98.8	12	143	131	143	M10.3	1	5	4	M17.1	-	-	-	-
L98.9	22	101	79	102	M10.4	-	1	1	M17.2	-	-	-	-
M00.0	4	6	2	6	M10.9	71	1,752	1,681	M17.3	-	-	-	-
M00.1	-	-	-	M11.0	-	-	-	M17.4	-	-	-	-	
M00.2	-	-	-	M11.1	-	-	-	M17.5	-	-	-	-	
M00.8	-	1	1	1	M11.2	1	17	16	M17.9	30	161	131	161
M00.9	277	488	211	489	M11.8	-	-	-	M18.0	-	-	-	-
M02.0	-	-	-	M11.9	-	2	2	M18.1	-	-	-	-	
M02.1	-	-	-	M12.0	-	-	-	M18.2	-	-	-	-	
M02.2	-	-	-	M12.1	1	1	-	M18.3	-	-	-	-	
M02.3	2	7	5	7	M12.2	2	3	1	M18.4	-	-	-	-
M02.8	-	-	-	M12.3	-	1	1	M18.5	-	-	-	-	
M02.9	-	-	-	M12.4	-	-	-	M18.9	-	2	2	2	
M05.0	24	61	37	61	M12.5	-	3	3	M19.0	-	-	-	-
M05.1	162	188	59	189	M12.8	-	-	-	M19.1	-	2	2	2
M05.2	32	14	7	14	M13.0	6	52	46	M19.2	6	24	18	24
M05.3	52	50	27	13	M13.1	1	1	-	M19.8	-	5	5	5

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis			
M19.9	860	14,666	13,804	14,680	M24.2	-	-	-	M33.0	1	2	1	2	
M20.0	-	-	-	-	M24.3	1	15	14	M33.1	100	210	110	211	
M20.1	-	2	2	2	M24.4	-	16	16	M33.2	205	395	190	396	
M20.2	-	-	-	-	M24.5	4	68	64	M33.9	-	-	-	-	
M20.3	-	-	-	-	M24.6	1	18	17	M34.0	35	49	14	49	
M20.4	-	-	-	-	M24.7	-	-	-	M34.1	105	216	111	216	
M20.5	-	-	-	-	M24.8	-	1	1	M34.2	-	-	-	-	
M20.6	-	-	-	-	M24.9	-	-	-	M34.8	901	633	156	34	
M21.0	-	1	1	1	M25.0	-	9	9	M34.9	360	1,089	744	1,743	
M21.1	-	-	-	-	M25.1	-	1	1	M35.0	90	274	184	276	
M21.2	-	-	-	-	M25.2	-	2	2	M35.1	12	26	14	26	
M21.3	-	5	5	5	M25.3	-	2	2	M35.2	8	19	11	19	
M21.4	-	1	1	1	M25.4	-	4	4	M35.3	93	920	828	920	
M21.5	-	-	-	-	M25.5	3	77	74	M35.4	-	-	-	-	
M21.6	-	1	1	1	M25.6	-	2	2	M35.5	2	3	1	3	
M21.7	-	-	-	-	M25.7	-	6	6	M35.6	3	5	2	5	
M21.8	-	-	-	-	M25.8	1	25	24	M35.7	1	2	1	2	
M21.9	-	8	8	8	M25.9	44	1,029	985	1,116	M35.8	25	45	20	11
M22.0	-	-	-	-	M30.0	43	76	34	M35.9	264	461	200	540	
M22.1	-	-	-	-	M30.1	35	55	20	M40.0	-	-	-	-	
M22.2	-	-	-	-	M30.2	-	-	-	M40.1	-	68	68	68	
M22.3	-	-	-	-	M30.3	7	11	4	M40.2	86	439	353	439	
M22.4	-	1	1	1	M30.8	-	-	-	M40.3	-	-	-	-	
M22.8	-	-	-	-	M31.0	48	74	26	M40.4	-	-	-	-	
M22.9	-	-	-	-	M31.1	287	384	102	M40.5	-	3	3	3	
M23.0	-	-	-	-	M31.2	-	1	1	M41.0	-	-	-	-	
M23.1	-	-	-	-	M31.3	358	550	192	M41.1	-	1	1	1	
M23.2	-	-	-	-	M31.4	11	24	13	M41.2	1	2	1	2	
M23.3	-	-	-	-	M31.5	-	-	-	M41.3	3	7	4	7	
M23.4	-	-	-	-	M31.6	101	493	392	M41.4	1	32	31	32	
M23.5	-	-	-	-	M31.8	10	11	1	M41.5	-	26	26	26	
M23.6	-	-	-	-	M31.9	17	29	13	M41.8	1	5	4	5	
M23.8	-	-	-	-	M32.0	-	-	-	M41.9	266	705	439	843	
M23.9	-	6	6	6	M32.1	1,203	2,067	865	M42.0	-	-	-	-	
M24.0	-	-	-	-	M32.8	1	1	-	M42.1	-	-	-	-	
M24.1	-	-	-	-	M32.9	188	233	67	M42.9	-	-	-	-	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis			Entity axis		Record axis			Entity axis		Record axis			Entity axis		
	Total UC	Second-mention	Ary			Total UC	Second-mention	Ary			Total UC	Second-mention	Ary			
M43.0	2	13	11	13	M50.9	5	9	4	9	M62.1	-	-	-	-		
M43.1	5	24	19	24	M51.0	1	1	-	-	M62.2	28	59	31	59		
M43.2	11	63	52	63	M51.1	2	3	1	-	M62.3	41	85	44	85		
M43.3	-	-	-	-	M51.2	11	74	63	74	M62.4	-	7	7	7		
M43.4	-	-	-	-	M51.3	39	355	316	359	M62.5	17	76	59	76		
M43.5	-	-	-	-	M51.4	-	-	-	-	M62.6	2	3	1	3		
M43.6	-	17	17	17	M51.8	-	2	2	2	M62.8	541	1,673	1,133	1,677		
M43.8	-	-	-	-	M51.9	15	85	70	86	M62.9	10	35	25	38		
M43.9	4	17	13	18	M53.0	-	-	-	-	M65.0	-	-	-	-		
M45	35	171	136	171	M53.1	-	2	2	2	M65.1	-	-	-	-		
M46.0	-	-	-	-	M53.2	-	9	9	9	M65.2	-	1	1	1		
M46.1	-	2	2	2	M53.3	-	2	2	2	M65.3	-	-	-	-		
M46.2	132	255	123	256	M53.8	3	19	16	19	M65.4	-	-	-	-		
M46.3	4	4	-	4	M53.9	-	15	15	17	M65.8	1	3	2	3		
M46.4	63	154	91	155	M54.0	-	-	-	-	M65.9	1	1	-	1		
M46.5	-	2	2	2	M54.1	10	102	92	103	M66.0	-	-	-	-		
M46.8	-	-	-	-	M54.2	1	47	46	47	M66.1	-	-	-	-		
M46.9	12	81	69	81	M54.3	1	33	32	35	M66.2	-	-	-	-		
M47.0	-	-	-	-	M54.4	-	-	-	-	M66.3	-	-	-	-		
M47.1	5	7	3	3	M54.5	14	228	214	228	M66.4	1	1	-	1		
M47.2	-	-	-	-	M54.6	-	2	2	2	M66.5	-	3	3	3		
M47.8	30	136	106	140	M54.8	2	8	6	8	M67.0	-	-	-	-		
M47.9	33	240	207	242	M54.9	58	931	873	931	M67.1	-	-	-	-		
M48.0	184	2,036	1,852	2,037	M60.0	31	94	63	94	M67.2	-	-	-	-		
M48.1	-	5	5	5	M60.1	-	-	-	-	M67.3	-	-	-	-		
M48.2	-	-	-	-	M60.2	-	6	6	6	M67.4	2	3	1	3		
M48.3	-	1	1	1	M60.8	8	17	9	17	M67.8	-	-	-	-		
M48.4	-	-	-	-	M60.9	65	200	135	201	M67.9	-	-	-	-		
M48.5	5	10	5	15	M61.0	-	-	-	-	M70.0	-	-	-	-		
M48.8	3	4	1	4	M61.1	6	6	-	6	M70.1	-	-	-	-		
M48.9	55	180	125	184	M61.2	-	-	-	-	M70.2	1	6	5	6		
M50.0	2	4	2	4	M61.3	-	-	-	-	M70.3	1	1	-	1		
M50.1	-	-	-	-	M61.4	-	-	-	-	M70.4	-	-	-	-		
M50.2	1	4	3	4	M61.5	1	1	-	1	M70.5	-	1	1	1		
M50.3	9	47	38	47	M61.9	-	-	-	-	M70.6	-	2	2	2		
M50.8	-	-	-	-	M62.0	-	-	-	-	M70.7	-	-	-	-		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field					ICD-10 code	Record count by code field					ICD-10 code	Record count by code field						
	Record axis			Entity axis	UC		Record axis			Entity axis	UC		Record axis			Entity axis	UC		
	Total	Second-	Entity				Total	Second-	Entity				Total	Second-	Entity				
M70.8	-	-	-	-	-	M77.1	-	-	-	-	-	M83.3	-	-	-	-	-		
M70.9	-	-	-	-	-	M77.2	-	-	-	-	-	M83.4	-	-	-	-	-		
M71.0	-	-	-	-	-	M77.3	-	-	-	-	-	M83.5	-	-	-	-	-		
M71.1	1	6	5	6	-	M77.4	-	-	-	-	-	M83.8	-	-	-	-	-		
M71.2	-	2	2	2	-	M77.5	-	-	-	-	-	M83.9	2	10	8	10	-		
M71.3	-	-	-	-	-	M77.8	-	-	-	-	-	M84.0	1	2	1	2	-		
M71.4	-	-	-	-	-	M77.9	-	6	6	6	-	M84.1	4	19	15	19	-		
M71.5	-	3	3	3	-	M79.0	15	274	259	308	-	M84.2	-	-	-	-	-		
M71.8	-	-	-	-	-	M79.1	-	16	16	16	-	M84.3	1	3	2	3	-		
M71.9	7	14	7	14	-	M79.2	1	28	27	33	-	M84.4	123	866	744	3,129	-		
M72.0	-	1	1	1	-	M79.3	18	50	32	50	-	M84.8	-	-	-	-	-		
M72.1	-	-	-	-	-	M79.4	-	-	-	-	-	M84.9	-	-	-	-	-		
M72.2	-	-	-	-	-	M79.5	-	-	-	-	-	M85.0	-	-	-	-	-		
M72.4	1	1	-	1	-	M79.6	5	70	65	70	-	M85.1	-	-	-	-	-		
M72.6	434	825	392	834	-	M79.8	7	31	24	31	-	M85.2	-	-	-	-	-		
M72.8	2	9	7	9	-	M79.9	1	5	4	5	-	M85.3	-	-	-	-	-		
M72.9	26	80	54	84	-	M80.0	1	2	1	-	-	M85.4	-	1	1	1	-		
M75.0	-	2	2	2	-	M80.1	-	-	-	-	-	M85.5	-	1	1	1	-		
M75.1	-	13	13	13	-	M80.2	-	-	-	-	-	M85.6	-	1	1	1	-		
M75.2	-	-	-	-	-	M80.3	-	-	-	-	-	M85.8	-	2	2	2	-		
M75.3	-	-	-	-	-	M80.4	-	2	2	1	-	M85.9	1	1	-	1	-		
M75.4	-	2	2	2	-	M80.5	-	1	1	-	-	M86.0	-	-	-	-	-		
M75.5	1	1	-	1	-	M80.8	3	4	1	1	-	M86.1	10	17	7	17	-		
M75.8	1	14	13	14	-	M80.9	755	2,321	1,566	16	-	M86.2	-	-	-	-	-		
M75.9	-	-	-	-	-	M81.0	-	6	6	8	-	M86.3	-	-	-	-	-		
M76.0	-	-	-	-	-	M81.1	-	-	-	-	-	M86.4	1	1	-	1	-		
M76.1	-	-	-	-	-	M81.2	-	-	-	-	-	M86.5	-	-	-	-	-		
M76.2	-	-	-	-	-	M81.3	-	-	-	-	-	M86.6	84	242	158	245	-		
M76.3	-	-	-	-	-	M81.4	-	6	6	7	-	M86.8	38	77	39	77	-		
M76.4	-	-	-	-	-	M81.5	-	-	-	1	-	M86.9	1,213	2,720	1,507	2,732	-		
M76.5	-	-	-	-	-	M81.6	-	-	-	-	-	M87.0	-	-	-	-	-		
M76.6	-	1	1	1	-	M81.8	13	22	18	25	-	M87.1	-	1	1	1	-		
M76.7	-	-	-	-	-	M81.9	923	11,540	10,622	13,849	-	M87.2	1	1	-	1	-		
M76.8	-	2	2	2	-	M83.0	-	-	-	-	-	M87.3	1	1	-	1	-		
M76.9	-	-	-	-	-	M83.1	-	-	-	-	-	M87.8	2	11	9	11	-		
M77.0	-	-	-	-	-	M83.2	-	-	-	-	-	M87.9	10	72	62	73	-		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
M88.0	-	-	-	-	M94.3	1	2	1	2	N00.6	-	-
M88.8	-	-	-	-	M94.8	5	11	6	11	N00.7	-	-
M88.9	52	382	330	382	M94.9	-	4	4	4	N00.8	-	-
M89.0	9	46	37	46	M95.0	-	-	-	-	N00.9	11	64
M89.1	-	-	-	-	M95.1	-	-	-	-	N01.0	-	-
M89.2	-	-	-	-	M95.2	-	2	2	2	N01.1	-	-
M89.3	-	-	-	-	M95.3	-	3	3	3	N01.2	-	-
M89.4	-	1	1	1	M95.4	4	24	20	24	N01.3	-	-
M89.5	2	7	5	7	M95.5	-	1	1	1	N01.4	-	-
M89.6	-	1	1	1	M95.8	-	-	-	-	N01.5	-	-
M89.8	22	320	298	320	M95.9	-	4	4	4	N01.6	-	-
M89.9	18	73	56	93	M96.0	...	-	-	-	N01.7	-	-
M91.0	-	-	-	-	M96.1	...	2	2	2	N01.8	-	-
M91.1	-	3	3	3	M96.2	...	-	-	-	N01.9	6	10
M91.2	-	-	-	-	M96.3	...	-	-	-	N02.0	-	-
M91.3	-	-	-	-	M96.4	...	-	-	-	N02.1	-	-
M91.8	-	-	-	-	M96.5	...	-	-	-	N02.2	-	-
M91.9	2	5	3	5	M96.6	...	3	3	3	N02.3	-	-
M92.0	1	1	-	1	M96.8	...	9	9	9	N02.4	-	-
M92.1	1	1	-	1	M96.9	...	1	1	1	N02.5	-	-
M92.2	-	-	-	-	M99.0	-	-	-	-	N02.6	-	-
M92.3	-	-	-	-	M99.1	-	1	1	1	N02.7	-	-
M92.4	-	-	-	-	M99.2	-	-	-	-	N02.8	25	72
M92.5	-	-	-	-	M99.3	-	-	-	-	N02.9	-	11
M92.6	-	-	-	-	M99.4	-	-	-	-	N03.0	-	-
M92.7	-	-	-	-	M99.5	-	-	-	-	N03.1	-	-
M92.8	-	-	-	-	M99.6	-	-	-	-	N03.2	-	-
M92.9	-	-	-	-	M99.7	-	-	-	-	N03.3	-	-
M93.0	-	-	-	-	M99.8	-	1	1	1	N03.4	-	-
M93.1	-	-	-	-	M99.9	-	-	-	-	N03.5	-	-
M93.2	-	2	2	2	N00.0	-	-	-	-	N03.6	-	1
M93.8	-	-	-	-	N00.1	-	-	-	-	N03.7	-	-
M93.9	-	1	1	1	N00.2	-	-	-	-	N03.8	1	1
M94.0	1	1	-	1	N00.3	-	-	-	-	N03.9	620	2,492
M94.1	2	6	4	6	N00.4	-	-	-	-	N04.0	-	-
M94.2	-	4	4	4	N00.5	-	-	-	-	N04.1	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field					Record count by code field					Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis		
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis
N04.2	-	-	-	N07.8	-	-	-	N20.0	262	740	478	770			
N04.3	-	-	-	N07.9	-	-	-	N20.1	31	53	22	61			
N04.4	-	-	-	N10	136	267	132	N20.2	-	4	4	-			
N04.5	-	-	-	N11.0	1	1	-	N20.9	16	51	35	55			
N04.6	-	-	-	N11.1	9	24	15	N21.0	11	32	21	32			
N04.7	-	-	-	N11.8	-	1	1	N21.1	4	12	8	12			
N04.8	-	-	-	N11.9	47	129	82	N21.8	-	-	-	-			
N04.9	120	345	231	495	N12	539	1,170	633	1,188	N21.9	-	-	-	-	-
N05.0	-	-	-	1	N13.0	2	2	-	-	N23	-	3	3	3	
N05.1	8	16	8	16	N13.1	1	1	-	-	N25.0	1	26	25	26	
N05.2	30	67	37	77	N13.2	13	30	17	-	N25.1	5	17	12	17	
N05.3	1	1	-	1	N13.3	90	584	494	617	N25.8	21	74	53	76	
N05.4	-	-	-	-	N13.4	1	16	15	16	N25.9	-	-	-	-	
N05.5	9	17	8	21	N13.5	68	335	267	348	N26	54	105	55	169	
N05.6	-	-	-	-	N13.6	5	18	13	15	N27.0	-	-	-	-	
N05.7	7	12	5	12	N13.7	9	13	4	14	N27.1	1	1	-	1	
N05.8	15	28	13	32	N13.8	6	54	48	54	N27.9	1	1	-	1	
N05.9	97	213	123	296	N13.9	248	1,117	869	1,150	N28.0	36	217	181	218	
N06.0	-	-	-	-	N14.0	1	5	4	5	N28.1	2	8	6	8	
N06.1	-	-	-	-	N14.1	4	15	11	15	N28.8	119	579	460	579	
N06.2	-	-	-	-	N14.2	3	11	8	11	N28.9	513	1,837	1,331	3,535	
N06.3	-	-	-	-	N14.3	1	1	-	1	N30.0	9	37	28	37	
N06.4	-	-	-	-	N14.4	2	3	1	3	N30.1	6	33	27	33	
N06.5	-	-	-	-	N15.0	-	-	-	-	N30.2	11	56	45	56	
N06.6	-	-	-	-	N15.1	30	103	73	103	N30.3	-	-	-	-	
N06.7	-	-	-	-	N15.8	-	-	-	-	N30.4	3	59	56	59	
N06.8	-	-	-	-	N15.9	24	82	58	83	N30.8	15	39	24	39	
N06.9	-	-	-	-	N17.0	209	790	582	793	N30.9	99	363	264	369	
N07.0	-	-	-	-	N17.1	2	8	6	8	N31.0	-	-	-	-	
N07.1	-	-	-	-	N17.2	1	4	3	4	N31.1	-	-	-	-	
N07.2	-	-	-	-	N17.8	1	6	5	6	N31.2	13	44	31	44	
N07.3	-	-	-	-	N17.9	7,273	45,186	37,916	45,354	N31.8	-	1	1	1	
N07.4	-	-	-	-	N18.0	10,238	31,094	20,878	41,899	N31.9	122	662	540	662	
N07.5	-	-	-	-	N18.8	238	15	12	21	N32.0	53	202	149	202	
N07.6	-	-	-	-	N18.9	7,590	44,147	36,561	45,914	N32.1	106	324	218	324	
N07.7	-	-	-	-	N19	17,316	102,721	85,409	106,961	N32.2	7	50	43	50	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis			Entity axis		Record axis			Entity axis		Record axis			Entity axis		
	Total UC	Second-mention	Ary			Total UC	Second-mention	Ary			Total UC	Second-mention	Ary			
N32.3	-	7	7	7	N42.9	51	189	138	232	N61	14	28	14	28		
N32.4	16	66	50	66	N43.0	-	-	-	-	N62	-	1	1	1		
N32.8	9	116	107	116	N43.1	-	-	-	-	N63	32	174	142	174		
N32.9	26	115	89	158	N43.2	-	-	-	-	N64.0	-	-	-	-		
N34.0	2	3	1	3	N43.3	-	6	6	6	N64.1	-	2	2	2		
N34.1	-	-	-	-	N43.4	-	-	-	-	N64.2	-	-	-	-		
N34.2	-	4	4	4	N44	1	1	-	1	N64.3	-	-	-	-		
N34.3	-	-	-	-	N45.0	-	3	3	3	N64.4	-	1	1	1		
N35.0	-	-	-	-	N45.9	6	15	9	15	N64.5	1	10	9	10		
N35.1	-	-	-	-	N46	-	-	-	-	N64.8	-	2	2	2		
N35.8	-	-	-	-	N47	-	5	5	5	N64.9	14	215	201	215		
N35.9	16	54	38	54	N48.0	-	-	-	-	N70.0	1	2	1	2		
N36.0	4	31	27	31	N48.1	1	2	1	3	N70.1	-	-	-	-		
N36.1	-	-	-	-	N48.2	7	18	11	18	N70.9	5	20	15	21		
N36.2	-	-	-	-	N48.3	1	2	1	2	N71.0	2	2	-	2		
N36.3	1	1	-	1	N48.4	-	-	-	-	N71.1	-	-	-	-		
N36.8	6	31	25	31	N48.5	2	4	2	4	N71.9	11	26	15	26		
N36.9	-	5	5	6	N48.6	-	-	-	-	N72	-	1	1	1		
N39.0	14,962	38,051	23,095	38,320	N48.8	1	4	3	4	N73.0	1	1	-	1		
N39.1	-	-	-	-	N48.9	-	1	1	2	N73.1	3	5	2	5		
N39.2	-	-	-	-	N49.0	1	1	-	1	N73.2	1	3	2	3		
N39.3	2	10	8	10	N49.1	1	1	-	1	N73.3	-	-	-	-		
N39.4	1	9	8	9	N49.2	26	58	32	59	N73.4	-	-	-	-		
N39.8	1	1	-	1	N49.8	59	124	65	124	N73.5	3	5	2	5		
N39.9	13	38	25	62	N49.9	2	2	-	2	N73.6	1	6	5	6		
N40	525	3,027	2,502	3,027	N50.0	-	-	-	-	N73.8	1	1	-	1		
N41.0	3	12	9	12	N50.1	7	15	8	15	N73.9	74	181	107	182		
N41.1	7	16	9	17	N50.8	5	12	7	12	N75.0	1	1	-	1		
N41.2	2	7	5	7	N50.9	2	24	22	44	N75.1	1	1	-	1		
N41.3	-	2	2	-	N60.0	-	3	3	3	N75.8	-	-	-	-		
N41.8	1	2	1	2	N60.1	-	7	7	7	N75.9	-	-	-	-		
N41.9	16	58	42	59	N60.2	-	-	-	-	N76.0	4	10	6	10		
N42.0	-	13	13	13	N60.3	-	-	-	-	N76.1	-	1	1	1		
N42.1	1	17	16	17	N60.4	-	-	-	-	N76.2	1	2	1	2		
N42.2	-	-	-	-	N60.8	-	-	-	-	N76.3	-	-	-	-		
N42.8	2	10	8	10	N60.9	-	1	1	1	N76.4	1	9	8	9		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
N76.5	-	-	-	-	N83.7	-	-	-	N89.5	-	1	1
N76.6	-	1	1	1	N83.8	1	7	6	N89.6	-	-	-
N76.8	9	13	4	14	N83.9	37	183	146	N89.7	-	-	-
N80.0	2	4	2	4	N84.0	1	10	9	N89.8	1	3	2
N80.1	-	1	1	1	N84.1	-	2	2	N89.9	2	5	3
N80.2	-	-	-	-	N84.2	-	1	1	N90.0	-	-	5
N80.3	-	-	-	-	N84.3	-	-	-	N90.1	-	-	-
N80.4	-	-	-	-	N84.8	-	-	-	N90.2	-	-	-
N80.5	-	-	-	-	N84.9	-	-	-	N90.3	-	1	1
N80.6	-	-	-	-	N85.0	4	5	1	N90.4	-	1	1
N80.8	-	-	-	-	N85.1	1	1	-	N90.5	-	-	-
N80.9	-	9	9	9	N85.2	1	4	3	N90.6	-	-	-
N81.0	-	-	-	-	N85.3	-	-	-	N90.7	-	-	-
N81.1	9	31	22	31	N85.4	-	-	-	N90.8	-	4	4
N81.2	-	-	-	-	N85.5	-	-	-	N90.9	-	2	2
N81.3	1	2	1	2	N85.6	-	-	-	N91.0	-	-	-
N81.4	10	24	14	24	N85.7	1	1	-	N91.1	-	-	-
N81.5	-	-	-	-	N85.8	2	10	8	N91.2	-	-	-
N81.6	1	10	9	10	N85.9	18	203	185	N91.3	-	-	-
N81.8	-	1	1	1	N86	-	2	2	N91.4	-	-	-
N81.9	-	1	1	1	N87.0	-	-	-	N91.5	-	-	-
N82.0	6	22	16	22	N87.1	-	-	-	N92.0	1	6	5
N82.1	1	1	-	1	N87.2	-	-	-	N92.1	1	2	1
N82.2	1	1	-	1	N87.9	-	1	1	N92.2	-	-	-
N82.3	45	186	141	186	N88.0	-	-	-	N92.3	-	1	1
N82.4	5	25	20	25	N88.1	-	-	-	N92.4	-	2	2
N82.5	-	-	-	-	N88.2	7	43	36	N92.5	-	-	-
N82.8	-	1	1	1	N88.3	1	1	-	N92.6	1	2	1
N82.9	1	37	36	38	N88.4	-	-	-	N93.0	-	-	-
N83.0	1	1	-	1	N88.8	1	12	11	N93.8	1	9	8
N83.1	2	2	-	2	N88.9	1	6	5	N93.9	23	170	147
N83.2	12	35	23	35	N89.0	-	-	-	N94.0	-	-	-
N83.3	-	1	1	1	N89.1	-	-	-	N94.1	-	-	-
N83.4	-	-	-	-	N89.2	-	-	-	N94.2	-	-	-
N83.5	-	-	-	-	N89.3	-	-	-	N94.3	-	-	-
N83.6	-	-	-	-	N89.4	-	-	-	N94.4	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
N94.5	-	-	-	000.9	14	16	2	005.8	-	-	-	-
N94.6	-	2	2	001.0	-	1	1	005.9	1	1	-	1
N94.8	14	40	26	001.1	-	-	-	006.0	-	-	-	-
N94.9	2	14	12	001.9	-	-	-	006.1	-	-	-	-
N95.0	3	9	6	002.0	-	-	-	006.2	-	-	-	-
N95.1	1	18	17	002.1	-	1	1	006.3	-	-	-	-
N95.2	1	2	1	002.8	-	-	-	006.4	-	-	-	-
N95.3	-	2	2	002.9	1	1	-	006.5	1	1	-	-
N95.8	-	-	-	003.0	-	-	-	006.6	-	-	-	-
N95.9	-	-	-	003.1	-	-	-	006.7	-	1	1	-
N96	-	-	-	003.2	-	-	-	006.8	1	-	-	-
N97.0	-	-	-	003.3	-	-	-	006.9	-	-	-	2
N97.1	-	-	-	003.4	-	-	-	007.0	-	-	-	-
N97.2	-	-	-	003.5	-	1	1	007.1	-	-	-	-
N97.3	-	-	-	003.6	2	-	-	007.2	-	-	-	-
N97.4	-	-	-	003.7	-	1	1	007.3	-	-	-	-
N97.8	-	-	-	003.8	1	1	-	007.4	1	1	-	1
N97.9	-	-	-	003.9	1	2	1	007.5	1	3	2	2
N98.0	-	-	-	004.0	-	-	-	007.6	-	-	-	-
N98.1	-	1	1	004.1	-	-	-	007.7	-	-	-	-
N98.2	-	-	-	004.2	-	-	-	007.8	1	2	1	2
N98.3	-	-	-	004.3	-	-	-	007.9	-	-	-	2
N98.8	-	-	-	004.4	-	-	-	008.0	...	5	5	6
N98.9	-	-	-	004.5	1	1	-	008.1	...	5	5	6
N99.0	...	369	369	004.6	-	1	1	008.2	...	2	2	4
N99.1	...	-	-	004.7	-	-	-	008.3	...	-	-	-
N99.2	...	-	-	004.8	3	2	-	008.4	...	-	-	-
N99.3	...	-	-	004.9	-	-	-	008.5	...	-	-	-
N99.4	...	-	-	005.0	-	-	-	008.6	...	-	-	-
N99.5	...	1	1	005.1	-	-	-	008.7	...	1	1	1
N99.8	...	54	54	005.2	-	-	-	008.8	...	5	5	6
N99.9	...	3	3	005.3	-	-	-	008.9	...	-	-	-
000.0	-	-	-	005.4	-	-	-	010.0	4	4	1	5
000.1	4	4	-	005.5	-	-	-	010.1	12	14	2	14
000.2	-	-	-	005.6	-	-	-	010.2	-	-	-	-
000.8	-	-	-	005.7	-	-	-	010.3	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis			Entity axis		Record axis			Entity axis		Record axis			Entity axis		
	Total UC	Second-mention	Ary			Total UC	Second-mention	Ary			Total UC	Second-mention	Ary			
010.4	1	1	-	1	023.5	1	2	1	2	030.0	2	6	4	6		
010.9	-	-	-	-	023.9	-	-	-	-	030.1	-	-	-	-		
011	-	1	1	-	024.0	1	1	-	1	030.2	-	-	-	-		
012.0	-	1	1	1	024.1	-	-	-	-	030.8	-	-	-	-		
012.1	-	-	-	1	024.2	-	-	-	-	030.9	-	-	-	-		
012.2	-	-	-	-	024.3	-	-	-	-	031.0	-	-	-	-		
013	1	2	1	3	024.4	-	2	2	2	031.1	-	-	-	-		
014.0	-	-	-	-	024.9	11	20	9	20	031.2	-	-	-	-		
014.1	6	9	3	13	025	3	4	1	4	031.8	-	-	-	-		
014.9	19	23	4	26	026.0	-	-	-	-	032.0	-	-	-	-		
015.0	1	1	-	1	026.1	-	-	-	-	032.1	-	-	-	-		
015.1	-	-	-	-	026.2	-	-	-	-	032.2	-	-	-	-		
015.2	1	2	1	2	026.3	-	-	-	-	032.3	-	-	-	-		
015.9	14	17	3	17	026.4	1	1	-	1	032.4	-	-	-	-		
016	8	18	10	18	026.5	-	-	-	-	032.5	-	-	-	-		
020.0	-	-	-	-	026.6	11	20	9	20	032.6	-	-	-	-		
020.8	-	-	-	-	026.7	-	-	-	-	032.8	-	-	-	-		
020.9	-	-	-	-	026.8	78	110	32	110	032.9	-	-	-	-		
021.0	1	-	-	1	026.9	2	2	-	2	033.0	-	-	-	-		
021.1	-	1	1	-	028.0	-	-	-	-	033.1	-	-	-	-		
021.2	-	-	-	-	028.1	-	-	-	-	033.2	-	-	-	-		
021.8	-	-	-	-	028.2	-	-	-	-	033.3	-	-	-	-		
021.9	-	1	1	1	028.3	-	-	-	-	033.4	-	-	-	-		
022.0	-	-	-	-	028.4	-	-	-	-	033.5	-	-	-	-		
022.1	-	-	-	-	028.5	-	-	-	-	033.6	-	-	-	-		
022.2	-	-	-	-	028.8	-	-	-	-	033.7	-	-	-	-		
022.3	4	7	3	7	028.9	-	-	-	-	033.8	-	-	-	-		
022.4	-	-	-	-	029.0	-	-	-	-	033.9	-	-	-	-		
022.5	-	-	-	-	029.1	2	2	-	2	034.0	-	-	-	-		
022.8	-	-	-	-	029.2	-	-	-	-	034.1	-	1	1	1		
022.9	6	8	2	9	029.3	-	-	-	-	034.2	-	-	-	-		
023.0	2	3	1	3	029.4	-	-	-	-	034.3	-	-	-	-		
023.1	-	-	-	-	029.5	-	-	-	-	034.4	-	-	-	-		
023.2	-	-	-	-	029.6	-	-	-	-	034.5	-	-	-	-		
023.3	-	-	-	-	029.8	-	-	-	-	034.6	-	-	-	-		
023.4	-	1	1	1	029.9	-	-	-	-	034.7	-	-	-	-		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		
034.8	-	-	-	-	044.1	3	5	2	5	065.1	-	-	-
034.9	-	-	-	-	045.0	-	-	-	-	065.2	-	-	-
035.0	-	-	-	-	045.8	-	-	-	-	065.3	-	-	-
035.1	-	-	-	-	045.9	6	10	4	10	065.4	-	-	-
035.2	-	-	-	-	046.0	1	5	4	5	065.5	-	-	-
035.3	-	-	-	-	046.8	2	4	2	4	065.8	-	-	-
035.4	-	-	-	-	046.9	8	12	4	13	065.9	-	-	-
035.5	-	-	-	-	047.0	-	-	-	-	066.0	-	-	-
035.6	-	-	-	-	047.1	-	-	-	-	066.1	-	-	-
035.7	-	-	-	-	047.9	-	-	-	-	066.2	-	-	-
035.8	-	-	-	-	048	-	-	-	-	066.3	-	-	-
035.9	-	1	1	1	060	-	-	-	-	066.4	-	-	-
036.0	-	-	-	-	061.0	-	-	-	-	066.5	-	-	-
036.1	-	-	-	-	061.1	-	-	-	-	066.8	-	-	-
036.2	-	-	-	-	061.8	-	-	-	-	066.9	-	-	-
036.3	-	1	1	1	061.9	-	-	-	-	067.0	-	-	-
036.4	1	4	3	4	062.0	-	-	-	-	067.8	-	-	-
036.5	-	1	1	1	062.1	-	-	-	-	067.9	4	9	5
036.6	-	-	-	-	062.2	-	1	1	1	068.0	-	-	-
036.7	-	-	-	-	062.3	-	-	-	-	068.1	-	-	-
036.8	-	-	-	-	062.4	-	-	-	-	068.2	-	-	-
036.9	-	-	-	-	062.8	-	-	-	-	068.3	-	-	-
040	-	-	-	-	062.9	-	-	-	-	068.8	-	-	-
041.0	-	-	-	-	063.0	-	-	-	-	068.9	-	2	2
041.1	2	5	3	5	063.1	-	-	-	-	069.0	1	1	-
041.8	-	-	-	-	063.2	-	-	-	-	069.1	-	-	-
041.9	-	-	-	-	063.9	-	-	-	-	069.2	-	-	-
042.0	-	-	-	-	064.0	-	-	-	-	069.3	-	-	-
042.1	-	-	-	-	064.1	-	-	-	-	069.4	-	-	-
042.2	-	-	-	-	064.2	-	-	-	-	069.5	-	-	-
042.9	1	2	1	2	064.3	-	-	-	-	069.8	1	1	-
043.0	-	-	-	-	064.4	-	-	-	-	069.9	-	-	-
043.1	-	-	-	-	064.5	-	-	-	-	070.0	-	-	-
043.8	-	-	-	-	064.8	-	-	-	-	070.1	-	-	-
043.9	-	1	1	2	064.9	-	-	-	-	070.2	-	-	-
044.0	-	-	-	-	065.0	-	-	-	-	070.3	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis			
070.9	-	-	-	-	075.9	9	13	6	57	091.0	-	-	-	
071.0	-	-	-	-	085	9	16	7	16	091.1	-	-	-	
071.1	4	5	1	5	086.0	1	1	-	1	091.2	-	-	-	
071.2	-	-	-	-	086.1	-	1	1	1	092.0	-	-	-	
071.3	-	-	-	-	086.2	-	-	-	-	092.1	-	-	-	
071.4	-	-	-	-	086.3	-	-	-	-	092.2	-	-	-	
071.5	-	-	-	-	086.4	1	1	-	1	092.3	-	-	-	
071.6	-	-	-	-	086.8	1	1	-	1	092.4	-	-	-	
071.7	-	-	-	-	087.0	-	-	-	-	092.5	-	-	-	
071.8	-	-	-	-	087.1	-	-	-	-	092.6	-	-	-	
071.9	-	-	-	-	087.2	-	-	-	-	092.7	-	-	-	
072.0	5	6	1	6	087.3	-	-	-	-	095	42	258	216	332
072.1	4	11	7	11	087.8	-	-	-	-	096	130	178	48	178
072.2	-	-	-	-	087.9	2	3	1	3	097	7	8	1	8
072.3	6	9	3	9	088.0	2	2	-	2	098.0	-	-	-	1
073.0	-	-	-	-	088.1	31	40	9	40	098.1	-	-	-	-
073.1	-	-	-	-	088.2	23	38	15	38	098.2	-	-	-	-
074.0	-	-	-	-	088.3	-	-	-	-	098.3	-	-	-	1
074.1	-	-	-	-	088.8	-	-	-	-	098.4	-	1	1	2
074.2	-	-	-	-	089.0	-	-	-	-	098.5	3	3	-	3
074.3	-	-	-	-	089.1	-	1	1	1	098.6	-	-	-	-
074.4	-	-	-	-	089.2	-	-	-	-	098.8	4	11	7	39
074.5	-	-	-	-	089.3	-	-	-	-	098.9	-	-	-	-
074.6	-	-	-	-	089.4	-	-	-	-	099.0	1	1	-	9
074.7	-	-	-	-	089.5	-	-	-	-	099.1	2	4	2	31
074.8	-	-	-	-	089.6	-	-	-	-	099.2	1	3	2	44
074.9	-	-	-	-	089.8	-	-	-	-	099.3	11	24	13	88
075.0	-	-	-	-	089.9	-	-	-	-	099.4	57	71	14	197
075.1	-	3	3	3	090.0	-	-	-	-	099.5	7	12	5	72
075.2	-	-	-	-	090.1	-	1	1	1	099.6	2	7	5	31
075.3	1	1	-	1	090.2	-	-	-	-	099.7	-	-	-	2
075.4	14	19	5	19	090.3	50	59	9	59	099.8	71	76	7	90
075.5	-	-	-	-	090.4	-	-	-	-	P00.0	89	123	34	123
075.6	-	-	-	-	090.5	-	-	-	-	P00.1	5	9	4	9
075.7	-	-	-	-	090.8	2	8	6	8	P00.2	16	26	10	26
075.8	2	4	2	4	090.9	-	-	-	-	P00.3	4	9	5	9

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis			
	Total UC	mention	Second-ary	axis		Total UC	mention	Second-ary	axis		Total UC	mention	Second-ary	axis		
P00.4	1	3	2	3	P04.1	2	4	2	4	P12.3	-	-	-	-		
P00.5	29	40	11	40	P04.2	9	42	33	42	P12.4	-	-	-	-		
P00.6	-	-	-	-	P04.3	-	1	1	1	P12.8	-	-	-	-		
P00.7	-	1	1	1	P04.4	41	106	65	106	P12.9	-	1	1	1		
P00.8	16	31	15	31	P04.5	-	-	-	-	P13.0	-	-	-	-		
P00.9	2	3	1	4	P04.6	-	-	-	-	P13.1	-	-	-	-		
P01.0	496	546	50	546	P04.8	-	1	1	1	P13.2	-	-	-	-		
P01.1	837	1,112	275	1,112	P04.9	-	-	-	-	P13.3	-	-	-	-		
P01.2	106	235	129	235	P05.0	1	4	3	4	P13.4	-	-	-	-		
P01.3	10	23	13	23	P05.1	7	19	12	19	P13.8	-	-	-	-		
P01.4	-	-	-	-	P05.2	1	1	-	1	P13.9	-	-	-	-		
P01.5	255	482	227	482	P05.9	74	195	121	197	P14.0	-	-	-	-		
P01.6	12	17	5	17	P07.0	74	93	19	264	P14.1	-	-	-	-		
P01.7	1	1	-	1	P07.1	4	9	5	40	P14.2	-	-	-	-		
P01.8	60	74	14	74	P07.2	3,574	4,387	830	10,089	P14.3	-	-	-	-		
P01.9	-	-	-	-	P07.3	1,077	1,852	782	5,781	P14.8	-	-	-	-		
P02.0	15	24	9	24	P08.0	-	-	-	-	P14.9	-	-	-	-		
P02.1	451	598	147	598	P08.1	-	-	-	3	P15.0	2	3	1	3		
P02.2	22	34	12	36	P08.2	1	2	1	3	P15.1	-	-	-	-		
P02.3	101	158	57	158	P10.0	-	-	-	-	P15.2	-	-	-	-		
P02.4	23	45	22	45	P10.1	2	2	-	2	P15.3	-	-	-	-		
P02.5	24	29	5	29	P10.2	-	-	-	-	P15.4	-	-	-	-		
P02.6	5	7	2	8	P10.3	-	-	-	-	P15.5	-	-	-	-		
P02.7	472	689	217	689	P10.4	-	-	-	-	P15.6	-	-	-	-		
P02.8	2	3	1	3	P10.8	-	-	-	-	P15.8	6	11	5	11		
P02.9	2	2	-	2	P10.9	-	-	-	-	P15.9	6	13	7	13		
P03.0	10	21	11	21	P11.0	1	1	-	1	P20.0	-	1	1	1		
P03.1	5	10	5	10	P11.1	-	1	1	1	P20.1	-	-	-	-		
P03.2	-	2	2	2	P11.2	14	17	3	17	P20.9	119	440	321	440		
P03.3	1	1	-	1	P11.3	-	-	-	-	P21.0	23	52	29	52		
P03.4	1	4	3	4	P11.4	-	-	-	-	P21.1	-	-	-	-		
P03.5	3	3	-	3	P11.5	-	-	-	-	P21.9	409	968	559	975		
P03.6	14	18	4	18	P11.9	2	3	1	3	P22.0	779	1,315	536	1,315		
P03.8	59	81	22	81	P12.0	-	-	-	-	P22.1	-	-	-	-		
P03.9	43	96	53	100	P12.1	-	-	-	-	P22.8	-	-	-	-		
P04.0	-	-	-	-	P12.2	-	-	-	-	P22.9	82	176	94	178		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
P23.0	6	8	2	P29.0	349	1,224	875	P39.9	53	88	35	95
P23.1	-	-	-	P29.1	519	1,540	1,021	P50.0	-	-	-	-
P23.2	3	10	7	P29.2	6	33	27	P50.1	3	8	5	8
P23.3	1	1	-	P29.3	81	400	319	P50.2	-	1	1	1
P23.4	2	3	1	P29.4	-	5	5	P50.3	-	-	-	-
P23.5	6	14	8	P29.8	15	61	46	P50.4	1	2	1	4
P23.6	3	4	1	P29.9	1	2	1	P50.5	-	-	-	-
P23.8	2	2	-	P35.0	8	10	2	P50.8	-	-	-	-
P23.9	81	178	98	P35.1	30	45	15	P50.9	1	5	4	6
P24.0	28	59	31	P35.2	34	39	5	P51.0	-	-	-	-
P24.1	7	8	1	P35.3	-	-	-	P51.8	-	-	-	-
P24.2	1	1	-	P35.8	2	4	2	P51.9	1	1	-	1
P24.3	-	-	-	P35.9	5	8	3	P52.0	1	3	2	3
P24.8	1	2	1	P36.0	24	39	15	P52.1	-	1	1	1
P24.9	10	19	9	P36.1	7	12	5	P52.2	1	14	13	14
P25.0	48	144	96	P36.2	27	42	15	P52.3	384	792	413	800
P25.1	69	300	231	P36.3	12	28	16	P52.4	54	115	61	115
P25.2	2	10	8	P36.4	47	79	32	P52.5	3	11	8	11
P25.3	2	20	18	P36.5	-	-	-	P52.6	1	7	6	7
P25.8	1	3	2	P36.8	62	98	36	P52.8	5	19	14	19
P26.0	-	-	-	P36.9	656	1,308	652	P52.9	154	275	122	280
P26.1	8	13	5	P37.0	-	-	-	P53	-	1	1	1
P26.8	1	1	-	P37.1	7	8	1	P54.0	-	-	-	-
P26.9	172	517	345	P517	P37.2	-	-	P54.1	-	-	-	-
P27.0	1	1	-	P37.3	-	-	-	P54.2	-	-	-	-
P27.1	247	360	113	P360	P37.4	-	-	P54.3	13	29	16	29
P27.8	-	1	1	P37.5	39	51	12	P54.4	1	3	2	3
P27.9	47	68	21	P37.8	26	45	19	P54.5	1	6	5	6
P28.0	375	625	250	P625	P37.9	-	-	P54.6	2	4	2	4
P28.1	2	8	6	P38	6	7	1	P54.8	17	50	33	50
P28.2	-	-	-	P39.0	-	-	-	P54.9	22	53	31	74
P28.3	-	-	-	P39.1	-	-	-	P55.0	7	12	5	13
P28.4	17	106	89	P106	P39.2	2	5	P55.1	2	3	1	3
P28.5	21	2,124	2,103	P2,124	P39.3	5	9	P55.8	-	-	-	-
P28.8	11	53	42	P53	P39.4	-	-	P55.9	1	3	2	6
P28.9	14	31	17	P31	P39.8	14	22	P56.0	2	2	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis					
	Total UC	Second- mention	Entity ary		Total UC	Second- mention	Entity ary		Total UC	Second- mention	Entity ary			
P56.9	-	-	-	-	P71.1	-	5	5	5	P81.9	1	2	1	2
P57.0	-	-	-	-	P71.2	-	-	-	-	P83.0	-	-	-	-
P57.8	-	-	-	-	P71.3	-	-	-	-	P83.1	-	-	-	-
P57.9	3	4	1	4	P71.4	-	-	-	-	P83.2	165	304	139	306
P58.0	-	-	-	-	P71.8	-	5	5	5	P83.3	-	3	3	3
P58.1	-	9	9	-	P71.9	-	-	-	-	P83.4	-	-	-	-
P58.2	-	2	2	-	P72.0	-	1	1	1	P83.5	-	1	1	1
P58.3	-	-	-	-	P72.1	-	1	1	1	P83.6	-	-	-	-
P58.4	-	-	-	-	P72.2	-	1	1	1	P83.8	-	2	2	2
P58.5	-	-	-	-	P72.8	-	-	-	-	P83.9	1	2	1	2
P58.8	3	5	2	5	P72.9	-	-	-	-	P90	16	102	86	102
P58.9	-	-	-	-	P74.0	-	1	1	1	P91.0	10	20	10	20
P59.0	-	7	7	2	P74.1	-	23	23	23	P91.1	-	-	-	-
P59.1	-	1	1	1	P74.2	-	-	-	-	P91.2	9	29	20	29
P59.2	1	2	1	2	P74.3	-	3	3	3	P91.3	-	-	-	-
P59.3	-	-	-	-	P74.4	-	2	2	2	P91.4	2	3	1	3
P59.8	-	2	2	2	P74.5	-	1	1	1	P91.5	-	1	1	1
P59.9	-	2	2	18	P74.8	-	4	4	4	P91.8	1	5	4	5
P60	52	233	181	233	P74.9	-	-	-	-	P91.9	-	-	-	-
P61.0	1	3	2	3	P76.0	-	2	2	2	P92.0	2	3	1	3
P61.1	1	2	1	2	P76.1	-	-	-	-	P92.1	-	1	1	1
P61.2	7	124	117	-	P76.2	-	-	-	-	P92.2	-	-	-	-
P61.3	4	5	2	2	P76.8	-	1	1	1	P92.3	-	-	-	-
P61.4	31	47	33	173	P76.9	3	7	4	7	P92.4	-	-	-	-
P61.5	2	4	2	4	P77	546	683	137	683	P92.5	-	-	-	-
P61.6	3	8	5	8	P78.0	67	143	76	143	P92.8	-	-	-	-
P61.8	-	1	1	1	P78.1	6	29	23	29	P92.9	4	6	2	6
P61.9	-	-	-	-	P78.2	-	-	-	-	P93	-	1	1	1
P70.0	3	7	4	7	P78.3	5	8	3	8	P94.0	-	-	-	-
P70.1	6	25	19	25	P78.8	1	2	1	2	P94.1	-	-	-	-
P70.2	10	20	10	20	P78.9	-	-	-	1	P94.2	7	13	6	13
P70.3	-	1	1	1	P80.0	2	2	-	2	P94.8	-	-	-	-
P70.4	-	11	11	11	P80.8	1	1	-	1	P94.9	-	-	-	-
P70.8	-	1	1	1	P80.9	7	19	12	19	P96.0	41	147	106	147
P70.9	-	-	-	-	P81.0	-	-	-	-	P96.1	-	-	-	-
P71.0	-	-	-	-	P81.8	-	-	-	-	P96.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis			UC		Record axis			UC		Record axis			UC		
	Total	Second-	Entity			mention	ary	axis			mention	ary	axis			
P96.3	-	-	-	-	Q05.9	127	282	156	333	Q13.8	-	-	-	-		
P96.4	45	66	21	66	Q06.0	-	-	-	-	Q13.9	-	-	-	-		
P96.5	-	1	1	1	Q06.1	2	3	1	3	Q14.0	-	-	-	-		
P96.8	45	123	78	123	Q06.2	1	1	-	1	Q14.1	-	-	-	-		
P96.9	30	57	27	57	Q06.3	-	-	-	-	Q14.2	-	-	-	-		
Q00.0	316	332	16	332	Q06.4	-	-	-	-	Q14.3	-	-	-	-		
Q00.1	-	-	-	-	Q06.8	1	2	1	2	Q14.8	-	-	-	-		
Q00.2	-	-	-	-	Q06.9	3	6	3	6	Q14.9	-	-	-	-		
Q01.0	-	-	-	-	Q07.0	46	88	42	88	Q15.0	-	1	1	1		
Q01.1	-	-	-	-	Q07.8	1	3	2	3	Q15.8	-	-	-	-		
Q01.2	1	1	-	1	Q07.9	35	54	19	71	Q15.9	-	1	1	1		
Q01.8	1	2	1	2	Q10.0	-	-	-	-	Q16.0	-	-	-	-		
Q01.9	41	59	18	59	Q10.1	-	-	-	-	Q16.1	-	-	-	-		
Q02	83	150	67	150	Q10.2	-	-	-	-	Q16.2	-	-	-	-		
Q03.0	7	8	1	8	Q10.3	1	1	-	1	Q16.3	-	-	-	-		
Q03.1	36	58	22	59	Q10.4	-	-	-	-	Q16.4	-	-	-	-		
Q03.8	1	2	1	2	Q10.5	-	-	-	-	Q16.5	-	-	-	-		
Q03.9	164	276	112	338	Q10.6	-	-	-	-	Q16.9	-	1	1	1		
Q04.0	19	34	15	34	Q10.7	-	-	-	-	Q17.0	-	-	-	-		
Q04.1	-	-	-	-	Q11.0	-	-	-	-	Q17.1	-	-	-	-		
Q04.2	123	163	40	163	Q11.1	-	3	3	3	Q17.2	-	1	1	1		
Q04.3	129	171	42	172	Q11.2	-	5	5	5	Q17.3	-	-	-	-		
Q04.4	5	9	4	9	Q11.3	-	-	-	-	Q17.4	-	1	1	1		
Q04.5	3	3	-	3	Q12.0	-	1	1	1	Q17.5	-	-	-	-		
Q04.6	27	43	16	43	Q12.1	-	-	-	-	Q17.8	-	-	-	-		
Q04.8	19	41	22	41	Q12.2	-	-	-	-	Q17.9	-	3	3	3		
Q04.9	100	154	54	184	Q12.3	-	-	-	-	Q18.0	1	4	3	4		
Q05.0	-	-	-	-	Q12.4	-	-	-	-	Q18.1	-	-	-	-		
Q05.1	1	1	-	-	Q12.8	-	1	1	1	Q18.2	1	1	-	1		
Q05.2	-	-	-	-	Q12.9	-	-	-	-	Q18.3	-	-	-	-		
Q05.3	-	-	-	-	Q13.0	-	1	1	1	Q18.4	-	-	-	-		
Q05.4	33	52	19	2	Q13.1	-	1	1	1	Q18.5	-	1	1	1		
Q05.5	1	2	1	2	Q13.2	-	-	-	-	Q18.6	-	-	-	-		
Q05.6	-	2	2	3	Q13.3	-	-	-	-	Q18.7	-	-	-	-		
Q05.7	-	-	-	-	Q13.4	-	1	1	1	Q18.8	-	1	1	1		
Q05.8	-	-	-	-	Q13.5	-	-	-	-	Q18.9	2	14	12	14		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
Q20.0	52	68	16	Q24.4	22	50	28	Q28.9	3	8	5	10
Q20.1	26	42	16	Q24.5	172	259	87	Q30.0	-	9	9	9
Q20.2	3	3	-	Q24.6	19	24	5	Q30.1	-	-	-	-
Q20.3	109	133	24	Q24.8	112	181	69	Q30.2	-	1	1	1
Q20.4	15	26	11	Q24.9	1,136	1,564	430	Q30.3	-	-	-	-
Q20.5	-	3	3	Q25.0	82	286	204	Q30.8	-	-	-	-
Q20.6	-	-	-	Q25.1	49	132	83	Q30.9	-	-	-	-
Q20.8	26	38	12	Q25.2	-	1	1	Q31.0	1	1	-	1
Q20.9	-	-	-	Q25.3	24	44	20	Q31.1	4	8	4	8
Q21.0	133	357	224	Q25.4	25	56	31	Q31.2	-	-	-	-
Q21.1	196	403	207	Q25.5	40	111	71	Q31.3	2	3	1	3
Q21.2	58	125	67	Q25.6	30	79	50	Q31.5	11	19	8	19
Q21.3	175	264	89	Q25.7	15	32	17	Q31.8	6	10	4	10
Q21.4	2	3	1	Q25.8	2	3	1	Q31.9	1	3	2	3
Q21.8	71	106	35	Q25.9	1	2	1	Q32.0	7	11	4	11
Q21.9	6	13	7	Q26.0	-	-	-	Q32.1	33	49	16	50
Q22.0	-	1	1	Q26.1	-	-	-	Q32.2	4	8	4	8
Q22.1	1	2	1	Q26.2	3	12	9	Q32.3	-	1	1	1
Q22.2	-	1	1	Q26.3	5	9	4	Q32.4	-	2	2	2
Q22.3	1	7	6	Q26.4	29	47	18	Q33.0	11	21	10	21
Q22.4	23	32	9	Q26.5	1	1	-	Q33.1	-	-	-	-
Q22.5	47	60	13	Q26.6	-	-	-	Q33.2	1	4	3	4
Q22.6	11	16	5	Q26.8	8	18	10	Q33.3	6	13	7	13
Q22.8	4	9	5	Q26.9	11	17	6	Q33.4	4	4	-	4
Q22.9	1	2	1	Q27.0	-	1	1	Q33.5	-	-	-	-
Q23.0	49	71	22	Q27.1	-	-	-	Q33.6	518	946	428	946
Q23.1	72	180	108	Q27.2	-	2	2	Q33.8	1	1	-	1
Q23.2	9	16	7	Q27.3	219	391	172	Q33.9	18	39	21	39
Q23.3	2	10	8	Q27.4	-	-	-	Q34.0	1	1	-	1
Q23.4	366	439	73	Q27.8	2	9	7	Q34.1	-	-	-	-
Q23.8	-	3	3	Q27.9	43	64	21	Q34.8	3	4	1	4
Q23.9	24	34	10	Q28.0	2	2	-	Q34.9	12	15	3	17
Q24.0	4	20	16	Q28.1	1	1	-	Q35.1	-	-	-	-
Q24.1	1	1	-	Q28.2	51	73	24	Q35.3	-	1	1	1
Q24.2	1	1	-	Q28.3	39	55	17	Q35.5	-	-	-	-
Q24.3	-	1	1	Q28.8	3	6	3	Q35.7	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis			Entity axis		Record axis			Entity axis		Record axis			Entity axis		
	Total UC	Second-mention	Ary			Total UC	Second-mention	Ary			Total UC	Second-mention	Ary			
Q35.9	4	30	26	63	Q41.0	5	14	9	14	Q50.1	-	-	-	-		
Q36.0	-	-	-	-	Q41.1	4	9	5	9	Q50.2	-	-	-	-		
Q36.1	-	1	1	1	Q41.2	3	8	5	8	Q50.3	-	-	-	-		
Q36.9	1	7	6	40	Q41.8	-	1	1	1	Q50.4	-	-	-	-		
Q37.0	-	-	-	-	Q41.9	9	20	11	21	Q50.5	-	-	-	-		
Q37.1	-	-	-	-	Q42.0	-	-	-	-	Q50.6	1	1	-	1		
Q37.2	-	-	-	-	Q42.1	-	1	1	1	Q51.0	-	-	-	-		
Q37.3	-	-	-	-	Q42.2	-	-	-	-	Q51.1	-	-	-	-		
Q37.4	-	-	-	-	Q42.3	1	35	34	35	Q51.2	-	-	-	-		
Q37.5	-	-	-	-	Q42.8	-	-	-	-	Q51.3	-	-	-	-		
Q37.8	-	1	1	1	Q42.9	1	2	1	2	Q51.4	-	-	-	-		
Q37.9	2	41	39	8	Q43.0	13	18	5	18	Q51.5	-	-	-	-		
Q38.0	-	-	-	-	Q43.1	21	36	15	36	Q51.6	-	-	-	-		
Q38.1	-	-	-	-	Q43.2	1	2	1	2	Q51.7	-	-	-	-		
Q38.2	-	4	4	4	Q43.3	28	46	18	46	Q51.8	-	-	-	-		
Q38.3	-	-	-	-	Q43.4	-	1	1	1	Q51.9	-	-	-	-		
Q38.4	-	-	-	-	Q43.5	-	-	-	-	Q52.0	-	-	-	-		
Q38.5	-	-	-	-	Q43.6	-	-	-	-	Q52.1	-	-	-	-		
Q38.6	4	6	2	6	Q43.7	-	2	2	2	Q52.2	-	-	-	-		
Q38.7	-	1	1	1	Q43.8	25	40	15	40	Q52.3	-	-	-	-		
Q38.8	1	4	3	5	Q43.9	11	32	21	34	Q52.4	-	-	-	-		
Q39.0	8	22	14	27	Q44.0	-	-	-	-	Q52.5	-	-	-	-		
Q39.1	2	8	6	3	Q44.1	-	1	1	1	Q52.6	-	-	-	-		
Q39.2	9	20	11	25	Q44.2	17	26	9	26	Q52.7	-	-	-	-		
Q39.3	-	-	-	-	Q44.3	1	1	-	1	Q52.8	-	3	3	3		
Q39.4	2	3	1	3	Q44.4	4	4	-	4	Q52.9	1	4	3	4		
Q39.5	-	1	1	1	Q44.5	11	15	4	15	Q53.0	-	-	-	-		
Q39.6	30	42	12	42	Q44.6	10	34	24	34	Q53.1	-	-	-	-		
Q39.8	-	2	2	2	Q44.7	9	20	11	20	Q53.2	-	-	-	-		
Q39.9	4	8	4	8	Q45.0	-	-	-	-	Q53.9	1	4	3	4		
Q40.0	3	3	-	3	Q45.1	-	1	1	1	Q54.0	-	-	-	-		
Q40.1	3	4	1	4	Q45.2	-	-	-	-	Q54.1	-	-	-	-		
Q40.2	-	1	1	1	Q45.3	4	7	3	7	Q54.2	-	1	1	1		
Q40.3	1	4	3	4	Q45.8	-	1	1	1	Q54.3	-	-	-	-		
Q40.8	1	1	-	1	Q45.9	7	18	11	19	Q54.4	-	-	-	-		
Q40.9	-	-	-	1	Q50.0	-	-	-	-	Q54.8	-	-	-	-		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
Q54.9	1	4	3	4	Q62.6	-	-	-	Q66.8	-	7	7
Q55.0	-	-	-	-	Q62.7	-	1	1	Q66.9	-	1	1
Q55.1	-	-	-	-	Q62.8	1	2	1	Q67.0	-	-	-
Q55.2	-	-	-	-	Q63.0	-	1	1	Q67.1	-	-	-
Q55.3	-	-	-	-	Q63.1	2	19	17	Q67.2	-	1	1
Q55.4	1	2	1	2	Q63.2	-	2	2	Q67.3	-	2	2
Q55.5	-	-	-	-	Q63.3	1	1	-	Q67.4	-	1	1
Q55.6	-	2	2	2	Q63.8	-	3	3	Q67.5	19	31	12
Q55.8	-	5	5	5	Q63.9	12	23	12	Q67.6	1	4	3
Q55.9	3	4	1	5	Q64.0	-	-	-	Q67.7	-	4	4
Q56.0	-	-	-	-	Q64.1	2	8	6	Q67.8	5	12	7
Q56.1	-	-	-	-	Q64.2	8	24	16	Q68.0	-	-	-
Q56.2	-	-	-	-	Q64.3	6	16	10	Q68.1	-	1	1
Q56.3	-	-	-	-	Q64.4	1	2	1	Q68.2	-	-	-
Q56.4	1	15	14	15	Q64.5	1	12	11	Q68.3	-	-	-
Q60.0	6	25	19	25	Q64.6	-	-	-	Q68.4	-	-	-
Q60.1	21	27	6	27	Q64.7	2	5	3	Q68.5	-	-	-
Q60.2	108	169	61	169	Q64.8	-	-	-	Q68.8	16	38	22
Q60.3	-	-	-	-	Q64.9	3	4	1	Q69.0	-	-	-
Q60.4	-	-	-	-	Q65.0	-	-	-	Q69.1	-	-	-
Q60.5	22	45	23	45	Q65.1	-	1	1	Q69.2	-	-	-
Q60.6	96	136	40	136	Q65.2	-	6	6	Q69.9	-	8	8
Q61.0	16	49	33	49	Q65.3	-	-	-	Q70.0	-	-	-
Q61.1	11	23	12	23	Q65.4	-	-	-	Q70.1	-	-	-
Q61.2	17	39	22	39	Q65.5	-	1	1	Q70.2	-	-	-
Q61.3	358	747	389	748	Q65.6	-	-	-	Q70.3	-	-	-
Q61.4	32	108	76	108	Q65.8	1	6	5	Q70.4	-	1	1
Q61.5	5	5	1	5	Q65.9	-	1	1	Q70.9	-	3	3
Q61.8	-	-	-	-	Q66.0	-	2	2	Q71.0	-	1	1
Q61.9	15	33	18	35	Q66.1	-	-	-	Q71.1	-	-	-
Q62.0	4	16	12	16	Q66.2	-	-	-	Q71.2	-	-	-
Q62.1	1	3	2	3	Q66.3	-	-	-	Q71.3	-	1	1
Q62.2	-	-	-	-	Q66.4	-	-	-	Q71.4	-	4	4
Q62.3	2	6	4	6	Q66.5	-	-	-	Q71.5	-	-	-
Q62.4	-	-	-	-	Q66.6	-	-	-	Q71.6	-	-	-
Q62.5	-	-	-	-	Q66.7	-	-	-	Q71.8	1	2	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
Q71.9	1	3	2	Q76.8	-	-	-	Q80.9	2	6	4	7
Q72.0	-	-	-	Q76.9	-	-	-	Q81.0	-	-	-	-
Q72.1	-	-	-	Q77.0	2	4	2	Q81.1	2	3	1	3
Q72.2	-	-	-	Q77.1	41	63	22	Q81.2	3	3	-	3
Q72.3	-	-	-	Q77.2	10	15	5	Q81.8	1	1	-	1
Q72.4	-	1	1	Q77.3	7	8	1	Q81.9	21	32	11	32
Q72.5	-	-	-	Q77.4	6	24	18	Q82.0	3	9	6	9
Q72.6	-	-	-	Q77.5	-	-	-	Q82.1	1	1	-	1
Q72.7	-	-	-	Q77.6	2	10	8	Q82.2	15	40	25	41
Q72.8	-	-	-	Q77.7	1	5	4	Q82.3	2	2	-	2
Q72.9	-	1	1	Q77.8	1	1	-	Q82.4	1	4	3	4
Q73.0	1	2	1	Q77.9	-	-	-	Q82.5	-	2	2	2
Q73.1	-	1	1	Q78.0	61	104	43	Q82.8	10	29	19	29
Q73.8	-	1	1	Q78.1	2	3	1	Q82.9	-	1	1	1
Q74.0	2	9	7	Q78.2	8	27	19	Q83.0	-	-	-	-
Q74.1	-	-	-	Q78.3	2	2	-	Q83.1	-	-	-	-
Q74.2	1	5	4	Q78.4	2	4	2	Q83.2	-	-	-	-
Q74.3	1	5	4	Q78.5	-	1	1	Q83.3	-	-	-	-
Q74.8	2	3	1	Q78.6	-	-	-	Q83.8	-	1	1	1
Q74.9	4	13	9	Q78.8	2	3	1	Q83.9	-	-	-	-
Q75.0	5	10	5	Q78.9	33	67	34	Q84.0	-	-	-	-
Q75.1	4	7	3	Q79.0	264	335	71	Q84.1	-	-	-	-
Q75.2	-	2	2	Q79.1	6	17	11	Q84.2	-	1	1	1
Q75.3	1	7	6	Q79.2	24	90	66	Q84.3	-	-	-	-
Q75.4	5	9	4	Q79.3	47	92	45	Q84.4	-	-	-	-
Q75.5	-	-	-	Q79.4	9	27	18	Q84.5	-	-	-	-
Q75.8	3	12	9	Q79.5	10	17	7	Q84.6	-	-	-	-
Q75.9	5	13	8	Q79.6	16	37	21	Q84.8	-	5	5	5
Q76.0	1	1	-	Q79.8	13	25	12	Q84.9	-	-	-	-
Q76.1	3	7	4	Q79.9	11	22	11	Q85.0	91	293	202	293
Q76.2	-	-	-	Q80.0	-	-	-	Q85.1	30	65	35	65
Q76.3	-	-	-	Q80.1	-	-	-	Q85.8	20	47	27	47
Q76.4	8	25	17	Q80.2	-	-	-	Q85.9	1	2	1	2
Q76.5	-	1	1	Q80.3	-	-	-	Q86.0	5	11	6	11
Q76.6	-	3	3	Q80.4	3	3	-	Q86.1	-	-	-	-
Q76.7	-	-	-	Q80.8	-	-	-	Q86.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis			UC		Record axis			UC		Record axis			UC		
	Total	Second-	Entity			mention	ary	axis			mention	ary	axis			
Q86.8	5	11	6	11	Q92.8	24	34	10	34	Q98.3	-	-	-	-		
Q87.0	28	48	20	48	Q92.9	24	32	8	32	Q98.4	3	18	15	18		
Q87.1	58	139	81	139	Q93.0	-	-	-	-	Q98.5	-	-	-	-		
Q87.2	24	54	30	54	Q93.1	-	-	-	-	Q98.6	-	-	-	-		
Q87.3	7	13	6	13	Q93.2	1	1	-	1	Q98.7	-	3	3	3		
Q87.4	81	149	68	149	Q93.3	12	14	2	14	Q98.8	1	1	-	1		
Q87.5	-	-	-	-	Q93.4	4	6	2	6	Q98.9	-	-	-	-		
Q87.8	43	84	41	84	Q93.5	21	41	20	41	Q99.0	-	-	-	-		
Q89.0	17	55	38	55	Q93.6	-	-	-	-	Q99.1	-	-	-	-		
Q89.1	4	6	2	6	Q93.7	-	-	-	-	Q99.2	7	17	10	17		
Q89.2	6	15	9	15	Q93.8	11	16	5	17	Q99.8	34	52	18	52		
Q89.3	18	48	30	48	Q93.9	4	9	5	9	Q99.9	82	116	34	140		
Q89.4	14	14	-	14	Q95.0	-	-	-	-	R00.0	8	1,372	1,364	1,372		
Q89.7	281	325	48	664	Q95.1	-	2	2	2	R00.1	60	2,403	2,343	2,403		
Q89.8	72	149	77	149	Q95.2	-	-	-	-	R00.2	-	17	17	17		
Q89.9	245	408	164	612	Q95.3	-	-	-	-	R00.8	-	48	48	48		
Q90.0	-	-	-	-	Q95.4	-	-	-	-	R01.0	-	-	-	-		
Q90.1	-	-	-	-	Q95.5	1	1	-	1	R01.1	-	102	102	102		
Q90.2	-	2	2	2	Q95.8	-	1	1	1	R01.2	-	-	-	-		
Q90.9	981	2,054	1,073	2,055	Q95.9	-	-	-	-	R02	98	4,467	4,369	6,733		
Q91.0	-	-	-	-	Q96.0	-	-	-	-	R03.0	-	1	1	1		
Q91.1	1	2	1	2	Q96.1	-	-	-	-	R03.1	-	-	-	-		
Q91.2	-	-	-	-	Q96.2	-	-	-	-	R04.0	7	211	204	211		
Q91.3	419	465	46	465	Q96.3	-	-	-	-	R04.1	-	26	26	26		
Q91.4	-	-	-	-	Q96.4	-	-	-	-	R04.2	27	1,024	997	1,024		
Q91.5	1	3	2	3	Q96.8	2	3	1	3	R04.8	65	1,724	1,659	1,724		
Q91.6	-	1	1	1	Q96.9	8	51	43	51	R04.9	1	36	35	36		
Q91.7	323	344	21	344	Q97.0	1	1	-	1	R05	-	82	82	82		
Q92.0	-	1	1	1	Q97.1	1	2	1	2	R06.0	101	3,169	3,068	3,169		
Q92.1	-	-	-	-	Q97.2	-	-	-	-	R06.1	-	11	11	11		
Q92.2	-	-	-	-	Q97.3	-	-	-	-	R06.2	-	6	6	6		
Q92.3	-	-	-	-	Q97.8	2	2	-	2	R06.3	-	10	10	10		
Q92.4	-	-	-	-	Q97.9	-	-	-	-	R06.4	12	616	604	616		
Q92.5	1	1	-	1	Q98.0	-	-	-	-	R06.5	-	2	2	2		
Q92.6	-	-	-	-	Q98.1	-	-	-	-	R06.6	-	5	5	5		
Q92.7	23	25	2	25	Q98.2	-	-	-	-	R06.7	-	-	-	-		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
R06.8	121	7,504	7,383	7,504	R20.2	-	1	1	1	R30.9	-	-	-
R07.0	-	-	-	-	R20.3	-	-	-	-	R31	6	526	520
R07.1	-	-	-	-	R20.8	-	4	4	4	R32	-	277	277
R07.2	-	3	3	3	R21	-	21	21	21	R33	1	655	654
R07.3	-	12	12	12	R22.0	-	6	6	6	R34	-	313	313
R07.4	7	214	207	214	R22.1	5	135	130	135	R35	-	9	9
R09.0	233	18,301	18,068	18,301	R22.2	7	91	84	91	R36	-	-	-
R09.1	4	60	56	60	R22.3	-	7	7	7	R39.0	-	-	-
R09.2	2,073	64,189	62,116	64,189	R22.4	-	3	3	3	R39.1	1	3	2
R09.3	-	2	2	2	R22.7	-	-	-	-	R39.2	-	4	4
R09.8	20	926	906	926	R22.9	-	8	8	8	R39.8	-	4	4
R10.0	22	498	476	498	R23.0	-	23	23	23	R40.0	-	7	7
R10.1	-	12	12	12	R23.1	-	1	1	1	R40.1	-	33	33
R10.2	-	15	15	15	R23.2	-	-	-	-	R40.2	20	1,934	1,914
R10.3	-	2	2	2	R23.3	-	30	30	30	R41.0	1	211	210
R10.4	40	786	746	786	R23.4	-	5	5	5	R41.1	-	-	-
R11	5	1,295	1,290	1,295	R23.8	-	16	16	16	R41.2	-	-	-
R12	-	7	7	7	R25.0	-	-	-	-	R41.3	-	125	125
R13	97	20,250	20,153	20,250	R25.1	-	110	110	110	R41.8	3	274	271
R14	1	111	110	111	R25.2	-	49	49	49	R42	-	144	144
R15	-	31	31	31	R25.3	-	1	1	1	R43.0	-	1	1
R16.0	-	178	178	178	R25.8	-	7	7	7	R43.1	-	1	1
R16.1	1	204	203	204	R26.0	-	25	25	25	R43.2	-	1	1
R16.2	1	95	94	95	R26.1	-	-	-	-	R43.8	-	-	-
R17	3	633	630	633	R26.2	-	3	3	3	R44.0	-	1	1
R18	9	3,801	3,792	3,801	R26.8	-	308	308	308	R44.1	-	2	2
R19.0	38	767	729	767	R27.0	3	174	171	174	R44.2	-	-	-
R19.1	-	1	1	1	R27.8	5	51	46	51	R44.3	-	37	37
R19.2	-	2	2	2	R29.0	-	-	-	-	R44.8	-	4	4
R19.3	-	1	1	1	R29.1	-	1	1	1	R45.0	-	4	4
R19.4	-	1	1	1	R29.2	-	10	10	10	R45.1	1	197	196
R19.5	-	-	-	-	R29.3	-	1	1	1	R45.2	-	-	-
R19.6	-	-	-	-	R29.4	-	-	-	-	R45.3	-	2	2
R19.8	117	1,922	1,805	1,922	R29.8	36	721	685	721	R45.4	-	-	-
R20.0	-	7	7	7	R30.0	-	3	3	3	R45.5	-	-	-
R20.1	-	-	-	-	R30.1	-	-	-	-	R45.6	-	10	10

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
R45.7	-	-	-	R57.1	27	1,549	1,522	1,549	R74.8	1	4	3	4
R45.8	-	21	21	R57.8	47	1,784	1,737	1,784	R74.9	-	26	26	26
R46.0	-	2	2	R57.9	241	11,281	11,040	11,281	R75	6	237	231	295
R46.1	-	-	-	R58	240	4,669	4,426	4,657	R76.0	-	-	-	-
R46.2	-	-	-	R59.0	-	86	86	86	R76.1	-	4	4	4
R46.3	-	1	1	R59.1	2	113	111	115	R76.2	-	-	-	-
R46.4	-	-	-	R59.9	1	74	73	74	R76.8	-	44	44	44
R46.5	-	-	-	R60.0	4	392	388	392	R76.9	-	1	1	1
R46.6	-	-	-	R60.1	5	1,088	1,083	1,088	R77.0	-	-	-	-
R46.7	-	-	-	R60.9	2	920	918	920	R77.1	-	4	4	4
R46.8	-	11	11	R61.0	-	-	-	-	R77.2	-	-	-	-
R47.0	11	1,222	1,211	R61.1	-	-	-	-	R77.8	-	-	-	-
R47.1	1	45	44	R61.9	-	5	5	5	R77.9	-	4	4	4
R47.8	-	14	14	R62.0	-	-	-	-	R78.0	3	367	364	368
R48.0	-	3	3	R62.8	3,137	39,179	36,042	39,462	R78.1	-	-	-	-
R48.1	-	2	2	R62.9	4	232	228	232	R78.2	-	1	1	1
R48.2	1	21	20	R63.0	71	4,988	4,917	4,988	R78.3	-	1	1	1
R48.8	-	9	9	R63.1	-	15	15	15	R78.4	-	1	1	1
R49.0	-	8	8	R63.2	-	13	13	13	R78.5	-	2	2	2
R49.1	-	4	4	R63.3	1	130	129	130	R78.6	-	-	-	-
R49.2	-	-	-	R63.4	13	1,446	1,433	1,446	R78.7	-	-	-	-
R49.8	-	-	-	R63.5	-	7	7	7	R78.8	-	3	3	3
R50.0	-	-	-	R63.8	21	1,973	1,952	1,973	R78.9	-	1	1	1
R50.1	-	7	7	R64	301	10,748	10,447	11,656	R79.0	-	2	2	2
R50.9	34	1,062	1,028	R68.0	3	210	207	210	R79.8	7	1,237	1,230	1,279
R51	1	97	96	R68.1	-	-	-	-	R79.9	-	2	2	2
R52.0	-	8	8	R68.2	-	-	-	-	R80	-	52	52	57
R52.1	-	1	1	R68.3	-	-	-	-	R81	-	1	1	1
R52.2	7	1,432	1,425	R68.8	69	2,557	2,488	2,557	R82.0	-	-	-	-
R52.9	1	527	526	R70.0	-	2	2	2	R82.1	-	15	15	15
R53	1,108	13,166	12,058	R70.1	-	30	30	30	R82.2	-	-	-	-
R54	4,721	21,400	16,679	R71	-	1	1	1	R82.3	-	2	2	2
R55	28	1,536	1,508	R72	-	6	6	6	R82.4	-	-	-	-
R56.0	2	8	6	R73.0	-	112	112	112	R82.5	-	4	4	4
R56.8	1,069	19,434	18,365	R73.9	14	816	802	816	R82.6	-	4	4	4
R57.0	341	13,874	13,533	R74.0	-	5	5	5	R82.7	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis				
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
R82.8	-	2	2	R86.4	-	-	-	R93.6	-	-	-	-	
R82.9	-	1	1	R86.5	-	-	-	R93.7	-	-	-	-	
R83.0	-	-	-	R86.6	-	-	-	R93.8	-	7	7	7	
R83.1	-	-	-	R86.7	-	-	-	R94.0	-	1	1	1	
R83.2	-	-	-	R86.8	-	-	-	R94.1	-	-	-	-	
R83.3	-	-	-	R86.9	-	-	-	R94.2	-	1	1	1	
R83.4	-	-	-	R87.0	-	-	-	R94.3	3	37	34	37	
R83.5	-	-	-	R87.1	-	-	-	R94.4	-	2	2	2	
R83.6	-	-	-	R87.2	-	-	-	R94.5	1	65	64	65	
R83.7	-	-	-	R87.3	-	-	-	R94.6	-	-	-	-	
R83.8	-	-	-	R87.4	-	-	-	R94.7	-	-	-	-	
R83.9	-	-	-	R87.5	-	-	-	R94.8	-	-	-	-	
R84.0	-	-	-	R87.6	-	-	-	R95	2,230	2,273	43	2,273	
R84.1	-	-	-	R87.7	-	-	-	R96.0	245	249	4	249	
R84.2	-	1	1	R87.8	-	-	-	R96.1	-	2	2	2	
R84.3	-	-	-	R87.9	-	-	-	R98	20	20	-	20	
R84.4	-	-	-	R89.0	-	-	-	R99	14,532	34,231	19,283	33,809	
R84.5	-	2	2	R89.1	-	-	-	S00.0	...	36	36	36	
R84.6	-	-	-	R89.2	-	-	-	S00.1	...	-	-	-	
R84.7	-	-	-	R89.3	-	1	1	S00.2	...	-	-	-	
R84.8	-	-	-	R89.4	-	-	-	S00.3	...	2	2	2	
R84.9	-	-	-	R89.5	-	-	-	S00.4	...	-	-	-	
R85.0	-	-	-	R89.6	-	-	-	S00.5	...	3	3	3	
R85.1	-	-	-	R89.7	-	1	1	S00.7	...	1	1	1	
R85.2	-	-	-	R89.8	-	2	2	S00.8	...	50	50	50	
R85.3	-	-	-	R89.9	-	-	-	S00.9	...	94	94	94	
R85.4	-	-	-	R90.0	4	58	54	S01.0	...	107	107	107	
R85.5	-	-	-	R90.8	-	-	-	S01.1	...	5	5	5	
R85.6	-	-	-	R91	159	3,348	3,189	3,348	S01.2	...	6	6	6
R85.7	-	-	-	R92	-	-	-	S01.3	...	16	16	16	
R85.8	-	-	-	R93.0	-	-	-	S01.4	...	3	3	3	
R85.9	-	-	-	R93.1	-	2	2	S01.5	...	1,038	1,038	1,038	
R86.0	-	-	-	R93.2	-	2	2	S01.7	...	306	306	306	
R86.1	-	-	-	R93.3	-	-	-	S01.8	...	1,190	1,190	1,190	
R86.2	-	-	-	R93.4	-	-	-	S01.9	...	16,878	16,878	16,879	
R86.3	-	-	-	R93.5	-	1	1	S02.0	...	68	68	68	

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
S02.1	...	733	733	S06.1	...	340	340	S12.2	...	29	29	29
S02.2	...	41	41	S06.2	...	2,583	2,583	S12.7	...	18	18	18
S02.3	...	1	1	S06.3	...	49	49	S12.8	...	20	20	20
S02.4	...	24	24	S06.4	...	113	113	S12.9	...	2,459	2,459	2,459
S02.5	...	2	2	S06.5	...	6,571	6,571	S13.0	...	-	-	-
S02.6	...	60	60	S06.6	...	926	926	S13.1	...	466	466	466
S02.7	...	28	28	S06.7	...	-	-	S13.2	...	-	-	-
S02.8	...	32	32	S06.8	...	2,183	2,183	S13.3	...	-	-	-
S02.9	...	2,564	2,564	S06.9	...	5,831	5,831	S13.4	...	17	17	17
S03.0	...	4	4	S07.0	...	7	7	S13.5	...	-	-	-
S03.1	...	-	-	S07.1	...	36	36	S13.6	...	1	1	1
S03.2	...	-	-	S07.8	...	1	1	S14.0	...	2	2	2
S03.3	...	4	4	S07.9	...	195	195	S14.1	...	343	343	343
S03.4	...	-	-	S08.0	...	4	4	S14.2	...	-	-	-
S03.5	...	-	-	S08.1	...	-	-	S14.3	...	1	1	1
S04.0	...	2	2	S08.8	...	-	-	S14.4	...	-	-	-
S04.1	...	-	-	S08.9	...	3	3	S14.5	...	1	1	1
S04.2	...	-	-	S09.0	...	7	7	S14.6	...	1	1	1
S04.3	...	-	-	S09.1	...	-	-	S15.0	...	149	149	149
S04.4	...	-	-	S09.2	...	-	-	S15.1	...	45	45	45
S04.5	...	-	-	S09.7	...	797	797	S15.2	...	76	76	76
S04.6	...	-	-	S09.8	...	5	5	S15.3	...	16	16	16
S04.7	...	-	-	S09.9	...	26,326	26,326	S15.7	...	-	-	-
S04.8	...	-	-	S10.0	...	1	1	S15.8	...	-	-	-
S04.9	...	5	5	S10.1	...	1	1	S15.9	...	7	7	7
S05.0	...	-	-	S10.7	...	-	-	S16	...	1	1	1
S05.1	...	5	5	S10.8	...	19	19	S17.0	...	2	2	2
S05.2	...	-	-	S10.9	...	16	16	S17.8	...	-	-	-
S05.3	...	8	8	S11.0	...	26	26	S17.9	...	32	32	32
S05.4	...	1	1	S11.1	...	-	-	S18	...	75	75	76
S05.5	...	-	-	S11.2	...	5	5	S19.7	...	132	132	132
S05.6	...	2	2	S11.7	...	85	85	S19.8	...	56	56	56
S05.7	...	12	12	S11.8	...	83	83	S19.9	...	3,528	3,528	3,528
S05.8	...	9	9	S11.9	...	1,539	1,539	S20.0	...	-	-	-
S05.9	...	48	48	S12.0	...	118	118	S20.1	...	-	-	-
S06.0	...	137	137	S12.1	...	177	177	S20.2	...	57	57	57

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
S20.3	...	4	4	S25.5	...	6	6	S31.8	...	1,544	1,544	1,544
S20.4	...	-	-	S25.7	...	1	1	S32.0	...	297	297	297
S20.7	...	1	1	S25.8	...	8	8	S32.1	...	48	48	48
S20.8	...	12	12	S25.9	...	17	17	S32.2	...	2	2	2
S21.0	...	3	3	S26.0	...	114	114	S32.3	...	6	6	6
S21.1	...	10	10	S26.8	...	699	699	S32.4	...	84	84	84
S21.2	...	820	820	S26.9	...	701	701	S32.5	...	100	100	100
S21.7	...	210	210	S27.0	...	339	339	S32.7	...	48	48	48
S21.8	...	11	11	S27.1	...	698	698	S32.8	...	1,466	1,466	1,466
S21.9	...	5,990	5,990	S27.2	...	86	86	S33.0	...	1	1	1
S22.0	...	212	212	S27.3	...	1,532	1,532	S33.1	...	2	2	2
S22.1	...	13	13	S27.4	...	8	8	S33.2	...	-	-	-
S22.2	...	143	143	S27.5	...	1	1	S33.3	...	-	-	-
S22.3	...	1,395	1,395	S27.6	...	26	26	S33.4	...	-	-	-
S22.4	...	528	528	S27.7	...	5	5	S33.5	...	3	3	3
S22.5	...	170	170	S27.8	...	147	147	S33.6	...	-	-	-
S22.8	...	-	-	S27.9	...	132	132	S33.7	...	-	-	-
S22.9	...	95	95	S28.0	...	379	379	S34.0	...	-	-	-
S23.0	...	-	-	S28.1	...	-	-	S34.1	...	-	-	-
S23.1	...	7	7	S29.0	...	-	-	S34.2	...	1	1	1
S23.2	...	1	1	S29.7	...	331	331	S34.3	...	-	-	-
S23.3	...	-	-	S29.8	...	60	60	S34.4	...	-	-	-
S23.4	...	2	2	S29.9	...	6,755	6,755	S34.5	...	1	1	1
S23.5	...	-	-	S30.0	...	8	8	S34.6	...	-	-	-
S24.0	...	-	-	S30.1	...	4	4	S34.8	...	1	1	1
S24.1	...	10	10	S30.2	...	-	-	S35.0	...	61	61	61
S24.2	...	2	2	S30.7	...	1	1	S35.1	...	69	69	69
S24.3	...	1	1	S30.8	...	19	19	S35.2	...	19	19	19
S24.4	...	-	-	S30.9	...	27	27	S35.3	...	17	17	17
S24.5	...	-	-	S31.0	...	153	153	S35.4	...	18	18	18
S24.6	...	-	-	S31.1	...	79	79	S35.5	...	68	68	68
S25.0	...	1,288	1,288	S31.2	...	1	1	S35.7	...	-	-	-
S25.1	...	42	42	S31.3	...	2	2	S35.8	...	-	-	-
S25.2	...	43	43	S31.4	...	4	4	S35.9	...	11	11	11
S25.3	...	28	28	S31.5	...	-	-	S36.0	...	651	651	651
S25.4	...	58	58	S31.7	...	17	17	S36.1	...	1,037	1,037	1,037

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
S36.2	...	39	39	S42.1	...	23	23	S46.8	...	-	-	-
S36.3	...	96	96	S42.2	...	27	27	S46.9	...	-	-	-
S36.4	...	54	54	S42.3	...	760	760	S47	...	1	1	1
S36.5	...	50	50	S42.4	...	7	7	S48.0	...	-	-	-
S36.6	...	19	19	S42.7	...	-	-	S48.1	...	-	-	-
S36.7	...	78	78	S42.8	...	3	3	S48.9	...	1	1	1
S36.8	...	911	911	S42.9	...	167	167	S49.7	...	-	-	-
S36.9	...	207	207	S43.0	...	25	25	S49.8	...	1	1	1
S37.0	...	180	180	S43.1	...	2	2	S49.9	...	66	66	66
S37.1	...	2	2	S43.2	...	-	-	S50.0	...	2	2	2
S37.2	...	32	32	S43.3	...	-	-	S50.1	...	-	-	-
S37.3	...	1	1	S43.4	...	2	2	S50.7	...	-	-	-
S37.4	...	-	-	S43.5	...	-	-	S50.8	...	-	-	-
S37.5	...	-	-	S43.6	...	-	-	S50.9	...	6	6	6
S37.6	...	4	4	S43.7	...	-	-	S51.0	...	10	10	10
S37.7	...	-	-	S44.0	...	-	-	S51.7	...	6	6	6
S37.8	...	13	13	S44.1	...	-	-	S51.8	...	2	2	2
S37.9	...	17	17	S44.2	...	-	-	S51.9	...	66	66	66
S38.0	...	-	-	S44.3	...	-	-	S52.0	...	69	69	69
S38.1	...	84	84	S44.4	...	-	-	S52.1	...	3	3	3
S38.2	...	-	-	S44.5	...	-	-	S52.2	...	34	34	34
S38.3	...	-	-	S44.7	...	-	-	S52.3	...	-	-	-
S39.0	...	1	1	S44.8	...	-	-	S52.4	...	1	1	1
S39.6	...	5	5	S44.9	...	-	-	S52.5	...	7	7	7
S39.7	...	49	49	S45.0	...	10	10	S52.6	...	-	-	-
S39.8	...	4	4	S45.1	...	22	22	S52.7	...	-	-	-
S39.9	...	2,390	2,390	S45.2	...	6	6	S52.8	...	73	73	73
S40.0	...	6	6	S45.3	...	1	1	S52.9	...	19	19	19
S40.7	...	1	1	S45.7	...	-	-	S53.0	...	-	-	-
S40.8	...	-	-	S45.8	...	-	-	S53.1	...	2	2	2
S40.9	...	2	2	S45.9	...	4	4	S53.2	...	-	-	-
S41.0	...	124	124	S46.0	...	6	6	S53.3	...	-	-	-
S41.1	...	33	33	S46.1	...	-	-	S53.4	...	-	-	-
S41.7	...	1	1	S46.2	...	-	-	S54.0	...	-	-	-
S41.8	...	12	12	S46.3	...	-	-	S54.1	...	-	-	-
S42.0	...	146	146	S46.7	...	-	-	S54.2	...	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
S54.3	...	-	-	S61.8	...	6	6	S66.0	...	-	-	-
S54.7	...	-	-	S61.9	...	372	372	S66.1	...	-	-	-
S54.8	...	-	-	S62.0	...	-	-	S66.2	...	-	-	-
S54.9	...	-	-	S62.1	...	-	-	S66.3	...	-	-	-
S55.0	...	3	3	S62.2	...	-	-	S66.4	...	-	-	-
S55.1	...	15	15	S62.3	...	1	1	S66.5	...	-	-	-
S55.2	...	1	1	S62.4	...	-	-	S66.6	...	-	-	-
S55.7	...	-	-	S62.5	...	-	-	S66.7	...	-	-	-
S55.8	...	-	-	S62.6	...	1	1	S66.8	...	-	-	-
S55.9	...	1	1	S62.7	...	-	-	S66.9	...	1	1	1
S56.0	...	-	-	S62.8	...	144	144	S67.0	...	-	-	-
S56.1	...	-	-	S63.0	...	-	-	S67.8	...	-	-	-
S56.2	...	-	-	S63.1	...	1	1	S68.0	...	1	1	1
S56.3	...	-	-	S63.2	...	-	-	S68.1	...	1	1	1
S56.4	...	-	-	S63.3	...	-	-	S68.2	...	-	-	-
S56.5	...	-	-	S63.4	...	-	-	S68.3	...	-	-	-
S56.7	...	-	-	S63.5	...	-	-	S68.4	...	-	-	-
S56.8	...	-	-	S63.6	...	-	-	S68.8	...	-	-	-
S57.0	...	-	-	S63.7	...	-	-	S68.9	...	3	3	3
S57.8	...	-	-	S64.0	...	-	-	S69.7	...	-	-	-
S57.9	...	-	-	S64.1	...	-	-	S69.8	...	-	-	-
S58.0	...	-	-	S64.2	...	-	-	S69.9	...	62	62	62
S58.1	...	-	-	S64.3	...	-	-	S70.0	...	18	18	18
S58.9	...	-	-	S64.4	...	-	-	S70.1	...	3	3	3
S59.7	...	-	-	S64.7	...	-	-	S70.7	...	1	1	1
S59.8	...	-	-	S64.8	...	-	-	S70.8	...	-	-	-
S59.9	...	22	22	S64.9	...	-	-	S70.9	...	29	29	29
S60.0	...	1	1	S65.0	...	2	2	S71.0	...	46	46	46
S60.1	...	-	-	S65.1	...	1	1	S71.1	...	142	142	142
S60.2	...	2	2	S65.2	...	-	-	S71.7	...	-	-	-
S60.7	...	-	-	S65.3	...	-	-	S71.8	...	-	-	-
S60.8	...	2	2	S65.4	...	-	-	S72.0	...	13,792	13,792	13,792
S60.9	...	2	2	S65.5	...	-	-	S72.1	...	270	270	270
S61.0	...	4	4	S65.7	...	-	-	S72.2	...	14	14	14
S61.1	...	-	-	S65.8	...	-	-	S72.3	...	26	26	26
S61.7	...	9	9	S65.9	...	1	1	S72.4	...	19	19	19

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
S72.7	...	6	6	S81.0	...	12	12	S85.9	...	3	3	3
S72.8	...	2	2	S81.7	...	3	3	S86.0	...	6	6	6
S72.9	...	2,148	2,148	S81.8	...	3	3	S86.1	...	-	-	-
S73.0	...	67	67	S81.9	...	19	19	S86.2	...	-	-	-
S73.1	...	-	-	S82.0	...	88	88	S86.3	...	-	-	-
S74.0	...	-	-	S82.1	...	16	16	S86.7	...	-	-	-
S74.1	...	-	-	S82.2	...	377	377	S86.8	...	-	-	-
S74.2	...	-	-	S82.3	...	5	5	S86.9	...	-	-	-
S74.7	...	-	-	S82.4	...	233	233	S87.0	...	-	-	-
S74.8	...	-	-	S82.5	...	3	3	S87.8	...	1	1	1
S74.9	...	-	-	S82.6	...	1	1	S88.0	...	1	1	1
S75.0	...	41	41	S82.7	...	1	1	S88.1	...	1	1	1
S75.1	...	16	16	S82.8	...	308	308	S88.9	...	4	4	4
S75.2	...	-	-	S82.9	...	28	28	S89.7	...	1	1	1
S75.7	...	-	-	S83.0	...	-	-	S89.8	...	1	1	1
S75.8	...	-	-	S83.1	...	5	5	S89.9	...	44	44	44
S75.9	...	11	11	S83.2	...	7	7	S90.0	...	1	1	1
S76.0	...	-	-	S83.3	...	-	-	S90.1	...	-	-	-
S76.1	...	3	3	S83.4	...	-	-	S90.2	...	-	-	-
S76.2	...	-	-	S83.5	...	1	1	S90.3	...	-	-	-
S76.3	...	-	-	S83.6	...	6	6	S90.7	...	-	-	-
S76.4	...	-	-	S83.7	...	-	-	S90.8	...	-	-	-
S76.7	...	-	-	S84.0	...	-	-	S90.9	...	2	2	2
S77.0	...	-	-	S84.1	...	-	-	S91.0	...	20	20	20
S77.1	...	3	3	S84.2	...	-	-	S91.1	...	2	2	2
S78.0	...	-	-	S84.7	...	-	-	S91.2	...	-	-	-
S78.1	...	-	-	S84.8	...	-	-	S91.3	...	54	54	54
S78.9	...	-	-	S84.9	...	-	-	S91.7	...	-	-	-
S79.7	...	-	-	S85.0	...	9	9	S92.0	...	4	4	4
S79.8	...	2	2	S85.1	...	6	6	S92.1	...	1	1	1
S79.9	...	276	276	S85.2	...	-	-	S92.2	...	-	-	-
S80.0	...	10	10	S85.3	...	1	1	S92.3	...	5	5	5
S80.1	...	1	1	S85.4	...	-	-	S92.4	...	1	1	1
S80.7	...	-	-	S85.5	...	3	3	S92.5	...	3	3	3
S80.8	...	-	-	S85.7	...	-	-	S92.7	...	-	-	-
S80.9	...	9	9	S85.8	...	-	-	S92.9	...	29	29	29

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		
S93.0	...	-	-	S99.9	...	43	43	43	T08	...	734	734	734
S93.1	...	-	-	T00.2	...	1	1	1	T09.0	...	13	13	13
S93.2	...	-	-	T00.3	...	-	-	-	T09.1	...	1,476	1,476	1,476
S93.3	...	-	-	T00.8	...	-	-	-	T09.2	...	17	17	17
S93.4	...	4	4	T00.9	...	55	55	55	T09.3	...	904	904	904
S93.5	...	1	1	T01.2	...	21	21	21	T09.4	...	4	4	4
S93.6	...	1	1	T01.3	...	11	11	11	T09.5	...	2	2	2
S94.0	...	-	-	T01.9	...	3,914	3,914	3,914	T09.6	...	-	-	-
S94.1	...	-	-	T02.1	...	31	31	31	T09.8	...	-	-	-
S94.2	...	-	-	T02.2	...	11	11	11	T09.9	...	3,893	3,893	3,893
S94.3	...	-	-	T02.3	...	15	15	15	T10	...	176	176	176
S94.7	...	-	-	T02.4	...	18	18	18	T11.0	...	23	23	23
S94.8	...	-	-	T02.5	...	190	190	190	T11.1	...	437	437	437
S94.9	...	-	-	T02.8	...	-	-	-	T11.2	...	-	-	-
S95.0	...	-	-	T02.9	...	521	521	521	T11.3	...	-	-	-
S95.1	...	-	-	T03.1	...	-	-	-	T11.4	...	8	8	8
S95.2	...	-	-	T03.2	...	-	-	-	T11.5	...	-	-	-
S95.7	...	-	-	T03.3	...	-	-	-	T11.6	...	20	20	20
S95.8	...	1	1	T03.8	...	-	-	-	T11.8	...	1	1	1
S95.9	...	2	2	T03.9	...	-	-	-	T11.9	...	158	158	158
S96.0	...	-	-	T04.1	...	46	46	46	T12	...	281	281	281
S96.1	...	-	-	T04.2	...	2	2	2	T13.0	...	38	38	38
S96.2	...	-	-	T04.3	...	22	22	22	T13.1	...	291	291	291
S96.7	...	-	-	T04.8	...	-	-	-	T13.2	...	3	3	3
S96.8	...	-	-	T04.9	...	62	62	62	T13.3	...	1	1	1
S96.9	...	-	-	T05.0	...	-	-	-	T13.4	...	7	7	7
S97.0	...	-	-	T05.2	...	1	1	1	T13.5	...	4	4	4
S97.1	...	-	-	T05.3	...	-	-	-	T13.6	...	33	33	33
S97.8	...	-	-	T05.5	...	5	5	5	T13.8	...	-	-	-
S98.0	...	1	1	T05.8	...	11	11	11	T13.9	...	498	498	498
S98.1	...	1	1	T05.9	...	1	1	1	T14.0	...	249	249	249
S98.2	...	-	-	T06.2	...	1	1	1	T14.1	...	16,156	16,156	16,156
S98.3	...	-	-	T06.3	...	11	11	11	T14.2	...	995	995	995
S98.4	...	2	2	T06.4	...	-	-	-	T14.3	...	49	49	49
S99.7	...	-	-	T06.5	...	461	461	461	T14.4	...	127	127	127
S99.8	...	-	-	T07	...	17,415	17,415	17,416	T14.5	...	263	263	264

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
T14.6	...	21	21	T20.5	...	-	-	T25.1	...	-	-	-
T14.7	...	395	395	T20.6	...	-	-	T25.2	...	-	-	-
T14.8	...	1,180	1,180	T20.7	...	-	-	T25.3	...	2	2	2
T14.9	...	13,323	13,323	T21.0	...	150	150	T25.4	...	-	-	-
T15.0	...	-	-	T21.1	...	-	-	T25.5	...	-	-	-
T15.1	...	-	-	T21.2	...	10	10	T25.6	...	-	-	-
T15.8	...	-	-	T21.3	...	22	22	T25.7	...	1	1	1
T15.9	...	1	1	T21.4	...	-	-	T26.0	...	-	-	-
T16	...	-	-	T21.5	...	-	-	T26.1	...	-	-	-
T17.0	...	-	-	T21.6	...	-	-	T26.2	...	-	-	-
T17.1	...	1	1	T21.7	...	-	-	T26.3	...	-	-	-
T17.2	...	17	17	T22.0	...	21	21	T26.4	...	-	-	-
T17.3	...	12	12	T22.1	...	-	-	T26.5	...	-	-	-
T17.4	...	31	31	T22.2	...	1	1	T26.6	...	-	-	-
T17.5	...	29	29	T22.3	...	3	3	T26.7	...	-	-	-
T17.8	...	336	336	T22.4	...	-	-	T26.8	...	-	-	-
T17.9	...	16,074	16,074	T22.5	...	-	-	T26.9	...	-	-	-
T18.0	...	2	2	T22.6	...	-	-	T27.0	...	1	1	1
T18.1	...	7	7	T22.7	...	-	-	T27.1	...	6	6	6
T18.2	...	5	5	T23.0	...	6	6	T27.2	...	2	2	2
T18.3	...	5	5	T23.1	...	-	-	T27.3	...	179	179	179
T18.4	...	4	4	T23.2	...	3	3	T27.4	...	-	-	-
T18.5	...	2	2	T23.3	...	1	1	T27.5	...	-	-	-
T18.8	...	1	1	T23.4	...	-	-	T27.6	...	-	-	-
T18.9	...	25	25	T23.5	...	-	-	T27.7	...	-	-	-
T19.0	...	-	-	T23.6	...	-	-	T28.0	...	3	3	3
T19.1	...	-	-	T23.7	...	-	-	T28.1	...	-	-	-
T19.2	...	-	-	T24.0	...	31	31	T28.2	...	1	1	1
T19.3	...	-	-	T24.1	...	-	-	T28.3	...	-	-	-
T19.8	...	-	-	T24.2	...	2	2	T28.4	...	-	-	-
T19.9	...	1	1	T24.3	...	8	8	T28.5	...	1	1	1
T20.0	...	52	52	T24.4	...	-	-	T28.6	...	-	-	-
T20.1	...	1	1	T24.5	...	-	-	T28.7	...	3	3	3
T20.2	...	6	6	T24.6	...	-	-	T28.8	...	-	-	-
T20.3	...	5	5	T24.7	...	1	1	T28.9	...	-	-	-
T20.4	...	-	-	T25.0	...	11	11	T30.0	...	2,112	2,112	2,115

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
T30.1	...	3	3	T33.9	...	-	-	T37.9	...	-	-	-
T30.2	...	19	19	T34.0	...	-	-	T38.0	...	1	1	1
T30.3	...	88	88	T34.1	...	-	-	T38.1	...	3	3	3
T30.4	...	8	8	T34.2	...	-	-	T38.2	...	-	-	-
T30.5	...	-	-	T34.3	...	-	-	T38.3	...	82	82	82
T30.6	...	-	-	T34.4	...	-	-	T38.4	...	1	1	1
T30.7	...	-	-	T34.5	...	-	-	T38.5	...	-	-	-
T31.0	...	14	14	T34.6	...	-	-	T38.6	...	-	-	-
T31.1	...	45	45	T34.7	...	-	-	T38.7	...	1	1	1
T31.2	...	40	40	T34.8	...	-	-	T38.8	...	2	2	2
T31.3	...	43	43	T34.9	...	-	-	T38.9	...	-	-	-
T31.4	...	50	50	T35.0	...	-	-	T39.0	...	171	171	171
T31.5	...	37	37	T35.1	...	-	-	T39.1	...	809	809	809
T31.6	...	36	36	T35.2	...	-	-	T39.2	...	1	1	1
T31.7	...	36	36	T35.3	...	-	-	T39.3	...	355	355	355
T31.8	...	46	46	T35.4	...	-	-	T39.4	...	1	1	1
T31.9	...	263	263	T35.5	...	2	2	T39.8	...	30	30	30
T32.0	...	-	-	T35.6	...	-	-	T39.9	...	-	-	-
T32.1	...	-	-	T35.7	...	5	5	T40.0	...	2	2	2
T32.2	...	-	-	T36.0	...	2	2	T40.1	...	2,154	2,154	2,154
T32.3	...	-	-	T36.1	...	-	-	T40.2	...	6,102	6,102	6,102
T32.4	...	-	-	T36.2	...	-	-	T40.3	...	4,638	4,638	4,639
T32.5	...	-	-	T36.3	...	-	-	T40.4	...	1,808	1,808	1,808
T32.6	...	-	-	T36.4	...	-	-	T40.5	...	7,283	7,283	7,284
T32.7	...	-	-	T36.5	...	6	6	T40.6	...	3,052	3,052	3,052
T32.8	...	-	-	T36.6	...	3	3	T40.7	...	141	141	141
T32.9	...	1	1	T36.7	...	1	1	T40.8	...	1	1	1
T33.0	...	-	-	T36.8	...	8	8	T40.9	...	9	9	9
T33.1	...	-	-	T36.9	...	5	5	T41.0	...	37	37	37
T33.2	...	-	-	T37.0	...	-	-	T41.1	...	55	55	55
T33.3	...	-	-	T37.1	...	3	3	T41.2	...	26	26	26
T33.4	...	-	-	T37.2	...	10	10	T41.3	...	8	8	8
T33.5	...	-	-	T37.3	...	-	-	T41.4	...	3	3	3
T33.6	...	-	-	T37.4	...	2	2	T41.5	...	5	5	5
T33.7	...	-	-	T37.5	...	2	2	T42.0	...	60	60	60
T33.8	...	-	-	T37.8	...	10	10	T42.1	...	57	57	57

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
T42.2	...	-	-	T46.0	...	200	200	200	T49.8	...	-	-
T42.3	...	290	290	T46.1	...	122	122	122	T49.9	...	-	-
T42.4	...	3,224	3,224	T46.2	...	119	119	119	T50.0	...	2	2
T42.5	...	5	5	T46.3	...	2	2	2	T50.1	...	-	-
T42.6	...	375	375	T46.4	...	7	7	7	T50.2	...	3	3
T42.7	...	49	49	T46.5	...	16	16	16	T50.3	...	25	25
T42.8	...	515	515	T46.6	...	2	2	2	T50.4	...	14	14
T43.0	...	1,440	1,440	T46.7	...	3	3	3	T50.5	...	32	32
T43.1	...	8	8	T46.8	...	-	-	-	T50.6	...	1	1
T43.2	...	1,851	1,851	T46.9	...	-	-	-	T50.7	...	-	-
T43.3	...	234	234	T47.0	...	-	-	-	T50.8	...	8	8
T43.4	...	11	11	T47.1	...	5	5	5	T50.9	...	16,722	16,722
T43.5	...	715	715	T47.2	...	-	-	-	T51.0	...	1,781	1,781
T43.6	...	2,023	2,023	T47.3	...	1	1	1	T51.1	...	39	39
T43.8	...	25	25	T47.4	...	3	3	3	T51.2	...	51	51
T43.9	...	14	14	T47.5	...	3	3	3	T51.3	...	2	2
T44.0	...	2	2	T47.6	...	3	3	3	T51.8	...	18	18
T44.1	...	1	1	T47.7	...	-	-	-	T51.9	...	978	978
T44.2	...	1	1	T47.8	...	-	-	-	T52.0	...	14	14
T44.3	...	30	30	T47.9	...	-	-	-	T52.1	...	1	1
T44.4	...	2	2	T48.0	...	-	-	-	T52.2	...	18	18
T44.5	...	4	4	T48.1	...	35	35	35	T52.3	...	3	3
T44.6	...	-	-	T48.2	...	1	1	1	T52.4	...	11	11
T44.7	...	56	56	T48.3	...	119	119	119	T52.8	...	149	149
T44.8	...	1	1	T48.4	...	13	13	13	T52.9	...	20	20
T44.9	...	92	92	T48.5	...	5	5	5	T53.0	...	-	-
T45.0	...	858	858	T48.6	...	25	25	25	T53.1	...	2	2
T45.1	...	106	106	T48.7	...	80	80	80	T53.2	...	-	-
T45.2	...	2	2	T49.0	...	2	2	2	T53.3	...	1	1
T45.3	...	-	-	T49.1	...	2	2	2	T53.4	...	3	3
T45.4	...	1	1	T49.2	...	3	3	3	T53.5	...	21	21
T45.5	...	204	204	T49.3	...	-	-	-	T53.6	...	3	3
T45.6	...	1	1	T49.4	...	14	14	14	T53.7	...	2	2
T45.7	...	2	2	T49.5	...	1	1	1	T53.9	...	-	-
T45.8	...	2	2	T49.6	...	-	-	-	T54.0	...	-	-
T45.9	...	-	-	T49.7	...	-	-	-	T54.1	...	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
T54.2	...	18	18	18	T60.8	...	3	3	3	T67.4	...	-	-
T54.3	...	17	17	17	T60.9	...	9	9	9	T67.5	...	40	40
T54.9	...	19	19	19	T61.0	...	-	-	-	T67.6	...	-	-
T55	...	3	3	3	T61.1	...	-	-	-	T67.7	...	-	-
T56.0	...	2	2	2	T61.2	...	1	1	1	T67.8	...	31	31
T56.1	...	1	1	1	T61.8	...	-	-	-	T67.9	...	251	251
T56.2	...	-	-	-	T61.9	...	-	-	-	T68	...	1,278	1,278
T56.3	...	-	-	-	T62.0	...	3	3	3	T69.0	...	-	-
T56.4	...	1	1	1	T62.1	...	-	-	-	T69.1	...	-	-
T56.5	...	-	-	-	T62.2	...	2	2	2	T69.8	...	21	21
T56.6	...	-	-	-	T62.8	...	2	2	2	T69.9	...	401	401
T56.7	...	2	2	2	T62.9	...	2	2	2	T70.0	...	-	-
T56.8	...	74	74	74	T63.0	...	7	7	7	T70.1	...	-	-
T56.9	...	-	-	-	T63.1	...	-	-	-	T70.2	...	17	17
T57.0	...	1	1	1	T63.2	...	-	-	-	T70.3	...	2	2
T57.1	...	3	3	3	T63.3	...	15	15	15	T70.4	...	1	1
T57.2	...	2	2	2	T63.4	...	89	89	89	T70.8	...	-	-
T57.3	...	-	-	-	T63.5	...	-	-	-	T70.9	...	-	-
T57.8	...	6	6	6	T63.6	...	1	1	1	T71	...	11,252	11,252
T57.9	...	-	-	-	T63.8	...	-	-	-	T73.0	...	56	56
T58	...	2,595	2,595	2,596	T63.9	...	2	2	2	T73.1	...	8	8
T59.0	...	3	3	3	T64	...	-	-	-	T73.2	...	-	-
T59.1	...	1	1	1	T65.0	...	36	36	36	T73.3	...	21	21
T59.2	...	1	1	1	T65.1	...	2	2	2	T73.8	...	2	2
T59.3	...	-	-	-	T65.2	...	2	2	2	T73.9	...	2	2
T59.4	...	9	9	9	T65.3	...	-	-	-	T74.0	...	58	58
T59.5	...	-	-	-	T65.4	...	-	-	-	T74.1	...	26	26
T59.6	...	2	2	2	T65.5	...	-	-	-	T74.2	...	4	4
T59.7	...	10	10	10	T65.6	...	9	9	9	T74.3	...	-	-
T59.8	...	2,709	2,709	2,709	T65.8	...	14	14	14	T74.8	...	36	36
T59.9	...	487	487	487	T65.9	...	286	286	286	T74.9	...	67	67
T60.0	...	7	7	7	T66	...	53	53	53	T75.0	...	40	40
T60.1	...	-	-	-	T67.0	...	506	506	506	T75.1	...	5,794	5,794
T60.2	...	2	2	2	T67.1	...	2	2	2	T75.2	...	-	-
T60.3	...	11	11	11	T67.2	...	-	-	-	T75.3	...	2	2
T60.4	...	4	4	4	T67.3	...	-	-	-	T75.4	...	457	457

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis			
T75.8	...	338	338	339	T81.9	...	408	408	408	T85.6	...	41	41	41
T78.0	...	11	11	11	T82.0	...	60	60	60	T85.7	...	216	216	217
T78.1	...	7	7	7	T82.1	...	91	91	91	T85.8	...	183	183	184
T78.2	...	146	146	146	T82.2	...	21	21	21	T85.9	...	147	147	147
T78.3	...	84	84	84	T82.3	...	34	34	34	T86.0	...	606	606	606
T78.4	...	86	86	86	T82.4	...	13	13	13	T86.1	...	355	355	355
T78.8	...	1	1	1	T82.5	...	26	26	26	T86.2	...	268	268	268
T78.9	...	1	1	1	T82.6	...	198	198	198	T86.3	...	7	7	7
T79.0	...	43	43	43	T82.7	...	1,358	1,358	1,358	T86.4	...	275	275	275
T79.1	...	127	127	127	T82.8	...	3,578	3,578	3,578	T86.8	...	317	317	317
T79.2	...	-	-	-	T82.9	...	189	189	189	T86.9	...	47	47	47
T79.3	...	25	25	25	T83.0	...	2	2	2	T87.0	...	1	1	1
T79.4	...	816	816	816	T83.1	...	3	3	3	T87.1	...	-	-	-
T79.5	...	4	4	4	T83.2	...	1	1	1	T87.2	...	-	-	-
T79.6	...	93	93	93	T83.3	...	-	-	-	T87.3	...	-	-	-
T79.7	...	144	144	144	T83.4	...	1	1	1	T87.4	...	111	111	111
T79.8	...	20	20	20	T83.5	...	292	292	292	T87.5	...	16	16	16
T79.9	...	6	6	6	T83.6	...	7	7	7	T87.6	...	36	36	36
T80.0	...	3	3	3	T83.8	...	43	43	43	T88.0	...	-	-	-
T80.1	...	-	-	-	T83.9	...	15	15	15	T88.1	...	-	-	-
T80.2	...	47	47	47	T84.0	...	26	26	26	T88.2	...	1	1	1
T80.3	...	1	1	1	T84.1	...	2	2	2	T88.3	...	3	3	3
T80.4	...	-	-	-	T84.2	...	3	3	3	T88.4	...	6	6	6
T80.5	...	1	1	1	T84.3	...	1	1	1	T88.5	...	11	11	11
T80.6	...	-	-	-	T84.4	...	3	3	3	T88.6	...	32	32	32
T80.8	...	93	93	93	T84.5	...	151	151	151	T88.7	...	330	330	331
T80.9	...	55	55	55	T84.6	...	20	20	20	T88.8	...	79	79	79
T81.0	...	809	809	809	T84.7	...	16	16	16	T88.9	...	220	220	220
T81.1	...	223	223	223	T84.8	...	239	239	239	T90.0	...	3	3	3
T81.2	...	485	485	485	T84.9	...	19	19	19	T90.1	...	81	81	81
T81.3	...	245	245	245	T85.0	...	30	30	30	T90.2	...	23	23	23
T81.4	...	1,609	1,609	1,610	T85.1	...	-	-	-	T90.3	...	5	5	5
T81.5	...	5	5	5	T85.2	...	-	-	-	T90.4	...	-	-	-
T81.6	...	11	11	11	T85.3	...	-	-	-	T90.5	...	530	530	530
T81.7	...	1,275	1,275	1,275	T85.4	...	2	2	2	T90.8	...	10	10	10
T81.8	...	2,429	2,429	2,429	T85.5	...	39	39	39	T90.9	...	638	638	638

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
T91.0	...	112	112	T97	...	57	57	V09.0	149	152	3	152	
T91.1	...	163	163	T98.0	...	11	11	V09.1	192	193	1	193	
T91.2	...	46	46	T98.1	...	129	129	V09.2	1,835	1,848	13	1,848	
T91.3	...	709	709	T98.2	...	12	12	V09.3	54	54	-	54	
T91.4	...	17	17	T98.3	...	952	952	V09.9	45	45	-	45	
T91.5	...	15	15	U01.0	-	-	-	V10.0	-	-	-	-	
T91.8	...	66	66	U01.1	-	-	-	V10.1	-	-	-	-	
T91.9	...	199	199	U01.2	-	-	-	V10.2	2	2	-	2	
T92.0	...	7	7	U01.3	-	-	-	V10.3	-	-	-	-	
T92.1	...	24	24	U01.4	-	-	-	V10.4	-	-	-	-	
T92.2	...	2	2	U01.5	-	-	-	V10.5	-	-	-	-	
T92.3	...	1	1	U01.6	-	-	-	V10.9	-	1	1	1	
T92.4	...	1	1	U01.7	-	-	-	V11.0	-	-	-	-	
T92.5	...	1	1	U01.8	-	-	-	V11.1	-	-	-	-	
T92.6	...	-	-	U01.9	-	-	-	V11.2	1	1	-	1	
T92.8	...	3	3	U02	-	-	-	V11.3	-	-	-	-	
T92.9	...	2	2	U03.0	-	-	-	V11.4	3	3	-	3	
T93.0	...	22	22	U03.9	-	-	-	V11.5	-	-	-	-	
T93.1	...	388	388	388	V01.0	2	2	-	2	V11.9	3	3	-
T93.2	...	28	28	28	V01.1	5	5	-	5	V12.0	-	-	-
T93.3	...	7	7	7	V01.9	-	-	-	-	V12.1	-	-	-
T93.4	...	-	-	-	V02.0	6	6	-	6	V12.2	-	-	-
T93.5	...	1	1	1	V02.1	39	39	-	39	V12.3	-	-	-
T93.6	...	1	1	1	V02.9	4	4	-	4	V12.4	3	3	-
T93.8	...	4	4	4	V03.0	241	247	6	247	V12.5	-	-	-
T93.9	...	20	20	20	V03.1	2,728	2,744	16	2,744	V12.9	3	3	-
T94.0	...	102	102	102	V03.9	17	17	-	17	V13.0	1	1	-
T94.1	...	587	587	587	V04.0	48	48	-	48	V13.1	7	7	-
T95.0	...	1	1	1	V04.1	280	281	1	281	V13.2	1	1	-
T95.1	...	-	-	-	V04.9	14	14	-	14	V13.3	-	-	-
T95.2	...	-	-	-	V05.0	120	120	-	120	V13.4	215	216	1
T95.3	...	1	1	1	V05.1	73	74	1	74	V13.5	6	6	-
T95.4	...	-	-	-	V05.9	213	214	1	214	V13.9	219	219	1
T95.8	...	3	3	3	V06.0	4	4	-	4	V14.0	-	-	-
T95.9	...	23	23	23	V06.1	2	2	-	2	V14.1	-	-	-
T96	...	101	101	101	V06.9	3	4	1	4	V14.2	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
V14.3	-	-	-	-	V19.4	105	105	-	105	V24.3	-	-	-
V14.4	25	25	-	25	V19.5	6	6	-	6	V24.4	93	93	-
V14.5	1	1	-	1	V19.6	87	87	-	87	V24.5	6	6	-
V14.9	30	31	1	31	V19.8	2	3	1	3	V24.9	15	15	-
V15.0	1	1	-	1	V19.9	78	79	1	79	V25.0	-	-	-
V15.1	-	-	-	-	V20.0	1	1	-	1	V25.1	2	2	-
V15.2	-	-	-	-	V20.1	1	1	-	1	V25.2	-	-	-
V15.3	-	-	-	-	V20.2	1	1	-	1	V25.3	-	-	-
V15.4	4	4	-	4	V20.3	-	-	-	-	V25.4	3	3	-
V15.5	-	-	-	-	V20.4	45	45	-	45	V25.5	-	-	-
V15.9	8	8	-	8	V20.5	6	6	-	6	V25.9	-	-	-
V16.0	-	-	-	-	V20.9	14	14	-	14	V26.0	-	-	-
V16.1	-	-	-	-	V21.0	-	-	-	-	V26.1	-	-	-
V16.2	-	-	-	-	V21.1	-	-	-	-	V26.2	-	-	-
V16.3	-	-	-	-	V21.2	-	-	-	-	V26.3	-	-	-
V16.4	-	-	-	-	V21.3	-	-	-	-	V26.4	7	7	-
V16.5	-	-	-	-	V21.4	-	-	-	-	V26.5	-	-	-
V16.9	2	2	-	2	V21.5	-	-	-	-	V26.9	1	1	-
V17.0	3	3	-	3	V21.9	-	-	-	-	V27.0	11	11	-
V17.1	-	-	-	-	V22.0	3	3	-	3	V27.1	-	-	-
V17.2	2	2	-	2	V22.1	1	1	-	1	V27.2	7	8	1
V17.3	-	-	-	-	V22.2	2	2	-	2	V27.3	1	1	-
V17.4	8	9	1	9	V22.3	-	-	-	-	V27.4	658	659	1
V17.5	-	-	-	-	V22.4	30	30	-	30	V27.5	47	47	-
V17.9	6	6	-	6	V22.5	4	4	-	4	V27.9	109	110	1
V18.0	4	5	1	5	V22.9	11	11	-	11	V28.0	26	26	-
V18.1	-	-	-	-	V23.0	2	2	-	2	V28.1	1	1	-
V18.2	12	12	-	12	V23.1	-	-	-	-	V28.2	5	5	-
V18.3	-	-	-	-	V23.2	1	1	-	1	V28.3	-	-	-
V18.4	18	19	1	19	V23.3	-	-	-	-	V28.4	458	460	2
V18.5	-	-	-	-	V23.4	1,028	1,030	3	1,030	V28.5	63	63	-
V18.9	51	51	-	51	V23.5	95	96	1	96	V28.9	81	81	-
V19.0	1	1	-	1	V23.9	120	121	1	121	V29.0	10	10	-
V19.1	2	2	-	2	V24.0	-	-	-	-	V29.1	1	1	-
V19.2	2	2	-	2	V24.1	-	-	-	-	V29.2	1	1	-
V19.3	5	6	1	6	V24.2	-	-	-	-	V29.3	15	15	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
V29.4	465	465	-	465	V33.4	-	-	-	V37.4	-	-	-
V29.5	41	42	1	42	V33.5	-	-	-	V37.5	-	-	-
V29.6	62	63	1	63	V33.6	-	-	-	V37.6	-	-	-
V29.8	10	10	-	10	V33.7	-	-	-	V37.7	-	-	-
V29.9	823	836	13	836	V33.9	-	-	-	V37.9	-	-	-
V30.0	-	-	-	-	V34.0	-	-	-	V38.0	-	-	-
V30.1	-	-	-	-	V34.1	-	-	-	V38.1	-	-	-
V30.2	-	-	-	-	V34.2	-	-	-	V38.2	-	-	-
V30.3	-	-	-	-	V34.3	-	-	-	V38.3	-	-	-
V30.4	-	-	-	-	V34.4	-	-	-	V38.4	-	-	-
V30.5	-	-	-	-	V34.5	-	-	-	V38.5	1	1	-
V30.6	-	-	-	-	V34.6	-	-	-	V38.6	-	-	-
V30.7	-	-	-	-	V34.7	-	-	-	V38.7	-	-	-
V30.9	-	-	-	-	V34.9	-	-	-	V38.9	2	2	-
V31.0	-	-	-	-	V35.0	-	-	-	V39.0	-	-	-
V31.1	-	-	-	-	V35.1	-	-	-	V39.1	-	-	-
V31.2	-	-	-	-	V35.2	-	-	-	V39.2	-	-	-
V31.3	-	-	-	-	V35.3	-	-	-	V39.3	-	-	-
V31.4	-	-	-	-	V35.4	-	-	-	V39.4	1	2	1
V31.5	-	-	-	-	V35.5	-	-	-	V39.5	-	-	-
V31.6	-	-	-	-	V35.6	-	-	-	V39.6	-	-	-
V31.7	-	-	-	-	V35.7	-	-	-	V39.8	1	1	-
V31.9	-	-	-	-	V35.9	-	-	-	V39.9	-	-	-
V32.0	-	-	-	-	V36.0	-	-	-	V40.0	-	-	-
V32.1	-	-	-	-	V36.1	-	-	-	V40.1	-	-	-
V32.2	-	-	-	-	V36.2	-	-	-	V40.2	-	-	-
V32.3	-	-	-	-	V36.3	-	-	-	V40.3	-	-	-
V32.4	-	-	-	-	V36.4	-	-	-	V40.4	-	-	-
V32.5	-	-	-	-	V36.5	-	-	-	V40.5	21	21	-
V32.6	-	-	-	-	V36.6	-	-	-	V40.6	10	10	-
V32.7	-	-	-	-	V36.7	-	-	-	V40.7	1	1	-
V32.9	-	-	-	-	V36.9	-	-	-	V40.9	2	2	-
V33.0	-	-	-	-	V37.0	-	-	-	V41.0	-	-	-
V33.1	-	-	-	-	V37.1	-	-	-	V41.1	-	-	-
V33.2	-	-	-	-	V37.2	-	-	-	V41.2	-	-	-
V33.3	-	-	-	-	V37.3	-	-	-	V41.3	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis		Total UC	Second- mention	Entity axis	
V41.4	-	-	-	V45.4	-	-	-	V49.4	568	574	6	574
V41.5	-	-	-	V45.5	63	61	-	V49.5	433	440	7	440
V41.6	-	-	-	V45.6	19	19	-	V49.6	163	165	2	165
V41.7	-	-	-	V45.7	-	-	-	V49.8	20	20	-	20
V41.9	2	2	-	V45.9	11	12	1	V49.9	1,565	1,621	56	1,621
V42.0	-	-	-	V46.0	-	-	-	V50.0	-	-	-	-
V42.1	-	-	-	V46.1	-	-	-	V50.1	-	-	-	-
V42.2	-	-	-	V46.2	-	-	-	V50.2	-	-	-	-
V42.3	-	-	-	V46.3	1	1	-	V50.3	-	-	-	-
V42.4	-	-	-	V46.4	-	-	-	V50.4	-	-	-	-
V42.5	15	16	1	V46.5	6	6	-	V50.5	2	2	-	2
V42.6	4	4	-	V46.6	1	1	-	V50.6	-	-	-	-
V42.7	1	1	1	V46.7	1	1	-	V50.7	-	-	-	-
V42.9	8	8	-	V46.9	-	-	-	V50.9	-	-	-	-
V43.0	1	2	1	V47.0	20	21	1	V51.0	-	-	-	-
V43.1	2	2	-	V47.1	9	9	-	V51.1	-	-	-	-
V43.2	1	1	-	V47.2	2	2	-	V51.2	-	-	-	-
V43.3	2	2	-	V47.3	7	7	-	V51.3	-	-	-	-
V43.4	3	3	-	V47.4	2	3	1	V51.4	-	-	-	-
V43.5	2,839	2,873	34	V47.5	2,147	2,183	36	V51.5	-	-	-	-
V43.6	1,398	1,411	13	V47.6	822	828	6	V51.6	-	-	-	-
V43.7	1	1	-	V47.7	1	1	-	V51.7	-	-	-	-
V43.9	349	359	10	V47.9	258	260	2	V51.9	-	-	-	-
V44.0	-	-	-	V48.0	19	19	-	V52.0	-	-	-	-
V44.1	1	1	-	V48.1	6	6	-	V52.1	-	-	-	-
V44.2	-	-	-	V48.2	-	-	-	V52.2	-	-	-	-
V44.3	-	-	-	V48.3	8	8	-	V52.3	-	-	-	-
V44.4	2	2	-	V48.4	16	18	2	V52.4	-	-	-	-
V44.5	742	749	7	V48.5	1,541	1,550	9	V52.5	-	-	-	-
V44.6	261	266	5	V48.6	789	792	3	V52.6	1	1	-	1
V44.7	-	-	-	V48.7	7	7	-	V52.7	-	-	-	-
V44.9	82	83	1	V48.9	304	309	5	V52.9	1	1	-	1
V45.0	2	2	-	V49.0	3	3	-	V53.0	-	-	-	-
V45.1	3	3	-	V49.1	3	3	-	V53.1	-	-	-	-
V45.2	-	-	-	V49.2	3	4	1	V53.2	-	-	-	-
V45.3	-	-	-	V49.3	13	13	-	V53.3	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field					
	Record axis		Entity axis			Record axis		Entity axis			Record axis		Entity axis			
	UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		
V53.4	2	2	-	2	V57.4	-	-	-	-	V61.4	-	-	-	-		
V53.5	609	617	8	617	V57.5	681	689	8	689	V61.5	-	-	-	-		
V53.6	241	243	2	243	V57.6	181	182	1	182	V61.6	-	-	-	-		
V53.7	-	-	-	-	V57.7	-	-	-	-	V61.7	-	-	-	-		
V53.9	42	42	-	42	V57.9	48	49	1	49	V61.9	-	-	-	-		
V54.0	1	1	-	1	V58.0	8	8	-	8	V62.0	-	-	-	-		
V54.1	-	-	-	-	V58.1	16	16	-	16	V62.1	-	-	-	-		
V54.2	-	-	-	-	V58.2	4	4	-	4	V62.2	-	-	-	-		
V54.3	-	-	-	-	V58.3	10	11	1	11	V62.3	-	-	-	-		
V54.4	-	-	-	-	V58.4	1	1	-	1	V62.4	-	-	-	-		
V54.5	295	298	3	298	V58.5	659	665	6	665	V62.5	1	1	-	1		
V54.6	116	116	-	116	V58.6	299	303	4	303	V62.6	-	-	-	-		
V54.7	-	-	-	-	V58.7	3	3	-	3	V62.7	-	-	-	-		
V54.9	27	27	-	27	V58.9	133	134	1	134	V62.9	-	-	-	-		
V55.0	6	6	-	6	V59.0	1	1	-	1	V63.0	-	-	-	-		
V55.1	1	1	-	1	V59.1	-	-	-	-	V63.1	-	-	-	-		
V55.2	-	-	-	-	V59.2	-	-	-	-	V63.2	-	-	-	-		
V55.3	2	2	-	2	V59.3	5	5	-	5	V63.3	-	-	-	-		
V55.4	-	-	-	-	V59.4	101	104	3	104	V63.4	1	1	-	1		
V55.5	21	21	-	21	V59.5	76	77	1	77	V63.5	30	30	-	30		
V55.6	16	16	-	16	V59.6	21	21	-	21	V63.6	5	5	-	5		
V55.7	-	-	-	-	V59.8	13	13	-	13	V63.7	-	-	-	-		
V55.9	4	4	-	4	V59.9	133	137	4	137	V63.9	2	2	-	2		
V56.0	-	-	-	-	V60.0	-	-	-	-	V64.0	-	-	-	-		
V56.1	-	-	-	-	V60.1	1	1	-	1	V64.1	-	-	-	-		
V56.2	-	-	-	-	V60.2	-	-	-	-	V64.2	-	-	-	-		
V56.3	-	-	-	-	V60.3	-	-	-	-	V64.3	-	-	-	-		
V56.4	-	-	-	-	V60.4	1	1	-	1	V64.4	1	1	-	1		
V56.5	1	1	-	1	V60.5	1	1	-	1	V64.5	60	61	1	61		
V56.6	-	-	-	-	V60.6	1	1	-	1	V64.6	11	11	-	11		
V56.7	-	-	-	-	V60.7	-	-	-	-	V64.7	1	1	-	1		
V56.9	1	-	-	-	V60.9	1	1	-	1	V64.9	11	11	-	11		
V57.0	8	8	-	8	V61.0	-	-	-	-	V65.0	1	1	-	1		
V57.1	7	7	-	7	V61.1	-	-	-	-	V65.1	-	-	-	-		
V57.2	-	-	-	-	V61.2	-	-	-	-	V65.2	-	-	-	-		
V57.3	-	-	-	-	V61.3	-	-	-	-	V65.3	1	1	-	1		

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis		Entity axis		Record axis		Entity axis		Record axis		Entity axis	
	UC	Total mention	Second- ary	Entity axis	UC	Total mention	Second- ary	Entity axis	UC	Total mention	Second- ary	Entity axis
V65.4	-	-	-	-	V69.4	20	20	-	20	V73.4	-	-
V65.5	17	18	1	18	V69.5	5	5	-	5	V73.5	3	3
V65.6	3	3	-	3	V69.6	4	5	1	5	V73.6	3	3
V65.7	-	-	-	-	V69.8	5	5	-	5	V73.7	-	-
V65.9	1	1	-	1	V69.9	29	31	2	31	V73.9	1	1
V66.0	-	-	-	-	V70.0	-	-	-	-	V74.0	-	-
V66.1	-	-	-	-	V70.1	-	-	-	-	V74.1	-	-
V66.2	-	-	-	-	V70.2	-	-	-	-	V74.2	-	-
V66.3	-	-	-	-	V70.3	-	-	-	-	V74.3	-	-
V66.4	-	-	-	-	V70.4	-	-	-	-	V74.4	-	-
V66.5	-	-	-	-	V70.5	-	-	-	-	V74.5	2	2
V66.6	-	-	-	-	V70.6	-	-	-	-	V74.6	7	7
V66.7	-	-	-	-	V70.7	-	-	-	-	V74.7	-	-
V66.9	-	-	-	-	V70.9	-	-	-	-	V74.9	-	-
V67.0	1	1	-	1	V71.0	-	-	-	-	V75.0	-	-
V67.1	-	-	-	-	V71.1	-	-	-	-	V75.1	-	-
V67.2	-	-	-	-	V71.2	-	-	-	-	V75.2	-	-
V67.3	-	-	-	-	V71.3	-	-	-	-	V75.3	-	-
V67.4	-	-	-	-	V71.4	-	-	-	-	V75.4	-	-
V67.5	64	64	-	64	V71.5	-	-	-	-	V75.5	-	-
V67.6	4	4	-	4	V71.6	-	-	-	-	V75.6	-	-
V67.7	-	-	-	-	V71.7	-	-	-	-	V75.7	-	-
V67.9	6	7	1	7	V71.9	-	-	-	-	V75.9	-	-
V68.0	3	3	-	3	V72.0	-	-	-	-	V76.0	-	-
V68.1	-	-	-	-	V72.1	-	-	-	-	V76.1	-	-
V68.2	1	1	-	1	V72.2	-	-	-	-	V76.2	-	-
V68.3	1	1	-	1	V72.3	-	-	-	-	V76.3	-	-
V68.4	2	2	-	2	V72.4	-	-	-	-	V76.4	-	-
V68.5	115	116	1	116	V72.5	-	-	-	-	V76.5	-	-
V68.6	12	12	-	12	V72.6	-	-	-	-	V76.6	-	-
V68.7	-	-	-	-	V72.7	-	-	-	-	V76.7	-	-
V68.9	23	24	1	24	V72.9	-	-	-	-	V76.9	-	-
V69.0	-	-	-	-	V73.0	-	-	-	-	V77.0	1	1
V69.1	-	-	-	-	V73.1	-	-	-	-	V77.1	-	-
V69.2	1	2	1	2	V73.2	-	-	-	-	V77.2	-	-
V69.3	3	3	-	3	V73.3	-	-	-	-	V77.3	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
V77.4	-	-	-	-	V81.3	-	-	-	V85.1	1	1	-	1
V77.5	2	2	-	2	V81.4	2	2	-	V85.2	-	-	-	-
V77.6	-	-	-	-	V81.5	3	3	-	V85.3	1	1	-	1
V77.7	-	-	-	-	V81.6	4	4	-	V85.4	-	-	-	-
V77.9	-	-	-	-	V81.7	-	-	-	V85.5	6	6	-	6
V78.0	-	-	-	-	V81.8	2	2	-	V85.6	-	-	-	-
V78.1	-	-	-	-	V81.9	16	16	-	V85.7	4	4	-	4
V78.2	1	1	-	1	V82.0	-	-	-	V85.9	9	9	-	9
V78.3	1	2	1	2	V82.1	-	-	-	V86.0	229	230	1	230
V78.4	2	2	-	2	V82.2	-	-	-	V86.1	35	35	-	35
V78.5	-	-	-	-	V82.3	-	-	-	V86.2	3	3	-	3
V78.6	7	7	-	7	V82.4	-	-	-	V86.3	97	100	3	100
V78.7	-	-	-	-	V82.5	-	-	-	V86.4	-	-	-	-
V78.9	-	-	-	-	V82.6	-	-	-	V86.5	311	313	2	313
V79.0	-	-	-	-	V82.7	-	-	-	V86.6	38	38	-	38
V79.1	-	-	-	-	V82.8	-	-	-	V86.7	6	6	-	6
V79.2	-	-	-	-	V82.9	-	-	-	V86.9	321	328	7	328
V79.3	-	-	-	-	V83.0	3	3	-	V87.0	85	85	-	85
V79.4	-	-	-	-	V83.1	2	2	-	V87.1	45	45	-	45
V79.5	1	1	-	1	V83.2	-	-	-	V87.2	100	101	1	101
V79.6	-	-	-	-	V83.3	-	-	-	V87.3	2	2	-	2
V79.8	25	26	1	26	V83.4	1	1	-	V87.4	59	59	-	59
V79.9	3	4	1	4	V83.5	5	5	-	V87.5	4	4	-	4
V80.0	90	91	1	91	V83.6	1	1	-	V87.6	14	14	-	14
V80.1	1	1	-	1	V83.7	-	-	-	V87.7	3,952	4,012	60	4,012
V80.2	-	-	-	-	V83.9	7	7	-	V87.8	67	67	-	67
V80.3	-	-	-	-	V84.0	26	28	2	V87.9	3	3	-	3
V80.4	4	4	-	4	V84.1	-	-	-	V88.0	-	-	-	-
V80.5	3	3	-	3	V84.2	-	-	-	V88.1	1	1	-	1
V80.6	-	-	-	-	V84.3	12	12	-	V88.2	-	-	-	-
V80.7	-	-	-	-	V84.4	-	-	-	V88.3	-	-	-	-
V80.8	1	1	-	1	V84.5	19	20	1	V88.4	-	-	-	-
V80.9	21	21	-	21	V84.6	1	1	-	V88.5	-	-	-	-
V81.0	1	1	-	1	V84.7	8	8	-	V88.6	-	-	-	-
V81.1	5	5	-	5	V84.9	88	92	4	V88.7	18	18	-	18
V81.2	-	-	-	-	V85.0	12	16	4	V88.8	5	6	1	6

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
V88.9	1	1	-	V93.0	-	-	-	V97.8	-	-	-	-
V89.0	86	87	1	V93.1	3	3	-	V98	2	2	-	2
V89.1	2	2	-	V93.2	-	-	-	V99	18	18	-	18
V89.2	10,289	10,618	330	V93.3	1	1	-	W00	91	111	20	111
V89.3	-	-	-	V93.4	-	-	-	W01	698	889	191	889
V89.9	169	174	5	V93.5	-	-	-	W02	53	58	5	58
V90.0	-	-	-	V93.6	-	-	-	W03	9	11	2	11
V90.1	21	21	-	V93.7	-	-	-	W04	15	21	6	21
V90.2	9	9	-	V93.8	1	1	-	W05	356	491	135	491
V90.3	13	13	-	V93.9	14	14	-	W06	621	834	213	834
V90.4	2	2	-	V94.0	-	-	-	W07	216	279	63	279
V90.5	31	31	-	V94.1	1	1	-	W08	62	76	14	76
V90.6	8	8	-	V94.2	-	-	-	W09	3	3	-	3
V90.7	-	-	-	V94.3	2	2	-	W10	1,690	1,835	145	1,835
V90.8	3	3	-	V94.4	-	-	-	W11	425	447	22	447
V90.9	126	126	-	V94.5	1	1	-	W12	52	57	5	57
V91.0	-	-	-	V94.6	1	1	-	W13	533	630	97	630
V91.1	-	-	-	V94.7	1	1	-	W14	88	88	-	88
V91.2	-	-	-	V94.8	-	1	1	W15	70	70	-	70
V91.3	15	15	-	V94.9	38	38	-	W16	38	52	14	52
V91.4	-	-	-	V95.0	42	42	-	W17	495	528	35	528
V91.5	-	-	-	V95.1	25	25	-	W18	5,071	6,247	1,178	6,247
V91.6	1	1	-	V95.2	34	34	-	W19	9,070	12,413	3,344	12,413
V91.7	-	-	-	V95.3	-	-	-	W20	699	706	7	706
V91.8	1	1	-	V95.4	-	-	-	W21	11	11	-	11
V91.9	49	49	-	V95.8	21	21	-	W22	144	154	10	154
V92.0	-	-	-	V95.9	436	438	2	W23	103	110	7	110
V92.1	-	-	-	V96.0	3	3	-	W24	130	132	2	132
V92.2	11	11	-	V96.1	1	1	-	W25	12	15	3	15
V92.3	12	12	-	V96.2	6	6	-	W26	6	7	1	7
V92.4	2	2	-	V96.8	-	-	-	W27	5	7	2	7
V92.5	11	11	-	V96.9	-	-	-	W28	57	59	2	59
V92.6	7	7	-	V97.0	-	-	-	W29	5	5	-	5
V92.7	-	-	-	V97.1	1	1	-	W30	314	323	9	323
V92.8	1	1	-	V97.2	20	20	-	W31	311	317	6	317
V92.9	137	137	-	V97.3	1	1	-	W32	107	114	7	114

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field					
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code		
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis			
W33	104	106	2	106	W77	50	50	-	50	X19	9	10	1	10
W34	578	621	43	621	W78	333	1,207	874	1,207	X20	7	7	-	7
W35	3	4	1	4	W79	864	1,425	561	1,425	X21	10	17	7	17
W36	7	7	-	7	W80	3,189	19,338	16,149	19,338	X22	-	-	-	-
W37	13	13	-	13	W81	14	14	-	14	X23	82	83	1	83
W38	3	3	-	3	W83	235	255	20	255	X24	-	-	-	-
W39	4	4	-	4	W84	368	413	46	413	X25	6	6	-	6
W40	147	153	6	153	W85	105	105	-	105	X26	-	-	-	-
W41	-	-	-	-	W86	118	119	1	119	X27	-	-	-	-
W42	-	-	-	-	W87	175	179	4	179	X28	-	-	-	-
W43	-	-	-	-	W88	-	-	-	-	X29	-	-	-	-
W44	32	39	7	39	W89	-	-	-	-	X30	466	639	173	639
W45	5	6	1	6	W90	-	-	-	-	X31	700	1,165	465	1,165
W49	45	56	11	56	W91	-	-	-	-	X32	1	1	-	1
W50	16	17	1	17	W92	11	13	2	13	X33	48	49	1	49
W51	10	11	1	11	W93	2	2	-	2	X34	-	-	-	-
W52	-	-	-	-	W94	9	16	7	16	X35	-	-	-	-
W53	-	1	1	1	W99	-	-	-	-	X36	37	37	-	37
W54	33	35	2	35	X00	2,617	2,661	44	2,661	X37	874	1,185	311	1,185
W55	80	84	4	84	X01	52	54	2	54	X38	12	13	1	13
W56	2	2	-	2	X02	28	30	2	30	X39	41	80	39	80
W57	9	16	7	16	X03	33	35	2	35	X40	226	269	43	269
W58	1	1	-	1	X04	63	67	4	67	X41	1,496	1,930	434	1,930
W59	-	-	-	-	X05	6	6	-	6	X42	11,050	12,396	1,347	12,396
W60	1	1	-	1	X06	97	99	2	99	X43	23	32	9	32
W64	9	10	1	10	X08	44	52	8	52	X44	9,653	10,884	1,232	10,884
W65	315	359	44	359	X09	257	345	88	345	X45	346	1,990	1,644	1,990
W66	29	33	4	33	X10	6	8	2	8	X46	61	69	8	69
W67	511	522	11	522	X11	43	47	4	47	X47	642	691	49	691
W68	96	99	3	99	X12	19	19	-	19	X48	7	11	4	11
W69	1,324	1,349	25	1,349	X13	-	-	-	-	X49	114	223	109	223
W70	279	287	8	287	X14	2	3	1	3	X50	11	27	16	27
W73	199	203	4	203	X15	5	8	3	8	X51	-	2	2	2
W74	829	879	51	879	X16	14	21	7	21	X52	-	2	2	2
W75	573	604	31	604	X17	3	3	-	3	X53	17	33	16	33
W76	274	277	3	277	X18	1	1	-	1	X54	2	3	1	3

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field			
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis	
X57	2	3	1	3	X93	1,074	1,076	2	1,076	Y20	139	148
X58	53	64	11	64	X94	765	769	4	769	Y21	242	246
X59	6,551	16,032	9,481	16,032	X95	10,513	10,546	33	10,546	Y22	27	27
X60	243	253	10	253	X96	8	8	-	8	Y23	31	33
X61	930	995	65	995	X97	149	165	16	165	Y24	163	166
X62	613	657	44	657	X98	8	10	2	10	Y25	-	-
X63	16	17	1	17	X99	2,097	2,163	66	2,163	Y26	120	120
X64	2,438	2,556	118	2,556	Y00	152	157	5	157	Y27	-	-
X65	35	296	261	296	Y01	18	19	1	19	Y28	18	23
X66	101	104	3	104	Y02	6	6	-	6	Y29	5	5
X67	1,265	1,284	19	1,284	Y03	38	40	2	40	Y30	69	71
X68	10	12	2	12	Y04	57	68	11	68	Y31	16	16
X69	93	96	3	96	Y05	4	6	2	6	Y32	26	27
X70	7,248	7,286	38	7,286	Y06.0	-	-	-	-	Y33	155	198
X71	375	389	14	389	Y06.1	1	1	-	1	Y34	458	532
X72	3,654	3,666	12	3,666	Y06.2	-	-	-	-	Y35.0	330	337
X73	2,915	2,919	4	2,919	Y06.8	1	2	1	2	Y35.1	-	-
X74	10,433	10,461	28	10,461	Y06.9	32	51	19	51	Y35.2	-	-
X75	4	4	-	4	Y07.0	1	1	-	1	Y35.3	1	1
X76	160	167	7	167	Y07.1	6	6	-	6	Y35.4	-	-
X77	-	-	-	-	Y07.2	-	-	-	-	Y35.5	54	54
X78	590	625	35	625	Y07.3	1	1	-	1	Y35.6	22	35
X79	-	-	-	-	Y07.8	3	3	-	3	Y35.7	2	3
X80	683	692	9	692	Y07.9	157	166	9	166	Y36.0	-	-
X81	324	326	2	326	Y08	311	363	52	363	Y36.1	-	-
X82	113	115	2	115	Y09	1,714	1,817	103	1,817	Y36.2	10	11
X83	150	169	19	169	Y10	71	72	1	72	Y36.3	-	-
X84	166	205	39	205	Y11	290	326	36	326	Y36.4	1	2
X85	57	90	33	90	Y12	1,411	1,511	100	1,511	Y36.5	-	-
X86	-	2	2	2	Y13	5	7	2	7	Y36.6	-	-
X87	-	-	-	-	Y14	1,291	1,375	84	1,375	Y36.7	-	-
X88	28	28	-	28	Y15	31	158	127	158	Y36.8	-	-
X89	-	-	-	-	Y16	13	13	-	13	Y36.9	1	3
X90	4	5	1	5	Y17	92	98	6	98	Y40.0	3	14
X91	633	689	56	689	Y18	-	1	1	1	Y40.1	1	5
X92	49	50	1	50	Y19	36	46	10	46	Y40.2	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
Y40.3	-	-	-	Y44.2	29	1,541	1,512	1,541	Y48.4	7	36	29	36
Y40.4	-	1	1	Y44.3	4	43	39	43	Y48.5	-	1	1	1
Y40.5	-	5	5	Y44.4	-	3	3	3	Y49.0	1	3	2	3
Y40.6	-	1	1	Y44.5	3	91	88	91	Y49.1	-	-	-	-
Y40.7	-	1	1	Y44.6	1	2	1	2	Y49.2	1	7	6	7
Y40.8	4	24	20	Y44.7	-	-	-	-	Y49.3	-	3	3	3
Y40.9	5	154	149	Y44.9	-	1	1	1	Y49.4	2	5	3	5
Y41.0	-	2	2	Y45.0	19	61	42	61	Y49.5	4	23	19	23
Y41.1	-	-	-	Y45.1	2	21	19	21	Y49.6	-	-	-	-
Y41.2	1	1	-	Y45.2	1	7	6	7	Y49.7	-	3	3	3
Y41.3	-	-	-	Y45.3	4	53	49	53	Y49.8	1	1	-	1
Y41.4	1	1	-	Y45.4	-	3	3	3	Y49.9	1	2	1	2
Y41.5	-	2	2	Y45.5	-	8	8	8	Y50.0	-	-	-	-
Y41.8	-	7	7	Y45.8	2	17	15	17	Y50.1	-	-	-	-
Y41.9	1	1	-	Y45.9	-	10	10	10	Y50.2	-	-	-	-
Y42.0	2	34	32	Y46.0	-	-	-	-	Y50.8	-	-	-	-
Y42.1	-	-	-	Y46.1	-	-	-	-	Y50.9	-	2	2	2
Y42.2	-	15	15	Y46.2	5	14	9	14	Y51.0	-	1	1	1
Y42.3	6	36	30	Y46.3	-	-	-	-	Y51.1	-	-	-	-
Y42.4	-	2	2	Y46.4	-	-	-	-	Y51.2	-	1	1	1
Y42.5	-	-	-	Y46.5	-	1	1	1	Y51.3	1	1	-	1
Y42.6	-	1	1	Y46.6	-	-	-	-	Y51.4	-	-	-	-
Y42.7	11	296	285	Y46.7	-	3	3	3	Y51.5	-	-	-	-
Y42.8	1	7	6	Y46.8	-	-	-	-	Y51.6	-	-	-	-
Y42.9	-	-	-	Y47.0	1	1	-	1	Y51.7	-	2	2	2
Y43.0	-	2	2	Y47.1	1	6	5	6	Y51.8	-	1	1	1
Y43.1	-	37	37	Y47.2	-	-	-	-	Y51.9	-	2	2	2
Y43.2	-	1	1	Y47.3	-	-	-	-	Y52.0	1	13	12	13
Y43.3	15	1,321	1,307	Y47.4	-	-	-	-	Y52.1	-	2	2	2
Y43.4	16	617	601	Y47.5	-	-	-	-	Y52.2	4	54	50	54
Y43.5	-	1	1	Y47.8	-	-	-	-	Y52.3	-	-	-	-
Y43.6	1	1	-	Y47.9	-	3	3	3	Y52.4	2	9	7	9
Y43.8	-	-	-	Y48.0	-	1	1	1	Y52.5	-	6	6	6
Y43.9	1	2	1	Y48.1	-	2	2	2	Y52.6	2	7	5	7
Y44.0	-	2	2	Y48.2	1	7	6	7	Y52.7	-	1	1	1
Y44.1	-	1	1	Y48.3	5	14	9	14	Y52.8	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
Y52.9	-	3	3	3	Y56.7	-	-	-	Y60.8	23	93	70	93
Y53.0	-	-	-	-	Y56.8	-	-	-	Y60.9	13	27	14	27
Y53.1	-	1	1	1	Y56.9	-	-	-	Y61.0	-	2	2	2
Y53.2	-	-	-	-	Y57.0	-	-	-	Y61.1	-	1	1	1
Y53.3	-	1	1	1	Y57.1	-	1	1	Y61.2	1	2	1	2
Y53.4	-	2	2	2	Y57.2	-	1	1	Y61.3	-	-	-	-
Y53.5	-	-	-	-	Y57.3	-	-	-	Y61.4	1	2	1	2
Y53.6	-	-	-	-	Y57.4	-	-	-	Y61.5	-	-	-	-
Y53.7	-	-	-	-	Y57.5	13	55	42	Y61.6	1	1	-	1
Y53.8	-	-	-	-	Y57.6	-	1	1	Y61.7	-	-	-	-
Y53.9	-	-	-	-	Y57.7	-	-	-	Y61.8	-	2	2	2
Y54.0	-	-	-	-	Y57.8	-	18	18	Y61.9	-	3	3	3
Y54.1	-	1	1	1	Y57.9	141	401	260	Y62.0	-	-	-	-
Y54.2	-	-	-	-	Y58.0	-	1	1	Y62.1	-	-	-	-
Y54.3	-	1	1	1	Y58.1	-	-	-	Y62.2	-	-	-	-
Y54.4	-	-	-	-	Y58.2	-	-	-	Y62.3	-	-	-	-
Y54.5	1	8	7	8	Y58.3	-	-	-	Y62.4	-	-	-	-
Y54.6	-	2	2	2	Y58.4	-	-	-	Y62.5	-	-	-	-
Y54.7	-	-	-	-	Y58.5	-	-	-	Y62.6	-	-	-	-
Y54.8	2	6	4	6	Y58.6	-	-	-	Y62.8	1	1	-	1
Y54.9	-	-	-	-	Y58.8	-	-	-	Y62.9	-	-	-	-
Y55.0	-	-	-	-	Y58.9	-	-	-	Y63.0	-	-	-	-
Y55.1	1	1	-	1	Y59.0	2	4	2	Y63.1	-	-	-	-
Y55.2	-	2	2	2	Y59.1	-	-	-	Y63.2	-	4	4	4
Y55.3	-	-	-	-	Y59.2	-	-	-	Y63.3	-	-	-	-
Y55.4	-	1	1	1	Y59.3	-	1	1	Y63.4	-	1	1	1
Y55.5	-	-	-	-	Y59.8	-	-	-	Y63.5	-	-	-	-
Y55.6	-	2	2	2	Y59.9	-	1	1	Y63.6	-	-	-	-
Y55.7	-	-	-	-	Y60.0	28	220	192	Y63.8	-	2	2	2
Y56.0	2	4	2	4	Y60.1	1	8	7	Y63.9	2	2	-	2
Y56.1	-	-	-	-	Y60.2	3	21	18	Y64.0	1	28	27	28
Y56.2	-	-	-	-	Y60.3	1	2	1	Y64.1	-	-	-	-
Y56.3	-	-	-	-	Y60.4	16	53	37	Y64.8	-	-	-	-
Y56.4	1	3	2	3	Y60.5	6	25	19	Y64.9	-	-	-	-
Y56.5	-	-	-	-	Y60.6	11	45	34	Y65.0	-	1	1	1
Y56.6	-	-	-	-	Y60.7	1	2	1	Y65.1	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause
or entity axis multiple cause of death by ICD-10 category: United States, 2005

ICD-10 code	Record count by code field				Record count by code field				Record count by code field				
	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	
	Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		Total UC	Second-mention	Entity axis		
Y65.2	-	-	-	-	Y75.8	-	-	-	Y83.0	53	1,486	1,433	1,486
Y65.3	-	4	4	4	Y76.0	-	-	-	Y83.1	303	2,979	2,676	2,979
Y65.4	1	2	1	2	Y76.1	-	-	-	Y83.2	164	3,572	3,408	3,572
Y65.5	-	-	-	-	Y76.2	-	-	-	Y83.3	97	539	442	539
Y65.8	28	81	53	81	Y76.3	-	-	-	Y83.4	102	1,402	1,300	1,402
Y66	-	-	-	-	Y76.8	-	-	-	Y83.5	120	517	397	517
Y69	5	11	6	11	Y77.0	-	-	-	Y83.6	116	2,324	2,208	2,324
Y70.0	-	1	1	1	Y77.1	-	-	-	Y83.8	91	891	800	891
Y70.1	-	-	-	-	Y77.2	-	-	-	Y83.9	546	3,586	3,040	3,586
Y70.2	-	-	-	-	Y77.3	-	-	-	Y84.0	14	104	90	104
Y70.3	-	-	-	-	Y77.8	-	-	-	Y84.1	42	478	436	478
Y70.8	-	-	-	-	Y78.0	-	-	-	Y84.2	14	1,107	1,093	1,107
Y71.0	-	-	-	-	Y78.1	-	-	-	Y84.3	-	1	1	1
Y71.1	-	-	-	-	Y78.2	-	-	-	Y84.4	9	35	26	35
Y71.2	1	1	-	1	Y78.3	-	-	-	Y84.5	-	1	1	1
Y71.3	-	-	-	-	Y78.8	-	-	-	Y84.6	66	375	309	375
Y71.8	-	-	-	-	Y79.0	-	-	-	Y84.7	1	1	-	1
Y72.0	-	-	-	-	Y79.1	-	-	-	Y84.8	307	2,087	1,781	2,087
Y72.1	-	-	-	-	Y79.2	-	-	-	Y84.9	9	48	39	48
Y72.2	-	-	-	-	Y79.3	-	-	-	Y85.0	707	845	138	845
Y72.3	-	-	-	-	Y79.8	-	-	-	Y85.9	17	20	4	20
Y72.8	-	-	-	-	Y80.0	-	-	-	Y86	967	1,884	917	1,884
Y73.0	-	-	-	-	Y80.1	1	1	-	Y87.0	78	86	8	86
Y73.1	-	-	-	-	Y80.2	-	-	-	Y87.1	237	254	17	254
Y73.2	-	-	-	-	Y80.3	-	-	-	Y87.2	30	44	14	44
Y73.3	-	-	-	-	Y80.8	-	-	-	Y88.0	7	49	42	49
Y73.8	1	1	1	Y81.0	-	-	-	Y88.1	2	21	19	21	
Y74.0	-	-	-	Y81.1	-	-	-	Y88.2	-	-	-	-	
Y74.1	-	-	-	Y81.2	-	-	-	Y88.3	102	1,178	1,076	1,178	
Y74.2	-	-	-	Y81.3	-	-	-	Y89.0	5	5	-	5	
Y74.3	-	-	-	Y81.8	1	4	3	Y89.1	15	46	31	46	
Y74.8	-	-	-	Y82.0	1	1	-	Y89.9	3	8	5	8	
Y75.0	-	-	-	Y82.1	-	-	-						
Y75.1	-	-	-	Y82.2	-	-	-						
Y75.2	-	-	-	Y82.3	1	1	-						
Y75.3	-	-	-	Y82.8	1	5	4						